



HOMEA PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (442)258.0251

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121

SCHEDULE

National Pricing Effective June 1, 2023

BUILDER SCHEDULE: BN



Supersedes all other cost schedules and is subject to change without notice.

Costs

All costs are net and stated in U.S. dollars. Costs do not include sales or other state/province or local taxes. All costs include manufacturer's warranty. Costs are limited to purchases shipped within the United States and Canada. Requests for shipments to other countries should be referred to Viking Range, LLC.

Terms

Net 30 days following date of invoice. A service charge of 1½% per month will be charged on any unpaid balance over 30 days.

Orders

All orders are subject to Viking Range, LLC acceptance and are not binding until acceptance. All orders are accepted subject to strikes, walk-outs, accidents, fires, delays in manufacture or transportation of material, or any other causes beyond control of the manufacturer.

Changes or Cancellations

Additional costs incurred due to changes requested within three (3) weeks of scheduled shipping date will be chargeable. Cancellations are subject to a 20% cancellation charge. Custom or special items are not subject to change or cancellations.

Freight

Orders of 5,000 lb. or more will be shipped freight prepaid and allowed by Viking (applicable for US/Canada). Orders of less than 5,000 lb. will be shipped freight paid and amount added to the invoice. There will be a 5% surcharge for all drop shipments other than to primary distributor stocking location. There will also be a 5% surcharge for all single-unit common carrier shipments to primary distributor stocking location. All shipments are F.O.B. shipping point.

Shipments

All shipments are made F.O.B. factory. Title passes to the consignee and the manufacturer's responsibility ceases with the delivery of goods to the transportation company after obtaining "good order" receipt from the carrier. Product is thoroughly tested and carefully packed at the factory. Upon acceptance, the carrier assumes full responsibility for its safe arrival. Should you receive product in a damaged condition, apparent or concealed, a claim for damages must be made by you with the carrier. **IN CASE OF DAMAGE, DO NOT REFUSE SHIPMENT.** Call agents attention to condition, making careful note of details on freight bill before charges are paid or before prepaid freight shipments are accepted.

Factory sealed shipments should be handled the same as above, as well as notifying the appropriate Viking customer service representative immediately of any discrepancies or damages.

Should visual inspection upon a receipt of this shipment show loss or damage, it must be noted on the freight bill or express receipt at time of delivery and filed with the carrier's agent. Failure to do this may result in the carrier refusing to honor claim.

When loss or damage is not apparent until the product is unpacked, a claim for concealed damage must be filed. When damage is discovered, keep all containers and make a written request with the carrier for inspection. **YOU MUST MAKE THIS REQUEST FOR INSPECTION WITHIN FIFTEEN (15) DAYS OF DELIVERY.** The carrier will furnish you with the inspection report and necessary forms for filing a concealed damage or loss claim, since this damage or loss is the carrier's responsibility.

Returns

Prior authorization must be received to return merchandise. All authorized returns must be shipped freight prepaid and absorbed by distributor and are subject to a 20% restocking charge or cost of reconditioning, whichever is greater. Returns must be received within thirty (30) days from authorization date. Custom or special items are not subject to returns.

Shipping Area

All orders accepted are intended to be resold by distributor only to authorized Viking accounts located within the geographical territory assigned to the distributor as defined by Viking Range, LLC Distributor Agreement. Distributor expressly agrees not to sell any Viking Range products outside the assigned marketing area. No Viking product may be sold to dealers or consumers where they will be installed outside of the United States or Canada unless sold through the Viking authorized distributor in that country.

..... **WHERE TO CALL**

Atlanta/Buford 770-932-7282, 800-241-9152
Atlanta/Buford Fax 877-885-4002

LaPalma, CA 800-241-9152
Parts Press 1
Product Sales Press 2
Service/Support Press 3

..... **WHO TO CALL**

INSIDE SALES DEPARTMENT

Extranet: <https://middlebyresidential.shop.commercient.com>

- To place an order for merchandise
- To check merchandise inventory
- For ventilation information
- Questions regarding online ordering
- Questions regarding programs or product features
- Questions regarding care and use

PARTS DEPARTMENT

Extranet: <https://parts.middlebyresidential.com>

- Phone: 800.241.9152
- E-mail: parts@middlebyresidential.com
- To place an order for parts
- To check parts inventory

SERVICE DEPARTMENT

- Phone: 800.241.9152
- E-mail: customercare@middlebyresidential.com
- Questions regarding service
- Locate local service agency

.....

SPECIAL ORDERS

All special order items are non-cancelable, non-returnable.

RETURN GOODS

Obtain RMA number prior to return. All return goods subject to a minimum 25% re-stocking fee and return freight prepaid. No return allowed after 30 days of initial shipment. Contact Inside Sales for RMA number.

TRAINING

We offer regular training meetings in your store and will be happy to schedule them at your convenience. Please ask your DSM. Service and installation trainings are offered as needed.

.....

MIDDLEBYRESIDENTIAL.COM

Tuscany Products

| | |
|------------------------------------|----|
| TVDR 36", 48" and 66"W. Ranges | 8 |
| TVWH 36", 48" and 66"W. Wall Hoods | 11 |
| Tuscany Dishwasher Panel | 11 |

5 and 7 Series Cooking Products

| | |
|--|----|
| VGIC 5 Series Gas 30" and 36"W. Open Burner Range | 13 |
| VGR 5 Series Gas 30", 36", 48", and 60"W. Sealed Burner Range | 16 |
| VGR 7 Series Gas 36" and 48"W. Ranges | 20 |
| VDR 5 Series Dual Fuel Self-Clean 30", 36", 48" and 60"W. Sealed Burner Ranges | 22 |
| VDR 7 Series Dual Fuel Self-Clean 36" and 48"W. Ranges | 26 |
| VER 5 Series Electric Self-Clean 30"W. Range | 28 |
| VIR 5 Series Induction Self-Clean 30"W. Range | 29 |
| VRT 5 Series Gas 30", 36", and 48"W. Rangetops | 30 |
| VRT 5 Series Gas 36" and 48"W. Rangetops | 33 |
| VERT 5 Series Electric 30" and 36"W. Rangetops | 35 |
| VUIW Undercounter Induction Warmer | 36 |
| Surface Cooking Accessories – 5 Series Accessories | 37 |
| Knob Kits Accessory Kits | 38 |
| VGSU Gas 30" and 36"W. Cooktops and Accessories | 39 |
| VECU 5 Series Electric Radiant 30" and 36"W. Cooktops | 40 |
| VICU 5 Series Electric All Induction 30" and 36"W. Cooktops | 41 |
| MVIC 6 Series Electric All Induction 30" and 36"W. Cooktops | 42 |
| VSOE/VDOE Ultra-Premium Select Electric 30"W. Single/Double Ovens | 43 |
| VSOE/VDOE Ultra-Premium Premiere Electric 27" and 30"W. Single/Double Ovens | 44 |
| VSOE/VDOE Ultra Premium 7 Series French-Door Premiere 30"W. Single/Double Oven | 45 |
| VMOS/VMOC Conventional and Convection Microwave Ovens and Built-In Trim Kits | 46 |
| VSOC Combi Steam Convection Oven | 47 |
| VMOD Undercounter DrawerMicro™ Oven | 47 |
| VMODC Undercounter Convection DrawerMicro™ Oven | 48 |
| Convection Microwave Hood and Accessories | 48 |
| VMDD Drop Down Convection/Speed Microwave Oven | 50 |
| VWD 5 Series 27" and 30"W. Electric Warming Drawers and Accessory | 51 |

5 Series Ventilation Products

| | |
|--|----|
| VWH 10"H. Wall Hoods | 53 |
| VWH 12"H. Wall Hoods/VRK Recirculating Hood Conversion Kits/Accessory | 54 |
| VWH 18"H./24"D. Wall Hoods/DCW Duct Covers | 55 |
| VCWH Chimney Wall Hoods/DCCE Duct Cover Extensions | 56 |
| VCIH Chimney Island Hoods | 57 |
| VCCI Chimney Island Duct Covers for VCIH Hoods | 57 |
| VBCV Custom Ventilator Systems | 58 |
| Hood Accessories and Interior/Exterior/In-line Ventilator Kits/Ventilator Kits | 59 |
| VDD Downdrafts and Ventilator Kits | 60 |
| Hood Data | 61 |
| MVWHS 6 Series Hood | 63 |

5 and 7 Series Refrigeration Products

| | |
|---|----|
| VCBB/FDBB 5 Series 36"W. Bottom-Mount Refrigerator/Freezers | 65 |
| VBI/FBI 7 Series 36"W. Bottom-Mount Refrigerator/Freezers | 66 |
| VCSB/FDSB 5 Series 42"W. Side-by-Side Refrigerator/Freezers | 67 |
| VCSB/FDSB 5 Series 48"W. Side-by-Side Refrigerator/Freezers | 68 |
| VRI/FRI 7 Series 30"W. Column All Refrigerator | 69 |
| VFI/FFI 7 Series 30"W. Column All Freezer | 70 |
| VRI/FRI 7 Series 24"W. Column All Refrigerator | 71 |
| VFI/FFI 7 Series 24"W. Column All Freezer | 72 |
| VFI/FFI 7 Series 18"W. Column All Freezer | 73 |
| VCRB/FDRB 5 Series 30"W. All Refrigerator | 74 |
| VCRB/FDRB 5 Series 36"W. All Refrigerator | 75 |
| VCFB/FDFB 5 Series 30"W. All Freezer | 76 |
| VCFB/FDFB 5 Series 36"W. All Freezer | 77 |
| VRUI/VDUI 24"W. Refrigerators | 78 |
| VBUI 15" and 24"W. Refrigerated Beverage Centers | 79 |
| VWUI 15" and 24"W. Wine Cellars | 80 |
| VURE 15" and 24"W. Refrigerators | 81 |
| VUBV 15" and 24"W. Refrigerated Beverage Centers | 82 |
| VUWC 15" and 24"W. Wine Cellars | 83 |
| FGIM/FPIM/FGNI/FPNI 15"W. Ice Machines and Accessories | 84 |

Kitchen Cleanup Products

| | |
|---|----|
| VDWU/FDWU Built-In 5 Series Dishwashers and Accessories | 86 |
| VDWU/FDWU Built-In 7 Series Dishwashers and Accessories | 87 |

3 Series Cooking Products

| | |
|---|----|
| RVGR Gas Self-Clean 30"W. Sealed Burner Range | 89 |
| RVDR Dual Fuel 30"W. Sealed Burner Range | 90 |
| RVER Electric Radiant Range | 91 |
| RVGC Gas 30" and 36"W. Cooktops | 92 |
| RVEC Electric Radiant 30", 36" and 45"W. Cooktops | 93 |
| RVSOE/RVDOE Electric 30"W. Single/Double Ovens | 94 |
| RVM Microwave Oven and Trim Kit | 95 |
| RVMH and VMOH Conventional Microwave Hoods | 95 |
| RVMHC Convection Microwave Hood | 96 |
| RVEWD 30"W. Warming Drawer | 96 |

3 Series Ventilation Products

| | |
|---------------------------------------|----|
| RVCH 12"H. Wall Hoods and Accessories | 97 |
| VDD Downdrafts and Accessories | 98 |

3 Series Refrigeration Products

| | |
|--|----|
| RVRF Freestanding 36"W. French Door Bottom Freezer and Accessories | 99 |
|--|----|

3 Series Kitchen Cleanup Products

| | |
|--|-----|
| VDWU/FDWU Built-In Dishwashers and Accessories | 100 |
|--|-----|

Outdoor Products

| | |
|---|-----|
| VQGI 30", 36", 42", and 54"W. Outdoor Gas Grills | 102 |
| VQGFS 30", 36", 42", and 54"W. Freestanding Gas Grills with Carts | 103 |
| VQGSB 13"W. Outdoor Gas Side Burner and VQGPD 20"W. Outdoor Power Burner | 104 |
| VQEWD Outdoor 30"W. Warming Drawer | 105 |
| VQEWD 42"W. Convenience Center with 30"W. Warming Drawer | 105 |
| Outdoor Accessories | 106 |
| Outdoor Storage Drawers and Access Drawers | 107 |
| VWHO 36", 48", and 60"W. Wall Hoods/Accessories | 108 |
| VRUO/VDUO 24"W. Outdoor Refrigeration | 109 |
| FGIM/FPIM/FGNI/FPNI Undercounter/Freestanding 15"W. Ice Machine/Accessories | 110 |
| Stainless Steel Cabinets | 111 |



TUSCANY COST SCHEDULE

National Pricing Effective June 1, 2023



TVDR Freestanding Tuscany Dual Fuel 36"W. Range



TVDR3614B

Tuscany 36"W. Range

- **TVDR3614B** – 4 gas burners
- High performance burners provide fast boil times and a gentle simmer
 - 20,000 BTU – 8,500 BTU high burner ratings
- Stainless steel burner pan
- Electronic spark ignition on all burners
- Porcelain coated cast iron burner grates
- 3.8 cu ft. electric oven
 - 25-3/4"W. x 13"H. x 19-5/8" D.
 - Stainless steel oven cavity
 - Five rack positions with two oven racks including one TruGlide™ Rack
 - Eight cooking functions – Bake, Convection Bake, Tru Convection, Low Broil, High Broil, Convection Broil, Defrost, Proof
 - Two oven lights
- Storage drawer for baking pans with soft-close drawer glides

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--------------|-----------|------------|
| TVDR3614B | ECF | Four Burners | \$ 24,111 | 500 (225) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

Lead Times: Due to the custom nature of this product, please allow a minimum of 110 to 140 days lead time from receipt of order

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|----------------------------------|-------|------------|
| CBGTVDR | N/A | Bamboo cover for Tuscany griddle | \$186 | 5 (2.3) |
| LPKTVDR1 | N/A | LP/Propane Conversion Kit | \$241 | 2 (0.9) |

TVDR Freestanding Tuscany Dual Fuel 48”W. Ranges



TVDR4814G

Tuscany 48”W. Range

- Two different top configurations
 - **TVDR4816B** – 6 gas burners
 - **TVDR4814G** – 4 gas burners; electric griddle
- High performance burners provide fast boil times and a gentle simmer
 - 20,000 BTU – 8,500 BTU high burner ratings
- Stainless steel burner pan
- Electronic spark ignition on all burners
- Porcelain coated cast iron burner grates
- 3.8 cu ft. electric oven
 - 25-3/4”W. x 13”H. x 19-5/8” D.
 - Stainless steel oven cavity
 - Five rack positions with two oven racks including one TruGlide™ Rack
 - Eight cooking functions – Bake, Convection Bake, Tru Convection, Low Broil, High Broil, Convection Broil, Defrost, Proof
 - Two oven lights
- 2.4 cu ft. oven (right oven)
 - 11-5/8”W. x 18-1/4”H. x 19-5/8”D.
 - Side swing oven door
 - One oven rack
- Storage drawer for baking pans with soft-close drawer glides

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|----------------------------|----------|-------------|
| TVDR4816B | ECF | Six Burners | \$28,555 | 575 (258.8) |
| TVDR4814G | ECF | Four Burners/12”W. Griddle | \$30,799 | 585 (263.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

Lead Times: Due to the custom nature of this product, please allow a minimum of 110 to 140 days lead time from receipt of order

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|----------------------------------|-------|------------|
| CBGTVDR | N/A | Bamboo cover for Tuscany griddle | \$186 | 5 (2.3) |
| LPKTVDR1 | N/A | LP/Propane Conversion Kit | \$241 | 2 (0.9) |

TVDR Freestanding Tuscany Dual Fuel 66”W. Ranges



TVDR6616G

Tuscany 66”W. Range

- Two different top configurations
 - **TVDR6618B** – 8 gas burners
 - **TVDR6616G** – 6 gas burners; electric griddle
- High performance burners provide fast boil times and a gentle simmer
 - 20,000 BTU – 8,500 BTU high burner ratings
- Stainless steel burner pan
- Electronic spark ignition on all burners
- Porcelain coated cast iron burner grates
- 3.8 cu ft. electric oven (both ovens)
 - 25-3/4”W. x 13”H. x 19-5/8” D.
- Stainless steel oven cavity
- Five rack positions with two oven racks including one TruGlide™ Rack
- Eight cooking functions – Bake, Convection Bake, Tru Convection, Low Broil, High Broil, Convection Broil, Defrost, Proof
- Two oven lights
- Storage drawer for baking pans with soft-close drawer glides

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------|----------|--------------|
| TVDR6618B | ECF | Eight Burners | \$37,377 | 745 (337.9) |
| TVDR6616G | ECF | Six Burners/12”W. Griddle | \$39,181 | 745 (337.9)) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

Lead Times: Due to the custom nature of this product, please allow a minimum of 110 to 140 days lead time from receipt of order

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|----------------------------------|-------|------------|
| CBGTVDR | N/A | Bamboo cover for Tuscany griddle | \$186 | 5 (2.3) |
| LPKTVDR1 | N/A | LP/Propane Conversion Kit | \$241 | 2 (0.9) |

TVWH Tuscany Built-In 18”H./24”D. Wall Hoods/Accessories/Dishwasher Panel



TVWH360

Tuscany Wall Hoods - 18”H. / 24”D.

- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (250 watt heat lamp bulb not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|---|---------|------------|
| TVWH360 | ECF | 36”W. – Kit Compatibility: VINV300, VINV600, VINV1200, DEV900, DEV1200, DIL1200 | \$4,608 | 68 (30.6) |
| TVWH480 | ECF | 48”W. – Kit Compatibility: VINV1200, DEV1200, DEV1500, DIL1200 | \$5,323 | 88 (39.6) |
| TVWH660 | ECF | 66”W. – Kit Compatibility: VINV1200, DEV1200, DEV1500, DIL1200 | \$7,204 | 130 (59.0) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

Note: Blowers can be found on page 68.

Tuscany Duct Covers For Wall Hoods

- For use with all TVWH models
- Extends height of hood by 12”; conceals duct
- 12”D.
- Specify finish

| Model | Finish | Description | USD | WT lb (kg) |
|---------------|--------|-------------|---------|------------|
| TDCW36 | ECF | 36”W. | \$934 | 11 (5.0) |
| TDCW48 | ECF | 48”W. | \$1,110 | 14 (6.3) |
| TDCW66 | ECF | 66”W. | \$1,528 | 24 (10.8) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors **Alluvial Blue (AB)**, Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



TVDDP524

Tuscany Dishwasher Door Panel Kit

- For use with all FDWU model dishwashers
- Includes panel and handle

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-----------------------------------|---------|------------|
| TVDDP524 | ECF | For use with all FDWU dishwashers | \$1,242 | 14 (6.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors **Alluvial Blue (AB)**, Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



5/7 SERIES COOKING COST SCHEDULE

National Pricing Effective June 1, 2023



VGIC Freestanding Gas 30"W. Open Burner Range



VGIC53024B

30"W./24"D. Gas Open Burner Range

- **Exclusive** SureSpark™ Ignition System for all burners
- 4-15,000 BTU SS open burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **Exclusive** VariSimmer setting for all burners
- Center grate allows movement of cooking vessels across entire top surface
- Removable porcelain burner bowls
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Extremely large convection oven
 - Overall 23"W. x 16½"H. x 18¾"D. – 4.0 cu. ft.
 - AHAM Standard 23"W. x 16½"H. x 17"D. – 3.7 cu. ft.
 - Three heavy-duty racks/six porcelain coated rack positions
 - Two halogen lights
- **NEW** larger window opening
- **NEW** BlackChrome™ knobs shipped standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|-------------------------|---------|------------|
| VGIC53024B (NAT)* | SS | Four Burners – 5 Series | \$6,709 | 410 (186) |
| | ECF | | \$7,919 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| TGOG530 | N/A | TruGlide Rack for VGIC 30" | \$208 | 5 (2.3) |
| BG8530SS | N/A | 8"H. Backguard | \$494 | 14 (6.3) |
| HS24530SS | N/A | High Shelf | \$1,044 | 45 (20.3) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGIC Freestanding Gas 36"W. Open Burner Ranges



VGIC53626B

36"W./24"D. Gas Open Burner Range

- **Exclusive** SureSpark™ Ignition System for all burners
- 6-15,000 BTU SS open burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **Exclusive** VariSimmer setting for all burners
- Removable porcelain burner bowls
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Extremely large convection oven
 - Overall 29"W. x 16½"H. x 18¾"D. – 5.1 cu. ft.
 - AHAM Standard 29"W. x 16½"H. x 17"D. – 4.6 cu. ft.
 - Three heavy-duty racks/six porcelain coated rack positions
 - Two halogen lights
- **NEW** larger window opening
- **NEW** BlackChrome™ knobs shipped standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|------------------------|---------|------------|
| VGIC53626B (NAT)* | SS | Six Burners – 5 Series | \$8,502 | 500 (225) |
| | ECF | | \$9,877 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| TGOG536 | N/A | TruGlide Rack for VGIC 36" | \$230 | 7 (3.2) |
| BG8536SS | N/A | 8"H. Backguard | \$549 | 17 (7.7) |
| HS24536SS | N/A | High Shelf | \$1,154 | 50 (22.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| P36CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$384 | 10 (4.5) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGIC Freestanding Gas 48"W. Open Burner Ranges



VGIC54828B

48"W./24"D. Gas Open Burner Range

- **Exclusive** SureSpark™ Ignition System for all burners
- 8-15,000 BTU SS open burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **Exclusive** VariSimmer setting for all burners
- Removable porcelain burner bowls
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Right Oven - large convection oven
 - Overall 23"W. x 16¹/₈"H. x 18³/₄"D. – 4.0 cu. ft.
 - AHAM Standard 23"W. x 16¹/₈"H. x 17"D. – 3.7 cu. ft.
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
- Two halogen lights
- Left bake oven
 - Overall 12¹/₈"W. x 16¹/₈"H. x 18³/₄"D. – 2.1 cu. ft.
 - AHAM 12¹/₈"W. x 16¹/₈"H. x 18¹/₈"D. – 2.0 cu. ft.
 - Two heavy-duty racks/six porcelain coated rack positions
- Larger window opening
- BlackChrome™ knobs shipped standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|--------------------------|----------|-------------|
| VGIC54828B (NAT)* | SS | Eight Burners – 5 Series | \$12,110 | 575 (258.8) |
| | ECF | | \$13,694 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| TGOG530 | N/A | TruGlide Rack | \$208 | 5 (2.3) |
| BG8548SS | N/A | 8"H. Backguard | \$637 | 24 (10.8) |
| HS24548SS | N/A | High Shelf | \$1,462 | 60 (27.0) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| P48CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$450 | 11 (5.0) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGR Freestanding 5 Series Gas 30"W. Sealed Burner Range



VGR5304B

30"W./24"D. 5 Series Gas Sealed Burner Range

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of unique patented burner and top design provides cleanability plus superior performance at simmer and high
- **Exclusive** 1 - TruPower Plus™18,500 BTU Burner (front right burner position)
- 3-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **Exclusive** SureSpark™ Ignition System for all burners
- **Exclusive** VariSimmer setting for all burners
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- Center grate allows movement of cooking vessels across entire top surface
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Extremely large convection oven
 - Overall 23"W. x 16½"H. x 18¾"D. – 4.0 cu. ft.
 - AHAM Standard 23"W. x 16½"H. x 17"D. – 3.7 cu. ft.
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
 - Two halogen lights
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|------------------------|---------|------------|
| VGR5304B (NAT)* | SS | Four Burner – 5 Series | \$8,128 | 410 (186) |
| | ECF | | \$9,349 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8530SS | N/A | 8"H. Backguard | \$494 | 14 (6.3) |
| HS24530SS | N/A | High Shelf | \$1,044 | 45 (20.3) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGR Freestanding 5 Series Gas 36"W. Sealed Burner Ranges



VGR5366B



VGR5364G

36"W./24"D. 5 Series Gas Sealed Burner Ranges

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of unique patented burner and top design provide cleanability plus superior performance at simmer and high
- **VGR5366B**
 - **Exclusive** 1 – TruPower Plus™ 18,500 BTU Burner (front right burner position)
 - 5-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **VGR5364G**
 - 4-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
 - 12"W. thermostatically controlled steel griddle/simmer plate
 - Cast aluminum removable grease trough hold 2 ½ cups of liquid
- **Exclusive** SureSpark™ Ignition System for all burners
- **Exclusive** VariSimmer setting for all burners
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Extremely large convection oven
 - Overall 29"W. x 16⅞"H. x 18¾"D. – 5.1 cu. ft.
 - AHAM Standard 29"W. x 16⅞"H. x 18¾"D. – 5.1 cu. ft.
 - **NEW** Fits full size commercial baking sheet
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
- Two halogen lights
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|---------------------------------------|----------|-------------|
| VGR5366B (NAT)* | SS | Six Burners – 5 Series | \$10,878 | 500 (225) |
| | ECF | | \$12,264 | |
| VGR5364G (NAT)* | SS | Four Burners/12"W. Griddle – 5 Series | \$12,253 | 510 (229.5) |
| | ECF | | \$13,650 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8536SS | N/A | 8"H. Backguard | \$549 | 17 (7.7) |
| HS24536SS | N/A | High Shelf | \$1,154 | 50 (22.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| P36CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$384 | 10 (4.5) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGR Freestanding 5 Series Gas 48"W. Sealed Burner Ranges



VGR5488B



VGR5486G

48"W./24"D. 5 Series Gas Sealed Burner Ranges

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of unique patented burner and top design provides cleanability plus superior performance at simmer and high
- **VGR5488B**
 - **Exclusive** 1 – TruPower Plus™ 18,500 BTU Burner (front right burner position)
 - 7 – 15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **VGR5486G**
 - **Exclusive** 1 – TruPower Plus™ 18,500 BTU Burner (front right burner position)
 - 5 – 15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
 - 12"W. thermostatically controlled steel griddle/simmer plate
 - Cast aluminum removable grease trough holds 2 ½ cups of liquid
- **Exclusive** SureSpark™ Ignition System for all burners
- **Exclusive** VariSimmer setting for all burners
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Right Oven - large convection oven
 - Overall 23"W. x 16½"H. x 18¾"D. – 4.0 cu. ft.
 - AHAM Standard 23"W. x 16½"H. x 17"D. – 3.7 cu. ft.
 - Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
 - Two halogen lights
- Left bake oven
 - Overall 12½"W. x 16½"H. x 18¾"D. – 2.1 cu. ft.
 - AHAM 12½"W. x 16½"H. x 18½"D. – 2.0 cu. ft.
 - Two heavy-duty racks/six porcelain coated rack positions
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--------------------------------------|----------|-------------|
| VGR5488B (NAT)* | SS | Eight Burners – 5 Series | \$16,345 | 575 (258.8) |
| | ECF | | \$17,940 | |
| VGR5486G (NAT)* | SS | Six Burners/12"W. Griddle – 5 Series | \$17,489 | 575 (258.8) |
| | ECF | | \$19,073 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8548SS | N/A | 8"H. Backguard | \$637 | 24 (10.8) |
| HS24548SS | N/A | High Shelf | \$1,462 | 60 (27.0) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| P48CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$450 | 11 (5.0) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGR Freestanding 5 Series Gas 60"W. Sealed Burner Ranges



VGR5606GQ

60"W./24"D. 5 Series Gas Sealed Burner Ranges

- **Exclusive** VSH™ (VariSimmer-to-high) Pro Sealed burner System (Vari-Simmer to High) – combination of patented burner and top design provide cleanability plus superior performance at simmer and high
- **Exclusive** – 1 TruPower Plus™ 18,500 BTU Burner (front right burner position)
- 5-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- 12"W. thermostatically controlled steel griddle/simmer plate
 - Cast aluminum removable grease trough holds 2 ½ cups of liquid
- 12"W. grill with flavor generator plates and automatic ignition/re-ignition
 - **Exclusive** two piece removable drip pan holds three quarts of liquid
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- NEW SoftLit™ LED lights accent the control panel and illuminate knobs
- Oven features for BOTH ovens
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
 - Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Both Ovens - large convection ovens
 - Overall 23"W. x 16 1/8"H. x 18 3/4"D. – 4.0 cu. ft.
 - AHAM Standard 23"W. x 16 1/8"H. x 17"D. – 3.7 cu. ft.
 - Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
 - Two halogen lights
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--|----------|-------------|
| VGR5606GQ (NAT)* | SS | Six Burners/12"W. Griddle/12"W. Grill – 5 Series | \$22,989 | 750 (340.2) |
| | ECF | | \$24,793 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8560SS | N/A | 8"H. Backguard | \$670 | 30 (13.5) |
| HS24560SS | N/A | High Shelf | \$1,715 | 70 (31.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P60CRTSS | N/A | Countertop Rear Trim | \$153 | 2 (0.9) |
| P60CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$560 | 18 (8.1) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VGR Freestanding 7 Series Gas 36"W. Ranges



VGR73626B



VGR73624G

36"W./24"D. 7 Series Gas Ranges

- **Exclusive** Viking Elevation Burners™ with brass flame ports
- Three burner sizes efficiently deliver heat to any size cookware
 - 23,000 BTUs across the front of all width configurations, with multiple 15,000 BTUs and one 8,000 BTU burner across the rear
- **VGR73626B** - 3-23,000 BTU burners; 2-15,000 BTU burners; 1-8,000 BTU burner
- **VGR73624G** - 2-23,000 BTU burners; 1-15,000 BTU burner; 1-8,000 BTU burner
 - Reversible griddle/grill - cast iron
 - Features the **patent-pending** StayCool™ Trough Handle and grease management system
- **Exclusive** VariSimmer™ Setting on all burners provides gentle, even simmering
- **Exclusive** SureSpark™ Ignition System, ensures automatic ignition/re-ignition
- **NEW** BlackChrome™ knobs with CoolLit™ LED backlighting
- **Exclusive** seamless, heavy gauge porcelain burner pan with elevated burners prevent spillovers from baking on
- Continuous grate design allows easy movement of pots and pans from burner to burner
- Grates, burner caps, knobs, griddle and accessories can be easily removed for cleaning
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Extremely large convection oven
 - Overall 29"W. x 16½"H. x 18¾"D. – 5.1 cu. ft.; AHAM 29"W. x 16½"H. x 18¾"D. – 5.1 cu. ft.
 - **NEW** fits full size commercial baking sheet
- Gourmet Glo™ Infrared Gas Broiler provides intense searing heat to lock in savory juices
- **Exclusive** - GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- Three heavy-duty racks/six porcelain coated rack positions including three TruGlide™ full extension racks
- Two halogen lights
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------------------|----------|------------|
| VGR73626B (NAT)* | SS | Six Burners – 7 Series | \$13,265 | 500 (225) |
| | ECF | | \$14,651 | |
| VGR73624G (NAT)* | SS | Four Burners/12"W. Griddle – 7 Series | \$15,938 | 500 (225) |
| | ECF | | \$17,313 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--|---------|------------|
| BG107362SS | N/A | 10"H. Backguard | \$549 | 17 (7.7) |
| HS24736SS | N/A | High Shelf | \$1,275 | 50 (22.5) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| CBGVGR | N/A | Bamboo cover for 7 Series griddle | \$175 | 5 (2.3) |
| LPKVGR | N/A | LP/Propane Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| NKVGR | N/A | Natural Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| GCKVGR | N/A | Gas connection kit | \$208 | 2 (0.9) |
| WOKVGR7 | N/A | Wok ring accessory | \$76 | 2 (0.9) |

VGR Freestanding 7 Series Gas 48"W. Ranges



VGR74828B



VGR74826G

48"W./24"D. 7 Series Gas Ranges

- **Exclusive** Viking Elevation Burners™ with brass flame ports
- Three burner sizes efficiently deliver heat to any size cookware
 - 23,000 BTUs across the front of all width configurations, with multiple 15,000 BTUs and one 8,000 BTU burner across the rear
- **VGR74828B** - 4-23,000 BTU burners; 3-15,000 BTU burners; 1-8,000 BTU burner
- **VGR74826G** - 3-23,000 BTU burners; 2-15,000 BTU burner; 1-8,000 BTU burner
 - Reversible griddle/grill - cast iron
 - Features the **patent-pending** StayCool™ Trough Handle and grease management system
- **Exclusive** VariSimmer™ Setting on all burners provides gentle, even simmering
- **Exclusive** SureSpark™ Ignition System, ensures automatic ignition/re-ignition
- **NEW** BlackChrome™ knobs with CoolLit™ LED backlighting
- **Exclusive** seamless, heavy gauge porcelain burner pan with elevated burners prevent spillovers from baking on
- Continuous grate design allows easy movement of pots and pans from burner to burner
- Grates, burner caps, knobs, griddle and accessories can be easily removed for cleaning
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **Exclusive** combination of single U-shaped bake burner and infrared broil burner, all with electric spark ignition
- Six functions - natural airflow bake, convection bake, infrared broil, convection infrared broil, convection dehydrate and convection defrost
- Right Oven - large convection oven
 - Overall 23"W. x 16½"H. x 18¾"D. – 4.0 cu. ft.; AHAM 23"W. x 16½"H. x 17"D. – 3.7 cu. ft.
 - Three heavy-duty racks/six porcelain coated rack positions including three TruGlide™ full extension racks and two halogen oven lights
- Left Bake Oven
 - Overall 12½"W. x 16½"H. x 18¾"D. – 2.1 cu. ft.; AHAM 12½"W. x 16½"H. x 18¾"D. – 2.0 cu. ft.
 - Two heavy-duty racks/six porcelain coated rack positions and two halogen oven lights
- Gourmet Glo™ Infrared Gas Broiler provides intense searing heat to lock in savory juices
- **Exclusive** - GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--------------------------------------|----------|-------------|
| VGR74828B (NAT)* | SS | Eight Burners – 7 Series | \$20,162 | 575 (258.8) |
| | ECF | | \$21,746 | |
| VGR74826G (NAT)* | SS | Six Burners/12"W. Griddle – 7 Series | \$22,494 | 575 (258.8) |
| | ECF | | \$24,067 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--|---------|------------|
| BG107482SS | N/A | 10"H. Backguard | \$659 | 24 (10.4) |
| HS24748SS | N/A | High Shelf | \$1,550 | 60 (27.0) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| CBGVGR | N/A | Bamboo cover for 7 Series griddle | \$175 | 5 (2.3) |
| LPKVGR | N/A | LP/Propane Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| NKVGR | N/A | Natural Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| GCKVGR | N/A | Gas connection kit | \$208 | 2 (0.9) |
| WOKVGR7 | N/A | Wok ring accessory | \$76 | 2 (0.9) |

VDR Freestanding 5 Series Dual Fuel Self-Clean 30"W. Sealed Burner Range



VDR5304B

30"W. / 24"D. 5 Series Dual Fuel Self-Clean Sealed Burner Range

- **Exclusive** VSH™ Pro Sealed Burner System (Vari-Simmer to High) – combination of patented burner and top design provide cleanability plus superior performance at simmer and high
- **Exclusive** 1 - TruPower Plus™18,500 BTU Burner (front right burner position)
- 3-15,000 BTU burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **Exclusive** Patented Vari-Speed Dual Flow™ convection system has the largest convection fan in the industry; the 8 ½" fan works bi-directionally for maximum airflow and excellent cooking results
- Concealed 10-pass dual bake element
- Large 10-pass broiler with heat reflector
- Rapid Ready™ Preheat System provides super fast preheat times
- High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost and Self-Clean
- Three strategically located halogen lights
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
- **Exclusive** – largest self-clean convection oven
 - Overall 25 5/16"W. x 16 ½"H. x 19 ½"D. – 4.7 cu. ft.
 - AHAM Standard 25 5/16"W. x 16 ½"H. x 16 13/16"D. – 4.1 cu. ft.
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|-----------------|-------------|
| VDR5304B (NAT)* | SS | Four Burners – 5 Series | \$10,394 | 410 (184.5) |
| | ECF | | \$11,615 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8530SS | N/A | 8"H. Backguard | \$494 | 14 (6.3) |
| HS24530SS | N/A | High Shelf | \$1,044 | 45 (20.3) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VDR Freestanding 5 Series Dual Fuel Self-Clean 36"W. Sealed Burner Ranges



VDR5366B



VDR5364G

36"W. / 24"D. 5 Series Dual Fuel Self-Clean Sealed Burner Ranges

- **Exclusive** VSH™ Pro Sealed Burner System (Vari-Simmer to High) – combination of patented burner and pot design provide cleanability plus superior performance at simmer and high
- **VDR5366B**
 - **Exclusive** 1 – TruPower Plus™ 18,500 BTU Burner (front right burner position)
 - 5-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **VDR5364G** 4-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
 - 12"W. thermostatically controlled steel griddle/simmer plate
 - Cast aluminum removable grease trough hold 2 ½ cups of liquid
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate and Convection Defrost and Self-Clean
- **Exclusive** Patented Vari-Speed Dual Flow™ convection system has the largest convection fan in the industry; the 8 1/2" fan works bi-directionally for maximum airflow and excellent cooking results
- Concealed 10-pass dual bake element
- Large 10-pass broiler with heat reflector
- Rapid Ready™ Preheat System provides super fast preheat times
- **Exclusive** largest self-clean convection oven
 - Overall 30 5/16"W. x 16 1/2"H. x 19 1/2"D. – 5.6 cu. ft.
 - AHAM Standard 30 5/16"W. x 16 1/2"H. x 16 1/16"D. – 4.9 cu. ft.
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
- Three halogen lights
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|-----------|---------------------------------------|-----------------|-------------|
| VDR5366B (NAT)* | SS | Six Burners – 5 Series | \$15,773 | 500 (225.0) |
| | ECF | | \$17,159 | |
| VDR5364G (NAT)* | SS | Four Burners/12"W. Griddle – 5 Series | \$17,313 | 510 (229.5) |
| | ECF | | \$18,710 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--------------------------------------|---------|------------|
| BG8536SS | N/A | 8"H. Backguard | \$549 | 17 (7.7) |
| HS24536SS | N/A | High Shelf | \$1,154 | 50 (22.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| P36CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$384 | 10 (4.5) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VDR Freestanding 5 Series Dual Fuel Self-Clean 48"W. Sealed Burner Ranges



VDR5488B



VDR5486G

48"W. / 24"D. 5 Series Dual Fuel Self-Clean Sealed Burner Ranges

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of unique patented burner and top design provides cleanability plus superior performance at simmer and high
- **VDR5488B**
 - **Exclusive** 1 – TruPower Plus™ 18,500 BTU Burner (front right burner position)
 - 7 – 15,000 BTU brass sealed burners with porcelain /cast iron caps and automatic ignition/ re-ignition
- **VDR5486G**
 - **Exclusive** 1 – TruPower Plus™ 18,500 BTU Burner (front right burner position)
 - 5 – 15,000 BTU brass sealed burners with porcelain /cast iron caps and automatic ignition/ re-ignition
 - 12"W. thermostatically controlled steel griddle/ simmer plate
 - Removable grease trough holds 2 ½ cups of liquid
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **Exclusive** Patented Vari-Speed Dual Flow™ convection system has the largest convection fan in the industry; the 8 ½" fan works bi-directionally for maximum airflow and excellent cooking results
- **Rapid Ready™** Preheat System provides super fast preheat times
- **Right Oven** – large self-clean convection oven
 - Concealed 10 pass dual bake element
 - Large 10-pass broiler with heat reflector
 - High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost and Self-Clean
 - Three strategically located halogen lights
 - Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
 - **Exclusive** – largest self-clean convection oven
 - Overall 25 5/16"W. x 16 ½"H. x 19 ½"D. – 4.7 cu. ft.
 - AHAM Standard 25 5/16"W. x 16 ½"H. x 16 13/16"D. – 4.1 cu. ft.
- **Left Oven** – large self-clean convection oven
 - Concealed 4 pass bake element
 - High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost, Proof and Self-Clean
 - Two heavy-duty racks/six porcelain coated rack positions
 - One halogen oven light
 - Overall 13 3/4"W. x 16 ½"H. x 19 ½"D. – 2.6 cu. ft.
 - AHAM 13 3/4"W. x 16 ½"H. x 18 5/8"D. – 2.5 cu. ft.
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--------------------------------------|----------|-------------|
| VDR5488B (NAT)* | SS | Eight Burners – 5 Series | \$21,042 | 575 (258.8) |
| | ECF | | \$22,648 | |
| VDR5486G (NAT)* | SS | Six Burners/12"W. Griddle – 5 Series | \$22,769 | 575 (258.8) |
| | ECF | | \$24,342 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8548SS | N/A | 8"H. Backguard | \$637 | 24 (10.8) |
| HS24548SS | N/A | High Shelf | \$1,462 | 60 (27.0) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| P48CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$450 | 11 (5.0) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VDR Freestanding 5 Series Dual Fuel Self-Clean 60"W. Sealed Burner Range



VDR5606GQ

60"W. / 24"D. 5 Series Dual Fuel Self-Clean Sealed Burner Range

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of unique patented burner and top design provides cleanability plus superior performance at simmer and high
- **Exclusive** – 1 TruPower Plus™ 18,500 BTU Burner (front right burner position)
- 5-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- 12"W. thermostatically controlled steel griddle/simmer plate
- Cast aluminum removable grease trough holds 2 ½ cups of liquid
- 12"W. grill with flavor generator plates and automatic ignition/re-ignition
- **Exclusive** two piece removable drip pan hold three quarts of liquid
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- Oven features for BOTH ovens
- **Exclusive** Patented Vari-Speed Dual Flow™ convection system has the largest convection fan in the industry; the 8 ½" fan works bi-directionally for maximum airflow and excellent cooking results
- Concealed 10 pass dual bake element
- Large 10-pass broiler with heat reflector
- Rapid Ready™ Preheat System provides super fast preheat times
- High performance cooking modes include Bake, Convection Bake, TruConvect™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Dehydrate, Convection Defrost and Self-Clean
- **Exclusive** largest self-clean convection ovens
 - Overall - 25 5/16"W. x 16 1/2"H. x 19 1/2"D. – 4.7 cu. ft.
 - AHAM Standard – 25 5/16" x 16 1/2"H. x 16 13/16"D. – 4.1 cu. ft.
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
- Three halogen oven lights
- **NEW Exclusive** GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- **NEW** BlackChrome™ Knobs ship standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--|----------|-------------|
| VDR5606GQ (NAT)* | SS | Six Burners/12"W. Griddle/12"W. Grill – 5 Series | \$29,699 | 750 (340.2) |
| | ECF | | \$31,492 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8560SS | N/A | 8"H. Backguard | \$670 | 30 (13.5) |
| HS24560SS | N/A | High Shelf | \$1,715 | 70 (31.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P60CRTSS | N/A | Countertop Rear Trim | \$153 | 2 (0.9) |
| P60CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$560 | 18 (8.1) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VDR Freestanding 7 Series Dual Fuel Self-Clean 36"W. Ranges



VDR73626B



VDR73624G

36"W./24"D. 7 Series Dual Fuel Self-Clean Ranges

- **Exclusive** Viking Elevation Burners™ with brass flame ports
- Three burner sizes efficiently deliver heat to any size cookware
 - 23,000 BTUs across the front of all width configurations, with multiple 15,000 BTUs and one 8,000 BTU burner across the rear
- **VDR73626B** - 3-23,000 BTU burners; 2-15,000 BTU burners; 1-8,000 BTU burner
- **VDR73624G** - 2-23,000 BTU burners; 1-15,000 BTU burner; 1-8,000 BTU burner
 - Reversible griddle/grill - cast iron
 - Features the **patent-pending** StayCool™ Trough Handle and grease management system
- **Exclusive** VariSimmer™ Setting on all burners provides gentle, even simmering
- **Exclusive** SureSpark™ Ignition System, ensures automatic ignition/re-ignition
- **NEW** BlackChrome™ knobs with CoolLit™ LED backlighting
- **Exclusive** seamless, heavy gauge porcelain burner pan with elevated burners prevent spillovers from baking on
- Continuous grate design allows easy movement of pots and pans from burner to burner
- Grates, burner caps, knobs, griddle and accessories can be easily removed for cleaning
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning
- High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate and Convection Defrost and Self-Clean
- Concealed 10 pass dual bake element
- Extra large Gourmet-Glo™ Glass Enclosed Infrared Broiler
- **Exclusive** largest self-clean convection oven
 - Overall 30 5/16"W. x 16 1/2"H. x 19 1/2"D. – 5.6 cu. ft.; AHAM 30 5/16"W. x 16 1/2"H. x 16 19/16"D. – 4.9 cu. ft.
- **Exclusive** - GentleClose™ Door allows the door to slowly close
- **NEW** larger window opening
- Three heavy-duty racks/six porcelain coated rack positions including three TruGlide™ full extension racks
- Three halogen lights
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------------------|----------|-------------|
| VDR73626B (NAT)* | SS | Six Burners – 7 Series | \$19,095 | 525 (238.1) |
| | ECF | | \$20,481 | |
| VDR73624G (NAT)* | SS | Four Burners/12"W. Griddle – 7 Series | \$21,240 | 525 (238.1) |
| | ECF | | \$22,648 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--|---------|------------|
| BG107362SS | N/A | 10"H. Backguard | \$549 | 17 (7.7) |
| HS24736SS | N/A | High Shelf | \$1,275 | 50 (22.5) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| CBGVGR | N/A | Bamboo cover for 7 Series griddle | \$175 | 5 (2.3) |
| LPKVGR | N/A | LP/Propane Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| NKVGR | N/A | Natural Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| GCKVGR | N/A | Gas connection kit | \$208 | 2 (0.9) |
| WOKVGR7 | N/A | Wok ring accessory | \$76 | 2 (0.9) |

VDR Freestanding 7 Series Dual Fuel Self-Clean 48"W. Ranges



VDR74828B



VDR74826G

48"W./24"D. 7 Series Dual Fuel Self-Clean Ranges

- **Exclusive** Viking Elevation Burners™ with brass flame ports
- Three burner sizes efficiently deliver heat to any size cookware
 - 23,000 BTUs across the front of all width configurations, with multiple 15,000 BTUs and one 8,000 BTU burner across the rear
- **VDR74828B** - 4-23,000 BTU burners; 3-15,000 BTU burners; 1-8,000 BTU burner
- **VDR74826G** - 3-23,000 BTU burners; 2-15,000 BTU burner; 1-8,000 BTU burner
 - Reversible griddle/grill - cast iron
 - Features the patent-pending StayCool™ Trough Handle and grease management system
- **Exclusive** VariSimmer™ Setting on all burners provides gentle, even simmering
- **Exclusive** SureSpark™ Ignition System, ensures automatic ignition/re-ignition
- **NEW** BlackChrome™ knobs with CoolLit™ LED backlighting
- **Exclusive** seamless, heavy gauge porcelain burner pan with elevated burners prevent spillovers from baking on
- Continuous grate design allows easy movement of pots and pans from burner to burner
- Grates, burner caps, knobs, griddle and accessories can be easily removed for cleaning
- **Exclusive** one-piece tooled and porcelainized cooking surface contains spills for easy cleaning

- Right Oven – large self-clean convection oven
 - Concealed 10 pass dual bake element
 - Extra large Gourmet-Glo™ Glass Enclosed Infrared Broiler
 - High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost and Self-Clean
 - **Exclusive** – largest self-clean convection oven
 - Three heavy-duty racks/six porcelain coated rack positions including three TruGlide™ full extension racks
 - Three halogen lights
 - Overall 25 5/16"W. x 16 1/2"H. x 19 1/2"D. – 4.7 cu. ft.; AHAM 25 5/16"W. x 16 1/2"H. x 16 13/16"D. – 4.1 cu. ft.
- Left Oven – large self-clean convection oven
 - Concealed 4 pass bake element
 - High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost, Proof and Self-Clean
 - Two heavy-duty racks/six porcelain coated rack positions and two halogen oven lights
 - Overall 13 3/4"W. x 16 1/2"H. x 19 1/2"D. – 2.6 cu. ft.; AHAM 13 3/4"W. x 16 1/2"H. x 18 5/8"D. – 2.5 cu. ft.
 - **Exclusive** - GentleClose™ Door allows the door to slowly close
 - **NEW** larger window opening
 - Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--------------------------------------|----------|-------------|
| VDR74828B (NAT)* | SS | Eight Burners – 7 Series | \$25,277 | 641 (290.8) |
| | ECF | | \$26,850 | |
| VDR74826G (NAT)* | SS | Six Burners/12"W. Griddle – 7 Series | \$27,598 | 641 (290.8) |
| | ECF | | \$29,160 | |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--|---------|------------|
| BG107482SS | N/A | 10"H. Backguard | \$659 | 24 (10.4) |
| HS24748SS | N/A | High Shelf | \$1,550 | 60 (27.0) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| CBGVGR | N/A | Bamboo cover for 7 Series griddle | \$175 | 5 (2.3) |
| LPKVGR | N/A | LP/Propane Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| NKVGR | N/A | Natural Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| GCKVGR | N/A | Gas connection kit | \$208 | 2 (0.9) |
| WOKVGR7 | N/A | Wok ring accessory | \$76 | 2 (0.9) |

VER Freestanding 5 Series Electric Self-Clean 30"W. Range



VER53014B

30"W. / 24"D. 5 Series Electric Self-Clean Range

- Strong, wear-resistant glass ceramic top with updated graphics
- QuickCook™ Surface Elements utilize ribbon element technology - reach full power in about 3 seconds
- Right front - 7" 1800 watt element
- Right rear - 7" 1800 watt element
- 800 watt "bridge" element between right front and right rear elements
- Left front - 6½" 1500 watt element
- Left rear - dual element - 9" 3000 watt/6" 1400 watt element
- SoftLit™ LED lights accent the control panel and illuminate knobs
- **Exclusive** – Patented Vari-Speed Dual Flow™ convection system has the largest convection fan in the industry; the 8 ½" fan works bi-directionally for maximum airflow and excellent cooking results
- Concealed 10 pass dual bake element
- Large 10-pass broiler with heat reflector
- Rapid Ready™ Preheat System provides super fast preheat times
- High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost and Self-Clean
- Three strategically located halogen lights
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks
- **Exclusive** – largest self-clean convection oven in the industry
 - Overall 25 5⁄8"W. x 16 ½"H. x 19 ½"D. – 4.7 cu. ft.
 - AHAM Standard 25 5⁄8"W. x 16 ½"H. x 16 13⁄16"D. – 4.1 cu. ft.
- Exclusive GentleClose™ Door allows the door to slowly close
- Larger window opening
- BlackChrome™ Knobs ship standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|-------------------------|----------|-------------|
| VER53014B | SS | Four Burners – 5 Series | \$9,811 | 426 (193.2) |
| | ECF | | \$11,032 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|---------|------------|
| BG8530SS | N/A | 8"H. Backguard | \$494 | 14 (6.3) |
| HS24530SS | N/A | High Shelf | \$1,044 | 45 (20.3) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |

VRT Built-In 5 Series Gas 30"W. Sealed Burner Rangetop



VRT5304B

30"W. / 24"D. Gas Sealed Burner Rangetop

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of patented burner and top design provide cleanability plus superior performance at simmer and high
- 1-TruPower Plus™ 18,500 BTU burner (front right burner position)/
- 3-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- Center grate allows movement of cooking vessels across entire top surface
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with island trim already attached

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|--------|-------------------------|----------------|------------|
| VRT5304B (NAT)* | SS | Four Burners – 5 Series | \$5,334 | 125 (56.3) |

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------------|---------|------------|
| BG8530SS | N/A | 8"H. Backguard | \$494 | 14 (6.3) |
| HS24530SS | N/A | High Shelf | \$1,044 | 45 (20.3) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VRT Built-In 5 Series Gas 36"W. Sealed Burner Rangetops



VRT5366B



VRT5364G

36"W. / 24"D. Gas Sealed Burner Rangetops

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of patented burner and top design provide cleanability plus superior performance at simmer and high
- **VRT5366B Exclusive** 1-TruPower Plus™ 18,500 BTU burner (front right burner position)/ 5-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **VRT5364G** 4-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
 - 12"W. thermostatically controlled steel griddle/simmer plate
 - Cast aluminum removable grease trough holds 2 1/2 cups of liquid
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with island trim already attached

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|--------|---------------------------------------|----------------|------------|
| VRT5366B (NAT)* | SS | Six Burners – 5 Series | \$6,709 | 150 (47.5) |
| VRT5364G (NAT)* | SS | Four Burners/12"W. Griddle – 5 Series | \$7,611 | 160 (72.0) |

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------------|---------|------------|
| BG8536SS | N/A | 8"H. Backguard | \$549 | 17 (7.7) |
| HS24536SS | N/A | High Shelf | \$1,154 | 50 (22.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VRT Built-In 5 Series Gas 48"W. Sealed Burner Rangetops



VRT5488B



VRT5486G

48"W. / 24"D. Gas Sealed Burner Rangetops

- **Exclusive** VSH™ Pro Sealed Burner System (VariSimmer™ to High) - combination of patented burner and top design provide cleanability plus superior performance at simmer and high
- **VRT5488B Exclusive** 1-TruPower Plus™ 18,500 BTU burner (front right burner position)/ 7-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
- **VRT5486G Exclusive** 1-TruPower Plus™ 18,500 BTU burner (front right burner position)/ 5-15,000 BTU brass sealed burners with porcelain/cast iron caps and automatic ignition/re-ignition
 - 12"W. thermostatically controlled steel griddle/simmer plate
- **Exclusive** all burners equipped with VariSimmer™ setting and SureSpark™ Ignition System
- **Exclusive** tooled and porcelainized cooking surface contains spills for easy cleaning
- **NEW** SoftLit™ LED lights accent the control panel and illuminate knobs
- **NEW** BlackChrome™ Knobs ship standard
- Shipped standard with island trim already attached

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|-----------|--------------------------------------|----------------|-------------|
| VRT5488B (NAT)* | SS | Eight Burners – 5 Series | \$7,963 | 426 (193.2) |
| VRT5486G (NAT)* | SS | Six Burners/12"W. Griddle – 5 Series | \$8,854 | 426 (193.2) |

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------------|---------|------------|
| BG8548SS | N/A | 8"H. Backguard | \$637 | 17 (7.7) |
| HS24548SS | N/A | High Shelf | \$1,462 | 50 (22.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VRT Built-In 7 Series Gas 36"W. Rangetops



VRT7366B



VRT7364G

36"W. / 24"D. 7 Series Gas Rangetops

- **Exclusive Viking Elevation Burners™** with brass flame ports
- Three burner sizes efficiently deliver heat to any size cookware
 - 23,000 BTUs across the front of all width configurations, with multiple 15,000 BTUs and one 8,000 BTU burner across the rear
- **VRT7366B** - 3-23,000 BTU burners; 2-15,000 BTU burners; 1-8,000 BTU burner
- **VRT7364G** - 2-23,000 BTU burners; 1-15,000 BTU burner; 1-8,000 BTU burner
 - Reversible griddle/grill - cast iron
 - Features the **patent-pending StayCool™** Trough Handle
- **Exclusive VariSimmer™ Setting** on all burners provides gentle, even simmering at precisely low cooking temperatures
- **Exclusive SureSpark™ Ignition System**, ensures automatic ignition/re-ignition
- **NEW BlackChrome™** knobs with CoolLit™ LED backlighting
- **Exclusive** seamless, heavy gauge porcelain burner pan with elevated flame ports prevent spillovers from baking on
- Continuous grate design allows easy movement of pots and pans from burner to burner
- Grates, burner caps, knobs, griddle and accessories can be easily removed for cleaning
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|--------|---------------------------------------|----------|------------|
| VRT7366B (NAT)* | SS | Six Burners – 7 Series | \$8,117 | 203 (92.1) |
| VRT7364G (NAT)* | SS | Four Burners/12"W. Griddle – 7 Series | \$10,108 | 203 (92.1) |

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|--|---------|------------|
| BG107362SS | N/A | 10"H. Backguard | \$549 | 17 (7.7) |
| HS24736SS | N/A | High Shelf | \$1,275 | 50 (22.5) |
| P36CRTSS | N/A | Countertop Rear Trim | \$109 | 2 (0.9) |
| CBGVGR | N/A | Bamboo cover for 7 Series griddle | \$175 | 5 (2.3) |
| LPKVGR | N/A | LP/Propane Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| NKVGR | N/A | Natural Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| GCKVGR | N/A | Gas connection kit | \$208 | 2 (0.9) |
| WOKVGR7 | N/A | Wok ring accessory | \$76 | 2 (0.9) |

VRT Built-In 7 Series Gas 48"W. Rangetops



VRT7488B



VRT7486G

48"W. / 24"D. 7 Series Gas Rangetops

- **Exclusive Viking Elevation Burners™** with brass flame ports
- Three burner sizes efficiently deliver heat to any size cookware
 - 23,000 BTUs across the front of all width configurations, with multiple 15,000 BTUs and one 8,000 BTU burner across the rear
- **VRT7488B** - 4-23,000 BTU burners; 3-15,000 BTU burners; 1-8,000 BTU burner
- **VRT7486G** - 3-23,000 BTU burners; 2-15,000 BTU burners; 1-8,000 BTU burner
 - Reversible griddle/grill - cast iron
 - Features the **patent-pending StayCool™** Trough Handle
- **Exclusive VariSimmer™ Setting** on all burners provides gentle, even simmering at precisely low cooking temperatures
- **Exclusive SureSpark™ Ignition System**, ensures automatic ignition/re-ignition
- **NEW BlackChrome™** knobs with CoolLit™ LED backlighting
- **Exclusive** seamless, heavy gauge porcelain burner pan with elevated flame ports prevent spillovers from baking on
- Continuous grate design allows easy movement of pots and pans from burner to burner
- Grates, burner caps, knobs, griddle and accessories can be easily removed for cleaning
- Shipped standard with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|--------|--------------------------------------|----------|-------------|
| VRT7488B (NAT)* | SS | Eight Burners – 7 Series | \$9,558 | 257 (116.6) |
| VRT7486G (NAT)* | SS | Six Burners/12"W. Griddle – 7 Series | \$11,538 | 257 (116.6) |

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|--|---------|------------|
| BG107482SS | N/A | 10"H. Backguard | \$659 | 17 (7.7) |
| HS24748SS | N/A | High Shelf | \$1,550 | 50 (22.5) |
| P48CRTSS | N/A | Countertop Rear Trim | \$120 | 2 (0.9) |
| CBGVGR | N/A | Bamboo cover for 7 Series griddle | \$175 | 5 (2.3) |
| LPKVGR | N/A | LP/Propane Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| NKVGR | N/A | Natural Conversion Kit for 7 Series | \$241 | 2 (0.9) |
| GCKVGR | N/A | Gas connection kit | \$208 | 2 (0.9) |
| WOKVGR7 | N/A | Wok ring accessory | \$76 | 2 (0.9) |

VERT Built-In 5 Series Electric Rangetops



VERT53014B



VERT53616B

Electric Rangetops


- Strong, wear-resistant glass ceramic top
- QuickCook™ Surface Elements utilize ribbon element technology - reach full power in about 3 seconds
- VERT53014B – 30"W. MODEL
 - Right front – 7" 1,800-watt element
 - Right rear – 7" 1,800-watt element
 - 800-watt "bridge" element between right front and right rear elements; excellent for use in conjunction with both right elements for griddling with optional accessory
 - Left front – 6 1/2" 1,500-watt element
 - Left rear (dual element) – 9" 3,000-watt element/6" 1,400-watt element
- VERT53616B – 36"W. MODEL
 - Right front – 6 1/2" 1,500-watt element
 - Right rear (dual element) – 9" 3,000/ 6" 1,400-watt element
 - 800-watt "bridge" element between center front and center rear elements; excellent for use in conjunction with both center elements for griddling with optional accessory
 - Left front (dual element) – 9" 3,000/6" 1,400-watt element
 - Left rear – 6 1/2" 1,500-watt element
 - Center front – 7" 1,800-watt element
 - Center rear – 7" 1,800-watt element
- SoftLit™ LED lights accent the control panel and illuminate knobs
- BlackChrome™ Knobs ship standard
- Shipped with stainless steel island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|-------------------------|----------------|-------------|
| VERT53014B | SS | Four Burners – 5 Series | \$3,530 | 426 (193.2) |
| VERT53616B | SS | Six Burners – 5 Series | \$4,234 | 426 (193.2) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---------------------------------|---------|------------|
| BG8530SS | N/A | 8"H. Backguard – 30"W. | \$494 | 14 (6.3) |
| BG8536SS | N/A | 8"H. Backguard – 36"W. | \$549 | 17 (7.7) |
| HS24530SS | N/A | High Shelf – 30"W. | \$1,044 | 45 (20.3) |
| HS24536SS | N/A | High Shelf – 36"W. | \$1,154 | 50 (22.5) |
| P24CSTSS | N/A | Countertop Side Trim (2 pieces) | \$241 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim – 30"W. | \$98 | 2 (0.9) |
| P36CRTSS | N/A | Countertop Rear Trim – 36"W. | \$109 | 2 (0.9) |
| LPKPDR | N/A | LP/Propane Conversion Kit | \$208 | 2 (0.9) |

VUIW Undercounter Induction Warmer



18"W. Incogneeto™ Induction Warmer

- Designed to be mounted directly under stone or engineered stone countertops
- The unit mounts underneath the counter with no drilling or cutting of the stone required
- 650 watts of power
- Offers four selectable temperature settings: 150°/160°/175°/190°F (65°/70°/80°/85°C)
- The Magneeto™ II trivet-like device is used on the upper surface of the countertop to locate the heat zone and acts as a temperature sensor
- Touch control user interface with SmarTag™ Technology uses a wireless communicator to provide precise temperature control
- Cookware/bakeware up to a diameter of approximately 12" (30.5 cm) with an induction compatible base can be used
- Automatic pan detection allows for instant energy transmission to pan and no energy transmission when pan is not present
- Can combine up to three units per 15 amp circuit
- A beautiful piece of natural stone or "engineered stone" can transform into an induction warmer capable of holding food within 2°F

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|------------------|---------|------------|
| VUIW518 | N/A | Induction Warmer | \$5,697 | 20 (9) |

Accessories for Sealed Burner Ranges/Rangetops (VGR5/VDR5/VRT5)



12"W. Portable Griddles

- Cast aluminum with rugged commercial grade no-stick finish on cooking surface
- Grease trough in front
- Fits over standard surface grates of 5 Series ranges/rangetops
- Can also be used to quickly defrost frozen foods

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|-------------------------------|-------|------------|
| SBPGD | N/A | for 5 Series ranges/rangetops | \$472 | 10 (4.5) |



Wok Grate

- Porcelain/cast iron
- Use in place of surface grate of 5 Series ranges/rangetops (front burners recommended)
- Available in black (BL)

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|-------------------------------|-------|------------|
| CWGT | N/A | for 5 Series ranges/rangetops | \$120 | 6 (2.7) |



Bamboo Cover for Grill and Grates

- Dense bamboo construction
- Made from eco friendly 100% renewable resource
- Can also be used as cutting board
- Fits over standard surface grates and 12"W. grill grate of 5 Series ranges/rangetops
- 11⁵/₈"W. x 22¹/₂"L. x ³/₄" thick – CBC12QB
- 11³/₈"W. x 22¹/₂"L. x ³/₄" thick – CBC12G

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|---|-------|------------|
| CBC12QB | N/A | for 12"W. 5 Series grill and surface burner grate | \$230 | 5 (2.3) |
| CBC12G | N/A | for 12"W. 5 Series griddle | \$153 | 8 (3.6) |



Stainless Steel Covers

- Stainless steel cover with Viking Professional handle
- For use with 5 Series gas/dual fuel ranges and rangetops with a 12"W. thermostatically controlled steel griddle/simmer plate
- Does not have to be removed when operating adjacent surface burners


| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-------------------------|-------|------------|
| CSC12USS | N/A | for 12"W. griddle/grill | \$186 | 3.5 (1.6) |

Knob Kit Accessories for 5 and 7 Series Cooking Products

Knob Kits for 5 and 7 Series Cooking Products

| Model | Finish | Description | USD | WT lb (kg) |
|---------------------|--------|--|-------|------------|
| SSKKVGR53036 | N/A | Stainless Steel Knob Kit fits VGR5304B, VGR5366B, VGR5364G, VRT5304B, VRT5366B, VRT5364G | \$263 | 14 (6.4) |
| SSKKVGR54860 | N/A | Stainless Steel Knob Kit fits VGR5488B, VGR5486G, VGR56066Q, VRT5488B, VRT5486G | \$384 | 23 (10.4) |
| SSKKVDR53036 | N/A | Stainless Steel Knob Kit fits VDR5304B, VDR5366B, VDR5364G | \$263 | 14 (6.4) |
| SSKKVDR54860 | N/A | Stainless Steel Knob Kit fits VDR5488B, VDR5486G, VDR56066Q | \$384 | 23 (10.4) |
| SSKKVIR530 | N/A | Stainless Steel Knob Kit fits VIR5304B, VER5304B | \$230 | 4 (1.8) |
| SSKKVDOF | N/A | Stainless Steel Knob Kit fits VSOF7301, VDOF7301, VSOE527, VDOE527, VSOE130, VDOE130, VSOE530, VDOE530 | \$153 | 4 (1.8) |
| SSKKVGSU | N/A | Stainless Steel Knob Kit fits VGSU53015B, VGSU53616B | \$186 | 4 (1.8) |
| SSKKVECU | N/A | Stainless Steel Knob Kit fits VECU53014B, VECU53616B | \$186 | 4 (1.8) |
| SSKKVICU | N/A | Stainless Steel Knob Kit fits VICU53014B, VICU53616B | \$186 | 4 (1.8) |
| SSKKVGR736 | N/A | Stainless Steel Knob Kit fits VGR73626B, VGR73624G, VRT7366B, VRT7364G | \$296 | 14 (6.4) |
| SSKKVGR748 | N/A | Stainless Steel Knob Kit fits VGR74828B, VGR74826G, VRT7488B, VRT7486G | \$428 | 23 (10.4) |
| SSKKVDR736 | N/A | Stainless Steel Knob Kit fits VDR73626B, VDR7362 | \$296 | 14 (6.4) |
| SSKKVDR748 | N/A | Stainless Steel Knob Kit fits VDR74828B, VDR74826G | \$428 | 23 (10.4) |

VGSU Built-In Gas 30/36"W. Cooktops



VGSU53015B



VGSU53616B

30" and 36"W. Gas Cooktops

- **NEW** Black Chrome™ Knobs ship standard
- **Exclusive** SureSpark™ Ignition System for all burners
- Sealed burners with brass flame ports, removable porcelain/cast iron caps, and automatic ignition/re-ignition
- **VGSU53015B**
 - 30"W. cooktop - 5 burner
 - Left front - 18,000 BTU high
 - Left rear - 12,000 BTU high
 - Center - 12,000 BTU high
 - Right rear - 8,000 BTU high
 - Right front - 6,000 BTU high
 - Spill collection area holds 8 cups of liquid spills
- **VGSU53616B**
 - 36"W. cooktop - 6 burner
 - Left front - 18,000 BTU high
 - Left rear - 10,000 BTU high
 - Center front, center rear - 12,000 BTU high
 - Right rear - 8,000 BTU high
 - Right front - 6,000 BTU high
 - Spill collection area holds 11 cups of liquid spills
- All burners have simmer setting
- Natural gas standard; for LP/propane, recommend factory conversion or conversion kit accessory

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|-----------------------------------|---------|------------|
| VGSU53015B (NAT) | SS | 30"W. 5 Burner Cooktop – 5 Series | \$3,299 | 67 (30.2) |
| VGSU53015B (LP) | SS | 30"W. 5 Burner Cooktop – 5 Series | \$3,299 | 67 (30.2) |
| VGSU53616B (NAT) | SS | 36"W. 6 Burner Cooktop – 5 Series | \$3,640 | 80 (36) |
| VGSU53616B (LP) | SS | 36"W. 6 Burner Cooktop – 5 Series | \$3,640 | 80 (36) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|--------|--------|---------------------------|-------|------------|
| WRGVGC | N/A | Wok Ring for VGSU | \$186 | 1 (0.5) |
| LPKVGC | N/A | LP/Propane Conversion Kit | \$186 | 1 (0.5) |
| NATVGC | N/A | Natural Conversion Kit | \$186 | 1 (0.5) |

VECU Built-In Electric Radiant Glass Ceramic 30/36"W. Cooktops



VECU53014B




VECU53616B

30" and 36"W. Electric Radiant Cooktops


- **NEW** Black Chrome™ Knobs ship standard
- QuickCook™ Surface Elements utilize ribbon element technology - reach full power in about 3 seconds
- Strong, wear resistant glass ceramic top
- Designed to fit the majority of similarly sized cooktop cutouts
- **VECU53014B**
 - 30"W. models
 - Left front - 12" triple element - 3,200 watt
 - Left rear - 6 ½" element - 1,200 watt
 - Bridge element - 800 watt
 - Right front - 8 ½" element - 1,800 watt
 - Right rear - 8 ½" element - 1,800 watt
- **VECU53616B**
 - 36"W. models
 - Left front - 12" triple element - 3,200 watt
 - Left rear - 6 ½" element - 1,200 watt
 - Center front - 8 ½" element - 1,800 watt
 - Center rear - 8 ½" element - 1,800 watt
 - Bridge element - 800 watt
 - Right front - 6 ½" element - 1,200 watt
 - Right rear - 8 ½" dual element - 2,000 watt

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|-----------------------------------|---------|------------|
| VECU53014B | SB | 30"W. 4 Burner Cooktop – 5 Series | \$3,156 | 44 (20) |
| VECU53616B | SB | 36"W. 6 Burner Cooktop – 5 Series | \$3,860 | 53 (24) |

VICU Built-In Electric All Induction 30/36"W. Cooktops



VICU53014B




VICU53616B

30" and 36"W. All Induction Cooktops

- **NEW** Black Chrome™ Knobs ship standard
- MagneQuick™ Induction Elements utilize magnetic energy for superior power, responsiveness and efficiency
- Power Management System provides a boost of superior power on all elements for faster boiling
- Large 9" induction elements each provide up to 3,700 watts of power
- Simmer setting is perfect for gentle melting or keeping cooked food warm
- **EXCLUSIVE** CoolLit™ LED Lights in signature Viking blue illuminate cooking zones while in use
- Child-proof, push-to-turn metal knobs for safe use
- Element lights indicate hot surfaces and active elements
- Sensor turns off element if cookware is not detected within 60 seconds
- **EXCLUSIVE** TransMetallic™ Ceramic Surface is durable, wear resistant and easy to clean
- **VICU53014B**
 - 30"W. model
 - Four 9"/3,700 watt boost/2,300 watt elements
- **VICU53616B**
 - 36"W. model
 - Six 9"/3,700 watt boost/2,300 watt elements

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|-----------------------------------|---------|------------|
| VICU53014B | ST | 30"W. 4 Burner Cooktop – 5 Series | \$6,115 | 44 (20) |
| VICU53616B | ST | 36"W. 6 Burner Cooktop – 5 Series | \$7,787 | 53 (24) |

MVIC Built-In Electric All Induction 30” and 36”W. Cooktops



MVIC6304BBG



MVIC6365BBG

30” and 36”W. 6 Series All Induction Cooktops

- Cooktop can be installed flush or standard mount
- MagneQuick™ Induction Elements utilize magnetic energy for superior power, responsiveness and efficiency
- Power Management System provides a boost of superior power for faster boiling
- Simmer setting is perfect for gentle melting or keeping cooked food warm
- Easy to use touch controls
- Element lights indicate hot surfaces and active elements
- Sensor turns off element if cookware is not detected; pause function
- Two timer functions - cooking element and stand alone
- **MVIC6304B**
 - 30”W. model
 - 3,700 watt – 9” element
 - 3,000 watt – 8” element
 - 3,000 watt – 8” element
 - 2,200 watt – 7” element
- **MVIC6365B**
 - 36”W. model
 - 5,500 watt – 11” element
 - 3,000 watt – 8” element
 - 3,000 watt – 8” element
 - 2,200 watt – 7” element
 - 2,200 watt – 7” element

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--|---------|------------|
| MVIC6304B | BG | 30”W. Cooktop – 6 Series – Black Glass | \$4,366 | 52 (23.6) |
| MVIC6365B | BG | 36”W. Cooktop – 6 Series – Black Glass | \$5,224 | 56 (25.4) |

VSOE/VDOE Select Built-In Electric 30"W. Single/Double Ovens



VSOE130



VDOE130

Electric 30"W. Thermal-Convection Ovens

- **Exclusive** Vari-Speed Dual Flow™ convection system with 8½" diameter fan blade – largest in the industry
- **Exclusive** Rapid Ready™ preheat system provides super fast preheating
- Concealed 10-pass dual bake element provides finer temperature control and makes cleanup easy
- 10-pass broiler with heat reflector (both ovens of double oven)
- Halogen oven lighting
- Three heavy-duty racks/six porcelain coated rack positions including one TruGlide™ full extension rack (one in upper oven of double oven)
- Digital clock/oven functions
 - 100 minute timer
 - Set cooking time for up to 12 hours
 - Delay cooking feature
 - Tone and digital display indicate pre-set cooking time is finished
- Self-clean ovens
- Oven functions (convection system in upper oven of double oven)
 - Two-element bake
 - Convection bake
 - TruConvec™ convection cook
 - Convection roast
 - Convection broil
 - Hi broil / Medium broil / Low broil
 - Convection dehydrate / Convection defrost
- **Exclusive** largest self clean convection ovens
 - Overall 25⁵/₁₆"W. x 16½"H. x 19½"D. – 4.7 cu. ft.
 - AHAM standard 25⁵/₁₆"W. x 16½"H. x 16¹³/₁₆"D. – 4.1 cu. ft.
- **NEW** larger window opening
- **NEW** Black Chrome™ Knobs ship standard
- Can be installed flush or standard mount with accessory flush mount kit

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|------------------------------|----------|-------------|
| VSOE130 | SS | 30"W. Single Oven – 5 Series | \$6,654 | 278 (126.1) |
| | ECF | | \$7,853 | |
| VDOE130 | SS | 30"W. Double Oven – 5 Series | \$10,141 | 424 (192.3) |
| | ECF | | \$11,670 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

VSOE/VDOE Premiere Built-In Electric 27/30"W. Single/Double Ovens



VSOE



VDOE

Electric 30"W. Thermal-Convection Ovens

- **Exclusive** Timepiece™ clock/timer
- **Exclusive** Vari-Speed Dual Flow™ convection system with 8½" diameter fan blade – largest in the industry
- **Exclusive** Rapid Ready™ Preheat system provides super fast preheating
- Concealed 10-pass dual bake element provides exceptional temperature control and makes cleanup easy
- 10-pass broiler with heat reflector
- Three strategically located halogen oven lights
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks in a single oven and three in a double oven (two in upper and one in the lower)
- Digital clock/oven functions
 - 100 minute timer
 - Set cooking time for up to 12 hours
 - Delay cooking feature
 - Tone and digital display indicate pre-set cooking time is finished
 - Meat probe (upper oven in double ovens) – timer sounds and oven shuts off when desired temp is reached
- Self-clean ovens
- Oven functions (convection system in both upper and lower oven of double ovens)
 - Two-element bake
 - Convection bake
 - TruConvec™ convection cook
 - Convection roast
 - Convection broil
 - Hi broil / Medium broil / Low broil
 - Convection dehydrate / Convection defrost
- 27"W. Ovens: largest self clean, convection ovens - **Exclusive**
 - Overall 22⁵/₁₆"W. x 16½"H. x 19½"D. – 4.2 cu. ft.
 - AHAM 22⁵/₁₆"W. x 16½"H. x 16¹³/₁₆"D. – 3.6 cu. ft.
- 30"W. Ovens: largest self clean, convection ovens - **Exclusive**
 - Overall 25⁵/₁₆"W. x 16½"H. x 19½"D. – 4.7 cu. ft.
 - AHAM 25⁵/₁₆"W. x 16½"H. x 16¹³/₁₆"D. – 4.1 cu. ft.
- **NEW** larger window opening
- **NEW** Black Chrome™ Knobs ship standard
- 30"W. models can be installed flush or standard mount with accessory flush mount kit

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|------------------------------|-----------------|-------------|
| VSOE527 | SS | 27"W. Single Oven – 5 Series | \$7,468 | 237 (107.5) |
| | ECF | | \$8,689 | |
| VDOE527 | SS | 27"W. Double Oven – 5 Series | \$11,527 | 360 (163.3) |
| | ECF | | \$13,056 | |
| VSOE530 | SS | 30"W. Single Oven – 5 Series | \$7,534 | 261 (118.4) |
| | ECF | | \$8,755 | |
| VDOE530 | SS | 30"W. Double Oven – 5 Series | \$11,923 | 402 (182.3) |
| | ECF | | \$13,463 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

VSO/VD OF French-Door Premiere Built-In Electric 30"W. Single/Double Ovens



VSO7301



VDOF7301

Electric 30"W. Thermal-Convection Oven

- Open either french-door with just one hand and the companion door conveniently opens simultaneously
- **Exclusive** Vari-Speed Dual Flow™ convection system with 8½" diameter fan blade – largest in the industry
- Preheat Optional - No need to preheat oven when baking certain foods in Convection Bake mode
- Concealed 10-pass dual bake element provides exceptional temperature control and makes cleanup easy
- Extra-Large Gourmet-Glo™ Glass Enclosed Infrared Broiler provides superior broiling performance and maximum coverage (upper oven)
- 10-pass broiler with heat reflector (lower oven)
- Heavy-duty metal knobs are accented with **exclusive** CoolLit™ LED lights in signature Viking blue when unit is turned on
- Three strategically located halogen oven lights
- Three heavy-duty racks/six porcelain coated rack positions including two TruGlide™ full extension racks in a single oven and three in a double oven (two in upper and one in the lower)
- Digital clock/oven functions
 - Set cooking time for up to 12 hours
 - Delay cooking feature
 - Tone and digital display indicate pre-set cooking time is finished
 - Meat probe (upper oven in double ovens) – timer sounds and oven shuts off when desired temp is reached
- Steam clean in only 20 minutes - perfect for light to medium cleaning
- Self-clean oven (lower oven only)
- Oven functions (convection system in both upper and lower oven of double ovens)
 - Two-element bake
 - Convection bake
 - TruConvec™ convection cook (element around fan)
 - Convection roast
 - Convection broil
 - Hi broil
 - Medium broil
 - Low broil
 - Convection dehydrate
 - Convection defrost
- 30"W. Ovens: largest self clean, convection ovens - **Exclusive**
 - Overall 25⁵/₁₆"W. x 16¹/₂"H. x 19¹/₂"D. – 4.7 cu. ft.
 - AHAM standard 25⁵/₁₆"W. x 16¹/₂"H. x 16¹³/₁₆"D. – 4.1 cu. ft.
- **NEW** larger window opening
- **NEW** Black Chrome™ Knobs ship standard

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------|----------|-------------|
| VSO7301 | SS | 30"W. Single Oven – 7 Series | \$9,184 | 261 (118.4) |
| | ECF | | \$10,383 | |
| VDOF7301 | SS | 30"W. Double Oven – 7 Series | \$13,419 | 402 (182.3) |
| | ECF | | \$14,937 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

NOTE: The VSO/VD OF7301 French Door Oven cannot be flush mounted.

VMOS Conventional Microwave and VMOC Convection Microwave Ovens and Built-In Trim Kits



Microwave Oven

- 13 Sensor settings
- Breakfast and lunch options for cooking and reheating foods
- 15 minute dinners and preset recipes each offer 5 recipes with easy to follow steps
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Warm/hold feature allows you to keep food warm for up to 30 minutes
- Child lock safety feature locks the control panel to prevent unwanted operation
- Interior oven cavity
 - 17 $\frac{3}{8}$ "W. x 10"H. x 18 $\frac{3}{8}$ "D.
 - 2.0 Cubic ft.
 - 16" diameter turntable
- Place on countertop or install as a built-in using a trim kit (listed below - sold separately)

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--|---------|------------|
| VMOS501 | SS | Conventional microwave – 5 Series | \$1,275 | 46 (20.9) |
| VMTK272 | SS | 27"W. Built-in trim kit | \$736 | 14 (6.4) |
| VMTK302 | SS | 30"W. Built-in trim kit | \$736 | 15 (6.8) |
| PMF302TK | SS | 30"W. Flush Mount Kit for Microwave trim (must be used with VMTK trim kit) | \$230 | 5 (2.3) |



Convection Microwave Oven

- Instant sensor settings for cooking, reheating foods and popping popcorn
- Four convection settings: convecbroil, convecroast, convecbake and manual convection
 - Convection settings use a high speed fan that circulates air past the heat source and around the food; allows multiple rack baking
- Low mix bake and high mix roast settings offer use of convection heat to seal and brown outside of foods while using microwave energy to ensure the interior is cooked
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Child lock safety feature locks the control panel to prevent unwanted operation
- Convection microwave cookbook comes standard with unit
- Interior oven cavity
 - 16 $\frac{1}{8}$ "W. x 9 $\frac{5}{8}$ "H. x 16 $\frac{1}{8}$ "D.
 - 1.5 Cubic ft.
 - 15 $\frac{3}{8}$ " Diameter turntable
- Place on countertop or install as a built-in using a trim kit (listed below - sold separately)

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--|---------|------------|
| VMOC506 | SS | Convection microwave – 5 Series | \$2,122 | 69 (31.3) |
| VMTK277 | SS | 27"W. Built-in trim kit | \$824 | 19 (8.6) |
| VMTK307 | SS | 30"W. Built-in trim kit | \$824 | 20 (9.1) |
| PMF307TK | SS | 30"W. Flush Mount Kit for Microwave trim (must be used with VMTK trim kit) | \$230 | 2 (0.9) |

VSOC Combi Steam/Convect™ Oven and VMOD Undercounter DrawerMicro™ Oven



30"W. Combi Steam/Convect Oven

- Full Color Touch Navigation Display Control
 - Touch Navigation 2.13"W. x 3.75"H. and 4 Mechanical Buttons on Door
- Cooking System
 - Convection Damper System that controls airflow in upper, mid and lower zones
 - Gentle Steam to Superheated Steam 90°F - 485°F
 - Dry Convection 212°F - 450°F
- Cooking Modes
 - Steam Grill - Superheated Steam up to 485°F flowing from top
 - Steam Roast - Heated Steam up to 485°F flowing from top, mid and lower back side
 - Steam - Pure Steam flowing in all layers
 - Gentle Steam - 90°F - 150°F controls oven temperature with steam for proofing, defrosting, and warming
 - Convection Bake - Dry Convection Air flowing from top, mid and lower back side
 - Convection Broil - Dry Convection Air flowing from top side
 - Proofing, defrosting, and warming
 - Dual Cook - Combination top steam grill and lower level steam
- Cooking Features
 - Smart Cook - 58 pre-set cook options using Convection Bake, Steam Grill, Steam Roast and Steam
- Steam Options - Steam Proof, Keep Warm, Simmer and Sauté
 - Steam Defrost
 - Manual Set - Steam Grill, Convection Broil, Steam Roast, Convection Bake,
 - Steam and Steam Refresh
- Oven Interior
 - 11 Cubic Foot - Cavity Dimensions - 15.55"W. x 12.01"H. x 9.45"D.
 - Non-Stick Finish
 - Two Level Cooking - Damper Convection System
 - Two Baking/Steam Trays
 - Split set of wire cooking racks for one tray
- Can be installed flush or standard mount

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|---------------------------------|---------|------------|
| VSOC530 | SS | 30" Combi-Steam Oven – 5 Series | \$4,344 | 71 (32.2) |

Note: Unit must be built into a cabinet.



Undercounter DrawerMicro™ Ovens

- Commercial type-styling and design
- Digital LCD display
- 11 variable power levels
- 12 Sensor Cook, Reheat and Popcorn settings
- Five Defrost auto settings
- Two Reheat auto settings
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Keep Warm feature allows you to keep food warm for up to 30 minutes
- Beverage Center reheats coffee and tea to suitable drinking temperature
- Child lock safety feature locks the control panel to prevent unwanted operation
- 1.2 cu. ft. (holds 9"x13" dish)
 - 7 1/8"H. x 17 5/16"W. x 16 9/16"D.
- 1,000 watt output power
- Place undercounter below countertop, rangetop, or as stand-alone unit
- Trim kit must be used for flush install

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------|---------|------------|
| VMOD5240 | SS | DrawerMicro™ Oven – 5 Series | \$2,716 | 86 (39) |

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|----------------|------|------------|
| PMD240FTK | SS | Flush Trim Kit | \$98 | 2 (0.9) |

NEW **VMODC Undercounter Convection DrawerMicro™ Oven**



VMODC5240SS

Undercounter Convection DrawerMicro™ Oven

- 1.4 cubic ft. (39.6 liters) oven capacity (accommodates two 9x13" dishes)
 - 16-15/16"W. x 8-3/4"H. x 17-7/16"D.
- 900 watts output power
- Dual convection fans for baking, roasting, grilling and air frying
- Air Fry, Toast and Warm cooking modes
- Speed cook modes combine convection and microwave heating
- 11 variable power levels
- Six auto defrost settings
- Instant sensor settings for cooking, reheating foods and popping popcorn
- Beverage re-heat feature heats coffee and tea to suitable drinking temperature
- Melt/soften/warm settings automatically select the correct time and power for each function
- Add-30-Sec function adds thirty seconds of extra cooking time with the touch of a button
- Multi-level cooking with three included cooking accessories – top rack, bottom rack, and cook/drip tray
- Child Lock safety feature locks the control panel to prevent unwanted operation
- Flexible placement options below an island, peninsula, or standard cabinetry and can also be installed adjacent to a built-in oven
- Built-in airflow control allows flush mounting

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VMODC5240 | SS | Convection DrawerMicro Oven – 5 Series | \$3,299 | 104 (47.2) |

VMOR Convection Microwave Hood



Convection Microwave/Hood

- Commercial type-styling and design
- Instant sensor settings for cooking, reheating foods and popping popcorn
- Four convection settings: ConvecBroil, ConvecRoast, ConvecBake and manual convection
- Convection settings use a high speed fan that circulates air past the heat source and around the food; allows multiple rack baking
- Low mix bake and high mix roast settings offer use of convection heat to seal and brown outside of foods while using microwave energy to ensure the interior is cooked
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Child lock safety feature locks the control panel to prevent unwanted operation
- Built-in exhaust system
 - 300 CFM blower
- May be vented out the top, back or converted to recirculate
- 13" diameter turntable
- Exterior dimensions
 - 29⁵/₁₆"W. x 16⁵/₁₆"H. x 15⁵/₁₆"D.
- Interior oven cavity
 - 1.1 cubic ft.
- For use over 30"W. Viking cooking products

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|--------------------------------------|---------|------------|
| VMOR506 | SS | Convection Microwave Hood – 5 Series | \$2,650 | 85 (38.6) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|---------------------------------------|------|------------|
| CFOR1 | N/A | Replacement charcoal filters for VMOR | \$32 | 2 (0.9) |

VMDD Drop Down Door Convection Speed Oven



VMDD5306SS

Drop Down Door Convection Speed Oven

- Large 1.6 cubic feet cooking interior gives you more flexibility and cooking options
 - Stainless steel interior with 2 level cooking racks, fits a standard 9 x 13 pan
 - Cavity Dimensions (WxHxD): 17 1/16" x 9 7/16"x 16 15/16"
 - 16" Diameter Turntable
- Built in speed and convenience with a 1600W convection heater and 900W of microwave cooking power
- Combines microwave, convection, roast and grill technologies all-in-one oven
- Speed Bake and Speed Roast combines microwave assist for speed cooking
- Melt/Soften/Warm is ideal for melting chocolate, softening butter, or warming syrup
- Convenient automatic sensor programs takes the guess work out for great results every time
- Sensor Programs: 10 Cook, Reheat, Popcorn and 9 More Menus
- Convection Programs: Bake, Roast, Grill and 15 More Menus
- Auto Defrost for quick and accurate thawing
- +30 Sec easily adds time while cooking
- Safety Lock prevents unwanted oven operation such as by small children

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|----------------------------------|---------|------------|
| VMDD5306 | SS | Convection Speed Oven – 5 Series | \$3,563 | 106 (48.1) |

VWD 27"/30"W. Electric Warming Drawers



VWD527



VWD530

27" and 30"W. 5 Series Electric Warming Drawers

- **VWD527** 27"W. model: 19 1/8"W. x 5 1/2"H. x 20 1/4"D. - 475 watt element
- **VWD530** 30"W. model: 22 1/8"W. x 5 1/2"H. x 20 1/4"D. - 475 watt element
- Temperature settings from 90-250°F
- Capacitive touch digital control with timer
- Meat probe for temperature reading of meat
- Moisture control selector
- Sabbath Mode
- Four hour automatic shutoff feature
- Heavy-duty drawer glides accommodate 200 pound weight capacity
- Optional flush installation - no kit required

| Model | Finish | Description | USD | WT lb (kg) |
|--------|--------|------------------|----------------|------------|
| VWD527 | SS | 27"W. – 5 Series | \$2,804 | 80 (36) |
| | ECF | | \$3,475 | |
| VWD530 | SS | 30"W. – 5 Series | \$3,024 | 90 (40.5) |
| | ECF | | \$3,739 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|--------------------------------|-------|------------|
| PANVEWD | N/A | Pan Lid Set (5 pans with lids) | \$582 | 10 (4.5) |



VENTILATION COST SCHEDULE

National Pricing Effective June 1, 2023



VWH Built-In 10”H. Wall Hoods



10”H. Interior-Power Hoods (460 CFM)

- 460 CFM blower (variable speed ventilator controls; separate controls for on/off and speed control)
- 2 Halogen lights with dimmer control (separate controls for on/off and dimmer)
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|------------------------|----------------|------------|
| VWH3010 | SS | 30”W./21”D. – 5 Series | \$1,803 | 56 (25.2) |
| | ECF | | \$3,013 | |
| VWH3610 | SS | 36”W./21”D. – 5 Series | \$1,968 | 60 (27.0) |
| | ECF | | \$3,343 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



10”H. Interior-Power Hoods – L Model (390 CFM)

- 390 CFM blower (variable speed ventilator controls; separate controls for on/off and speed control)
- 2 Halogen lights with dimmer control (separate controls for on/off and dimmer)
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------|----------------|------------|
| VWH3010L | SS | 30”W./21”D. – 5 Series | \$1,803 | 56 (25.2) |
| | ECF | | \$3,013 | |
| VWH3610L | SS | 36”W./21”D. – 5 Series | \$1,968 | 60 (27.0) |
| | ECF | | \$3,343 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



10”H. Interior-Power Hoods – M Model (300 CFM)

- 300 CFM blower (variable speed ventilator controls; separate controls for on/off and speed control)
- 2 Halogen lights with dimmer control (separate controls for on/off and dimmer)
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------|----------------|------------|
| VWH3010M | SS | 30”W./21”D. – 5 Series | \$1,803 | 56 (25.2) |
| | ECF | | \$3,013 | |
| VWH3610M | SS | 36”W./21”D. – 5 Series | \$1,968 | 60 (27.0) |
| | ECF | | \$3,343 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

VWH Built-In 12”H. Wall Hoods and Recirculating Kits



12”H. Interior-Power Hoods

- 460 CFM blower
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|------------------------|---------|------------|
| VWH530121 | SS | 30”W./21”D. – 5 Series | \$2,155 | 56 (25.2) |
| | ECF | | \$3,365 | |
| VWH536121 | SS | 36”W./21”D. – 5 Series | \$2,276 | 60 (27.0) |
| | ECF | | \$3,651 | |


ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



Recirculating Hood Conversion Kit

- For use with Professional 10”H. and 12”H. hoods only
- Includes charcoal filters, top vent/grille, and installation hardware
- Top vent/grille: 4”H. X 12”D.
- SS finish only

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|----------------|-------|------------|
| VRK30 | SS | for 30”W. hood | \$670 | 13 (5.9) |
| VRK36 | SS | for 36”W. hood | \$681 | 16 (7.3) |



Replacement Charcoal Filters

- For use with VRK conversion kits
- Recommend replacement every 6-12 months

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|--------------------------------|-------|------------|
| CFV13 | N/A | 30” & 36”W. Professional hoods | \$120 | 2 (0.9) |

VWH Built-In 18”H./24”D. Wall Hoods and DCW Duct Covers



Wall Hoods - 18”H. / 24”D.

- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (250 watt heat lamp bulb not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VWH530481 | SS | 30”W. – 5 Series Kit Compatability: VINV300, VINV600, VINV1200, DEV900, DEV1200, DIL1200 | \$2,518 | 60 (27.0) |
| | ECF | | \$3,739 | |
| VWH536481 | SS | 36”W. – 5 Series Kit Compatability: VINV300, VINV600, VINV1200, DEV900, DEV1200, DIL1200 | \$2,705 | 68 (30.6) |
| | ECF | | \$4,113 | |
| VWH542481 | SS | 42”W. – 5 Series Kit Compatability: VINV600, VINV1200, DEV900, DEV1200, DIL1200 | \$2,958 | 76 (34.2) |
| | ECF | | \$4,498 | |
| VWH548481 | SS | 48”W. – 5 Series Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$3,343 | 88 (39.6) |
| | ECF | | \$4,883 | |
| VWH560481 | SS | 60”W. – 5 Series Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$4,355 | 108 (48.6) |
| | ECF | | \$6,104 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



Duct Covers For Wall Hoods

- For use with all VWH models
- Extends height of hood by 12”; conceals duct
- 12”D.

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|---------------------|---------|------------|
| DCW30 | SS | for 30”W. VWH Hoods | \$450 | 10 (4.5) |
| | ECF | | \$549 | |
| DCW36 | SS | for 36”W. VWH Hoods | \$472 | 11 (5.0) |
| | ECF | | \$637 | |
| DCW42 | SS | for 42”W. VWH Hoods | \$483 | 13 (5.9) |
| | ECF | | \$703 | |
| DCW48 | SS | for 48”W. VWH Hoods | \$494 | 14 (6.3) |
| | ECF | | \$802 | |
| DCW60 | SS | for 60”W. VWH Hoods | \$901 | 24 (10.8) |
| | ECF | | \$1,176 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

VCWH Built-In 18”H. Chimney Wall Hoods and DCCE Built-In Chimney Wall Duct Cover Extensions



Chimney Wall Hoods - 18”H. / 24”D.

- Canopy only; must also purchase interior or exterior ventilator kit - sold separately
- Adjustable duct cover standard - for 8’ to 9’ ceilings
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (250 watt heat lamp bulb not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VCWH53048 | SS | 30”W. – 5 Series – Kit Compatability: VINV300, VINV600, DEV900, DEV1200, DIL1200 | \$3,013 | 120 (54.5) |
| | ECF | | \$4,234 | |
| VCWH53648 | SS | 36”W. – 5 Series – Kit Compatability: VINV300, VINV600, DEV900, DEV1200, DIL1200 | \$3,101 | 127 (57.7) |
| | ECF | | \$4,509 | |
| VCWH54248 | SS | 42”W. – 5 Series – Kit Compatability: VINV600, DEV900, DEV1200, DIL1200 | \$3,211 | 138 (62.7) |
| | ECF | | \$4,784 | |
| VCWH54848 | SS | 48”W. – 5 Series – Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$3,860 | 145 (65.8) |
| | ECF | | \$5,389 | |
| VCWH56048 | SS | 60”W. – 5 Series – Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$4,707 | 160 (72.6) |
| | ECF | | \$6,522 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



Duct Cover Extensions

- For use with professional chimney wall hoods
- Extend height of duct cover up to 12” (for 10’ ceilings)
- Replaces adjustable duct cover insert; supplied standard with hood

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---------------------------------|-------|------------|
| DCCE1210 | SS | for 30”, 36” & 42”W. VCWH hoods | \$340 | 6 (2.7) |
| | ECF | | \$472 | |
| DCCE1810 | SS | for 48”W. VCWH hoods | \$351 | 8 (3.6) |
| | ECF | | \$483 | |
| DCCE2410 | SS | for 60”W. VCWH hoods | \$472 | 11 (4.9) |
| | ECF | | \$582 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

VCIH Built-In 18”H. Chimney Island Hoods and VCIH Duct Covers



Chimney Island Hoods - 18”H. / 30”D.

- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning
- **Duct covers are sold separately (see page 66)**

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VCIH53608 | SS | 36”W. – 5 Series Kit Compatability: VINV600, DEV900, DEV1200, DIL1200 | \$4,520 | 92 (41.4) |
| VCIH54208 | SS | 42”W. – 5 Series Kit Compatability: VINV600, DEV900, DEV1200, DEV1500, DIL1200 | \$4,916 | 127 (57.4) |
| VCIH55408 | SS | 54”W. – 5 Series Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$6,830 | 142 (63.9) |
| VCIH56608 | SS | 66”W. – 5 Series Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$7,050 | 158 (71.6) |



Duct Covers for VCIH Hoods Only

- All duct covers are 12”D.

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---|---------|------------|
| VCCI3608 | SS | for 36”W. VCIH (12”H./ for 8’ ceiling) | \$736 | 20 (9.0) |
| VCCI3609 | SS | for 36”W. VCIH (24”H./ for 9’ ceiling) | \$1,011 | 35 (15.8) |
| VCCI3610 | SS | for 36”W. VCIH (36”H./ for 10’ ceiling) | \$1,330 | 50 (22.5) |
| VCCI4208 | SS | for 42”W. VCIH (12”H./ for 8’ ceiling) | \$813 | 24 (10.8) |
| VCCI4209 | SS | for 42”W. VCIH (24”H./ for 9’ ceiling) | \$1,099 | 42 (18.9) |
| VCCI4210 | SS | for 42”W. VCIH (36”H./ for 10’ ceiling) | \$1,363 | 60 (27.0) |
| VCCI5408 | SS | for 54”W. VCIH (12”H./ for 8’ ceiling) | \$989 | 32 (14.4) |
| VCCI5409 | SS | for 54”W. VCIH (24”H./ for 9’ ceiling) | \$1,231 | 56 (25.2) |
| VCCI5410 | SS | for 54”W. VCIH (36”H./ for 10’ ceiling) | \$1,616 | 80 (36.0) |
| VCCI6608 | SS | for 66”W. VCIH (12”H./ for 8’ ceiling) | \$1,055 | 42 (18.9) |
| VCCI6609 | SS | for 66”W. VCIH (24”H./ for 9’ ceiling) | \$1,341 | 69 (31.1) |
| VCCI6610 | SS | for 66”W. VCIH (36”H./ for 10’ ceiling) | \$1,693 | 90 (40.5) |

VBCV Built-In Wall Custom Ventilator Systems



Built-In Custom Ventilator Systems

- For use with custom wall hoods
- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Backlit LED Knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (bulbs not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|--|---------|------------|
| VBCV53638 | N/A | 36"W./18"H./22"D. – 5 Series Kit Compatability: VINV300, VINV600, DEV900, DEV1200, DIL1200 | \$2,122 | 68 (30.6) |
| VBCV54238 | N/A | 42"W./18"H./22"D. – 5 Series Kit Compatability: VINV600, DEV900, DEV1200, DIL1200 | \$2,221 | 76 (34.2) |
| VBCV54838 | N/A | 48"W./18"H./22"D. – 5 Series Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$2,452 | 88 (39.6) |
| VBCV56038 | N/A | 60"W./18"H./22"D. – 5 Series Kit Compatability: VINV1200, DEV1200, DEV1500, DIL1200 | \$2,859 | 108 (48.6) |

Hood Accessories and Ventilator Kits

Interior Power Ventilator Kits and Accessories

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---------------------|---------|------------|
| VINV300 | N/A | 300 CFM – 5 Series | \$813 | 14 (6.4) |
| VINV600 | N/A | 600 CFM – 5 Series | \$890 | 27 (12.3) |
| VINV1200 | N/A | 1200 CFM – 5 Series | \$1,627 | 43 (19.4) |

Exterior Power Ventilator Kits

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---------------------|---------|------------|
| DEV900 | N/A | 900 CFM – 5 Series | \$1,583 | 42 (19.1) |
| DEV15001 | N/A | 1500 CFM – 5 Series | \$2,276 | 47 (21.3) |

In-Line Blower Kits and Accessories

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|--------------------------------------|---------|------------|
| DIL1200 | N/A | 1200 CFM – 5 Series | \$2,023 | 37 (16.8) |
| VSIL10 | N/A | Duct Silencer Accessory for 10" duct | \$648 | 36 (16.3) |
| ILVK | N/A | Vibration Isolator Kit Accessory | \$164 | 2 (0.9) |
| G6MD | N/A | Universal Make-up Air Damper | \$373 | 4 (1.8) |
| G8MD | N/A | Universal Make-up Air Damper | \$428 | 5 (2.3) |



Backsplashes (Wall Hoods)

- Hemmed edges with screw holes
- Fastening screws included
- 30”H.
- Stainless steel only

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|-------------|-------|------------|
| BKS30 | SS | 30”W. | \$296 | 7 (3.2) |
| BKS36 | SS | 36”W. | \$351 | 9 (4.1) |
| BKS48 | SS | 48”W. | \$461 | 14 (6.3) |
| BKS60 | SS | 60”W. | \$549 | 20 (9.0) |



Warming Shelf Panels (Wall Hoods)

- Fold up/down heavy-duty shelves (not removable) factory installed on SS backsplash
- Fastening screws included
- Two-piece assembly
- 30”H.
- Stainless steel only

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|---------------------|-------|------------|
| WGP30 | SS | 30”W. – One shelf | \$670 | 9 (4.1) |
| WGP36 | SS | 36”W. – Two shelves | \$725 | 12 (5.4) |
| WGP48 | SS | 48”W. – Two shelves | \$967 | 16 (7.2) |

VDD Built-In Rear Downdrafts



18”H. Downdraft

- Raises and lowers chimney at touch of a button
- New 18” rise
- Capacitive touch controls
- Two level LED surface lighting
- Heat sensor automatically turns ventilators on full power
- Four fan speeds
- Two removable, easy-to-clean mesh filters
- Flashing light reminds user to clean filters after approximately 30 hours of use
- Choose interior or exterior ventilator kit (sold separately)
- Downdraft should not be used with griddle model cooking products

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|------------------|---------|------------|
| VDD5300 | SS | 30”W. – 5 Series | \$2,936 | 65 (29.5) |
| VDD5360 | SS | 36”W. – 5 Series | \$3,178 | 71 (32.2) |
| VDD5480 | SS | 48”W. – 5 Series | \$3,530 | 80 (36.3) |

Interior Power Ventilator Kit

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|-----------------------|-------|------------|
| VDVI600 | N/A | Flex Blower – 600 CFM | \$769 | 31 (14.1) |

Exterior Power Ventilator Kits

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-------------|---------|------------|
| VDVE900 | N/A | 900 CFM | \$1,308 | 42 (18.9) |
| VDVE1200 | N/A | 1200 CFM | \$1,649 | 44 (19.8) |
| DEV15001 | N/A | 1500 CFM | \$2,276 | 47 (21.3) |

| Model | Finish | Description | USD | WT lb (kg) |
|-------------|--------|---|-------|------------|
| ARKD | N/A | Non-duct recirculation kit | \$670 | 5 (2.3) |
| BPFD | N/A | Non-duct filter replacement | \$164 | 1 (0.5) |
| HATKD8 | N/A | Transition to 8” round | \$230 | 3 (1.4) |
| HATKD10 | N/A | Transition to 10” round | \$230 | 3 (1.4) |
| RCVD8 | N/A | Front panel rough-in for remote flex blower 8” | \$153 | 2 (0.9) |
| RCVD10 | N/A | Front panel rough-in for remote blower 10” and VEDV | \$153 | 2 (0.9) |
| VACE36 | N/A | End Caps for 30-3/4 and 36-3/4”W. cooktop | \$153 | 1 (0.5) |
| AXKD2 | N/A | 2’ of flexible duct | \$164 | 3 (1.4) |
| AXD5 | N/A | Extension Cable (For flex blower remote use) | \$120 | 1 (0.5) |
| FSVDD30SS | N/A | Filler strip for 30” VEC and VIC cooktop | \$164 | 3 (1.4) |
| FSVDD36SS | N/A | Filler strip for 36” VEC and VIC cooktop | \$164 | 3 (1.4) |
| FSVRVDD30SS | N/A | Filler strip for 30” range/rangetop | \$164 | 3 (1.4) |
| FSVRVDD36SS | N/A | Filler strip for 36” range/rangetop | \$164 | 3 (1.4) |
| FSVRVDD48SS | N/A | Filler strip for 48” range/rangetop | \$164 | 3 (1.4) |

Hood Data

| Hood Styles | Interior Ventilator | | | Exterior and In-Line Ventilators | | |
|---|---------------------|---------|----------|----------------------------------|-------------|---------|
| | VINV300 | VINV600 | VINV1200 | DEV900 | DEV/DIL1200 | DEV1500 |
| Professional wall hoods (24" D.) | | | | | | |
| VWH53048(1) - 30" W./18" H. | X | X | Q | X | Q | |
| VWH53648(1) - 36" W./18" H. | X | X | Q | X | Q | |
| VWH54248(1) - 42" W./18" H. | | X | Q | X | Q | |
| VWH54848(1) - 48" W./18" H. | | | Q | | Q | Q |
| VWH56048(1) - 60" W./18" H. | | | Q | | Q | Q |
| Professional chimney style wall hoods (24" D.) | | | | | | |
| VCWH53048 - 30" W./18" H. | X | X | | X | X | |
| VCWH53648 - 36" W./18" H. | X | X | | X | Q | |
| VCWH54248 - 42" W./18" H. | | X | | X | Q | |
| VCWH54848 - 48" W./18" H. | | | Q | | Q | Q |
| VCWH56048 - 60" W./18" H. | | | Q | | Q | Q |
| Professional chimney style island hoods (30"D.) | | | | | | |
| VCIH53608 - 36" W./18" H. | | X | | X | Q | |
| VCIH54208 - 42" W./18" H. | | X | | X | Q | Q |
| VCIH55408 - 54" W./18" H. | | | Q | | Q | Q |
| VCIH56608 - 66" W./18" H. | | | Q | | Q | Q |
| Professional wall hood custom ventilator systems (23"D.) | | | | | | |
| VBCV53638 - 36" W./18" H. | X | X | | X | Q | |
| VBCV54238 - 42" W./18" H. | | X | | X | Q | |
| VBCV54838 - 48" W./18" H. | | | Q | | Q | Q |
| VBCV56038 - 60" W./18" H. | | | Q | | Q | Q |
| Professional outdoor wall hoods (27"D.) | | | | | | |
| VWH03678 - 36" W./ 18" H. | | | TQ | | TQ | TQ |
| VWH04878 - 48" W./ 18" H. | | | TQ | | TQ | TQ |
| VWH06078- 60" W./ 18" H. | | | TQ | | TQ | TQ |

X = can be used over cooking products that do **not** have char-grill feature
 Q = can be used over **all** cooking products, including those with char-grill feature
 TQ = can be used over outdoor grills (outdoor approved grills only)

Hood Data

| Model Number | CFM | Recommended Duct Size | Max Duct Run | 120 V/60 Hz Max Amps |
|---|------|-----------------------|-----------------|-------------------------|
| FOR USE WITH HOODS | | | | |
| VINV300 (interior) | 300 | 7" round | 50 feet (15.2m) | – |
| VINV600 (interior) | 600 | 7" round | 50 feet (15.2m) | – |
| DEV900 (exterior) | 900 | 10" round | 50 feet (15.2m) | – |
| VINV1200 (interior) | 1200 | 10" round | 50 feet (15.2m) | – |
| DEV1200 (exterior) | 1200 | 10" round | 50 feet (15.2m) | – |
| DEV1500 (exterior) | 1500 | 10" round | 75 feet (22.9m) | – |
| DIL1200 (in-line) | 1200 | 10" round | 50 feet (15.2m) | – |
| FOR USE WITH VDD 5 SERIES DOWNDRAFTS | | | | |
| VDVI600 (interior) – NEW | 600 | 8" round | 40 feet (12.2m) | 3.0 |
| VDVE900 (exterior) – NEW | 900 | 10" round | 50 feet (15.2m) | 5.7 |
| VDVE1200 (exterior) – NEW | 1200 | 10" round | 50 feet (15.2m) | 6.0 |

Proper Installation/Ducting Is Extremely Important To Ensure Maximum Performance From Any Ventilation Product

- All CFMs stated based on tests with .1 static pressure: without applying static pressure (some brands consciously do not), CFM could be greatly overstated.
- Duct run length is for general reference only; for longer duct runs, increase duct size and contact a qualified and trained installer.
- Straight runs and gradual turns are best; for example, each 90° elbow is equivalent to 5-10 feet (1.52-3.05cm) of straight run.
- Never use flexible duct; it creates back pressure/air turbulence and greatly reduces performance.
- Proper performance is dependent upon proper ducting; make sure that a qualified and trained installer is used.
- Check with a qualified and trained installer or local codes for makeup air requirements, if any.
- Max. amp rating for hoods includes recommended ventilator kit rating; all products must be hard wired direct with 2-wire with ground
- A 1200 or 1500 CFM (if applicable) ventilator kit, or in-line blower should be used when installed over range/rangetops with gas char-grill.

MVWH Built-In 6 Series Wall Hood



MVWHS636

36"W. Built-In 6 Series Wall Hoods

- Internal motor models deliver 390 CFM (code compliant)
- 3-speed motor control reduces blower and air movement sound
- Two oversized 14" x 15" stainless steel baffle filters
- Two LED lights brighten cooking area
- Dishwasher safe commercial baffle filters
- Functional design is easy to clean. Eliminates grease traps
- Electronic touch controls with blue LED back lighting, with remote control
- Includes telescopic stainless steel duct cover for up to 10' ceilings
- Optional telescopic stainless steel duct cover available for up to 12' ceilings

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--|---------|------------|
| MVWHS636 | BG | 36"W. Wall Hood – 6 Series – Black Glass | \$2,023 | 95 (43.1) |
| MVDC636 | SS | Duct Cover for 10-12' ceilings | \$637 | 5 (2.3) |



REFRIGERATION COST SCHEDULE

National Pricing Effective June 1, 2023



VCBB/FDBB 5 Series Built-In 36"W. Bottom Freezer



VCBB536E



FDBB536E
(Custom Panel)

36"W. Bottom-Mount Refrigerator/Freezers

- **Total Capacity: 20.4 cu. ft.**
 - Refrigerator: 15.3 cu. ft.
 - Freezer: 5.1 cu. ft.
- 84"H/24"D
- LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readouts
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™** Ion Air Purifier - **Exclusive**
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing
- Refrigerator Compartment
 - Three adjustable tempered glass spillproof shelves (one has Nano technology)
 - Adjustable Humidity Zone™ drawers with soft-close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
 - Two deli drawers with soft-close slides
 - Additional space for large pizza box storage
 - Two in-the-door dairy compartments with covers
 - Four patented aluminum door bins (three are adjustable)
 - Top shelf provides quick chill-down area
- Full extension freezer drawer on precision ball-bearing glides
 - Positive self-closing feature ensures a good seal
 - Adaptive defrost
 - Two slide out wire baskets
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design allows Professional Integrated and Custom Panel models to fit flush into 24" deep installation cutout with accessory flush mount trim kit

*Plasmacluster is a registered trademark of Sharp Corporation

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|------------------------|----------|-------------|
| VCBB5363E (R/L)* | SS | 5 Series – Viking Door | \$14,728 | 565 (254.3) |
| | ECF | | \$16,290 | |
| FDBB5363E (R/L)* | N/A | Custom Panel | \$14,266 | 500 (226.8) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| PBIRFTKSS | N/A | Flush mount trim kit – VCBB | \$208 | 10 (4.5) |
| FCTKSS | N/A | Center trim kit – FDBB | \$186 | 5 (2.3) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VBI/FBI 7 Series Fully Integrated 36"W. Bottom Freezer



VBI7360W



FBI7360W
(Custom Panel)

36"W. Bottom-Mount Refrigerator/Freezers

- **Total Capacity: 19.95 cu. ft.**
 - Refrigerator: 13.6 cu. ft.
 - Freezer: 6.35 cu. ft.
- **Energy Star Qualified**
- Theater ramp-on LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills (3)
- Separate crisper drawer offers dedicated area for produce/meat
- Dual compressor system provides excellent temperature management
- Bluezone® Fresh Preservation Technology
 - Best available technology for food preservation and odor control
 - Removes harmful ethylene gas
- Articulating hinge with maximum access
- Fully sealed internal water dispensing with filtered water
- Capacitive touch controls with intuitive user interface
- Adjustable metal door bins (3)
- Two separate freezer drawers
 - Large capacity ice production
- White interior
- Numerous settings provide ultimate performance: max refrigerator, max freezer, max ice, sabbath mode, vacation mode

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VBI7360W (R/L)* | SS | 7 Series Viking Door | \$22,824 | 565 (254.3) |
| | ECF | | \$24,738 | |
| FBI7360W (R/L)* | N/A | Custom Panel – 7 Series | \$22,263 | 565 (254.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---|-------|------------|
| RWFDISP | N/A | Replacement water filter | \$120 | 5 (2.3) |
| RBZB7 | N/A | BlueZone replacement bulb | \$164 | 2 (0.9) |
| CKVBI | N/A | Connector Kit (must use when installing two units side-by-side) | \$549 | 15 (6.8) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VCSB/FDSB 5 Series Built-In 42”W. Side-by-Side Refrigerator/Freezers



VCSB5423



FDSB5423
(Custom Panel)

42”W. Side-by-Side Refrigerator/Freezers

- **Total Capacity: 25.3 cu. ft.**
 - Refrigerator: 15.7 cu. ft.
 - Freezer: 9.6 cu. ft.
- 84”H/24”D
- LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readouts
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™** Ion Air Purifier - Exclusive
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing
- Refrigerator Compartment
 - Five adjustable tempered glass spillproof shelves (two have Nano technology)
 - Adjustable Humidity Zone™ drawer with soft close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
 - Deli drawers with soft close slides
 - Two in-the-door dairy compartments with covers
 - Four adjustable patented aluminum door bins
 - Top shelf provides quick chill-down area
- Freezer Compartment
 - Adaptive defrost
 - Three wire shelves and two slide out baskets
 - Three patented adjustable aluminum door bins
- Super Clog-Resistant™ Condenser is maintenance-free under normal use

*Plasmacluster is a registered trademark of Sharp Corporation

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-------------------------|----------|-------------|
| VCSB5423 | SS | Viking Door – 5 Series | \$15,597 | 525 (238.1) |
| | ECF | | \$17,269 | |
| FDSB5423 | N/A | Custom Panel – 5 Series | \$15,113 | 525 (238.1) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| PBIRFTKSS | N/A | Flush mount trim kit | \$208 | 10 (4.5) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28”) | \$263 | 7 (3.2) |

VCSB/FDSB 5 Series Built-In 48"W. Side-by-Side Refrigerator/Freezers



VCSB5483



FDSB5483
(Custom Panel)

48"W. Side-by-Side Refrigerator/Freezers

- **Total Capacity: 29.1 cu. ft.**
 - Refrigerator: 19.5 cu. ft.
 - Freezer: 9.6 cu. ft.
- 84"H/24"D
- LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readouts
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™* Ion Air Purifier - Exclusive
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing
- Refrigerator Compartment
 - Five adjustable tempered glass spillproof shelves (two have Nano technology)
 - Adjustable Humidity Zone™ drawer with soft close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
 - Deli drawers with soft close slides
 - Two in-the-door dairy compartments with covers
 - Four adjustable patented aluminum door bins
 - Top shelf provides quick chill-down area
- Freezer Compartment
 - Adaptive defrost
 - Three wire shelves and two slide out baskets
 - Three patented adjustable aluminum door bins
- Super Clog-Resistant™ Condenser is maintenance-free under normal use

*Plasmacluster is a registered trademark of Sharp Corporation

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-------------------------|----------|-------------|
| VCSB5483 | SS | Viking Door – 5 Series | \$16,598 | 580 (263.1) |
| | ECF | | \$18,457 | |
| FDSB5483 | N/A | Custom Panel – 5 Series | \$16,114 | 580 (263.1) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| PBIRFTKSS | N/A | Flush mount trim kit | \$208 | 10 (4.5) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VRI/FRI 7 Series Fully Integrated 30"W. All Refrigerator



VRI7300W



FRI7300W
(Custom Panel)

30"W. All Refrigerator

- **Total Capacity: 16.4 cu. ft.**
- Theater ramp-on LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills (3)
- Separate crisper drawer offers dedicated area for produce/meat (3)
- Bluezone® Fresh Preservation Technology
 - Best available technology for food preservation and odor control
 - Removes harmful ethylene gas
- Articulating hinge with maximum access
- Fully sealed internal water dispensing with filtered water
- Capacitive touch controls with intuitive user interface
- Adjustable metal door bins (3)
- White interior
- Numerous settings provide ultimate performance: max refrigerator, sabbath mode, vacation mode

| Model | Finish | Description | USD | WT lb (kg) |
|------------------------|-----------|-------------------------|-----------------|-------------|
| VRI7300W (R/L)* | SS | 7 Series – Viking Door | \$18,127 | 499 (226.3) |
| | ECF | | \$19,645 | |
| FRI7300W (R/L)* | N/A | Custom Panel – 7 Series | \$17,544 | 499 (226.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|---|-------|------------|
| RWFDISP | N/A | Replacement water filter | \$120 | 5 (2.3) |
| RBZB7VT | N/A | BlueZone replacement bulb - vertical | \$164 | 2 (0.9) |
| CKVBI | N/A | Connector Kit (must use when installing two units side-by-side) | \$549 | 15 (6.8) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VFI/FFI 7 Series Fully Integrated 30"W. All Freezer



VFI7300W



FFI7300W
(Custom Panel)

30"W. All Freezer

- **Total Capacity: 16.1 cu. ft.**
- Theater ramp-on LED lighting provides excellent visibility
- Adjustable wire shelves (3)
- Separate freezer baskets (3)
- Articulating hinge with maximum access
- Capacitive touch controls with intuitive user interface
- Adjustable metal door bins (3)
- Large capacity ice production
- White interior
- Numerous settings provide ultimate performance: max freezer, max ice, sabbath mode, vacation mode

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VFI7300W (R/L)* | SS | 7 Series – Viking Door | \$18,303 | 499 (226.3) |
| | ECF | | \$19,832 | |
| FFI7300W (R/L)* | N/A | Custom Panel – 7 Series | \$17,731 | 499 (226.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---|-------|------------|
| RWFDISP | N/A | Replacement water filter | \$120 | 5 (2.3) |
| CKVBI | N/A | Connector Kit (must use when installing two units side-by-side) | \$549 | 15 (6.8) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VRI/FRI 7 Series Fully Integrated 24”W. All Refrigerator



VRI7240W



FRI7240W
(Custom Panel)

24”W. All Refrigerator

- **Total Capacity: 12.9 cu. ft.**
- **Energy Star Qualified**
- Theater ramp-on LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills (3)
- Separate crisper drawer offers dedicated area for produce/meat (3)
- Bluezone® Fresh Preservation Technology
 - Best available technology for food preservation and odor control
 - Removes harmful ethylene gas
- Articulating hinge with maximum access
- Fully sealed internal water dispensing with filtered water
- Capacitive touch controls with intuitive user interface
- Adjustable metal door bins (3)
- White interior
- Numerous settings provide ultimate performance: max refrigerator, sabbath mode, vacation mode

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VRI7240W (R/L)* | SS | 7 Series – Viking Door | \$17,302 | 450 (202.5) |
| | ECF | | \$18,798 | |
| FRI7240W (R/L)* | N/A | Custom Panel – 7 Series | \$16,708 | 450 (202.5) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---|-------|------------|
| RWFDISP | N/A | Replacement water filter | \$120 | 5 (2.3) |
| RBZB7VT | N/A | BlueZone replacement bulb - vertical | \$164 | 2 (0.9) |
| CKVBI | N/A | Connector Kit (must use when installing two units side-by-side) | \$549 | 15 (6.8) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VFI/FFI 7 Series Fully Integrated 24"W. All Freezer



VFI7240W



FFI7240W
(Custom Panel)

24"W. All Freezer

- **Total Capacity: 12.3 cu. ft.**
- Theater ramp-on LED lighting provides excellent visibility
- Adjustable wire shelves (3)
- Separate freezer baskets (3)
- Articulating hinge with maximum access
- Capacitive touch controls with intuitive user interface
- Adjustable metal door bins (3)
- Large capacity ice production
- White interior
- Numerous settings provide ultimate performance: max freezer, max ice, sabbath mode, vacation mode

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VFI7240W (R/L)* | SS | 7 Series – Viking Door | \$17,544 | 450 (202.5) |
| | ECF | | \$19,040 | |
| FFI7240W (R/L)* | N/A | Custom Panel – 7 Series | \$16,961 | 450 (202.5) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---|-------|------------|
| RWFDISP | N/A | Replacement water filter | \$120 | 5 (2.3) |
| CKVBI | N/A | Connector Kit (must use when installing two units side-by-side) | \$549 | 15 (6.8) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VFI/FFI 7 Series Fully Integrated 18"W. All Freezer



VFI7180W



FFI7180W
(Custom Panel)

18"W. All Freezer

- **Total Capacity: 8.4 cu. ft.**
- Theater ramp-on LED lighting provides excellent visibility
- Adjustable wire shelves (3)
- Separate freezer baskets (3)
- Articulating hinge with maximum access
- Capacitive touch controls with intuitive user interface
- Adjustable metal door bins (3)
- Large capacity ice production
- White interior
- Numerous settings provide ultimate performance: max freezer, max ice, sabbath mode, vacation mode

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VFI7180W (R/L)* | SS | 7 Series – Viking Door | \$16,818 | 350 (158.8) |
| | ECF | | \$18,259 | |
| FFI7180W (R/L)* | N/A | Custom Panel – 7 Series | \$16,202 | 350 (158.8) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---|-------|------------|
| RWFDISP | N/A | Replacement water filter | \$120 | 5 (2.3) |
| CKVBI | N/A | Connector Kit (must use when installing two units side-by-side) | \$549 | 15 (6.8) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VCRB/FDRB 5 Series Built-In 30"W. All Refrigerator



VCRB5303



FDRB5303
(Custom Panel)

30"W. All Refrigerator

- **Total Capacity: 18.4 cu. ft.**
- 84"H/24"D
- LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
 - One adjustable full-width Spillproof Plus™ Shelf with Nano technology
 - Three full-width adjustable spillproof glass shelves
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readout
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™* Ion Air Purifier - **Exclusive**
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing
- Adjustable Humidity Zone™ Drawers with soft-close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
- Four deli drawers with soft-close slides
- Additional space for large pizza box storage
- Two in-the-door dairy compartments with covers
- Four patented adjustable aluminum door bins
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design allows Professional integrated and custom panel models to fit flush into 24" deep installation cutout with accessory flush mount trim kit
- For installation of two units side-by-side, a separate grille kit accessory must be purchased

*Plasmacluster is a registered trademark of Sharp Corporation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VCRB5303 (R/L)* | SS | Viking Door – 5 Series | \$11,725 | 525 (227.3) |
| | ECF | | \$13,100 | |
| FDRB5303 (R/L)* | N/A | Custom Panel – 5 Series | \$11,285 | 485 (209.3) |

ECF - **Exclusive Color Finishes** include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| DDGK603SS | N/A | 60"W. grille kit (includes FCTKSS center trim kit) | \$725 | 21 (9.5) |
| DDGK663SS | N/A | 66"W. grille kit (includes FCTKSS center trim kit) | \$736 | 23 (10.4) |
| PBIRFTKSS | N/A | Flush mount trim kit – VCRB | \$208 | 10 (4.5) |
| FCTKSS | N/A | Center trim kit – FDRB | \$186 | 5 (2.3) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VCRB/FDRB 5 Series Built-In 36"W. All Refrigerator



VCRB5363



FDRB5363
(Custom Panel)

36"W. All Refrigerator

- **Total Capacity: 22.0 cu. ft.**
- 84"H/24"D
- LED lighting provides excellent visibility
- Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
 - One adjustable full-width Spillproof Plus™ Shelf with Nano technology
 - Three full-width adjustable spillproof glass shelves
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readout
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™** Ion Air Purifier - **Exclusive**
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing
- Adjustable Humidity Zone™ Drawers with soft-close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
- Four deli drawers with soft-close slides
- Additional space for large pizza box storage
- Two in-the-door dairy compartments with covers
- Four patented adjustable aluminum door bins
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design allows Professional integrated and custom panel models to fit flush into 24" deep installation cutout with accessory flush mount trim kit
- For installation of two units side-by-side, a separate grille kit accessory must be purchased

*Plasmacluster is a registered trademark of Sharp Corporation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VCRB5363 (R/L)* | SS | Viking Door – 5 Series | \$11,725 | 590 (256.5) |
| | ECF | | \$13,254 | |
| FDRB5363 (R/L)* | N/A | Custom Panel – 5 Series | \$11,285 | 535 (231.8) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| DDGK663SS | N/A | 66"W. grille kit (includes FCTKSS center trim kit) | \$736 | 23 (10.4) |
| DDGK723SS | N/A | 72"W. grille kit (includes FCTKSS center trim kit) | \$824 | 25 (11.3) |
| PBIRFTKSS | N/A | Flush mount trim kit – VCRB | \$208 | 10 (4.5) |
| FCTKSS | N/A | Center trim kit – FDRB | \$186 | 5 (2.3) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VCFB/FDFB 5 Series Built-In 30"W. All Freezer



VCFB5303



FDFB5303
(Custom Panel)

30"W. All Freezer

- **Total Capacity: 15.9 cu. ft.**
- 84"H/24"D
- LED lighting provides excellent visibility
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readout
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Six adjustable half-width wire shelves
- One full-width metal shelf
- Two full-width slide-out wire baskets with tempered glass fronts
- Factory-installed automatic ice maker
- One full-width ice storage drawer with two separate metal ice bins
- Full-extension precision ball bearing slides on all baskets and drawers
- Three patented adjustable aluminum door bins
- Adaptive defrost
- All metal freezer interior
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design allows Professional integrated and custom panel models to fit flush into 24" deep installation cutout with accessory flush mount trim kit
- For installation of two units side-by-side, a separate grille kit accessory must be purchased

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VCFB5303 (R/L)* | SS | Viking Door – 5 Series | \$11,890 | 550 (249.5) |
| | ECF | | \$13,225 | |
| FDFB5303 (R/L)* | N/A | Custom Panel – 5 Series | \$11,439 | 510 (231.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| DDGK603SS | N/A | 60"W. grille kit (includes FCKSS center trim kit) | \$725 | 21 (9.5) |
| DDGK663SS | N/A | 66"W. grille kit (includes FCKSS center trim kit) | \$736 | 23 (10.4) |
| PBIRFTKSS | N/A | Flush mount trim kit – VCFB | \$208 | 10 (4.5) |
| FCKSS | N/A | Center trim kit – FDFB | \$186 | 5 (2.3) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VCFB/FDFB 5 Series Built-In 36"W. All Freezer



VCFB5363



FDFB5363
(Custom Panel)

36"W. All Freezer

- **Total Capacity: 19.2 cu. ft.**
- 84"H/24"D
- LED lighting provides excellent visibility
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readout
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Six adjustable half-width wire shelves
- One full-width metal shelf
- Two full-width slide-out wire baskets with tempered glass fronts
- Factory-installed automatic ice maker
- One full-width ice storage drawer with two separate metal ice bins
- Full-extension precision ball bearing slides on all baskets and drawers
- Three patented adjustable aluminum door bins
- Adaptive defrost
- All metal freezer interior
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design allows Professional integrated and custom panel models to fit flush into 24" deep installation cutout with accessory flush mount trim kit
- For installation of two units side-by-side, a separate grille kit accessory must be purchased

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|-------------------------|----------|-------------|
| VCFB5363 (R/L)* | SS | Viking Door – 5 Series | \$11,923 | 605 (274.4) |
| | ECF | | \$13,430 | |
| FDFB5363 (R/L)* | N/A | Custom Panel – 5 Series | \$11,450 | 570 (258.5) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

* R = right hinge; L = left hinge

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|---|-------|------------|
| DDGK663SS | N/A | 66"W. grille kit (includes FCKSS center trim kit) | \$736 | 23 (10.4) |
| DDGK723SS | N/A | 72"W. grille kit (includes FCKSS center trim kit) | \$824 | 25 (11.3) |
| PBIRFTKSS | N/A | Flush mount trim kit – VCFB | \$208 | 10 (4.5) |
| FCKSS | N/A | Center trim kit – FDFB | \$186 | 5 (2.3) |
| PHK528SS | N/A | Professional stainless steel handle (1 piece / 28") | \$263 | 7 (3.2) |

VRUI/VDUI Undercounter/Freestanding 24”W. Refrigerators



24”W. Refrigerator

- 5.5 cu. ft. capacity stores 20 wine bottles total (7 flat) and up to (162) 12-oz cans
- Slide-Out Convertible Shelf features removable split glass panes with wine rack option to store beverages, food or wine
- Tall item storage: half-width interior shelf allows for high-clearance vertical storage
- Access contents easily with full-extension shelf, glideout shelving on the smooth-glide ball bearing system
- Cantilevered shelving system adjusts height to meet storage needs
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light and helps conserve energy
- Multifunction controls allows selection of precise cabinet temperature from 33°F to 70°F
- At the touch of a button, change the interior light color to Alluvial Blue or Arctic White
- Theater-style display lighting gently brightens as door is opened and dims to off when closed
- Midnight Black interior
- Reversible soft-close door allows for right or left swing for adaptable installation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|------------------------------------|---------|------------|
| VRUI5241G | SS | Viking Clear Glass Door – 5 Series | \$4,916 | 160 (72.6) |



24”W. Refrigerated Drawers

- 5.0 cu. ft. capacity stores up to (108) 12-oz cans in two large-capacity smooth-glide drawers
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature from 33°F to 70°F
- At the touch of a button, change the interior light color to Alluvial Blue or Arctic White
- Theater-style display lighting gently brightens as door is opened and dims to off when closed
- Interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|-------------------|---------|------------|
| VDUI5241D | SS | Viking – 5 Series | \$5,873 | 160 (72.6) |

VBUI Undercounter/Freestanding 15"/24"W. Refrigerated Beverage Centers



15"W. Refrigerated Beverage Center

- 2.7 cu. ft. capacity stores up to (35) 12-oz cans on two full-width, adjustable cantilevered shelves
- (2) Convertible Shelves features removable glass pane to store beverages or food
- Fully adjustable shelving system with two cantilevered, steel-framed glass shelves
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light and helps conserve energy
- Multifunction controls allows selection of precise cabinet temperature from 33°F to 70°F
- At the touch of a button, change the interior light color to Alluvial Blue or Arctic White
- Theater-style display lighting gently brightens as door is opened and dims to off when closed
- Midnight Black interior
- Reversible soft-close door allows for right or left swing for adaptable installation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|------------------------------------|---------|------------|
| VBUI5151G | SS | Viking Clear Glass Door – 5 Series | \$4,366 | 125 (56.7) |



24"W. Refrigerated Beverage Center

- 5.5 cu. ft. capacity, stores 19 wine bottles total (14 flat, 5 cradled) and holds (108) 12-oz cans
- (2) Slide-Out Split Convertible Shelves feature removable glass pane with wine rack option to store beverages, food or wine
- Display wine rack glides out for easy access and holds 5 wine bottles, including magnum sizes
- Access contents easily with full-extension shelf, glide-out shelving on the smooth-glide ball bearing system
- Cantilevered shelving system adjusts height to your storage needs
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light and helps conserve energy
- Multifunction controls allows selection of precise cabinet temperature from 33°F to 70°F
- At the touch of a button, change the interior light color to Alluvial Blue or Arctic White
- Theater-style display lighting gently brightens as door is opened and dims to off when closed
- Midnight Black interior
- Reversible soft-close door allows for right or left swing for adaptable installation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|------------------------------------|---------|------------|
| VBUI5241G | SS | Viking Clear Glass Door – 5 Series | \$4,740 | 160 (72.6) |

VWUI Undercounter/Freestanding 15"/24"W. Wine Cellars



15"W. Wine Cellar

- 2.7 cu. ft. capacity stores 24 bottles of wine total on (6) 4-bottle smooth-glide wine racks
- Heavy-gauge wire wine racks are shaped to safely cradle each wine bottle
- Full-extension ball bearing smooth-glide shelf system prevents jarring
- Vibration Neutralization System protects wine from agitation, allowing it to come to full maturation
- Dynamic cooling technology delivers precise temperature stability and frost-free operation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light and helps conserve energy
- Multifunction controls allows selection of precise cabinet temperature from 33°F to 70°F
- At the touch of a button, change the interior light color to Alluvial Blue or Arctic White
- Theater-style display lighting gently brightens as door is opened and dims to off when closed
- Midnight Black interior
- Reversible soft-close door allows for right or left swing for adaptable installation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|------------------------------------|---------|------------|
| VWUI5151G | SS | Viking Clear Glass Door – 5 Series | \$4,366 | 125 (56.7) |



24"W. Dual Zone Wine Cellar

- 5.2 cu. ft. capacity stores 48 bottles of wine total
- Includes (5) 8-bottle smooth-glide full wine racks and (2) 4-bottle smooth-glide half-depth wine racks
- Heavy-gauge wire wine racks are shaped to safely cradle each wine bottle
- Full-extension ball bearing smooth-glide shelf system prevents jarring
- Vibration Neutralization System protects wine from agitation, allowing it to come to full maturation
- Dynamic cooling technology delivers precise temperature stability and frost-free operation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light and helps conserve energy
- Multifunction controls allows selection of precise cabinet temperature from 33°F to 70°F
- At the touch of a button, change the interior light color to Alluvial Blue or Arctic White
- Theater-style display lighting gently brightens as door is opened and dims to off when closed
- Midnight Black interior
- Reversible soft-close door allows for right or left swing for adaptable installation

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|------------------------------------|---------|------------|
| VWUI5241G | SS | Viking Clear Glass Door – 5 Series | \$6,060 | 160 (72.6) |

VURE Undercounter 15"/24"W. Refrigerators – Stainless Steel Interior



15"W. Refrigerator

- Storage Capacity
 - Stores up to 47 12-oz bottles or 72 12-oz. cans
- Full-depth lower interior maximizes storage options
- Variable speed compressor delivers maximum energy efficiency, faster temperature response, and quieter operation
- Convection cooling system provides a quick cool down and consistent temperature
- Temperature range: 33°F – 70°F
- Stainless steel interior
- Stainless steel cabinet, toe kick, and accents
- Easy adjusting interior with 19 adjustable positions
- Three removable, full-extension easy to load bins
- Digital touch pad control with blue LED display
- Adjustable bright white or blue LED lighting
- Soft close door with articulating hinge
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------------|---------|------------|
| VURE515G | SS | Viking Clear Glass Door – 5 Series | \$6,496 | 105 (47.6) |



24"W. Refrigerator

- Storage Capacity
 - Stores up to 94 12-oz bottles or 148 12-oz. cans
- Full-depth lower interior maximizes storage options
- Variable speed compressor delivers maximum energy efficiency, faster temperature response, and quieter operation
- Convection cooling system provides a quick cool down and consistent temperature
- Temperature range: 33°F – 70°F
- Stainless steel interior
- Stainless steel cabinet, toe kick, and accents
- Easy adjusting interior with 19 adjustable positions
- Three removable, full-extension easy to load bins
- Digital touch pad control with blue LED display
- Adjustable bright white or blue LED lighting
- Soft close door with articulating hinge
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------------|---------|-------------|
| VURE524G | SS | Viking Clear Glass Door – 5 Series | \$7,019 | 163 (73.94) |

VUBV Undercounter 15"/24"W. Refrigerated Beverage Centers – Stainless Steel Interior



15"W. Refrigerated Beverage Center

- Storage Capacity
 - Stores up to 8 wine bottles (750 ml) and 34 bottles (12 oz.) or 54 cans (12 oz.)
- Full-depth lower interior maximizes storage options
- Variable speed compressor delivers maximum energy efficiency, faster temperature response, and quieter operation
- Convection cooling system provides a quick cool down and consistent temperature
- Temperature range: 33°F – 70°F
- Stainless steel interior
- Stainless steel cabinet, toe kick, and accents
- Easy adjusting interior with 19 adjustable positions
- Two removable, full-extension easy to load bins
- Two removable, full-extension wine racks
- Digital touch pad control with blue LED display
- Adjustable bright white or blue LED lighting
- Soft close door with articulating hinge
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------------|---------|------------|
| VUBV515G | SS | Viking Clear Glass Door – 5 Series | \$6,417 | 105 (47.6) |



24"W. Refrigerated Beverage Center

- Storage Capacity
 - Stores up to 14 wine bottles (750 ml) and 68 bottles (12 oz.) or 111 cans (12 oz.)
- Full-depth lower interior maximizes storage options
- Variable speed compressor delivers maximum energy efficiency, faster temperature response, and quieter operation
- Convection cooling system provides a quick cool down and consistent temperature
- Temperature range: 33°F – 70°F
- Stainless steel interior
- Stainless steel cabinet, toe kick, and accents
- Easy adjusting interior with 19 adjustable positions
- Two removable, full-extension easy to load bins
- Two removable, full-extension wine racks
- Digital touch pad control with blue LED display
- Adjustable bright white or blue LED lighting
- Soft close door with articulating hinge
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------------|---------|-------------|
| VUBV524G | SS | Viking Clear Glass Door – 5 Series | \$6,941 | 163 (73.94) |

VUWC Undercounter 15"/24"W. Wine Cellars – Stainless Steel Interior



15"W. Wine Cellar

- Storage Capacity
 - Stores up to 28 wine bottles (750ml)
- Full-depth lower interior maximizes storage options
- Variable speed compressor delivers maximum energy efficiency, faster temperature response, and quieter operation
- Convection cooling system provides a quick cool down and consistent temperature
- Temperature range: 33°F – 70°F
- Stainless steel interior
- Stainless steel cabinet, toe kick, and accents
- Easy adjusting interior with 19 adjustable positions
- Seven removable, full-extension wine racks
- Wine racks accommodate a variety of bottle shapes and sizes and can be configured to store champagne and magnum bottles
- Digital touch pad control with blue LED display
- Adjustable bright white or blue LED lighting
- Soft close door with articulating hinge
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------------|---------|------------|
| VUWC515G | SS | Viking Clear Glass Door – 5 Series | \$6,784 | 105 (47.6) |



24"W. Wine Cellar

- Storage Capacity
 - Stores up to 49 wine bottles (750ml)
- Full-depth lower interior maximizes storage options
- Variable speed compressor delivers maximum energy efficiency, faster temperature response, and quieter operation
- Convection cooling system provides a quick cool down and consistent temperature
- Temperature range: 33°F – 70°F
- Stainless steel interior
- Stainless steel cabinet, toe kick, and accents
- Easy adjusting interior with 19 adjustable positions
- Seven removable, full-extension wine racks
- Wine racks accommodate a variety of bottle shapes and sizes and can be configured to store champagne and magnum bottles
- Digital touch pad control with blue LED display
- Adjustable bright white or blue LED lighting
- Soft close door with articulating hinge
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|------------------------------------|---------|-------------|
| VUWC524G | SS | Viking Clear Glass Door – 5 Series | \$7,386 | 163 (73.94) |

FGIM/FPIM/FGNI/FPNI Undercounter/Freestanding 15"W. Ice Machines



Shown with optional Professional Door Panel

15"W. Clear Ice Machines

- Produces up to 65 lbs. of clear ice per day
- 26 lb. capacity ice bin
- 1" x 1 1/8" x 1 1/4" cube size
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design
- Stainless Steel handle and door panel sold separately

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--|---------|------------|
| FGIM5151 | N/A | Gravity Drain – 5 Series – Accepts custom panel or Viking door panel | \$6,005 | 113 (50.9) |
| FPIM5151 | N/A | Drain Pump – 5 Series– Accepts custom panel or Viking door panel | \$6,467 | 118 (53.1) |



Shown with optional Professional Door Panel

15"W. Nugget Ice Machines

- Produces up to 80 lbs. of nugget ice per day
- 26 lb. capacity ice bin
- Soft and chewable ice
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design
- Stainless Steel handle and door panel sold separately

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|---|---------|------------|
| FGNI515 | N/A | Gravity Drain – 5 Series– Accepts custom panel or Viking door panel | \$7,061 | 124 (56.2) |
| FPNI515 | N/A | Drain Pump – 5 Series– Accepts custom panel or Viking door panel | \$7,534 | 129 (58.5) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-------------------|--------|--|-------|------------|
| PIDP515LSS | N/A | Viking stainless steel door panel - LH | \$461 | 14 (6.3) |
| PIDP515RSS | N/A | Viking stainless steel door panel - RH | \$461 | 14 (6.3) |
| DPFGIM | N/A | Ice Machine Drain Pump | \$857 | 5 (2.3) |
| IMC16OZ | N/A | Ice Machine Cleaner | \$43 | 1.6 (0.8) |



CLEAN UP COST SCHEDULE

National Pricing Effective June 1, 2023



VDWU/FDWU Built-In Dishwashers



VDWU524SS

Built-In Dishwashers

- Variable pressure multi-level washing with stainless steel wash arms
- Turbidity sensor
- Triple-Clean™ filtration
- Flow-through water heater
- Turbo Fan Dry
- Blue LCD display capacitive touch control panel with time remaining indicator
- Interior light
- Cycle run indicator light
- Quiet-Clean™ Performance Package (42 dB)
- Accommodates up to 16 international place settings
- FullSize™ upper 3rd rack
- Heavy gauge top and bottom dishwasher baskets
- Heavy-duty three position adjustable upper rack
- Adjustable stemware shelves
- Sliding one-piece silverware/cutlery basket
- Foldable tines
- 8 Cycles – Pots/Pans Plus, Glass Care, Auto, CombiClean, Regular Wash, Hour Wash, Quick Wash, Rinse/ Hold
- Options – Express, Sanitize, High Gloss, Intense Wash, Delay Start (up to 24 hours)
- Energy Star Qualified
- VDWU/FDWU524WS has built-in water softener

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---|---------|------------|
| VDWU524 | SS | Stainless Steel Door Panel | \$2,474 | 102 (46.2) |
| VDWU524WS | SS | Stainless Steel Door Panel – Water Softener | \$2,628 | 102 (46.2) |
| FDWU524 | N/A | Custom Panel | \$2,309 | 97 (44) |
| FDWU524WS | N/A | Custom Panel – Water Softener | \$2,474 | 97 (44) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|--|-------|------------|
| PDDP524 | ECF | Viking Door Panel (for use with FDWU models, exclusive finishes) | \$461 | 14 (6.3) |
| PHK23SS | N/A | Viking Handle Kit | \$175 | 5 (2.3) |

ECF - Exclusive Color Finishes include **Classic Color White (WH)** and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

VDWU/FDWU Built-In Dishwashers



VDWU724SS

Built-In Dishwashers

- CornerClean™ variable pressure multi-level washing
- OdorEliminator™ Ionizer removes odors inside dishwasher
- Turbidity sensor
- TriClean™ triple filtration system eliminates even the smallest food particles
- Flow-through water heater
- Turbo Fan Dry
- OpenAir™ Drying Function automatically opens door during end of cycle to naturally dry dishes
- Blue LED display capacitive touch control panel with time remaining indicator
- Interior light
- Blue cycle run indicator light
- Quiet-Clean™ Performance Package (39 dB)
- Accommodates up to 16 international place settings
- Full-width cutlery rack
- Heavy gauge top and bottom dishwasher baskets
- Heavy-duty three position adjustable upper rack
- Adjustable stemware shelves
- Sliding one-piece silverware/cutlery basket
- Foldable tines
- 8 Cycles – Pots/Pans Plus, Glass Care, Auto, CombiClean, Regular Wash, Hour Wash, Quick Wash, Rinse/Hold
- Options – Express, Sanitize, High Gloss, Half Load, Delay Start (up to 24 hours)
- Energy Star Qualified as Most Efficient 2022

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|----------------------------|---------|------------|
| VDWU724 | SS | Stainless Steel Door Panel | \$2,881 | 102 (46.2) |
| FDWU724 | N/A | Custom Panel | \$2,716 | 97 (44) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|--|-------|------------|
| PDDP524 | ECF | Viking Door Panel (for use with FDWU models, exclusive finishes) | \$461 | 14 (6.3) |
| PHK23SS | N/A | Viking Handle Kit | \$175 | 5 (2.3) |

ECF - Exclusive Color Finishes include **Classic Color White (WH)** and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



3 SERIES COST SCHEDULE

National Pricing Effective June 1, 2023



RVGR Freestanding Gas Self-Clean 30"W. Sealed Burner Range



RVGR33025B

30"W./24"D. Gas Sealed Burner Range

- Wide variety of BTU ratings to accommodate all types of surface cooking needs – including a fifth burner
 - Left front – 18,000 BTU
 - Left rear – 8,000 BTU
 - Center – 9,000 BTU
 - Right front – 18,000 BTU
 - Right rear – 12,000 BTU
- Sealed burner with porcelainized, cast-iron burner caps
- **Exclusive** Sure Spark™ ignition system
- Continuous grate cooking surface
- One-piece porcelainized tooled top with large spill collection area around burners
- Durable, metal die-cast knobs with child-proof, push-to-turn safety feature
- **Exclusive** combination of single U-shaped bake burner and broil burner, all with electric spark ignition
- High performance cooking modes include natural airflow bake, convection bake, broil, convection broil, convection dehydrate, convection defrost and self-clean
- Extremely large self-clean convection oven
 - Overall 23"W. x 16¹/₈"H. x 18³/₄"D. – 4.0 cu. ft.
 - AHAM Standard 23"W. x 16¹/₈"H. x 15³/₈"D. – 3.3 cu. ft.
 - One Full-Extension TruGlide™ racks/two standard racks/six porcelain coated rack positions
- Halogen oven lighting
- Shipped standard with island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|-----------------------|---------|------------|
| RVGR33025B (NAT) | SS | Five Burner Gas Range | \$6,170 | 410 (186) |
| | ECF | | \$7,380 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--------------------------------------|-------|------------|
| RD301BG6SS | N/A | 6"H. Backguard | \$340 | 14 (6.3) |
| RD24CSTSS | N/A | Countertop Side Trim | \$230 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |
| RDPGD | N/A | Portable Griddle/Grill | \$329 | 9 (4.1) |
| RLPKR2 | N/A | LP Conversion Kit for Ranges | \$153 | 2 (0.9) |

RVDR Freestanding Dual Fuel 30"W. Sealed Burner Range



RVDR33025B

30"W./24"D. Dual Fuel Sealed Burner Range

- Wide variety of BTU ratings to accommodate all types of surface cooking needs – including a fifth burner
 - Left front – 18,000 BTU
 - Left rear – 8,000 BTU
 - Center – 9,000 BTU
 - Right front – 18,000 BTU
 - Right rear – 12,000 BTU
- Sealed burner with porcelainized, cast-iron burner caps
- **Exclusive** Sure Spark™ ignition system
- Continuous grate cooking surface
- Durable, metal die-cast knobs with child-proof, push-to-turn safety feature
- **Exclusive** patented Vari-Speed Dual Flow™ convection system with 8½" diameter fan blade – largest in the industry; works bi-directionally for maximum air flow and excellent cooking results
- **Exclusive** Rapid Ready™ preheat system provides super fast preheating
- 10-pass broiler with heat reflector
- High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost and Self-Clean
- Halogen oven lighting
- One Full-Extension TruGlide™ racks/two standard racks/six porcelain coated rack positions
- **Exclusive** 30"W. Ovens: largest self-clean, convection ovens
 - Overall 25 5/16"W. x 16 ½"H. x 19 ½"D. – 4.7 cu. ft.
 - AHAM standard 25 5/16"W. x 16 ½"H. x 16 13/16"D. – 4.1 cu. ft.
- Shipped standard with island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|-----------------------------|---------|------------|
| RVDR33025B | SS | Five Burner Dual Fuel Range | \$7,006 | 410 (186) |
| | ECF | | \$8,194 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--------------------------------------|-------|------------|
| RD301BG6SS | N/A | 6"H. Backguard | \$340 | 14 (6.3) |
| RD24CSTSS | N/A | Countertop Side Trim | \$230 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |
| RDPGD | N/A | Portable Griddle/Grill | \$329 | 9 (4.1) |
| RLPKR2 | N/A | LP Conversion Kit for Ranges | \$153 | 2 (0.9) |

RVER Freestanding Electric Self-Clean 30"W. Range



RVER33015B

30"W./24"D. Electric Self-Clean Range

- QuickCook™ Surface Elements utilize ribbon element technology – reach full power in about 3 seconds. Wide variety of surface element sizes and wattages, including a fifth element
 - Left front – 8.5" 2,000-watt dual element
 - Left rear – 6.5" 1,200-watt single element
 - Center – 12" 3,200-watt triple element
 - Right front – 6.5" 1,200-watt single element
 - Right rear – 8.5" 2,000-watt dual element
- Strong wear-resistant glass ceramic top
- **Exclusive** patented Vari-Speed Dual Flow™ convection system with 8½" diameter fan blade – largest in the industry; works bi-directionally for maximum air flow and excellent cooking results
- **Exclusive** Rapid Ready™ preheat system provides super fast preheating
- Durable, metal die-cast knobs with child-proof, push-to-turn safety feature
- 10-pass broiler with heat reflector
- High performance cooking modes include Bake, Convection Bake, TruConvec™ Convection Cooking, Convection Roast, Hi, Med and Low Broil, Convection Broil, Convection Dehydrate, Convection Defrost and Self-Clean
- Halogen oven lighting
- One Full-Extension TruGlide™ racks/two standard racks/six porcelain coated rack positions
- 30"W. Ovens: largest self-clean, convection ovens – **Exclusive**
 - Overall 25⁵/₁₆"W. x 16½"H. x 19½"D. – 4.7 cu. ft.
 - AHAM standard 25⁵/₁₆"W. x 16½"H. x 16¹³/₁₆"D. – 4.1 cu. ft.
- Shipped standard with island trim

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|----------------------------|---------|-------------|
| RVER33015B | SS | Five Burner Electric Range | \$6,170 | 426 (193.2) |
| | ECF | | \$7,358 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--------------------------------------|-------|------------|
| RD30BG6SS | N/A | 6"H. Backguard | \$340 | 14 (6.3) |
| RD24CSTSS | N/A | Countertop Side Trim | \$230 | 2 (0.9) |
| P30CRTSS | N/A | Countertop Rear Trim | \$98 | 2 (0.9) |
| P30CBF4SS | N/A | Curb Base and Custom Curb Base Front | \$351 | 9 (4.1) |

RVGC Built-In Gas 30/36"W. Cooktops



RVGC33015B



RVGC33615B

30" and 36"W. Gas Cooktops

- **Exclusive** Sure Spark™ ignition system for all burners
- Continuous grate cooking surface
- One-piece tooled top with large spill collection area around burners
- Durable, metal die-cast knobs with child-proof, push-to-turn safety feature
- **RVGC33015B 30"W. Cooktop**
 - 5 burners
 - Left front – 9,100 BTU high
 - Left rear – 9,100 BTU high
 - Center – 17,000 BTU high
 - Right rear – 5,000 BTU high
 - Right front – 12,000 BTU high
- **RVGC33615B 36"W. Cooktop**
 - 5 burners
 - Left front – 9,100 BTU high
 - Left rear – 9,100 BTU high
 - Center – 17,000 BTU high
 - Right rear – 5,000 BTU high
 - Right front – 12,000 BTU high
- Overall/burner box dimensions designed to fit the majority of similarly sized cooktop cutouts

| Model | Finish | Description | USD | WT lb (kg) |
|--------------------------|--------|----------------------|---------|------------|
| RVGC33015B (NAT)* | SS | 5 Burner Gas Cooktop | \$2,463 | 49 (22.0) |
| RVGC33615B (NAT)* | SS | 5 Burner Gas Cooktop | \$2,628 | 74 (33.3) |

*Factory LP conversion – no additional charge – add LP after color code

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|---------------|--------|--------------------------------|-------|------------|
| RLPKC1 | N/A | LP Conversion Kit for Cooktops | \$153 | 1(.5) |

RVEC Built-In Electric Radiant 30/36/45"W. Cooktops



RVEC3305B



RVEC3365B



RVEC3456B

30", 36" and 45"W. Electric Radiant Cooktops

- Strong, wear-resistant glass ceramic top
- QuickCook™ Surface Elements utilize ribbon element technology - reach full power in about 3 seconds
- Durable, metal die-cast knobs with child-proof, push-to-turn safety feature

• RVEC3305B - 30"W. Cooktops

- NEW – 5 elements
- Left front – 8½", 2,000-watt dual element
- Left rear – 6½", 1,200-watt single element
- Center – 12", 3,200-watt triple element
- Right rear – 6½", 1,200-watt element
- Right front – 8½", 2,000-watt element

• RVEC3365B - 36"W. Cooktops

- 5 elements
- Left front – 8½", 2,000-watt dual element
- Left rear – 6½", 1,200-watt single element
- Center – 12", 3,200-watt triple element
- Right rear – 6½", 1,200-watt element
- Right front – 8½", 2,000-watt element

• RVEC3456B - 45"W. Cooktops

- 6 elements
- Left front – 8½", 2,000-watt dual element
- Left rear – 6½", 1,200-watt single element
- Left center – 12", 3,200-watt triple element
- Right center – 8½", 2,000-watt dual element
- Right rear – 6½", 1,200-watt element
- Right front – 8½", 2,000-watt dual element

- Overall/burner box dimensions designed to fit the majority of similarly sized cooktop cutouts

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|---------------------------|---------|------------|
| RVEC3305B | SB | 5 Burner Electric Cooktop | \$2,276 | 52 (23.4) |
| RVEC3365B | SB | 5 Burner Electric Cooktop | \$2,650 | 60 (27.0) |
| RVEC3456B | SB | 6 Burner Electric Cooktop | \$3,013 | 71 (32.0) |

RVSOE/RVDOE Built-In Electric 30"W. Single/Double Ovens



RVSOE330



RVDOE330

Electric 30"W. Thermal-Convection Ovens

- Two speed convection system circulates air throughout the entire oven cavity
- Concealed 6 pass bake element makes clean-up easy
- 10-pass broiler with heat reflector
- Two halogen oven lights
- Two Full-Extension TruGlide™ racks, one standard/five porcelain coated rack positions (both ovens of double oven)
- Digital clock/oven functions
 - 100 minute timer
 - Set cooking time for up to 12 hours
 - Delay timed cooking feature
 - Tone and digital display indicate pre-set cooking time is finished
 - Meat probe – timer sounds and oven shuts off when desired temp is reached
Only in upper oven of double oven
- Self-Clean ovens
- Oven functions
 - Two element bake
 - Convection bake
 - TruConvec™ convection cook (element around fan)
 - Convection roast
 - Convection broil
 - Hi broil
 - Med broil
 - Low broil
 - Convection dehydrate
 - Convection defrost
- Extra large self-cleaning ovens
 - Overall - 25"W. x 16"H. x 18 ½"D. – 4.3 cu. ft.
 - AHAM standard - 25"W. x 16"H. x 16 ¾"D. – 3.8 cu. ft.

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-------------------|---------|-------------|
| RVSOE330 | SS | 30"W. Single Oven | \$5,092 | 258 (117.6) |
| | ECF | | \$6,313 | |
| RVDOE330 | SS | 30"W. Double Oven | \$7,886 | 384 (174.2) |
| | ECF | | \$9,415 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

RVM Microwave Ovens, RVMH Conventional Microwave, and VMOH Conventional Microwave Hoods



RVM320

Microwave Oven

- Instant sensor settings for cooking, reheating foods and popping popcorn
- Fast action keys save time and make microwaving easy
- Defrost programs quickly defrost meat and poultry by weight
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Warm/hold feature allows you to keep food warm for up to 30 minutes
- Child lock safety feature locks the control panel to prevent unwanted operation
- 2.0 Cubic ft.
- 16" diameter turntable
- Interior oven cavity – 17³/₈"W. x 10¹/₂"H. x 18⁵/₈"D.
- Place on countertop or install as a built-in using a trim kit (listed below - sold separately)

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-------------------|-------|------------|
| RVM320 | SS | Microwave Oven | \$879 | 55 (24.7) |
| RVMTK330 | SS | Built-In Trim Kit | \$472 | 15 (6.9) |



RVMH330

Microwave Hood

- Instant sensor settings for cooking, reheating foods and popping popcorn
- Fast action keys save time and make microwaving easy
- Defrost programs quickly defrost meat and poultry by weight
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Warm/hold feature allows you to keep food warm for up to 30 minutes
- Child lock safety feature locks the control panel to prevent unwanted operation
- Built-in exhaust system
- 300 CFM blower
- May be vented out the top, back or converted to recirculate
- Large 14 1/8" diameter turntable
- Exterior dimensions – 29¹⁵/₁₆"W. x 16¹/₄"H. x 15³/₁₆"D.
- Interior oven cavity – 1.5 cubic ft.
- For use over 30"W. Viking cooking products

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|-----------------------------|---------|------------|
| RVMH330 | SS | Conventional Microwave Hood | \$1,319 | 85 (38.6) |

RVMHC Convection Microwave Hood and RVEWD Built-In Electric 30"W. Warming Drawer



RVMHC330

Convection Microwave Hood

- Instant sensor settings for cooking, reheating foods and popping popcorn
- Four convection settings: ConvecBroil, ConvecRoast, ConvecBake and manual convection
- Convection settings use a high speed fan that circulates air past the heat source and around the food; allows multiple rack baking
- Low mix bake and high mix roast settings offer use of convection heat to seal and brown outside of foods while using microwave energy to ensure the interior is cooked
- Add-a-minute allows you to add a minute to cooking time by simply touching a button
- Child lock safety feature locks the control panel to prevent unwanted operation
- Convection microwave cookbook comes standard with unit
- Built-in exhaust system
- 300 CFM blower
- May be vented out the top, back or converted to recirculate
- 13" diameter turntable
- Exterior dimensions – 29⁵/₁₆"W. x 16³/₁₆"H. x 15⁵/₁₆"D.
- Interior oven cavity – 1.1 cubic ft.
- For use over 30"W. Viking cooking products

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---------------------------|---------|------------|
| RVMHC330 | SS | Convection Microwave Hood | \$1,704 | 85 (38.6) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|-----------------------|------|------------|
| CFOR | N/A | for use with RVMH330 | \$32 | 1 (.05) |
| CFOR1 | N/A | for use with RVMHC330 | \$32 | 2 (0.9) |



RVEWD330

30"W. Warming Drawer

- Interior Capacity: 20 1/2"W. x 6"H. x 22 3/4"D. - 1.6 cu. ft.
- 450 watt element
- Temperature settings from 90°F to 250°F
- **Exclusive** two half-sized low racks and moisture cup standard
 - Stainless steel low racks with slots for heat distribution
 - Partially fill moisture cup with water to increase moisture in pan
- Entire drawer removes for easy cleaning
- Stainless steel roller bearing glides

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|----------------------|---------|------------|
| RVEWD330 | SS | 30"W. Warming Drawer | \$1,913 | 90 (40.5) |
| | ECF | | \$2,595 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)

RVCH Built-In 12”H. Wall Hoods / Recirculating Kits / Duct Cover Extension



12”H. Interior-Power Hoods

- 460 CFM blower
- Variable speed ventilator controls; separate controls for on/off and speed control
- 2 Halogen lights with dimmer control
- Separate controls for on/off and dimmer
- Dishwasher-safe stainless steel mesh filters (frame and mesh are stainless steel)
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning
- Adjustable duct cover ships standard with hood

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|---------------------------|---------|------------|
| RVCH330 | SS | 30”W. /24”D. Chimney Hood | \$1,803 | 56 (25.2) |
| | ECF | | \$2,980 | |
| RVCH336 | SS | 36”W. /24”D. Chimney Hood | \$1,979 | 60 (27.0) |
| | ECF | | \$3,310 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



Recirculating Hood Conversion Kit

- For use with RVCH30 and RVCH36 hoods only
- Includes charcoal filters, top vent/grille, and installation hardware
- Top vent/grille: 2”h. x 12”d.
- SS finish only

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|----------------|-------|------------|
| DRK30 | SS | for 30”W. hood | \$505 | 7 (15.4) |
| DRK36 | SS | for 36”W. hood | \$516 | 7 (15.4) |




Duct Cover Extension

- For use with RVCH chimney wall hoods
- Extend height of duct cover up to 12” (for 10’ ceilings)
- Replaces adjustable duct cover supplied standard with hood

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|----------------------------|-------|------------|
| DCCE1610 | SS | for 30” & 36”W. RVCH hoods | \$340 | 8 (3.6) |
| | ECF | | \$461 | |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



Replacement Charcoal Filters

- For use with DRK conversion kits
- Recommend replacement every 6-12 months

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|-----------------------|-------|------------|
| CFD12 | N/A | for 30”W. Viking Hood | \$120 | 2 (0.9) |
| CFD14 | N/A | for 36”W. Viking Hood | \$120 | 2 (0.9) |

VDD Built-In Rear Downdrafts



18”H. Downdraft

- Raises and lowers chimney at touch of a button
- New 18” rise
- Capacitive touch controls
- Two level LED surface lighting
- Heat sensor automatically turns ventilators on full power when temperatures reach uncomfortable levels
- Four fan speeds
- Two removable, easy-to-clean mesh filters
- Flashing light reminds user to clean filters after approximately 30 hours of use
- Choose interior or exterior ventilator kit (sold separately)

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|------------------|---------|------------|
| VDD5300 | SS | 30”W. – 5 Series | \$2,936 | 65 (29.5) |
| VDD5360 | SS | 36”W. – 5 Series | \$3,178 | 71 (32.2) |
| VDD5450 | SS | 45”W. – 5 Series | \$3,409 | 75 (34.0) |

Interior Power Ventilator Kit

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|-----------------------|-------|------------|
| VDVI600 | N/A | 600 CFM – Flex Blower | \$769 | 31 (14.1) |

Exterior Power Ventilator Kits

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-----------------|---------|------------|
| VDVE900 | N/A | 900 CFM Blower | \$1,308 | 42 (18.9) |
| VDVE1200 | N/A | 1200 CFM Blower | \$1,649 | 44 (19.8) |
| DEV15001 | N/A | 1500 CFM Blower | \$2,276 | 47 (21.3) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-------------|--------|--|-------|------------|
| ARKD | N/A | Non-duct recirculation kit | \$670 | 5 (2.3) |
| BPDF | N/A | Non-duct filter replacement | \$164 | 1 (0.5) |
| HATKD8 | N/A | Transition to 8” round | \$230 | 3 (1.4) |
| HATKD10 | N/A | Transition to 10” round | \$230 | 3 (1.4) |
| RCVD8 | N/A | Front panel rough-in for remote flex blower 8” | \$153 | 2 (0.9) |
| RCVD10 | N/A | Front panel rough-in for remote blower 10” | \$153 | 2 (0.9) |
| VACE36 | N/A | End Caps for 36-3/4”W. cooktop | \$153 | 1 (0.5) |
| AXKD2 | N/A | 2’ of flexible duct | \$164 | 3 (1.4) |
| AXD5 | N/A | Extension Cable (For flex blower remote use) | \$120 | 1 (0.5) |
| FSVRVDD30SS | N/A | Filler strip for 30”W. range | \$164 | 3 (1.4) |

RVFFR Freestanding 36"W. Bottom Freezers



RVFFR336

(Shown with optional toe kick)

36"W. French Door Bottom Freezer

- Total capacity: 19.8 cu. ft.
- Refrigerator Capacity: 13.3 cu. ft.
- Freezer Capacity: 6.56 cu. ft.
- Cabinet Depth design (24" deep side panels) integrates with surrounding cabinetry

Refrigerator Features and Functions

- Large full-extension Cold Zone Drawer
- Two Adjustable Humidity Zone™ Drawers with ProFresh™ Technology
- Four adjustable tempered-glass shelves
- Two in-the-door dairy bins with covers
- Additional storage in four large door bins; two bins store gallon containers or larger items
- IonGuard odor control system
- Feathertouch™ Internal water dispenser
- Premium water filter provides a cleaner supply of ice and water
- Theatre LED Lighting

Freezer Features and Functions

- ProPower™ icemaker produces up to 11 pounds per day
- Large full-extension ice bin with scoop
- Large full-extension slide-out freezer drawer
- Full-width slide out freezer basket
- Adjustable divider with small item storage

Performance Features


- Dual evaporator and variable speed compressor cooling system prevents odor transfer between compartments and provides efficient cool down and operation
- QuietCool™ Operation is rated at 39dB
- EnergyStar Qualified

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|-----------------------|---------|-------------|
| RVFFR336 | SS | 3 Series Refrigerator | \$5,422 | 338 (153.3) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|--------------------------|-------|------------|
| RWVFFR | N/A | Replacement water filter | \$120 | 2 (0.9) |
| TKRVFFR | SS | Toe kick | \$120 | 7 (1.8) |
| GKRVFFR | SS | Top Grille Kit | \$461 | 10 (4.5) |

VDWU/FDWU Built-In Dishwashers



VDWU324SS

Built-In Dishwashers

- Variable pressure washing with two plastic spray arms and one spray nozzle (top)
- Turbidity sensor
- Triple-Clean™ filtration
- Flow-through water heater
- Condensate Quick Dry
- Blue LCD display capacitive touch control panel with time remaining indicator
- Cycle run indicator light
- Quiet-Clean™ Performance Package (45 dB)
- Accommodates 14 international place settings
- One-piece silverware/cutlery basket
- 6 Cycles – Pots/Pans Plus, China/Crystal, Regular Wash, Hour Wash, Quick Wash, Rinse/Hold
- Options – Express, High Glass, Half Load, Sanitize, Delay Start (up to 24 hours)
- Energy Star Qualified

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|----------------------------|---------|------------|
| VDWU324 | SS | Stainless Steel Door Panel | \$2,881 | 102 (46.2) |
| FDWU324 | N/A | Custom Panel | \$1,671 | 97 (44) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|--|-------|------------|
| PDDP524 | ECF | Viking door panel – for use with FDWU models, exclusive finishes | \$461 | 14 (6.3) |
| PHK23SS | N/A | Viking Handle Kit | \$175 | 5 (2.3) |

ECF - Exclusive Color Finishes include Classic Color White (WH) and Contemporary Colors Alluvial Blue (AB), Arctic Gray (AG), Black Forest Green (BF), Bywater Blue (BW), Cast Black (CS), Cypress Green (CY), Damascus Gray (DG), Frost White, (FW) Kalamata Red (KA), Pacific Gray (PG), Reduction Red (RE), Slate Blue (SB), San Marzano Red (SM), Vanilla Cream (VC)



OUTDOOR COST SCHEDULE

National Pricing Effective June 1, 2023



VQGI Outdoor 30/36/42/54"W. Gas Grills



VQGI5421

VQGI Outdoor Gas Grills

- **30"W. Grill - VQGI5301**
 - One cast brass burner and one ProSear 2™ Burner (48,000 BTUs)
 - 840-sq.-in. cooking surface (600 primary, 240 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)
- **36"W. Grill - VQGI5361**
 - Two cast brass burners and one ProSear 2™ Burner (73,000 BTUs)
 - 935-sq.-in. cooking surface (640 primary, 295 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)
- **42"W. Grill - VQGI5421**
 - Two cast brass burners and one ProSear 2™ Burner (total 73,000 BTUs)
 - 1200-sq.-in. cooking surface (855 primary, 345 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (16,000 BTUs)
- **54"W. Grill - VQGI5541**
 - Three cast brass burners and one ProSear 2™ Burner (98,000 BTUs)
 - 1555-sq.-in. cooking surface (1110 primary, 445 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and 2 rear infrared burners (28,000 BTUs)
- Control illumination with blue LEDs
- Hot surface ignition system
- Dual halogen grill surface lights
- Temperature gauge
- Premium smoker box included
- Stainless steel grilling grates
- Ceramic Briquettes facilitate even radiant heat distribution
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|----------|-------------|
| VQGI5301L | SS | 30"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$6,929 | 231 (104.8) |
| VQGI5301N | SS | 30"W. Built-in Grill with ProSear Burner and Rotisserie (Natural) | \$6,929 | 231 (104.8) |
| VQGI5361L | SS | 36"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$9,635 | 278 (126.1) |
| VQGI5361N | SS | 36"W. Built-in Grill with ProSear Burner and Rotisserie (Natural) | \$9,635 | 278 (126.1) |
| VQGI5421L | SS | 42"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$10,636 | 338 (153.3) |
| VQGI5421N | SS | 42"W. Built-in Grill with ProSear Burner and Rotisserie (Natural) | \$10,636 | 338 (153.3) |
| VQGI5541L | SS | 54"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$12,770 | 421 (191.0) |
| VQGI5541N | SS | 54"W. Built-in Grill with ProSear Burner and Rotisserie (Natural) | \$12,770 | 421 (191.0) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|----------------------------------|---------|------------|
| VIJ5301 | N/A | Insulated Jacket for 30"W. Grill | \$1,165 | 58 (26.3) |
| VIJ5361 | N/A | Insulated Jacket for 36"W. Grill | \$1,209 | 58 (26.3) |
| VIJ5421 | N/A | Insulated Jacket for 42"W. Grill | \$1,231 | 71 (32.2) |
| VIJ5541 | N/A | Insulated Jacket for 54"W. Grill | \$1,319 | 88 (39.9) |

VQGFS Outdoor 30/36/42/54"W. Gas Grills with Carts



VQGFS5421

VQGFS Outdoor Gas Grills with Carts

- **30"W. Grill and Cart - VQGFS5301**
 - One cast brass burner and one ProSear 2™ Burner (48,000 BTUs)
 - 840-sq.-in. cooking surface (600 primary, 240 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)
- **36"W. Grill and Cart - VQGFS5361**
 - Two cast brass burners and one ProSear 2™ Burner (73,000 BTUs)
 - 935-sq.-in. cooking surface (640 primary, 295 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)
- **42"W. Grill and Cart - VQGFS5421**
 - Two cast brass burners and one ProSear 2™ Burner (total 73,000 BTUs)
 - 1200-sq.-in. cooking surface (855 primary, 345 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (16,000 BTUs)
- **54"W. Grill and Cart - VQGFS5541**
 - Three cast brass burners and one ProSear 2™ Burner (98,000 BTUs)
 - 1555-sq.-in. cooking surface (1110 primary, 445 secondary)
 - Dual-position rotisserie with heavy-duty, 3-speed motor and 2 rear infrared burners (28,000 BTUs)
- Control illumination with blue LEDs
- Hot surface ignition system
- Dual halogen grill surface lights
- Temperature gauge
- Premium smoker box included
- Stainless steel grilling grates
- Ceramic Briquettes facilitate even radiant heat distribution
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|--|----------|-------------|
| VQGFS5301L | SS | 30"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$7,886 | 352 (159.7) |
| VQGFS5301N | SS | 30"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural) | \$7,886 | 352 (159.7) |
| VQGFS5361L | SS | 36"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$11,802 | 403 (182.8) |
| VQGFS5361N | SS | 36"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural) | \$11,802 | 403 (182.8) |
| VQGFS5421L | SS | 42"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$12,770 | 524 (237.7) |
| VQGFS5421N | SS | 42"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural) | \$12,770 | 524 (237.7) |
| VQGFS5541L | SS | 54"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$15,938 | 627 (284.4) |
| VQGFS5541N | SS | 54"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural) | \$15,938 | 627 (284.4) |

VQGSB Outdoor Gas Burner and VQGPB Outdoor Power Burner



VQGSB5131

13”W. Double Side Burners

- Two 15,000 BTU brass burners capable of delivering intense high heat and a low simmer
- Burners and burner basin are sealed and easy to clean
- Hot surface ignition system
- Control illumination with blue LEDs
- Stainless steel cover protects the burner(s) when not in use
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|---------------------------------------|---------|------------|
| VQGSB5131L | SS | 13”W. Double Side Burner (LP/Propane) | \$2,342 | 48 (21.8) |
| VQGSB5131N | SS | 13”W. Double Side Burner (Natural) | \$2,342 | 48 (21.8) |



VQGPB5201

20”W. Power Burner

- Dual-ring cast brass burner
- Maximum heat control (3,000 BTU up to 46,000 BTU)
- Large stainless steel grate surface accommodates an oversized stockpot
- Removable center grate allows use of a commercial-style wok
- Hot surface ignition system
- Control illumination with blue LEDs
- Fully extendable drip pan
- Removable stainless steel cover protects the unit when not in use

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|-----------------------------------|---------|------------|
| VQGPB5201L | SS | 20”W. Power Burner - (LP/Propane) | \$3,431 | 78 (35.9) |
| VQGPB5201N | SS | 20”W. Power Burner - (Natural) | \$3,431 | 78 (35.9) |

VQEWD Outdoor 30"W. Warming Drawer / 42"W. Convenience Center with 30"W. Warming Drawer



VQEWD5301

Outdoor 30"W. Warming Drawer

- Temperature settings from 90° to 220° offer the flexibility needed to keep breads warm or poultry piping hot
- Equipped with two removable steam pans, lids and steam racks
- Moist and crisp settings allow you to keep food at the desired texture
- Concealed heating element allows you to use the drawer as a towel or robe warmer
- “On” indicator light reminds you that the drawer is on
- Weather resistant stainless steel construction and polished highlights

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|----------------------|---------|------------|
| VQEWD5301 | SS | 30"W. Warming Drawer | \$3,310 | 75 (34.0) |



VQEWD5421

Outdoor 42"W. Convenience Center with 30"W. Warming Drawer

- Warming drawer, LP Tank Storage Cabinet and Utility Drawer in one convenient unit
- Sliding LP tank tray for safe and easy LP tank access
- Full width and depth utility drawer accommodates oversized grill tools, towels and condiments
- Temperature settings from 90° to 220° offer the flexibility needed to keep breads warm or poultry piping hot
- Warmer drawer is equipped with two removable steam pans, lids and steam racks
- Moist and crisp settings allow you to keep food at the desired texture
- Concealed heating element allows you to use the warming drawer as a towel or robe warmer
- “On” indicator light reminds you that the drawer is on
- Weather resistant stainless steel construction and polished headlights

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VQEWD5421 | SS | 42"W. Convenience Center with 30"W. Warming Drawer | \$5,433 | 215 (97.5) |

Accessories

Outdoor Access Door and Drawers

| Model | Finish | Description | USD | WT lb (kg) |
|------------|--------|---|---------|------------|
| VOADS5181 | SS | 18"W. Single Access Door | \$626 | 12 (5.4) |
| VOADS5241 | SS | 24"W. Single Access Door | \$703 | 20 (9.1) |
| VOADD5301 | SS | 30"W. Double Access Door | \$857 | 23 (10.4) |
| VOADD5361 | SS | 36"W. Double Access Door | \$1,011 | 30 (13.6) |
| VOADD5421 | SS | 42"W. Double Access Door | \$1,121 | 68 (30.8) |
| VODRD5191 | SS | 19"W. Double Drawers | \$2,023 | 68 (30.8) |
| VOADDR5301 | SS | 30"W. Double Drawer and Access Door Combo | \$2,111 | 74 (33.6) |
| VOADDR5361 | SS | 36"W. Double Drawer and Access Door Combo | \$2,331 | 84 (38.1) |
| VOADDR5421 | SS | 42"W. Double Drawer and Access Door Combo | \$2,485 | 94 (42.6) |

Outdoor Grill Vinyl Covers

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|--|-------|------------|
| CQ530BI | N/A | 30"W. Outdoor Built-In - Vinyl Cover | \$296 | 4 (1.8) |
| CQ536BI | N/A | 36"W. Outdoor Built-In - Vinyl Cover | \$307 | 4 (1.8) |
| CQ542BI | N/A | 42"W. Outdoor Built-In - Vinyl Cover | \$318 | 5 (2.3) |
| CQ554BI | N/A | 54"W. Outdoor Built-In - Vinyl Cover | \$384 | 6 (2.7) |
| CQ530C | N/A | 30"W. Outdoor Freestanding - Vinyl Cover | \$384 | 9 (4.1) |
| CQ536C | N/A | 36"W. Outdoor Freestanding - Vinyl Cover | \$395 | 9 (4.1) |
| CQ542C | N/A | 42"W. Outdoor Freestanding - Vinyl Cover | \$450 | 10 (4.5) |
| CQ554C | N/A | 54"W. Outdoor Freestanding - Vinyl Cover | \$516 | 12 (4.5) |

Outdoor Grill Wind Guards

| Model | Finish | Description | USD | WT lb (kg) |
|--------|--------|--------------------------|-------|------------|
| WGO300 | N/A | 30"W. Outdoor Wind Guard | \$208 | 18 (8.2) |
| WGO360 | N/A | 36"W. Outdoor Wind Guard | \$241 | 22 (10.0) |
| WGO420 | N/A | 42"W. Outdoor Wind Guard | \$285 | 25 (11.3) |
| WGO540 | N/A | 54"W. Outdoor Wind Guard | \$307 | 31 (14.1) |

Outdoor Grill Accessories

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|---|-------|------------|
| LASK1 | N/A | Accessory Switch Kit - Switch & transformer to operate an accessory | \$153 | 8 (3.6) |
| LPEK1 | N/A | 12 foot extension cord between Grill and Accessory | \$51 | 1 (0.5) |
| PROLPK1 | N/A | Professional Outdoor NG to LP Conv Kit | \$153 | 3 (1.4) |
| PRONGK1 | N/A | Professional Outdoor LP to NG Conv Kit | \$98 | 3 (1.4) |

Outdoor Storage Drawers and Access Doors



SD5301



SD5361

Built-In 30" and 36"W. Outdoor Storage Drawers

- Commercial-type size, construction, design and styling
- Sealed for protection against the elements
- Stainless steel roller bearing glides
- Extra large capacity for storing BBQ tools, accessories and seasonings
- **SD5300** 30"W. model: 24 1/2"W. x 23"D. x 5 7/8"H. - 1.9 cu. ft.
- **SD5360** 36"W. model: 30 1/8"W. x 23"D. x 5 7/8"H. - 2.4 cu. ft.
- Can be built-in indoors as well as outdoors

| Model | Finish | Description | USD | WT lb (kg) |
|--------|--------|---------------------------------|---------|------------|
| SD5301 | SS | 30"W. Storage Drawer – 5 Series | \$1,616 | 97 (43.5) |
| SD5361 | SS | 36"W. Storage Drawer – 5 Series | \$1,803 | 112 (50.4) |



AD51620

Access Doors

- Rugged stainless steel construction
- Stainless steel tubular handles
- Hidden pivot point hinges
- **AD51620**
 - Single Access Door
 - Each door is approximately 16"W. x 20"H.
 - Over all dimensions are approximately 20"W. x 23"H.
- **AD52820**
 - Double Access Door
 - Each door is approximately 14"W. x 20"H
 - Over all dimensions are approximately 32"W. x 23"H.



AD52820

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|-------------------------------|-------|------------|
| AD51620 | SS | Single Access Door – 5 Series | \$549 | 50 (22.5) |
| AD52820 | SS | Double Access Door – 5 Series | \$835 | 75 (32.8) |

VWHO Outdoor Wall Hoods



VWHO3678

Wall Hoods - 18”H. / 27”D.

- Agency certified for outdoor use
- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Variable speed ventilator controls; separate controls for on/off and speed control
- Halogen lights with dimmer control; separate controls for on/off and dimmer
- Dishwasher-safe commercial-type SS baffle filters
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|--|---------|------------|
| VWHO3678 | SS | 36”W. Wall Hood Kit Compatibility: VINV1200/DEV1200/DIL1200 | \$3,046 | 74 (33.3) |
| VWHO4878 | SS | 48”W. Wall Hood Kit Compatibility: VINV1200/DEV1200/DIL1200/ DEV1500 | \$3,992 | 94 (42.3) |
| VWHO6078 | SS | 60”W. Wall Hood Kit Compatibility: VINV1200/DEV1200/DIL1200/ DEV1500 | \$5,092 | 114 (51.3) |



Duct Covers For Wall Hoods

- For use with all VWHO models
- Extends height of hood by 12”; conceals duct
- 12”D.

| Model | Finish | Description | USD | WT lb (kg) |
|--------|--------|----------------------|---------|------------|
| DCWO36 | SS | for 36”W. VWHO Hoods | \$538 | 11 (5.0) |
| DCWO48 | SS | for 48”W. VWHO Hoods | \$571 | 14 (6.3) |
| DCWO60 | SS | for 60”W. VWHO Hoods | \$1,033 | 24 (10.8) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VINV1200 | N/A | 1200 CFM Interior-Power Ventilator Kit | \$1,627 | 42 (19.4) |
| DEV1200 | N/A | 1200 CFM Exterior-Power Ventilator Kit | \$1,880 | 44 (20) |
| DEV1500 | N/A | 1500 CFM Exterior-Power Ventilator Kit | \$2,276 | 47 (21.3) |
| DEV15001* | N/A | 1500 CFM – 5 Series | \$2,276 | 47 (21.3) |
| DIL1200 | N/A | 1200 CFM In-Line Blower Kit | \$2,023 | 37 (16.8) |
| VSIL10 | N/A | Duct Silencer for 10” Duct (may be used with external or in-line blower kits) | \$648 | 36 (16.3) |
| ILVK | N/A | Vibration Isolation Kit (in-line only) | \$164 | 2 (0.9) |

*COMING SOON: will replace DEV1200 and DEV1500

VRUO and VDUO Outdoor Undercounter/Freestanding 24"W. Refrigerators



24"W. Refrigerator with Interior Drawer

- 5.1 cu. ft. capacity stores (146) 12-oz cans
- Easy access door storage accommodates tall bottles
- Cantilevered, fully adjustable stainless steel slide-out full width shelf
- Smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Also includes (1) roller-glide and (1) half-width cantilevered, fully adjustable perforated stainless steel shelf and (1) fixed steel-framed glass shelf
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet insulates cooling environment and conserves energy while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature 34°F to 60°F
- Features easy-to-use settings and options
- Corrosion-resistant stainless steel exterior and rugged stainless steel toe kick
- Bright Arctic White interior easily wipes clean
- Efficient Arctic White LED lighting brightly illuminates interior for better viewing of contents
- Stainless steel toe kick adjustable to 4" with leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|------------------|--------|------------------------|---------|------------|
| VRUO5241D (R/L)* | SS | Viking Door – 5 Series | \$5,147 | 160 (72.6) |

* R = right hinge; L = left hinge



24"W. Refrigerated Drawers

- 5.0 cu. ft. capacity stores (108) 12-oz cans in two large-capacity roller-glide drawers
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet insulates cooling environment and conserves energy while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature 34°F to 60°F
- Features easy-to-use settings and options
- Drawer interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Efficient Arctic White LED lighting brightly illuminates interior for better viewing of contents
- Corrosion-resistant stainless steel exterior and rugged stainless steel toe kick
- Stainless steel toe kick adjustable to 4" with leveling legs

| Model | Finish | Description | USD | WT lb (kg) |
|-----------|--------|-------------|---------|------------|
| VDUO5241D | SS | 5 Series | \$6,313 | 160 (72.6) |

FGIM/FPIM/FGNI/FPNI Outdoor Undercounter/Freestanding 15"W. Ice Machines



Shown with Professional Door Panel

15"W. Clear Ice Machines

- Produces up to 65 lbs. of clear ice per day
- 26 lb. capacity ice bin
- 1" x 1 1/8" x 1 1/4" cube size
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design
- Stainless Steel handle and door panel sold separately

| Model | Finish | Description | USD | WT lb (kg) |
|-----------------|--------|--|---------|------------|
| FGIM5151 | N/A | Gravity Drain – 5 Series – Accepts custom panel or Viking door panel | \$6,005 | 113 (50.9) |
| FPIM5151 | N/A | Drain Pump – 5 Series– Accepts custom panel or Viking door panel | \$6,467 | 118 (53.1) |



Shown with Professional Door Panel

15"W. Nugget Ice Machines

- Produces up to 80 lbs. of nugget ice per day
- 26 lb. capacity ice bin
- Soft and chewable ice
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design
- Stainless Steel handle and door panel sold separately

| Model | Finish | Description | USD | WT lb (kg) |
|----------------|--------|--|---------|------------|
| FGNI515 | N/A | Gravity Drain – 5 Series – Accepts custom panel or Viking door panel | \$7,061 | 124 (56.2) |
| FPNI515 | N/A | Drain Pump – 5 Series– Accepts custom panel or Viking door panel | \$7,534 | 129 (58.5) |

ACCESSORIES

| Model | Finish | Description | USD | WT lb (kg) |
|--------------------|--------|-----------------------------------|-------|------------|
| PIDP515TLSS | N/A | Viking Outdoor SS door panel - LH | \$461 | 14 (6.3) |
| PIDP515TRSS | N/A | Viking Outdoor SS door panel - RH | \$461 | 14 (6.3) |
| DPPGIM | N/A | Ice Machine Drain Pump | \$857 | 5 (2.3) |
| IMC16OZ | N/A | Ice Machine Cleaner Case | \$43 | 1.6 (0.8) |

Stainless Steel Cabinets



VQBO5420

Grill Base*

- Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Drawers equipped with full extension slides
- Heavy-duty adjustable legs
- Optional toe kick included
- **VQBO5420:** 42 ¼"W. x 29 ⅞"D. x 34 ½"H. grill base
 - For use with any Viking VQGI 42"W. Outdoor 5 Series grill
- **VQBO5540:** 54 ¼"W x 29 ⅞"D. x 34 ½"H. grill base
 - For use with any Viking VQGI 54"W. Outdoor 5 Series grill

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|---------------------------|---------|-------------|
| VQBO5420 | SS | 42"W. 5 Series Grill Base | \$4,036 | 235 (106.6) |
| VQBO5540 | SS | 54"W. 5 Series Grill Base | \$4,828 | 235 (106.6) |

**Double Side Burner Base***

- Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Heavy-duty adjustable legs
- Optional toe kick included
- **VBBO5160**
 - 14.5"W. x 29 ⅞"D. x 34 ½"H. side burner base
 - For use with Viking VQGGSB Outdoor double side burners

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|----------------------------------|---------|------------|
| VBBO5160 | SS | 5 Series Double Side Burner Base | \$1,649 | 104 (47.2) |

**Power Burner Base***

- Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Heavy-duty adjustable legs
- Optional toe kick included
- **VBBO5260**
 - 20.25"W. x 29 ⅞"D. x 34 ½"H. multi-use base
 - For use with Viking VQGPB outdoor power burner

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|----------------------------|---------|------------|
| VBBO5260 | SS | 5 Series Power Burner Base | \$1,979 | 160 (72.6) |

**Undercounter Refrigeration Base***

- Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Optional toe kick included
- **VURO3200**
 - 32"W. x 30"D. x 34 ½"H. refrigeration base
 - For use with Viking 24"W. refrigeration products

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|--------------------------------|---------|------------|
| VURO3200 | SS | 5 Series UC Refrigeration Base | \$2,177 | 125 (56.7) |

*Note - Appliances are not included with cabinet and must be purchased separately. All cabinets must be installed with locally supplied countertop.

Stainless Steel Cabinets



VBO1811

VBO1830

VSBO2402

VTPO1810

Outdoor Stainless Steel Base Cabinets*

- Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Heavy-duty adjustable legs
- Optional toe kick included
- For general use in cabinet runs
- **VBO1811** - 18"W. x 29 7/8"D. x 34 1/2"H. base cabinet
- **VBO1830** - 18"W. x 29 7/8"D. x 34 1/2"H. base cabinet
- **VSBO2402** - 24"W. x 29 7/8"D. x 34 1/2"H. sink base cabinet
- **VTPO1810** - 18"W. x 29 7/8"D. x 34 1/2"H. trash pullout base cabinet

| Model | Finish | Description | USD | WT lb (kg) |
|----------|--------|--------------------------|---------|------------|
| VBO1811 | SS | 18"W. 2 Drawer Base | \$2,210 | 141 (63.7) |
| VBO1830 | SS | 18"W. 3 Drawer Base | \$3,233 | 156 (70.8) |
| VSBO2402 | SS | 24"W. Sink Base | \$2,210 | 165 (74.8) |
| VTPO1810 | SS | 18"W. Trash Pullout Base | \$2,463 | 145 (65.8) |

*Note - All cabinets must be installed with locally supplied countertop. Sink is not supplied with VSBO2402.

Stainless Steel Cabinet Accessories

Filler Strips and Inner and Outer Corner Units

- Attach between cabinets to separate cabinets and create turns
- Sides are to be mounted flush with doors and not the cabinet face
- Optional toe kick included

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|---|---------|------------|
| VCF90 | SS | Corner filler strip (for use in 90° cabinet bends) | \$241 | 5 (2.3) |
| VCF135 | SS | Corner filler strip (for use in 135° cabinet bends) | \$329 | 5 (2.3) |
| VFLR4 | SS | General filler strip used to separate appliance based cabinets | \$241 | 5 (2.3) |
| VFLR8 | SS | General filler strip used to separate appliance based cabinets | \$340 | 9 (4.1) |
| VOCF90 | SS | Outer corner filler strip used to connect two back panels at a 90° angle and add countertop support. | \$1,583 | 40 (18.1) |
| VOCF135 | SS | Outer corner filler strip used to connect two back panels at a 135° angle and add countertop support. | \$1,583 | 40 (18.1) |

Cabinet Side Panels

- Heavy-duty stainless steel
- Used to finish sides of base cabinets at the end of the cabinet run
- Fit flush into recessed sides of cabinets
- Optional toe kick included

| Model | Finish | Description | USD | WT lb (kg) |
|-------|--------|--|-------|------------|
| VSP30 | SS | To finish the side of any base cabinet at the end of a run | \$714 | 16 (7.3) |

Viking Back Panels For Use In Custom Island Applications

- Heavy-duty stainless steel
- For use in custom island installations
- Individual back panels for each Viking outdoor cabinet
- 3/4" thickness will add to the depth of the cabinetry
- Optional toe kick included

| Model | Finish | Description | USD | WT lb (kg) |
|---------|--------|--|-------|------------|
| VBP14 | SS | 14.5"W. back panel - For use with VBBO5160 | \$329 | 10 (3.7) |
| VBP18 | SS | 18"W. back panel - For use with VBO1811/ VBO1830/VTPO1810 | \$351 | 12 (5.4) |
| VBP20 | SS | 20"W. back panel - For use with VBBO5260 | \$472 | 15 (6.8) |
| VBP24 | SS | 24"W. back panel - For use with VSBO2402 | \$472 | 17 (7.7) |
| VBP32 | SS | 32"W. back panel - For use with VURO3200 | \$626 | 21 (9.5) |
| VBP42 | SS | 42"W. back panel - For use with VQBO5420 | \$725 | 25 (11.3) |
| VBP54 | SS | 54"W. back panel - For use with VQBO5540 | \$978 | 32 (14.5) |
| VBPFLR4 | SS | 4"W. back panel - For use with VFLR4 | \$296 | 5 (2.3) |
| VBPFLR8 | SS | 8"W. back panel - For use with VFLR8 | \$351 | 9 (4.1) |