

BRIZO®



Lista de precios Kitchen
2023
COD:BLPKT010423

HOMEA
PREMIUM

HOMEA
www.homea.mx
Email: ventas@homea.mx
Whatsapp: (442)258.0251
Tel: (442)216.3552
Lada sin Costo: 01(800)701.2121

TABLE *of* CONTENTS

- 3 Collection Continuum
- 6 Kitchen
 - Artesso®, 8
 - Litze®, 14
 - Odin®, 24
 - Jason Wu for Brizo™, 30
 - Rook®, 36
 - Solna®, 40
 - Tulham™, 46
 - Instant Hot Faucets, 52
 - Beverage Faucets, 56
 - Pot Fillers, 60
 - Kitchen Accessories, 64



FOR THE KITCHEN

Kitchen Collections



Tulham™



Rook®



Artesso®




Litze®



Odin®


























Jason Wu for Brizo™



Solna®



AVAILABLE FINISHES

-  MATTE WHITE (MW)
-  POLISHED CHROME (PC)
-  BRILLIANCE® POLISHED NICKEL (PN)
-  BRILLIANCE® LUXE NICKEL® (NK)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  BRILLIANCE® STAINLESS (SS)
-  BRILLIANCE® POLISHED GOLD (PG)
-  BRILLIANCE® LUXE GOLD® (GL)
-  VENETIAN BRONZE® (RB)
-  BRILLIANCE® LUXE STEEL® (SL)
-  BRILLIANCE® BLACK ONYX (BNX)
-  MATTE BLACK (BL)
-  POLISHED CHROME / CLEAR (PCCL)
-  BRILLIANCE® LUXE GOLD® / CLEAR (GLCL)
-  BRILLIANCE® LUXE NICKEL® / POLISHED CHROME (NKPC)
-  POLISHED CHROME / WOOD (PCTK)
-  BRILLIANCE® POLISHED NICKEL / WOOD (PNTK)
-  BRILLIANCE® LUXE NICKEL® / WOOD (NKTK)
-  BRILLIANCE® LUXE GOLD® / BRILLIANCE® POLISHED GOLD (GLPG)
-  BRILLIANCE® POLISHED NICKEL / COCOA BRONZE™ (PNCO)
-  BRILLIANCE® LUXE NICKEL® / MATTE BLACK (NKBL)
-  MATTE BLACK / BRILLIANCE® LUXE GOLD® (BLGL)
-  BRILLIANCE® BLACK ONYX / MATTE BLACK (BLBNX) OR (BNXBL)

HANDLE ACCENTS

-  BRILLIANCE® POLISHED NICKEL (PN)
-  MOTHER OF PEARL (PL)
-  CONCRETE (CT)
-  GREEN GLASS
-  SOLAR GREY GLASS
-  WOOD (WD)
-  BLACK CRYSTAL (BC)
-  BRILLIANCE® POLISHED NICKEL / WOOD (PNWD)

REIMAGINING *what* CAN BE AND CREATING WHAT'S *next*.

Our pioneering spirit doesn't stop at fashion-forward design. We've innovated every facet of the kitchen and bath experience—introducing thoughtfully engineered technologies that make everyday more efficient, more intuitive and ultimately, *more indulgent*.



Innovation *for the* Kitchen

DIAMOND SEAL® TECHNOLOGY

DIAMOND Seal® Technology uses a diamond-coated valve built to last up to 2 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles).

VOICEIQ™ TECHNOLOGY

Voice activation makes your life simpler and easier. Command your faucet to turn on and off, warm up the water, dispense a precise amount or use the innovative handwashing mode.

SMARTTOUCH® TECHNOLOGY

Allowing you to activate water flow with a simple tap to the faucet body, spout or handle, SmartTouch® Technology brings a new level of convenience to the kitchen.

MAGNEDOCK® TECHNOLOGY

The first of its kind available, MagneDock® technology features a patented, state-of-the-art magnetic docking system to securely hold the spray wand in place when not in use.

ARTICULATING FAUCET

Available with either a finished or exposed hose, the Articulating Faucet offers a larger range of movement than a traditional pull-down faucet.





NEW
KITCHEN



ARTESSO® KITCHEN COLLECTION

An industrial evolution.

The artisan tradition has never been more alluring. Tracing its visual inspiration to factories of the early 20th century, the Artesso Kitchen Collection by Brizo® is a warmer, more refined take on the industrial aesthetic. An array of innovations, including a unique articulating architecture, MagneDock® Technology, and optional SmartTouch® Technology make the collection's functionality every bit the equal of its form.



Available Finishes



POLISHED CHROME (PC)



BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS (SS)



MATTE BLACK (BL)



VENETIAN BRONZE® (RB)



BRILLIANCE® LUXE GOLD® (GL)


KITCHEN FAUCETS

Item

Item No.

Price


Description



Pull Down Faucet

63025LF-PC	\$1,006.80
63025LF-PN	\$1,208.40
63025LF-SS	\$1,258.80
63025LF-BL	\$1,309.20
63025LF-RB	\$1,359.60
63025LF-GL	\$1,460.40


- MagneDock® Technology – magnetic docking system
- DIAMOND Seal® Technology
- Euro-motion Diamond™ Valve with InnoFlex™ waterways
- Touch-Clean® nozzles – swipe away mineral deposits
- Two-function wand: spray and stream
- 1-hole installation
- Overall height = 16 1/8", spout outlet to deck = 8 19/32", spout reach = 8 3/4", spout swivels 360°
- Accommodates up to 3" deck thickness
- Comes with standard fittings
- Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa



SmartTouch® Pull-Down Faucet

64025LF-PC	\$1,306.80
64025LF-PN	\$1,568.40
64025LF-SS	\$1,633.20
64025LF-RB	\$1,764.00
64025LF-BL	\$1,699.20
64025LF-GL	\$1,894.80


- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light
- Optional voice activation technology (EPI00854) available for use with connected home devices.
- Optional A/C adapter EPI02157
- For additional product details reference the non-SmartTouch® Technology model



Articulating Faucet

63225LF-PC	\$1,186.80
63225LF-PN	\$1,424.40
63225LF-SS	\$1,483.20
63225LF-BL	\$1,543.20
63225LF-RB	\$1,602.00
63225LF-GL	\$1,720.80

- Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability
- MagneDock® Technology – magnetic docking system
- DIAMOND Seal® Technology
- Euro-motion Diamond™ Valve with InnoFlex™ waterways
- Touch-Clean® nozzles – swipe away mineral deposits
- Two-function wand: spray and stream
- 1-hole installation
- Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360°
- Accommodates up to 3" deck thickness
- Comes with standard fittings
- Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa



SmartTouch® Articulating Faucet

64225LF-PC	\$1,486.80
64225LF-PN	\$1,784.40
64225LF-SS	\$1,858.80
64225LF-RB	\$2,007.60
64225LF-BL	\$1,933.20
64225LF-GL	\$2,156.40


- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light
- Optional voice activation technology (EPI00854) available for use with connected home devices
- Optional A/C adapter EPI02157
- For additional product details reference the non-SmartTouch® Technology model




KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
	63125LF-PC	\$1,186.80	<ul style="list-style-type: none"> Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability MagneDock® Technology – magnetic docking system DIAMOND Seal® Technology Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63125LF-PN	\$1,424.40	
	63125LF-SS	\$1,858.80	
	63125LF-BL	\$1,543.20	
	63125LF-RB	\$1,602.00	
	63125LF-GL	\$1,720.80	

Articulating Faucet with Finished Hose

Item	Item No.	Price	Description
	64125LF-PC	\$1,486.80	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model
	64125LF-PN	\$1,784.40	
	64125LF-SS	\$1,654.85	
	64125LF-RB	\$2,007.60	
	64125LF-BL	\$1,933.20	
	64125LF-GL	\$2,156.40	

SmartTouch® Articulating Faucet with Finished Hose

Item	Item No.	Price	Description
	62525LF-PC	\$1,371.60	<ul style="list-style-type: none"> Includes matching metal side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 21/34", spout outlet to deck = 10 5/32", spout reach = 8 19/32", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	62525LF-PN	\$1,646.40	
	62525LF-SS	\$1,714.80	
	62525LF-BL	\$1,783.20	
	62525LF-RB	\$1,851.60	
	62525LF-GL	\$1,988.40	


Bridge Faucet with Side Sprayer

PREP FAUCETS

Item	Item No.	Price	Description
	63925LF-PC	\$1,006.80	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system DIAMOND Seal® Technology Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 14", spout outlet to deck = 7 3/8", spout reach = 7 9/16", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63925LF-PN	\$1,208.40	
	63925LF-SS	\$1,279.20	
	63925LF-BL	\$1,309.20	
	63925LF-RB	\$1,359.60	
	63925LF-GL	\$1,460.40	


Pull Down Prep Faucet

PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
	64925LF-PC	\$1,306.80	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model
	64925LF-PN	\$1,568.40	
	64925LF-SS	\$1,633.20	
	64925LF-RB	\$1,764.00	
	64925LF-BL	\$1,699.20	
	64925LF-GL	\$1,894.80	


SmartTouch® Pull Down Prep Faucet

BAR FAUCET

Item	Item No.	Price	Description
	61025LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 13 9/64", spout outlet to deck = 9 1/16", spout reach = 6 1/32", spout swivels 360° Accommodates up to 2 1/2" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61025LF-PN	\$777.60	
	61025LF-SS	\$810.00	
	61025LF-BL	\$842.40	
	61025LF-RB	\$874.80	
	61025LF-GL	\$939.60	


Bar Faucet

INSTANT HOT FAUCET

Item	Item No.	Price	Description
	61325LF-H-PC	\$636.00	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61325LF-H-PN	\$763.20	
	61325LF-H-SS	\$795.60	
	61325LF-H-BL	\$826.80	
	61325LF-H-RB	\$859.20	
	61325LF-H-GL	\$915.60	


Instant Hot Faucet

BEVERAGE FAUCET

Item	Item No.	Price	Description
	61325LF-C-PC	\$573.60	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61325LF-C-PN	\$699.60	
	61325LF-C-SS	\$734.40	
	61325LF-C-BL	\$745.20	
	61325LF-C-RB	\$796.80	
	61325LF-C-GL	\$854.40	


Beverage Faucet

POT FILLER

Item	Item No.	Price	Description
 <p>Wall Mount Pot Filler Faucet</p>	62825LF-PC	\$1,237.20	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62825LF-PN	\$1,484.40	
	62825LF-SS	\$1,546.80	
	62825LF-BL	\$1,608.00	
	62825LF-RB	\$1,670.40	
	62825LF-GL	\$1,794.00	



ACCESSORIES *(for kitchen drains and additional accessories, see pages 78-81)*

Item	Item No.	Price	Description
 <p>Soap/Lotion Dispenser</p>	RP75675PC	\$154.80	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP75675PN	\$182.40	
	RP75675SS	\$190.80	
	RP75675BL	\$201.60	
	RP75675RB	\$206.40	
	RP75675GL	\$224.40	





LITZE® KITCHEN COLLECTION

Art meets craft.

The Litze Kitchen Collection by Brizo® melds a clean, contemporary sensibility with a crafted style to strike the perfect balance. With three distinct spout options, a unique articulating architecture and two handle designs, the collection is a true study in form. And carefully chosen touches—including deliberately placed knurling details, MagneDock® Technology and optional SmartTouch® Technology—provide functional benefits while celebrating the beauty of craftsmanship.



Available Finishes



POLISHED CHROME (PC)



BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS (SS)








MATTE BLACK/
BRILLIANCE® LUXE GOLD® (BLGL)







BRILLIANCE® LUXE GOLD® (GL)



KITCHEN FAUCETS



Item	Item No.	Price	Description
 Pull-Down Faucet with Arc Spout and Knurled Handle	63043LF-PC	\$962.40	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 16", spout outlet to deck = 8 3/8", spout reach = 8 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63043LF-PN	\$1,154.40	
	63043LF-SS	\$1,203.60	
	63043LF-BLGL	\$1,299.60	
	63043LF-GL	\$1,395.60	
 SmartTouch® Pull-Down Faucet with Arc Spout and Knurled Handle	64043LF-PC	\$1,262.40	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64043LF-PN	\$1,514.40	
	64043LF-SS	\$1,578.00	
	64043LF-BLGL	\$1,704.00	
	64043LF-GL	\$1,830.00	
 Pull-Down Faucet with Arc Spout and Industrial Handle	63044LF-PC	\$962.40	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 16", spout outlet to deck = 8 3/8", spout reach = 8 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63044LF-PN	\$1,154.40	
	63044LF-SS	\$1,203.60	
	63044LF-BLGL	\$1,299.60	
	63044LF-GL	\$1,395.60	
 SmartTouch® Pull-Down Faucet with Arc Spout and Industrial Handle	64044LF-PC	\$1,262.40	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64044LF-PN	\$1,514.40	
	64044LF-SS	\$1,578.00	
	64044LF-BLGL	\$1,704.00	
	64044LF-GL	\$1,830.00	
 Pull-Down Faucet with Square Spout and Knurled Handle	63053LF-PC	\$962.40	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 14", spout outlet to deck = 8 1/2", spout reach = 9", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63053LF-PN	\$1,154.40	
	63053LF-SS	\$1,203.60	
	63053LF-BLGL	\$1,299.60	
	63053LF-GL	\$1,395.60	



KITCHEN FAUCETS (continued)

Item	Item No.	Price	Description	
	64053LF-PC	\$1,262.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64053LF-PN	\$1,514.40		
	64053LF-SS	\$1,578.00		
	64053LF-BLGL	\$1,704.00		
	64053LF-GL	\$1,830.00		
SmartTouch® Pull-Down Faucet with Square Spout and Knurled Handle				



	63054LF-PC	\$962.40	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Two-function pull-down wand: spray and stream 1-hole installation Euro-motion ceramic valve with InnoFlex™ waterways Overall height = 14", spout outlet to deck = 8 1/2", spout reach = 9", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63054LF-PN	\$1,154.40		
	63054LF-SS	\$1,203.60		
	63054LF-BLGL	\$1,299.60		
	63054LF-GL	\$1,395.60		
Pull-Down Faucet with Square Spout and Industrial Handle				



	64054LF-PC	\$1,262.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64054LF-PN	\$1,514.40		
	64054LF-SS	\$1,578.00		
	64054LF-BLGL	\$1,704.00		
	64054LF-GL	\$1,830.00		
SmartTouch® Pull-Down Faucet with Square Spout and Industrial Handle				



	63063LF-PC	\$962.40	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Two-function pull-down wand: spray and stream 1-hole installation Euro-motion ceramic valve with InnoFlex™ waterways Overall height = 14 1/8", spout outlet to deck = 8 3/4", spout reach = 8 7/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63063LF-PN	\$1,154.40		
	63063LF-SS	\$1,203.60		
	63063LF-BLGL	\$1,299.60		
	63063LF-GL	\$1,395.60		
Pull-Down Faucet with Angled Spout and Knurled Handle				



	64063LF-PC	\$1,262.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64063LF-PN	\$1,514.40		
	64063LF-SS	\$1,578.00		
	64063LF-BLGL	\$1,704.00		
	64063LF-GL	\$1,830.00		
SmartTouch® Pull-Down Faucet with Angled Spout and Knurled Handle				



KITCHEN FAUCETS (continued)

	63064LF-PC	\$962.40	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Two-function pull-down wand: spray and stream 1-hole installation Euro-motion ceramic valve with InnoFlex™ waterways Overall height = 14 1/8", spout outlet to deck = 8 3/4", spout reach = 8 7/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63064LF-PN	\$1,154.40		
	63064LF-SS	\$1,203.60		
	63064LF-BLGL	\$1,299.60		
	63064LF-GL	\$1,395.60		
Pull-Down Faucet with Angled Spout and Industrial Handle				



	64064LF-PC	\$1,262.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64064LF-PN	\$1,514.40		
	64064LF-SS	\$1,578.00		
	64064LF-BLGL	\$1,704.00		
	64064LF-GL	\$1,830.00		
SmartTouch® Pull-Down Faucet with Angled Spout and Industrial Handle				



	63243LF-PC	\$1,142.40	<ul style="list-style-type: none"> Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.8 L/min @ 414 kPa 	
	63243LF-PN	\$1,370.40		
	63243LF-SS	\$1,428.00		
	63243LF-BLGL	\$1,542.00		
	63243LF-GL	\$1,656.00		
Articulating Faucet with Knurled Handle				



	64243LF-PC	\$1,442.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64243LF-PN	\$1,730.40		
	64243LF-SS	\$1,803.60		
	64243LF-BLGL	\$1,947.60		
	64243LF-GL	\$2,091.60		
SmartTouch® Articulating Faucet with Knurled Handle				



	63143LF-PC	\$1,142.40	<ul style="list-style-type: none"> Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63143LF-PN	\$1,370.40		
	63143LF-SS	\$1,428.00		
	63143LF-BLGL	\$1,542.00		
	63143LF-GL	\$1,656.00		
Articulating Faucet with Finished Hose and Knurled Handle				



KITCHEN FAUCETS (continued)

Item	Item No.	Price	Description	
	64143LF-PC	\$1,442.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64143LF-PN	\$1,730.40		
	64143LF-SS	\$1,803.60		
	64143LF-BLGL	\$1,947.60		
	64143LF-GL	\$2,091.60		
Smart Touch® Articulating Faucet with Finished Hose and Knurled Handle				



	63244LF-PC	\$1,142.40	<ul style="list-style-type: none"> Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream I-hole installation Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63244LF-PN	\$1,370.40		
	63244LF-SS	\$1,428.00		
	63244LF-BLGL	\$1,542.00		
	63244LF-GL	\$1,656.00		
Articulating Faucet with Industrial Handle				



	64244LF-PC	\$1,442.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64244LF-PN	\$1,730.40		
	64244LF-SS	\$1,803.60		
	64244LF-BLGL	\$1,947.60		
	64244LF-GL	\$2,091.60		
Smart Touch® Articulating Faucet with Industrial Handle				



	63144LF-PC	\$1,142.40	<ul style="list-style-type: none"> Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream I-hole installation Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63144LF-PN	\$1,370.40		
	63144LF-SS	\$1,416.00		
	63144LF-BLGL	\$1,542.00		
	63144LF-GL	\$1,656.00		
Articulating Faucet with Finished Hose and Industrial Handle				



	64144LF-PC	\$1,442.40	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64144LF-PN	\$1,730.40		
	64144LF-SS	\$1,803.60		
	64144LF-BLGL	\$1,947.60		
	64144LF-GL	\$2,091.60		
Smart Touch® Articulating Faucet with Finished Hose and Industrial Handle				



KITCHEN FAUCETS (continued)

Item	Item No.	Price	Description	
	62543LF-PC	\$1,406.40	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 15 3/8", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62543LF-PN	\$1,687.20		
	62543LF-SS	\$1,758.00		
	62543LF-BLGL	\$1,898.40		
	62543LF-GL	\$2,038.80		
Bridge Faucet with Arc Spout and Knurled Handle				


	62544LF-PC	\$1,406.40	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 15 3/8", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62544LF-PN	\$1,687.20		
	62544LF-SS	\$1,758.00		
	62544LF-BLGL	\$1,898.40		
	62544LF-GL	\$2,038.80		
Bridge Faucet with Arc Spout and Industrial Handle				

	62553LF-PC	\$1,406.40	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 3/8", spout outlet to deck = 10 7/16", spout reach = 8 9/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62553LF-PN	\$1,687.20		
	62553LF-SS	\$1,758.00		
	62553LF-BLGL	\$1,898.40		
	62553LF-GL	\$2,038.80		
Bridge Faucet with Square Spout and Knurled Handle				

	62554LF-PC	\$1,406.40	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 3/8", spout outlet to deck = 10 7/16", spout reach = 8 9/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62554LF-PN	\$1,687.20		
	62554LF-SS	\$1,758.00		
	62554LF-BLGL	\$1,898.40		
	62554LF-GL	\$2,038.80		
Bridge Faucet with Square Spout and Industrial Handle				

	62563LF-PC	\$1,406.40	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 1/2", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62563LF-PN	\$1,687.20		
	62563LF-SS	\$1,758.00		
	62563LF-BLGL	\$1,898.40		
	62563LF-GL	\$2,038.80		
Bridge Faucet with Angled Spout and Knurled Handle				

KITCHEN FAUCETS *(continued)*


Item	Item No.	Price	Description
	62564LF-PC	\$1,406.40	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 1/2", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934
	62564LF-PN	\$1,687.20	
	62564LF-SS	\$1,758.00	
	62564LF-BLGL	\$1,898.40	
	62564LF-GL	\$2,038.80	

Bridge Faucet with Angled Spout and Industrial Handle


BAR FAUCETS

Item	Item No.	Price	Description
	61043LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 5/8", spout outlet to deck = 8 5/16", spout reach = 6", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61043LF-PN	\$777.60	
	61043LF-SS	\$810.00	
	61043LF-BLGL	\$874.80	
	61043LF-GL	\$939.60	

Bar Faucet with Arc Spout and Knurled Handle


Item	Item No.	Price	Description
	61044LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 5/8", spout outlet to deck = 8 5/16", spout reach = 6", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61044LF-PN	\$777.60	
	61044LF-SS	\$810.00	
	61044LF-BLGL	\$874.80	
	61044LF-GL	\$939.60	

Bar Faucet with Arc Spout and Industrial Handle


Item	Item No.	Price	Description
	61053LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 5/16", spout outlet to deck = 8 3/8", spout reach = 5 7/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61053LF-PN	\$777.60	
	61053LF-SS	\$810.00	
	61053LF-BLGL	\$874.80	
	61053LF-GL	\$939.60	

Bar Faucet with Square Spout and Knurled Handle


BAR FAUCETS *(continued)*

Item	Item No.	Price	Description
	61054LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 5/16", spout outlet to deck = 8 3/8", spout reach = 5 7/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61054LF-PN	\$777.60	
	61054LF-SS	\$810.00	
	61054LF-BLGL	\$874.80	
	61054LF-GL	\$939.60	

Bar Faucet with Square Spout and Industrial Handle

Item	Item No.	Price	Description
	61063LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 1/2", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61063LF-PN	\$777.60	
	61063LF-SS	\$810.00	
	61063LF-BLGL	\$874.80	
	61063LF-GL	\$939.60	

Bar Faucet with Angled Spout and Knurled Handle


Item	Item No.	Price	Description
	61064LF-PC	\$648.00	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 1/2", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61064LF-PN	\$777.60	
	61064LF-SS	\$810.00	
	61064LF-BLGL	\$874.80	
	61064LF-GL	\$939.60	

Bar Faucet with Angled Spout and Industrial Handle

INSTANT HOT FAUCETS


Item	Item No.	Price	Description
	61343LF-H-PC	\$613.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61343LF-H-PN	\$735.60	
	61343LF-H-SS	\$766.80	
	61343LF-H-BLGL	\$828.00	
	61343LF-H-GL	\$889.20	

Instant Hot Faucet with Arc Spout and Knurled Handle

Item	Item No.	Price	Description
	61353LF-H-PC	\$613.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61353LF-H-PN	\$735.60	
	61353LF-H-SS	\$766.80	
	61353LF-H-BLGL	\$828.00	
	61353LF-H-GL	\$889.20	

Instant Hot Faucet with Square Spout and Knurled Handle

INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description
	61363LF-H-PC	\$613.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61363LF-H-PN	\$735.60	
	61363LF-H-SS	\$766.80	
	61363LF-H-BLGL	\$828.00	
	61363LF-H-GL	\$889.20	

Instant Hot Faucet with Angled Spout and Knurled Handle


BEVERAGE FAUCETS

Item	Item No.	Price	Description
	61343LF-C-PC	\$552.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61343LF-C-PN	\$673.20	
	61343LF-C-SS	\$706.80	
	61343LF-C-BLGL	\$766.80	
	61343LF-C-GL	\$828.00	

Beverage Faucet with Arc Spout and Knurled Handle


Item	Item No.	Price	Description
	61353LF-C-PC	\$552.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61353LF-C-PN	\$673.20	
	61353LF-C-SS	\$706.80	
	61353LF-C-BLGL	\$766.80	
	61353LF-C-GL	\$828.00	

Beverage Faucet with Square Spout and Knurled Handle


Item	Item No.	Price	Description
	61363LF-C-PC	\$552.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 11/16", spout to deck = 6 5/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61363LF-C-PN	\$673.20	
	61363LF-C-SS	\$706.80	
	61363LF-C-BLGL	\$766.80	
	61363LF-C-GL	\$828.00	

Beverage Faucet with Angled Spout and Knurled Handle

POT FILLERS

Item	Item No.	Price	Description
	62843LF-PC	\$1,190.40	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62843LF-PN	\$1,428.00	
	62843LF-SS	\$1,488.00	
	62843LF-BLGL	\$1,500.00	
	62843LF-GL	\$1,725.60	

Wall Mount Pot Filler Faucet with Knurled Handle

Item	Item No.	Price	Description
	62844LF-PC	\$1,190.40	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62844LF-PN	\$1,428.00	
	62844LF-SS	\$1,488.00	
	62844LF-BLGL	\$1,500.00	
	62844LF-GL	\$1,725.60	

Wall Mount Pot Filler Faucet with Industrial Handle

ACCESSORIES *(for kitchen drains and additional accessories, see pages 78-81)*

Item	Item No.	Price	Description
	RP79275PC	\$160.80	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP79275PN	\$189.60	
	RP79275BL	\$198.00	
	RP79275SS	\$210.00	
	RP79275GL	\$229.20	


Soap/Lotion Dispenser





KITCHEN FAUCETS

Item	Item No.	Price	Description
 Semi Professional Kitchen Faucet - Less Handle	63375LF-PCLHP	\$888.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® Nozzles - swipe away mineral deposits • Two-function wand: spray and stream • I-hole installation • Overall height = 22 13/16", spout outlet to deck = 9 1/16", spout reach = 9 2/16", spout swivels 360° • Accommodates up to 3" deck thickness • Finished, semi-flexible metal hose • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63375LF-PNLHP	\$1,047.60	
	63375LF-SSLHP	\$1,110.00	
	63375LF-BLLHP	\$1,154.40	
	63375LF-PGLHP	\$1,243.20	
	63375LF-SLLHP	\$1,243.20	
63375LF-GLLHP	\$1,287.60		


 SmartTouch® Semi Professional Kitchen Faucet - Less Handle	64375LF-PCLHP	\$1,188.00	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64375LF-PNLHP	\$1,354.80	
	64375LF-SSLHP	\$1,413.60	
	64375LF-BLLHP	\$1,544.40	
	64375LF-PGLHP	\$1,556.40	
	64375LF-SLLHP	\$1,556.40	
64375LF-GLLHP	\$1,604.40		


ODIN® KITCHEN COLLECTION

Both one and many.


In the Odin® Kitchen Collection by Brizo®, a singular aesthetic finds manifold expression. The streamlined silhouette takes on new distinction with each of seven finishes, while multiple handles and spout configurations add complexity and variety. Embodying both unity and diversity, the collection represents an exquisite multiplicity.



 Pull-Down Faucet with Arc Spout - Less Handle	63075LF-PCLHP	\$685.20	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • I-hole installation • Overall height = 16 9/16", spout outlet to deck = 9", spout reach = 8 5/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63075LF-PNLHP	\$822.00	
	63075LF-SSLHP	\$856.80	
	63075LF-BLLHP	\$890.40	
	63075LF-PGLHP	\$958.80	
	63075LF-SLLHP	\$993.60	
63075LF-GLLHP	\$993.60		

 SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle	64075LF-PCLHP	\$985.20	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64075LF-PNLHP	\$1,123.20	
	64075LF-SSLHP	\$1,162.80	
	64075LF-BLLHP	\$1,280.40	
	64075LF-PGLHP	\$1,261.20	
	64075LF-SLLHP	\$1,300.80	
64075LF-GLLHP	\$1,300.80		

Available Finishes




Handle Accents



KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
	63065LF-PCLHP	\$685.20	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • I-hole installation • Overall height = 14 5/8", spout outlet to deck = 9 1/16", spout reach = 8 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63065LF-PNLHP	\$822.00	
	63065LF-SSLHP	\$856.80	
	63065LF-BLLHP	\$890.40	
	63065LF-PGLHP	\$958.80	
	63065LF-GLLHP	\$993.60	
	63065LF-SLLHP	\$993.60	

Pull-Down Faucet with Square Spout – Less Handle


	64065LF-PCLHP	\$985.20	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64065LF-PNLHP	\$1,142.40	
	64065LF-SSLHP	\$1,182.00	
	64065LF-BLLHP	\$1,280.40	
	64065LF-PGLHP	\$1,291.20	
	64065LF-GLLHP	\$1,320.00	
	64065LF-SLLHP	\$1,320.00	

SmartTouch® Pull-Down Faucet with Square Spout – Less Handle


PREP FAUCETS

Item	Item No.	Price	Description
	63975LF-PCLHP	\$685.20	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • I-hole installation • Overall height = 12 7/8", spout outlet to deck = 6 13/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63975LF-PNLHP	\$822.00	
	63975LF-SSLHP	\$856.80	
	63975LF-BLLHP	\$890.40	
	63975LF-PGLHP	\$958.80	
	63975LF-GLLHP	\$993.60	
	63975LF-SLLHP	\$993.60	

Pull-Down Prep Faucet with Arc Spout – Less Handle


	64975LF-PCLHP	\$985.20	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64975LF-PNLHP	\$1,123.20	
	64975LF-SSLHP	\$1,153.20	
	64975LF-BLLHP	\$1,280.40	
	64975LF-PGLHP	\$1,261.20	
	64975LF-GLLHP	\$1,291.20	
	64975LF-SLLHP	\$1,291.20	

SmartTouch® Pull-Down Prep Faucet with Arc Spout – Less Handle

	63965LF-PCLHP	\$685.20	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • I-hole installation • Overall height = 12 1/8", spout outlet to deck = 6 5/8", spout reach = 7 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63965LF-PNLHP	\$822.00	
	63965LF-SSLHP	\$856.80	
	63965LF-BLLHP	\$890.40	
	63965LF-PGLHP	\$958.80	
	63965LF-GLLHP	\$993.60	
	63965LF-SLLHP	\$993.60	



Pull-Down Prep Faucet with Square Spout – Less Handle

PREP FAUCETS *(continued)*


Item	Item No.	Price	Description
	64965LF-PCLHP	\$985.20	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64965LF-PNLHP	\$1,123.20	
	64965LF-SSLHP	\$1,153.20	
	64965LF-BLLHP	\$1,280.40	
	64965LF-PGLHP	\$1,261.20	
	64965LF-GLLHP	\$1,291.20	
	64965LF-SLLHP	\$1,291.20	

SmartTouch® Pull-Down Prep Faucet with Square Spout – Less Handle


HANDLE KITS: *Semi-Professional, Pull-Down & Prep Faucets*

Item	Item No.	Price	Item	Item No.	Price	Description
	HLK175-PC	\$100.80		HLK177-PCWD	\$127.20	<ul style="list-style-type: none"> • Handles are ADA compliant • WD = Guyana Teak Wood • The nature of natural wood gives each wood piece a distinct texture and color
	HLK175-PN	\$121.20		HLK177-PNWD	\$152.40	
	HLK175-SS	\$126.00		HLK177-SSWD	\$159.60	
	HLK175-BL	\$130.80		HLK177-BLWD	\$165.60	
	HLK175-PG	\$141.60		HLK177-GLWD	\$177.60	
	HLK175-GL	\$146.40		HLK177-PGWD	\$184.80	
HLK175-SL	\$146.40	HLK177-SLWD	\$184.80			

BAR FAUCETS



Item	Item No.	Price	Description
	61075LF-PCLHP	\$429.60	<ul style="list-style-type: none"> • I-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	61075LF-PNLHP	\$516.00	
	61075LF-SSLHP	\$537.60	
	61075LF-BLLHP	\$558.00	
	61075LF-PGLHP	\$601.20	
	61075LF-GLLHP	\$622.80	
	61075LF-SLLHP	\$622.80	

Bar Faucet with Arc Spout – Less Handle


	61065LF-PCLHP	\$429.60	<ul style="list-style-type: none"> • I-hole installation • Ceramic cartridge • Overall height = 11 1/4", spout outlet to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	61065LF-PNLHP	\$516.00	
	61065LF-SSLHP	\$537.60	
	61065LF-BLLHP	\$558.00	
	61065LF-PGLHP	\$601.20	
	61065LF-GLLHP	\$622.80	
	61065LF-SLLHP	\$622.80	


Bar Faucet with Square Spout – Less Handle

HANDLE KITS: *Bar Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
 Metal Lever	HLB175-PC	\$73.20	 Wood Lever	HLB177-PCWD	\$92.40	<ul style="list-style-type: none"> Handles are ADA compliant WD = Guyana Teak Wood The nature of natural wood gives each wood piece a distinct texture and color
	HLB175-PN	\$87.60		HLB177-PNWD	\$110.40	
	HLB175-SS	\$91.20		HLB177-SSWD	\$115.20	
	HLB175-BL	\$94.80		HLB177-BLWD	\$120.00	
	HLB175-PG	\$102.00		HLB177-GLWD	\$134.40	
	HLB175-GL	\$105.60		HLB177-PGWD	\$130.80	
	HLB175-SL	\$105.60		HLB177-SLWD	\$134.40	

INSTANT HOT FAUCETS


Item	Item No.	Price	Description
 Instant Hot Faucet with Arc Spout	61320LF-H-PC	\$451.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61320LF-H-PN	\$541.20	
	61320LF-H-SS	\$564.00	
	61320LF-H-BL	\$586.80	
	61320LF-H-PG	\$631.20	
	61320LF-H-GL	\$654.00	
	61320LF-H-SL	\$654.00	

 Instant Hot Faucet with Square Spout	61365LF-H-PC	\$451.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61365LF-H-PN	\$541.20	
	61365LF-H-SS	\$564.00	
	61365LF-H-BL	\$586.80	
	61365LF-H-PG	\$631.20	
	61365LF-H-GL	\$654.00	
	61365LF-H-SL	\$654.00	


BEVERAGE FAUCETS

Item	Item No.	Price	Description
 Beverage Faucet with Arc Spout	61320LF-C-PC	\$396.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61320LF-C-PN	\$487.20	
	61320LF-C-SS	\$511.20	
	61320LF-C-BL	\$514.80	
	61320LF-C-PG	\$578.40	
	61320LF-C-GL	\$597.60	
	61320LF-C-SL	\$597.60	


BEVERAGE FAUCETS *(continued)*

Item	Item No.	Price	Description
 Beverage Faucet with Square Spout	61365LF-C-PC	\$396.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61365LF-C-PN	\$487.20	
	61365LF-C-SS	\$511.20	
	61365LF-C-BL	\$514.80	
	61365LF-C-PG	\$578.40	
	61365LF-C-GL	\$597.60	
	61365LF-C-SL	\$597.60	

POT FILLER

Item	Item No.	Price	Description
 Linear Wall Mount Pot Filler Faucet	62820LF-PC	\$1,182.00	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62820LF-PN	\$1,418.40	
	62820LF-SS	\$1,477.20	
	62820LF-BL	\$1,548.00	
	62820LF-PG	\$1,654.80	
	62820LF-GL	\$1,713.60	
	62820LF-SL	\$1,713.60	

ACCESSORIES *(for kitchen drains and additional accessories, see pages 78-81)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP79275PC	\$160.80	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP79275PN	\$189.60	
	RP79275BL	\$198.00	
	RP79275SS	\$210.00	
	RP79275PG	\$220.80	
	RP79275SL	\$228.00	
	RP79275GL	\$229.20	





JASON WU FOR BRIZO™ KITCHEN COLLECTION

The audacity of simplicity.

Sometimes, the simplest expression makes the loudest statement. Nowhere is that more evident than in the Jason Wu for Brizo™ Kitchen Collection. Its fresh, streamlined aesthetic breaks through the noise with stunning clarity—bringing new vibrance to the familiar.



Available Finishes



MATTE WHITE
(MW)



BRILLIANCE® POLISHED
NICKEL / WOOD
(MWD)



BRILLIANCE®
POLISHED NICKEL
(MWP)

Handle Accents


KITCHEN FAUCETS

Item	Item No.	Price	Description
	63075LF-MWLHP	\$856.80	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function pull-down wand: spray and stream 1-hole installation Overall height = 16 9/16", spout outlet to deck = 9", spout reach = 8 5/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa MUST ORDER HANDLE SEPARATELY
Pull Down Faucet with Arc Spout – Less Handle			
	64075LF-MWLHP	\$1,231.20	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non-SmartTouch® Technology model
Smart Touch® Pull Down Faucet with Arc Spout – Less Handle			
	63065LF-MWLHP	\$856.80	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function pull-down wand: spray and stream 1-hole installation Overall height = 14 5/8", spout outlet to deck = 9 1/16", spout reach = 8 15/16", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa MUST ORDER HANDLE SEPARATELY
Pull Down Faucet with Square Spout – Less Handle			
	64065LF-MWLHP	\$1,231.20	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non-SmartTouch® Technology model
Smart Touch® Pull Down Faucet with Square Spout – Less Handle			


PREP FAUCETS

Item	Item No.	Price	Description
	63975LF-MWLHP	\$856.80	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 12 7/8", spout outlet to deck = 6 13/16", spout reach = 7 1/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa MUST ORDER HANDLE SEPARATELY


Pull-Down Prep Faucet with Arc Spout – Less Handle

	64975LF-MWLHP	\$1,153.20	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices MUST ORDER HANDLE SEPARATELY For additional product details reference the non-SmartTouch® Technology model
---	---------------	------------	---

SmartTouch® Pull-Down Prep Faucet with Arc Spout – Less Handle



	63965LF-MWLHP	\$856.80	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 12 1/8", spout outlet to deck = 6 5/8", spout reach = 7 1/16", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa MUST ORDER HANDLE SEPARATELY
---	---------------	----------	---

Pull-Down Prep Faucet with Square Spout – Less Handle

	64965LF-MWLHP	\$1,153.20	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non-SmartTouch® Technology model
---	---------------	------------	---

SmartTouch® Pull-Down Prep Faucet with Square Spout – Less Handle

HANDLE KITS: Pull-Down Kitchen & Prep Faucets

Item	Item No.	Price	Item	Item No.	Price	Description
	HLK175-MW HLK175-MWPN	\$126.00 \$126.00		HLK177-MWWD	\$159.60	<ul style="list-style-type: none"> Handles are ADA compliant MWWD = Guyana teak wood lever with Brilliance® Polished Nickel tip The nature of natural wood gives each wood piece a distinct texture and color

Metal Lever


Wood Lever



BAR FAUCETS



Item	Item No.	Price	Description
	61075LF-MWLHP	\$537.60	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 5/8", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° Accommodates up to 2 1/2" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa MUST ORDER HANDLE SEPARATELY

Bar Faucet with Arc Spout – Less Handle

	61065LF-MWLHP	\$537.60	<ul style="list-style-type: none"> 1-hole installation Ceramic cartridge Overall height = 11 1/4", spout outlet to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° Accommodates up to 2 1/2" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa MUST ORDER HANDLE SEPARATELY
---	---------------	----------	---

Bar Faucet with Square Spout – Less Handle

HANDLE KITS: Bar Faucets

Item	Item No.	Price	Item	Item No.	Price	Description
	HLB175-MW HLB175-MWPN	\$91.20 \$91.20		HLB177-MWWD	\$115.20	<ul style="list-style-type: none"> Handles are ADA compliant MWWD = Guyana teak wood lever with Brilliance® Polished Nickel tip The nature of natural wood gives each wood piece a distinct texture and color

Metal Lever

Wood Lever




ACCESSORIES (for kitchen drains and additional accessories, see pages 78-81)

Item

Item No.

Price

Description



Soap/Lotion Dispenser

RP79275MW

\$199.20

- Includes installation hardware
- Accomodates up to 3" deck thickness
- 2 3/4" overall height
- 15-ounce bottle
- Refillable from above the deck





ROOK® KITCHEN COLLECTION

A move ahead.


The Rook® Kitchen Collection by Brizo® exudes stately elegance at every turn. Its classic craftsman style is reminiscent of an early 20th century aesthetic, while contemporary, feminine touches elevate and modernize the look. Graceful curves complement precise angles, resulting in an exquisitely calculated balance.





Available Finishes




KITCHEN FAUCETS


Item	Item No.	Price	Description
 Pull Down Faucet	63074LF-PC	\$851.00	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 15 7/8", spout outlet to deck = 8 5/8", spout reach = 8 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.8 L/min @ 414kPa
	63074LF-SS	\$1,258.80	
	63074LF-BL	\$1,309.20	
	63074LF-PG	\$1,410.00	
	63074LF-GL	\$1,460.40	
	63074LF-SL	\$1,460.40	

 SmartTouch® Pull Down Faucet	64074LF-PC	\$1,306.80	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices. • For additional product details reference the non-SmartTouch® Technology model
	64074LF-SS	\$1,568.40	
	64074LF-BL	\$1,699.20	
	64074LF-PG	\$1,699.20	
	64074LF-GL	\$1,894.80	
	64074LF-SL	\$1,894.80	


 Articulating Bridge Faucet	62274LF-PC	\$1,524.00	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 2-hole installation • Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability • Overall height varies with arm position. Maximum height = 19 3/8", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • Optional decorative center hole cover available RP90934
	62274LF-SS	\$1,905.60	
	62274LF-BL	\$1,981.20	
	62274LF-PG	\$2,133.60	
	62274LF-GL	\$2,210.40	
	62274LF-SL	\$2,210.40	

 Articulating Bridge Faucet with Finished Hose	62174LF-PC	\$1,524.00	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 2-hole installation • Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability • Overall height varies with arm position. Maximum height = 19 3/8", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • Optional decorative center hole cover available RP90934
	62174LF-SS	\$1,905.60	
	62174LF-BL	\$1,981.20	
	62174LF-PG	\$2,133.60	
	62174LF-GL	\$2,210.40	
	62174LF-SL	\$2,210.40	

PREP FAUCETS


Item	Item No.	Price	Description
	63974LF-PC	\$1,006.80	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 5/16", spout outlet to deck = 7 3/8", spout reach = 8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa
	63974LF-SS	\$1,258.80	
	63974LF-BL	\$1,309.20	
	63974LF-PG	\$1,410.00	
	63974LF-GL	\$1,460.40	
	63974LF-SL	\$1,460.40	

Pull Down Prep Faucet

Item	Item No.	Price	Description
	64974LF-PC	\$1,306.80	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64974LF-SS	\$1,568.40	
	64974LF-BL	\$1,699.20	
	64974LF-PG	\$1,699.20	
	64974LF-GL	\$1,894.80	
	64974LF-SL	\$1,894.80	

SmartTouch® Pull Down Prep Faucet

BAR FAUCET

Item	Item No.	Price	Description
	61074LF-PC	\$627.60	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 12 3/8", spout outlet to deck = 8 1/4", spout reach = 6 5/16", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa
	61074LF-SS	\$790.80	
	61074LF-BL	\$816.00	
	61074LF-PG	\$878.40	
	61074LF-GL	\$916.80	
	61074LF-SL	\$916.80	


Bar Faucet

INSTANT HOT FAUCET

Item	Item No.	Price	Description
	61374LF-H-PC	\$595.20	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 3/16", spout to deck = 5 15/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61374LF-H-SS	\$744.00	
	61374LF-H-BL	\$774.00	
	61374LF-H-PG	\$832.80	
	61374LF-H-GL	\$862.80	
	61374LF-H-SL	\$862.80	


Instant Hot Faucet

BEVERAGE FAUCET

Item	Item No.	Price	Description
	61374LF-C-PC	\$532.80	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 Kpa
	61374LF-C-SS	\$681.60	
	61374LF-C-BL	\$692.40	
	61374LF-C-PG	\$772.80	
	61374LF-C-GL	\$804.00	
	61374LF-C-SL	\$804.00	


Beverage Faucet

POT FILLER

Item	Item No.	Price	Description
	62874LF-PC	\$1,300.80	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62874LF-SS	\$1,626.00	
	62874LF-BL	\$1,690.80	
	62874LF-PG	\$1,821.60	
	62874LF-GL	\$1,886.40	
	62874LF-SL	\$1,886.40	

Wall Mount Pot Filler Faucet

ACCESSORIES *(for kitchen drains and additional accessories, see pages 78-81)*

Item	Item No.	Price	Description
	RP100487PC	\$160.80	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP100487SS	\$201.60	
	RP100487BL	\$208.80	
	RP100487PG	\$223.20	
	RP100487GL	\$231.60	
	RP100487SL	\$231.60	

Soap/Lotion Dispenser





SOLNA® KITCHEN COLLECTION

A northern accent.



Inspired by contemporary Scandinavian furniture, the Solna Kitchen Collection by Brizo® has crisp lines and a beautifully simple form. The classic shape is reimagined in the unique articulating architecture, while the pull-down models feature a hidden pull-down spray wand held in place with MagneDock® Technology. Available SmartTouch® Technology activates water flow with just a touch of the hand.



Available Finishes



POLISHED CHROME (PC)




BRILLIANCE® STAINLESS (SS)




MATTE BLACK (BL)


KITCHEN FAUCETS

Item	Item No.	Price	Description
 Pull-Down Faucet	63020LF-PC	\$931.20	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Two-function wand: spray and stream • Hidden pull-down wand • 1-hole installation • Overall height = 15 11/16", spout outlet to deck = 8 29/32", spout reach = 9 3/32", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63020LF-SS	\$1,164.00	
	63020LF-BL	\$1,210.80	




 SmartTouch® Pull-Down Faucet	64020LF-PC	\$1,231.20	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64020LF-SS	\$1,453.20	
	64020LF-BL	\$1,600.80	



 Articulating Faucet	63221LF-PC	\$1,111.20	<ul style="list-style-type: none"> • Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position: maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63221LF-SS	\$1,389.60	
	63221LF-BL	\$1,444.80	




 SmartTouch® Articulating Faucet	64221LF-PC	\$1,411.20	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64221LF-SS	\$1,693.20	
	64221LF-BL	\$1,834.80	




KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
	63121LF-PC	\$1,111.20	<ul style="list-style-type: none"> Articulating arm with 3 joints and semi-flexible metal hose allows for flexible placement and maneuverability MagneDock® Technology – magnetic docking system DIAMOND Seal® Technology Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height varies with arm position: maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63121LF-SS	\$1,389.60	
	63121LF-BL	\$1,444.80	

Articulating Faucet with Finished Hose

Item	Item No.	Price	Description
	64121LF-PC	\$1,411.20	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model
	64121LF-SS	\$1,693.20	
	64121LF-BL	\$1,834.80	

SmartTouch® Articulating Faucet with Finished Hose

Item	Item No.	Price	Description
	63220LF-PC	\$903.60	<ul style="list-style-type: none"> Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 11 11/16", spout outlet to deck = 9 31/64", spout reach = 8 25/32", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63220LF-SS	\$1,129.20	
	63220LF-BL	\$1,174.80	


Pull Out Faucet

PREP FAUCETS

Item	Item No.	Price	Description
	63920LF-PC	\$931.20	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system DIAMOND Seal® Technology Euro-motion Diamond™ Valve with InnoFlex™ waterways Two-function wand: spray and stream Hidden pull-down wand 1-hole installation Overall height = 12 7/16", spout outlet to deck = 7 1/16", spout reach = 7 1/16", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63920LF-SS	\$1,164.00	
	63920LF-BL	\$1,210.80	


Pull Down Prep Faucet

PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
	64920LF-PC	\$1,231.20	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model
	64920LF-SS	\$1,453.20	
	64920LF-BL	\$1,600.80	

SmartTouch® Pull Down Prep Faucet

INSTANT HOT FAUCET

Item	Item No.	Price	Description
	61320LF-H-PC	\$451.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61320LF-H-SS	\$564.00	
	61320LF-H-BL	\$586.80	


Instant Hot Faucet with Arc Spout

BEVERAGE FAUCET

Item	Item No.	Price	Description
	61320LF-C-PC	\$396.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61320LF-C-SS	\$511.20	
	61320LF-C-BL	\$514.80	

Beverage Faucet with Arc Spout

POT FILLER

Item	Item No.	Price	Description
	62820LF-PC	\$1,182.00	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62820LF-SS	\$1,477.20	
	62820LF-BL	\$1,548.00	

Linear Wall Mount Pot Filler Faucet


ACCESSORIES (for kitchen drains and additional accessories, see pages 78-81)

Item

Item No.

Price

Description



Soap/Lotion Dispenser

RP79275PC
RP79275BL
RP79275SS


\$160.80
\$198.00
\$210.00


- Includes installation hardware
- Accommodates up to 3" deck thickness
- 2 3/4" overall height
- 15-ounce bottle
- Refillable from above the deck





KITCHEN FAUCETS

Item	Item No.	Price	Description
 Pull Down Kitchen Faucet	63058LF-PC	\$780.00	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream Euro-motion Diamond™ Valve with InnoFlex™ waterways 1-hole installation Overall height = 17 9/16", spout outlet to deck = 9 15/16", spout reach = 9", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63058LF-PN	\$936.00	
	63058LF-SS	\$975.60	
	63058LF-BLBNX	\$1,053.60	
	63058LF-GLPG	\$1,131.60	
63058LF-SL	\$1,131.60		

 SmartTouch® Pull-Down Kitchen Faucet	64058LF-PC	\$1,020.00	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model
	64058LF-PN	\$1,224.00	
	64058LF-SS	\$1,275.60	
	64058LF-BLBNX	\$1,377.60	
	64058LF-GLPG	\$1,479.60	
	64058LF-SL	\$1,479.60	



TULHAM™ KITCHEN COLLECTION

The spirit of reinvention.

Grandeur takes a playful turn in the Tulham™ Kitchen Collection. Elegant contours combine with art deco motifs for an inventive blend of the traditional and the avant-garde. From the tone-on-tone split finishes to the fluting details, the collection truly captures an artistic spirit.

Available Finishes



POLISHED CHROME (PC)



BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS (SS)



MATTE BLACK / BRILLIANCE® BLACK ONYX (BLBNX)




BRILLIANCE® LUXE GOLD® / BRILLIANCE® POLISHED GOLD (GLPG)




BRILLIANCE® LUXE STEEL (SL)

PREP FAUCETS


Item	Item No.	Price	Description
 <p>Pull Down Prep Kitchen Faucet</p>	63958LF-PC	\$780.00	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • Euro-motion Diamond™ Valve with InnoFlex™ waterways • 1-hole installation • Overall height = 16", spout outlet to deck = 8 11/16", spout reach = 8 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63958LF-PN	\$936.00	
	63958LF-SS	\$975.60	
	63958LF-BLBNX	\$1,053.60	
	63958LF-GLPG	\$1,131.60	
	63958LF-SL	\$1,131.60	



Item	Item No.	Price	Description
 <p>SmartTouch® Pull Down Prep Kitchen Faucet</p>	64958LF-PC	\$1,020.00	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64958LF-PN	\$1,224.00	
	64958LF-SS	\$1,275.60	
	64958LF-BLBNX	\$1,377.60	
	64958LF-GLPG	\$1,479.60	
	64958LF-SL	\$1,479.60	




BAR FAUCET

Item	Item No.	Price	Description
 <p>Bar Faucet</p>	61058LF-PC	\$540.00	<ul style="list-style-type: none"> • Ceramic cartridge • Overall height = 12 3/8", spout outlet to deck = 8 1/16", spout reach = 6 3/8", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	61058LF-PN	\$648.00	
	61058LF-SS	\$675.60	
	61058LF-BLBNX	\$729.60	
	61058LF-GLPG	\$783.60	
	61058LF-SL	\$783.60	




INSTANT HOT FAUCET

Item	Item No.	Price	Description
 <p>Instant Hot Faucet</p>	61358LF-H-PC	\$516.00	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61358LF-H-PN	\$619.20	
	61358LF-H-SS	\$645.60	
	61358LF-H-BLBNX	\$697.20	
	61358LF-H-GLPG	\$748.80	
	61358LF-H-SL	\$748.80	




BEVERAGE FAUCET

Item	Item No.	Price	Description
 <p>Beverage Faucet</p>	61358LF-C-PC	\$480.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 9/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360°" • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61358LF-C-PN	\$576.00	
	61358LF-C-SS	\$600.00	
	61358LF-C-BLBNX	\$648.00	
	61358LF-C-GLPG	\$696.00	
	61358LF-C-SL	\$696.00	



POT FILLER

Item	Item No.	Price	Description
 <p>Wall Mount Pot Filler</p>	62858LF-PC	\$1,020.00	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62858LF-PN	\$1,224.00	
	62858LF-SS	\$1,275.60	
	62858LF-BLBNX	\$1,377.60	
	62858LF-GLPG	\$1,479.60	
	62858LF-SL	\$1,479.60	




ACCESSORIES *(for kitchen drains and additional accessories, see pages 78-81)*

Item

Item No.

Price

Description



Soap/Lotion Dispenser

RP101658PC	\$187.20
RP101658PN	\$224.40
RP101658SS	\$235.20
RP101658BLBNX	\$253.20
RP101658GLPG	\$272.40
RP101658SL	\$272.40

- Includes installation hardware
- Accommodates up to 3" deck thickness
- 2 3/4" overall height
- 15-ounce bottle
- Refillable from above the deck





INSTANT HOT FAUCETS

Effortless harmony.


Brizo® Instant Hot faucets easily coordinate with any aesthetic, elevating the culinary experience with style and convenience. The near boiling water from the Instant Hot faucet is ready at a moment's notice—ideal for aromatherapy, steeping tea, brewing French press coffee and more.





Available Finishes




INSTANT HOT FAUCETS


Item	Item No.	Price	Description
 Instant Hot Faucet	61325LF-H-PC	\$636.00	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61325LF-H-PN	\$763.20	
	61325LF-H-SS	\$795.60	
	61325LF-H-BL	\$826.80	
	61325LF-H-RB	\$859.20	
	61325LF-H-GL	\$915.60	

 Instant Hot Faucet with Arc Spout and Knurled Handle	61343LF-H-PC	\$613.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61343LF-H-PN	\$670.45	
	61343LF-H-SS	\$766.80	
	61343LF-H-BLGL	\$828.00	
	61343LF-H-GL	\$889.20	


 Instant Hot Faucet with Square Spout and Knurled Handle	61353LF-H-PC	\$613.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61353LF-H-PN	\$735.60	
	61353LF-H-SS	\$766.80	
	61353LF-H-BLGL	\$828.00	
	61353LF-H-GL	\$889.20	

 Instant Hot Faucet with Angled Spout and Knurled Handle	61363LF-H-PC	\$613.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61363LF-H-PN	\$735.60	
	61363LF-H-SS	\$766.80	
	61363LF-H-BLGL	\$828.00	
	61363LF-H-GL	\$889.20	


INSTANT HOT FAUCETS *(continued)*

Item	Item No.	Price	Description
	61320LF-H-PC	\$451.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61320LF-H-PN	\$541.20	
	61320LF-H-SS	\$564.00	
	61320LF-H-BL	\$586.80	
	61320LF-H-PG	\$631.20	
	61320LF-H-GL	\$654.00	
61320LF-H-SL	\$654.00		


Instant Hot Faucet with Arc Spout

	61365LF-H-PC	\$451.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61365LF-H-PN	\$541.20	
	61365LF-H-SS	\$564.00	
	61365LF-H-BL	\$586.80	
	61365LF-H-PG	\$631.20	
	61365LF-H-GL	\$654.00	
61365LF-H-SL	\$654.00		

Instant Hot Faucet with Square Spout

	61374LF-H-PC	\$595.20	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/16", spout to deck = 5 15/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61374LF-H-SS	\$744.00	
	61374LF-H-BL	\$774.00	
	61374LF-H-PG	\$832.80	
	61374LF-H-GL	\$862.80	
	61374LF-H-SL	\$862.80	

Instant Hot Faucet

	61358LF-H-PC	\$516.00	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61358LF-H-PN	\$619.20	
	61358LF-H-SS	\$645.60	
	61358LF-H-BLBNX	\$697.20	
	61358LF-H-GLPG	\$748.80	
	61358LF-H-SL	\$748.80	

Instant Hot Faucet





BEVERAGE FAUCETS

Refreshment is an art.


Brizo® Beverage faucets are the perfect complement to any kitchen space. Each is compatible with an array of filtration systems to deliver purified drinking water, exactly as you like it.



Available Finishes




BEVERAGE FAUCETS

Item	Item No.	Price	Description
	61325LF-C-PC	\$573.60	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61325LF-C-PN	\$699.60	
	61325LF-C-SS	\$734.40	
	61325LF-C-BL	\$745.20	
	61325LF-C-RB	\$796.80	
	61325LF-C-GL	\$854.40	


Beverage Faucet



	61343LF-C-PC	\$552.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61343LF-C-PN	\$673.20	
	61343LF-C-SS	\$706.80	
	61343LF-C-BLGL	\$766.80	
	61343LF-C-GL	\$828.00	


Beverage Faucet with Arc Spout and Knurled Handle



	61353LF-C-PC	\$552.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61353LF-C-PN	\$673.20	
	61353LF-C-SS	\$706.80	
	61353LF-C-BLGL	\$766.80	
	61353LF-C-GL	\$828.00	

Beverage Faucet with Square Spout and Knurled Handle




	61363LF-C-PC	\$552.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 11/16", spout to deck = 6 5/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61363LF-C-PN	\$673.20	
	61363LF-C-SS	\$706.80	
	61363LF-C-BLGL	\$766.80	
	61363LF-C-GL	\$828.00	


Beverage Faucet with Angled Spout And Knurled Handle




BEVERAGE FAUCETS *(continued)*

Item	Item No.	Price	Description
	61320LF-C-PC	\$396.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • I-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61320LF-C-PN	\$487.20	
	61320LF-C-SS	\$511.20	
	61320LF-C-BL	\$514.80	
	61320LF-C-PG	\$578.40	
	61320LF-C-GL	\$597.60	
	61320LF-C-SL	\$597.60	


Beverage Faucet with Arc Spout

	61365LF-C-PC	\$396.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • I-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61365LF-C-PN	\$487.20	
	61365LF-C-SS	\$511.20	
	61365LF-C-BL	\$514.80	
	61365LF-C-PG	\$578.40	
	61365LF-C-GL	\$597.60	
	61365LF-C-SL	\$597.60	

Beverage Faucet with Square Spout

	61374LF-C-PC	\$532.80	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • I-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 Kpa
	61374LF-C-SS	\$681.60	
	61374LF-C-BL	\$692.40	
	61374LF-C-PG	\$772.80	
	61374LF-C-GL	\$804.00	
	61374LF-C-SL	\$804.00	

Beverage Faucet

	61358LF-C-PC	\$480.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Works with RO systems, filtered water systems, chillers, or as a cold water tap • I-hole installation • Overall height = 9 9/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61358LF-C-PN	\$576.00	
	61358LF-C-SS	\$600.00	
	61358LF-C-BLBNX	\$648.00	
	61358LF-C-GLPG	\$696.00	
	61358LF-C-SL	\$696.00	

Beverage Faucet





POT FILLERS


The perfect complement.

For those seeking even more versatility and convenience, pot fillers are a superb addition to any culinary space and make it easy to fill large cooking vessels quickly—and without the walk from the sink to the stove. Brizo® Pot Fillers are available in a range of styles and finishes, ensuring a look that complements any décor or Brizo® collection.


Available Finishes




WALL MOUNT POT FILLER FAUCETS

Item	Item No.	Price	Description
	62810LF-PC	\$1,182.00	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62810LF-PN	\$1,418.40	
	62810LF-SS	\$1,477.20	
	62810LF-RB	\$1,596.00	


Classic Wall Mount Pot Filler Faucet

	62820LF-PC	\$1,182.00	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62820LF-PN	\$1,418.40	
	62820LF-SS	\$1,477.20	
	62820LF-BL	\$1,548.00	
	62820LF-RB	\$1,596.00	
	62820LF-PG	\$1,654.80	
	62820LF-SL	\$1,713.60	


Linear Wall Mount Pot Filler Faucet

	62825LF-PC	\$1,237.20	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62825LF-PN	\$1,484.40	
	62825LF-SS	\$1,546.80	
	62825LF-BL	\$1,608.00	
	62825LF-RB	\$1,670.40	
	62825LF-GL	\$1,794.00	

Artesso® Wall Mount Pot Filler Faucet


	62843LF-PC	\$1,190.40	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62843LF-PN	\$1,428.00	
	62843LF-SS	\$1,488.00	
	62843LF-BLGL	\$1,500.00	
	62843LF-GL	\$1,725.60	

Litze® Wall Mount Pot Filler Faucet with Knurled Handle


	62844LF-PC	\$1,190.40	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62844LF-PN	\$1,428.00	
	62844LF-SS	\$1,488.00	
	62844LF-BLGL	\$1,500.00	
	62844LF-GL	\$1,725.60	

Litze® Wall Mount Pot Filler Faucet with Industrial Handle

WALL MOUNT POT FILLER FAUCETS *(continued)*

Item	Item No.	Price	Description
 <p>Rook® Wall Mount Pot Filler Faucet</p>	62874LF-PC	\$1,300.80	<ul style="list-style-type: none"> • Two handle wall mount • I-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62874LF-SS	\$1,626.00	
	62874LF-BL	\$1,690.80	
	62874LF-PG	\$1,821.60	
	62874LF-GL	\$1,886.40	
	62874LF-SL	\$1,886.40	





 <p>Tulham™ Wall Mount Pot Filler Faucet</p>	62858LF-PC	\$1,020.00	<ul style="list-style-type: none"> • Two handle wall mount • I-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62858LF-PN	\$1,224.00	
	62858LF-SS	\$1,275.60	
	62858LF-BLBNX	\$1,377.60	
	62858LF-GLPG	\$1,479.60	
	62858LF-SL	\$1,479.60	





KITCHEN ACCESSORIES

SOAP/LOTION DISPENSERS


Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP75675PC	\$154.80	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP75675PN	\$182.40	
	RP75675SS	\$190.80	
	RP75675BL	\$201.60	
	RP75675RB	\$206.40	
	RP75675GL	\$224.40	

 Soap/Lotion Dispenser	RP79275PC	\$160.80	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP79275PN	\$189.60	
	RP79275BL	\$198.00	
	RP79275MW	\$199.20	
	RP79275SS	\$210.00	
	RP79275PG	\$220.80	
	RP79275SL	\$228.00	
RP79275GL	\$229.20		


 Soap/Lotion Dispenser	RP100487PC	\$160.80	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP100487SS	\$201.60	
	RP100487BL	\$208.80	
	RP100487PG	\$223.20	
	RP100487GL	\$231.60	
	RP100487SL	\$231.60	

 Soap/Lotion Dispenser	RP101658PC	\$187.20	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP101658PN	\$224.40	
	RP101658SS	\$235.20	
	RP101658BLBNX	\$253.20	
	RP101658GLPG	\$272.40	
	RP101658SL	\$272.40	





AIR SWITCHES

Item	Item No.	Price	Description
 Air Switch	69080-PC	\$241.20	<ul style="list-style-type: none"> Dual outlet controller for waste disposal and one additional accessory Brass button and trim with polyethylene body Simple plug-in installation of control box Installed in 1-1/4" openings 6' flexible hose included
	69080-PN	\$301.20	
	69080-SS	\$301.20	
	69080-BL	\$313.20	
	69080-MW	\$312.00	
	69080-PG	\$325.20	
	69080-GL	\$349.20	
	69080-RB	\$349.20	
	69080-SL	\$349.20	

AIR GAPS

Item	Item No.	Price	Description
 Air Gap	69060-PC	\$52.80	<ul style="list-style-type: none"> Polyethylene body 5/8" dishwasher inlet, 7/8" outlet 1 7/8" diameter, 2 1/8" long brass cap
	69060-PN	\$67.20	
	69060-SS	\$67.20	
	69060-BL	\$70.80	
	69060-RB	\$73.20	
	69060-PG	\$74.40	
	69060-GL	\$79.20	
	69060-SL	\$79.20	

KITCHEN DRAINS

Item	Item No.	Price	Description
 Flange with Strainer	69052-PC	\$150.00	<ul style="list-style-type: none"> • Solid brass construction with stainless steel mounting hardware • Top-mount flange installation for 4 1/2" sink openings • 1 1/2" x 1 1/2" NPSM threads
	69052-PN	\$190.80	
	69052-SS	\$190.80	
	69052-PG	\$196.80	
	69052-GL	\$219.60	
	69052-SL	\$219.60	
 Bar Flange with Strainer	69051-PC	\$85.20	<ul style="list-style-type: none"> • Solid brass construction • Brass strainer and basket • Drop-in basket with lift handle • 2 7/8" diameter brass flange • 1 1/2" x 1 1/2" NPSM threads
	69051-PN	\$100.80	
	69051-SS	\$103.20	
	69051-PG	\$114.00	
	69051-GL	\$121.20	
	69051-SL	\$121.20	
 Disposal Flange with Stopper	69070-PC	\$122.40	<ul style="list-style-type: none"> • Solid brass construction • Top-mount flange installation for 4 1/2" sink openings • Use with sink styles that require waste disposal to be installed up to 3/4" from sink opening
	69070-PN	\$150.00	
	69070-SS	\$156.00	
	69070-PG	\$171.60	
	69070-GL	\$178.80	
	69070-SL	\$178.80	
 Disposal Flange with Stopper	69072-PC	\$150.00	<ul style="list-style-type: none"> • Solid brass construction • Top-mount flange installation for 3 1/2" sink openings • Use with sink styles that require waste disposal to be installed between 3/4" to 1 1/2" from sink opening
	69072-PN	\$190.80	
	69072-SS	\$190.80	
	69072-PG	\$196.80	
	69072-GL	\$219.60	
	69072-SL	\$219.60	

BRIZO KITCHEN, LISTA DE PRECIOS 2023

TÉRMINOS Y CONDICIONES

- Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dolaresamericanos o pesos mexicanos al tipo de cambio que HOMEA este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
- El flete en todos los casos es por cobrar, con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de **\$500.00 USD + IVA.**
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancía recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

PAGOS.

Para compras regulares de mercancía, el pago se realiza por anticipado a través de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe de ser consultado con su ejecutivo de cuenta.

<u>BANCOMER</u>	<u>SUCURSAL</u>	<u>CUENTA</u>	<u>CLABE ELECTRÓNICA</u>
BBVA MN	0813	0114193946	012580001141939466
BBVA (USD)	0813	0114193997	012580001141939974

- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Para órdenes de producto especiales o material SKU será necesario un anticipo del 50%.

DEVOLUCIONES

- Toda la devolución debe tener una autorización previa por escrito por parte de HOMEA
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causará un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.
- No se aceptan devoluciones después de 30 días de haber recibido el material.
- No se aceptan devoluciones de productos que no son SKU.

HOMEA
PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (442)258.0251

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121