### Thermador\* PRICE LIST

COD:T012023





Number Description PRICE

# Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

### To order, please follow this 4-step process:

Step 1
Select a Panel-Ready
Column

Step 2
Select a Stainless
Steel Panel or Use a
Custom Panel

Step 3
Select a Stainless
Steel Handle or Use a
Custom Handle

Step 4
Select Optional
Accessories



HEATRKIT20

Freedom® Heater Kit
For columns that are less
than 6" apart but not side
by side, or for nontraditional
side-by-side combinations,
without freezer column.
See page 1-15.



FRAMEKIT10

Freedom® Frame Kit
For any custom column
installation in 24-inch deep
cutouts. With two metal
side trims whose placement
between the interior cutout
wall and the appliance helps
overcome the challenge of
unfinished cabinet returns.
See page 1-15.





To enhance the Freedom Collection, please see our accessories section on page 1-15.

Model Number **PRICE** Description

### **Fresh Food Columns**

### All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- · Fully Flush
- Freedom<sup>®</sup> hinge
- · All-LED sidewall filtered theater lighting
- · Cold Air System
- · ThermaFresh system
- · Carbon air filter

- · SuperCool function
- · Stainless steel interior
- Full-extension SoftClose<sup>®</sup> drawers
- TFT Control
- · Full-length cantilever racks
- · Sabbath/Economy/Vacation modes
- · Door open alarm
- · Extremely quiet
- Reversible door swing
- Open door assist
- Home Connect

### Step 1: Fresh Food Columns







T24IR905SP



T30IR905SP



T36IR905SP

T23IR905SP	23.5" Fresh Food Column	\$10,729

24" Fresh Food Column \$11,490 T24IR905SP

\$13,012 30" Fresh Food Column T30IR905SP

36" Fresh Food Column \$13,012 T36IR905SP



Number Description PRICE

### Fresh Food Columns

### Step 2: Panels

All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

### Flat Stainless Steel Door Panels for Flush Installations

TFL23IR900	23.5" Stainless Steel Panel	\$861
TFL24IR800	24" Stainless Steel Panel	\$778
TFL30IR800	30" Stainless Steel Panel	\$861
TFL36IR900	36" Stainless Steel Panel	\$1,557
Flat Stainless Steel Do	oor Panels with No Holes	
TFL23IR905	23" Single Door No Hole Flat Panel	\$778
TFL24IR905	24" Single Door No Hole Flat Panel	\$778

### Step 3: Handles

TFL30IR905

TFL36IR905

For stainless steel handle options, please see page 1-9

### **Step 4: Optional Accessories**

FRAMEKIT10 Freedom Frame Kit \$156

30" Single Door No Hole Flat Panel\*1

36" Single Door No Hole Flat Panel

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all preassembled bottom freezers)



HEATRKIT20 Freedom Heater Kit \$88

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or



HEATRKIT20



located next to an outside wall.)



\$861

\$1,557

<sup>1</sup> Units compatible with 30" columns, but should be installed to units with SoftClose Doors.

Number Description PRICE

### **Freezer Columns**

### All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom<sup>®</sup> hinge
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose<sup>®</sup> drawers
- SuperFreeze<sup>®</sup> function
- · Height-adjustable glass shelves
- TFT Control
- · Stainless steel interior
- · Full-length cantilever racks
- · Filtered internal diamond ice maker
- · Sabbath/Economy/Vacation modes
- · Door open alarm

- · Open door assist
- · Extremely quiet
- · Side-by-side kit included
- O Home Connect

### Step 1: Freezer Columns with Internal Ice Maker

· Ice drawer with ice bin

· Reversible door swing









T36IF905SP



\$10,288

T18IF905SP 18" Freezer Column (Internal Ice Maker)

T24IF905SP 24" Freezer Column (Internal Ice Maker) \$11,018

T30IF905SP 30" Freezer Column (Internal Ice Maker) \$12,477

T36IF905SP 36" Freezer Column (Internal Ice Maker) \$12,477



Model
Number Description PRICE

### **Freezer Columns**

### Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

### Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	\$706
TFL18ID800	18" Stainless Steel Panel for External Dispenser	\$706
TFL24IR800	24" Stainless Steel Panel	\$778
TFL24ID800	24" Stainless Steel Panel for External Dispenser	\$778
TFL30IR800	30" Stainless Steel Panel	\$861
TFL36IR900	36" Stainless Steel Panel	\$1,557

### Flat Stainless Steel Door Panels with No Holes

<u>TFL18IR905</u>	18" Single Door No Hole Flat Panel <sup>1</sup>	\$706
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	\$706
TFL24IR905	24" Single Door No Hole Flat Panel	\$778
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	\$778
TFL30IR905	30" Single Door No Hole Flat Panel	\$861
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,557

### Step 3: Handles

For stainless steel handle options, please see page 1-9.

### Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit \$156

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included

with all pre-assembled bottom freezers)

HEATRKIT20 Freedom Heater Kit \$889

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%),

or located next to an outside wall.)



FRAMEKIT10



HEATRKIT20

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose Doors.

Number Description PRICE

### **Bottom Freezers**

### All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom<sup>®</sup> hinge
- · TFT control
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose<sup>®</sup> drawers
- · Full-length cantilever racks
- · Full-width multi use drawer

- · Internal filtered diamond ice maker
- · SuperCool function
- SuperFreeze<sup>®</sup> function
- · Carbon air filter
- · Sabbath/Economy/Vacation modes
- · Door open alarm
- · Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- · Two evaporators
- Two compressors
- Filtered internal diamond ice maker
- O Home Connect







T36IB905SP



T36IT905NP



T36IT903NP

### Step 1: Bottom Freezers with Stainless Steel Interior

T30IB905SP 30" Bottom Freezer with open door assist \$13,	30IB905SP	\$13,937
---	-----------	----------

and SoftClose®

T36IB905SP 36" Bottom Freezer with open door assist \$14,666

and SoftClose®

T36IT905NP 36" French Door Bottom Freezer \$15,396

with open door assist and SoftClose®

### Step 1: Bottom Freezer with White Interior

T36IT903NP 36" French Door Bottom Freezer \$13,207

### FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description PRICE

**Bottom Freezers** 

### Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

### Flat Stainless Steel Door Panels for Flush Installations

<u>TFL30IB800</u>	30" Stainless Steel Panel Set (Bottom Freezer)	\$861
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	\$1,246
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,246

### Flat Stainless Steel Door Panels with No Holes

TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	\$861
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	\$1,246
<u>TFL36IT905</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,246

### Step 3: Handles

For stainless steel handle options, please see page 1-9.

### Step 4: Optional Accessories

FRANCENTIO FIECUOIII FIAITIC NIL	FRAMEKIT10	Freedom Frame Kit	\$156
----------------------------------	------------	-------------------	-------

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all preassembled bottom freezers)



HEATRKIT20 Freedom Heater Kit \$889

located next to an outside wall.)

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or



HEATRKIT20

### FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE Number Description

### **Wine Preservation Columns**

### All 18"/24" Wine Preservation Columns Include the Following Features:

- Fully Flush
- · Portable aluminum and wenge wood wine presenter
- · Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones: 18" column-two; 24"-three
- · Independent humidity control
- TFT control
- Freedom<sup>®</sup> hinge
- · Adjustable LED lighting
- Diamond shaped dowels for vibration control
- · Glass door with UV protection

- · Sabbath/Economy/Vacation modes
- · Door open alarm
- Bottle capacity: 18" column-52 bottles; 24" column-92 bottles (750 ml)
- Open door assist
- ⚠ Home Connect

### Step 1: Wine Preservation Columns



T18IW905SP

T24IW905SP

T18IW905SP 18" Wine Preservation Column	\$9,559
---	---------

2 - Zone Temperature Control

T24IW905SP 24" Wine Preservation Column \$10,288

3 - Zone Temperature Control

### Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

### Flat Stainless Steel Door Panels for Flush Installations

<u>TFL18IW800</u>	18" Stainless Steel Panel	\$706
TFL24IW800	24" Stainless Steel Panel	\$778

### Flat Stainless Steel Door Panels with No Holes

TFL18IW905	18" Wine No Hole Flat Panel	\$706
TFL24IW905	24" Wine No Hole Flat Panel <sup>1</sup>	\$778

### Step 3: Handles

For stainless steel handle options, please see page 1-9.

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

Number Description

### Wine Preservation Columns

PRICE

### Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit \$156

> (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-

assembled bottom freezers)



**HEATRKIT20** Freedom Heater Kit

> (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)



Handles

HEATRKIT20

### Step 3: Stainless Steel Handles

When selecting One 36" han One 30" han Two 36" han Three 36" ha	dle for each column dle and one 36" har dles for each 36" Bo andles for each 36" F	ss steel handles for the Freedom <sup>®</sup> Collection, please order the didle for 30" Bottom Freezers bettom Freezer French Door Bottom Freezer elect the same style.	ne following:	ALL Fresh Food Columns	ALL Freezer Columns	ALL Freezer with IWD1 Columns	Bottom Freezer T30IB905SP <sup>2</sup>	Bottom Freezer T36IB905SP <sup>3</sup>	Bottom Freezer T36IT903NP <sup>4</sup>	Bottom Freezer T36IT905NP <sup>5</sup>	ALL Wine Preservation Columns
	MS30HNDL20	30" Masterpiece <sup>®</sup> Handle	\$239				1				
	MS36HNDL20	36" Masterpiece <sup>®</sup> Handle	\$239	1	1	1	1	2	3	3	1
	PR30HNDL20	30" Professional Handle	\$239				1				
	PR36HNDL20	36" Professional Handle	\$239	1	1	1	1	2	3	3	1

<sup>1</sup> IWD = Ice and Water Dispenser

<sup>2</sup> Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

<sup>3</sup> Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

<sup>4</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

<sup>5</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Freezer Fresh Food

Column

### **Suggested Combinations**




T18ID905LP/T23IR905SP

For

Predetermined Spaces /

Replacement Installation





These suggestions are just an example of the extensive range of

Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation

combinations possible with the Freedom Collection.

in areas that are subject to extreme humidity.





18" Freezer 30" Fresh Food Column Column T18IF905SP/T30IR905SP



















30" 30"




T30IB905SP/T30IB905SP

24" Wine



T36IB905SP/T24IW905SP

<sup>\*</sup>IWD = Ice and Water Dispenser



Step 1: Colum	ins and E	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece <sup>®</sup>	Professional
FRESH FOOD C	OLUMNS						
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	JMNS						,
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
FREEZER WITH	IWD <sup>1</sup> CO	LUMNS					,
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905		
BOTTOM FREEZ	ZERS/FRE	NCH DOOR BOTTOM	M FREEZERS				
T30IB905SP <sup>2</sup>	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column <sup>2</sup>	Order one 30" handle and one 36" handle per column <sup>2</sup>
T36IB905SP <sup>3</sup>	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column <sup>3</sup>	Order two 36" handles per column <sup>3</sup>
T36IT903NP <sup>4</sup>	36"	n/a	Panel Ready	TFL36IT800	_	Order three 36" handles per column <sup>4</sup>	Order three 36" handles per column <sup>4</sup>
T36IT905NP <sup>5</sup>	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" han- dles per column <sup>5</sup>	Order three 36" han- dles per column <sup>5</sup>
WINE PRESERV	ATION CO	DLUMNS					
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle per column
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose® capability, please contact our customer team by calling 1-800-735-4328.

<sup>1</sup> IWD = Ice and Water Dispenser

<sup>2</sup> Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

<sup>3</sup> Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

<sup>4</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

<sup>5</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Number Description PRICE

## Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

### All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- · Fully Flush
- TFT Control
- · Installs framed or flush
- Freedom<sup>®</sup> hinge
- · All-LED filtered sidewall theater lighting
- · Soft closing full-extension drawers
- · Full-length cantilever racks
- Open door assist

- · ThermaFresh system
- · Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- · Gallon door bins
- · Carbon air filter
- · Sabbath/Economy/Vacation modes
- · Door open alarm

- ENERGY STAR® certified
- · Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- · Two evaporators
- Two compressors
- Home Connect

### **Bottom Freezers**

T30BB915SS	30" Bottom Freezer, two-door, Masterpiece® Handles	\$16,126
T36BB915SS	36" Bottom Freezer, two-door, Masterpiece® Handles	\$16,855
T30BB925SS	30" Bottom Freezer, two-door, Professional Handles	\$16,126
T36BB925SS	36" Bottom Freezer, two-door,	\$16,855



T36BT925NS

T36BT915NS	36" French Door Bottom Freezer, three-door,	\$17,585
	Masterpiece® Handles	

·

36" French Door Bottom Freezer, three-door, \$17,585

Professional Handles

Professional Handles







T36BT925NS



Number Description PRICE

## Refrigeration FREESTANDING COLLECTION

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

### All Freestanding 36" French Door Bottom Freezers Include the Following Features:

- Counter-depth 72" Tall Appliance
- · Built-in Look Exterior Design
- · Dual Evaporator
- Dual Compressor
- · Illuminated Back Wall
- Temperature and Humidity Freshness Drawers
- · Stainless Steel ThermaFresh Mats
- Internal Water Dispenser
- · Diamond Ice Maker
- · Filtered ice and water
- · SuperCool function
- SuperFreeze® function

- · Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- O Home Connect

\$8,181

### **Bottom Freezers with Stainless Steel Interior**

T36FT810NS 36" with Masterpiece® Handles

T36FT820NS 36" with Professional Handles \$8,181



T36FT810NS



### UNDER-COUNTER COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description

### All Under-Counter Units Include the Following Features:

- Built-in flush design
- · LED lighting

• 5 cu. ft.

- Electronic touch controls for precise temperature management
- · Venting grille for full integration
- · Fully flush al 24" depth
- Professional Handle, Masterpiece Handle or custom panel options
- · Star K Certified

PRICE

ENERGY STAR® certified

### **Glass Door Refrigeration Units**

		Fridge, Pantry and Bar
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing	\$4,769
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing	\$4,769
T24UR915LS	24" Refrigerator, Masterpiece Handle, Left Swing	\$5,108

Customizable shelving





T24UR915LS

**Drawer Refrigeration/Freezer Units** 

- 4.4 cu. ft.
- SoftClose<sup>®</sup> drawers
- · Drawer open alarm
- · Customizable shelving and drawer dividers
- Customizable cooling modes: Fridge, Pantry and Bar
- · Quick Chill
- · Removable drawer mat for easy cleaning

· Customizable cooling modes:



T24UR925DS/ T24UC925DS

<u>T24UR905DP</u>	24" Refrigerator, Custom Panel	\$6,799
T24UR915DS	24" Refrigerator, Masterpiece Handle	\$6,630
T24UR925DS	24" Refrigerator, Professional Handle	\$6,630
T24UC905DP	24" Refrigerator/Freezer, Custom Panel, ice maker	\$6,799
T24UC915DS	24" Refrigerator/Freezer, Masterpiece Handle, ice maker	\$7,137
T24UC925DS	24" Refrigerator/Freezer, Professional Handle, ice maker	\$7,137

### **Glass Door Wine Preservation Units**

\$6,195

\$6,195

\$6,195

### **Under-Counter Wine Preservation Units**

· 41-bottle capacity

**T24UW915RS** 

- · Full-extension wenge wood diamond wine racks
- · Tinted UV-resistant tempered glass door
- Independent temperature control of temperature zones.



T24UW915LS

T24UW905LP	24" Wine Pres., Custom Panel, Left Swing	\$5,871
T24UW905RP	24" Wine Pres., Custom Panel, Right Swing	\$5,871
T24UW915LS	24" Wine Pres., Masterpiece Handle, Left Swing	\$6,195

24" Wine Pres., Masterpiece Handle, Right Swing

24" Wine Pres., Professional Handle, Left Swing T24UW925LS **T24UW925RS** 24" Wine Pres., Professional Handle, Right Swing

Freedom <sup>®</sup>	Accessories—F	Refrigerators			Freedom®						oled			
				T23IR905SP	T24IR905SP	F30IR905SP	T36IR905SP	T30IB905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Model Number	Description	PRICE	T2;	T2,	T3(	13(	<u>T</u> 3(	T3(	T3(	13(	13(	T3(	T3(
	Installation Acce	ssories												
	FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation (610 mm) deep cutouts. With two metal side trin placement between the interior cutout wall and ance helps overcome the challenge of unfinishe returns. <b>Note</b> : Included with all pre-assembled I freezers)	ns whose the appli- ed cabinet	•	•	•	•	•	•	•	•			
	HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart to side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is recommended to be ordered for use with any in areas that are subject to high humidity (>65% located next to an outside wall.)	s also estallation	•	•	•	•	•	•	•	•			
7	Interior Accessor	ries for Refrigerators												
	24HFGALBIN	24" Half-Gallon Bin	\$254		Ů									
	30HFGALBIN	30" Half-Gallon Bin	\$269			•		•				•		
	36HFGALBIN	36" Half-Gallon Bin	\$284				•		•				•	
	24PRODRAIL	24" Produce Railing	\$156	•	•									
	30PRODRAIL	30" Produce Railing	\$171			•		•				•		
	36PRODRAIL	36" Produce Railing	\$201				•		•				•	
	3DHFGALBIN	Three Door Half-Gallon Bin	\$239							•	•			•
	3DPRODRAIL	Three Door Produce Railing	\$128							•	•			•
	LPRODBIN10	Large Produce Bin	\$439	•	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	\$394	•	•	•	•	•	•	•	•	•	•	•

Freedom® Accessories—Freezers				F	ree	don	n <sup>®</sup>			ass	Pre- assembled			ee- ding		
	Model Number [	Description	PRICE	T18IF905SP	T24IF905SP	1301F905SP	T18ID905LP/RP	T24ID905LP/RP	3905	1905V	ାର	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS	T36FT810NS	T36FT820NS
	Interior Accessories	s for Freezers ce Bucket	\$128	•	•	•	•	•	•	•	•	•	•	•		
Û	Filter Accessories REPLFLTR55	Freedom <sup>®</sup> Replacement Water Filter	\$70	•	•	•	•	•	•	•	•	•	•	•	•	•

Under-Counter Drawer Accessories  Model Number Description PRICE			T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP	
	MS20HNDL20	20" Under-Counter Masterpiece Handle	\$444			•			•		
	MS22HNDL25	25" Under-Counter Masterpiece Handle	\$246	•	•					•	•
	PR20HNDL20	20" Under-Counter Professional Handle	\$444			•			•		
	PR22HNDL25	25" Under-Counter Professional Handle	\$246	•	•					•	•
	UCTRFLTR10	Under-Counter Filter	\$113				•	•	•		

Freedom® Accessories—Wine Preservation  Model Number Description PRICE							
11/10	Interior Accessor T18WINERK1	ries for Wine Columns  18" Wine Shelf providing a 62 bottle capacity.  Cannot be used with Presenter Shelf	\$342	•			
1100	T24WINERK1	24" Wine Shelf providing a 99 bottle capacity. Cannot be used with Presenter Shelf	\$444		•		





This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description PRICE

### All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador Connected Experience by Home Connect<sup>®</sup>
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control

- · 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- · Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks
- Adjustable grinding settings for very fine to coarse

- Separate drawer for ground coffee, capacity to hold up to two level scoops
- · Built-In water filter
- Sensor alerts when coffee beans and water level is low
- · 10-cup water container
- Includes Insulated 17oz removable stainless steel milk container, measuring spoon, water hardness test and two descaling tablets.
- 120 Volts. (V)

### **Built-In Coffee Machine**

TCM24TS

Thermador Built-In Coffee Machine

\$6,047







 Includes direct plumb for water and drain connection with AquaStop® Plus protection

TCM24PS

Thermador Built-In Coffee Machine

Plumbed

\$6,612



TCM24PS



Accessories	TCM24TS	TCM24PS
TCMTK30RS 30" Stainless Steel Trim Kit \$638	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.





### Thermador

### WALL OVENS

### **DELUXE**

Rotisserie Max Broil

- 3 Telescopic Racks (Single Ovens)
- 4 Telescopic Racks (Double Ovens)
- 6 Telescopic Racks (Combo Steam Ovens)





Professional: POD301W POD301LW\* POD301RW\*



Masterpiece: MED301WS MED301LWS\* MED301RWS\*

### **DOUBLE 30"**



Professional: POD302W POD302LW\* POD302RW\*



Masterpiece: MED302WS MED302LWS\* MED302RWS\*

Professional:

### **COMBO 30"**



With Steam and Convection Oven:

Professional: PODS302W\* Masterpiece: MEDS302WS



With Speed Oven::

Professional: PODMC301W\* Masterpiece: MEDMC301WS

### TRIPLE 30"



With Speed Oven:

Professional: PODMCW31W\* Masterpiece:

MEDMCW31WS

### **SELECT**

- 1 Telescopic Rack (Single Ovens)
- 2 Telescopic Racks (Double Ovens)



Professional: PO301W



Masterpiece: ME301WS





Masterpiece: ME302WS



With Microwave: Professional:





3 Telescopic Racks (Steam Ovens)



Steam and Convection Oven:

Professional: PODS301W

Masterpiece: MEDS301WS



Speed Oven::

Professional: MC30WP

Masterpiece: MC30WS



Masterpiece: MEM301WS

### **STANDARD**

- 1 Telescopic Rack (Single Ovens)
- 1 Telescopic Rack (Double Ovens)



Masterpiece: ME301YP



Masterpiece: ME302YP

\* Not pictured.

### **MASTERPIECE® SERIES**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description PRICE

### All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>®</sup>
- SoftClose<sup>®</sup> doors

### Cooking Modes

 True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza

- · Two-hour self clean
- · Sabbath Mode
- · Two halogen lights
- · Star-K certified
- 208-240 V

### Microwave/Speed Ovens

- · 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- · Sensor reheat

### 30" Masterpiece® Ovens

### 30" Masterpiece Single Oven with Professional Handle

- One Full Access<sup>®</sup> telescopic rack and two standard racks
- · Silver glass
- · 4.6 cu. ft. overall oven capacity
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat

\$4,402







ME301YP

ME301YP 30" Single Oven, 1 Telescopic Rack

### 30" Masterpiece Single Oven-Select

- One Full Access<sup>®</sup> telescopic rack and two standard racks
- · TFT Touch control display

**ME301WS** 

- · Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

30" Single Oven, 1 Telescopic Rack

- Fast preheat
- · Meat probe



\$6,921





ME301WS

### 30" Masterpiece Single Oven-Deluxe

- Three Full Access<sup>®</sup> telescopic racks
- · TFT Touch control display
- · Silver glass on stainless steel
- · 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Multi-point meat probe

Commercial-style rotisserie

with 12-pound capacity

· Fast preheat



\$7,840 MED301WS

\$8,327

\$8,327



MED301LWS

MED301WS 30" Single Oven, 3 Telescopic Racks

MED301LWS 30" Single Oven, 3 Telescopic Racks,

Left Side Opening Door,

MED301RWS 30" Single Oven, 3 Telescopic Racks,

Right Side Opening Door







ME

PRICE Number Description

### 30" Masterpiece® Ovens

### 30" Masterpiece Double Oven-Select

- Two Full Access® telescopic racks (U/L)
- TFT Touch control display

**ME302WS** 

- · Silver glass on stainless steel
- · 4.5 cu. ft. overall oven capacity (U/L)
- · Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

30" Double Oven, 2 Telescopic Racks,

Meat probe (U/L)

- · Fast preheat (U/L)
- Meat probe (U/L)

\$10,773













Number Description PRICE

### 30" Masterpiece® Ovens

### 30" Masterpiece Double Oven-Deluxe

- Three Full Access<sup>®</sup> telescopic racks (U); One Full Access<sup>®</sup> telescopic rack and two standard racks (L)
- · TFT Touch control display

MED302WS

- · Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U);
   Meat probe (L)



φ. .,σσο

\$11,883

30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

- Three Full Access<sup>®</sup> telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- · Multi-point meat probe (L)

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable

30" Double Oven, 4 Telescopic Racks

- 1000 W microwave power
- Warming Drawer features:
- 2.5 cu. ft. overall capacity
- Touch control
- SoftClose<sup>®</sup> drawer
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer



\$14,625





MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Number Description PRICE

### All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>®</sup>
- · Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- · Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- · Multi-point meat probe
- 1.4 qt. water tank
- · LED lights
- · Sabbath Mode
- · Star-K certified
- · 208-240 volts

### Masterpiece® Steam and Convection Ovens

### 30" Masterpiece Steam and Convection Oven

MEDS301WS

30" Steam and Convection Oven with 3 Telescopic Racks

\$8,475









MEDS301WS

Accessories						ece
				30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	\$414	•		
For the teleso	copic rack pricing	g, please contact Customer Support.		•	•	•

### **PROFESSIONAL SERIES**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description PRICE

### All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>®</sup>
- · Restaurant-style stainless steel knobs
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- · 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- · Two-hour self clean
- Fast preheat for seven different cooking modes
- · Two halogen lights

- · Sabbath Mode
- · Star-K certified
- 208-240 V

### Microwave/Speed Ovens

- · 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- · Sensor reheat

### 30" Professional Series Ovens

### 30" Professional Single Oven-Select

 One Full Access<sup>®</sup> telescopic rack and two standard racks Meat probe

PO301W 30" Single Oven, 1 Telescopic Rack

\$7,586



PO301W







### 30" Professional Single Oven—Deluxe

 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

**POD301W** 

- Commercial-style rotisserie with 12-pound capacity
- Three Full Access<sup>®</sup> telescopic racks

30" Single Oven, 3 Telescopic Racks

racks

POD301LW 30" Single Oven, Left Side Opening Door,

3 Telescopic Racks

POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks

Multi-point meat probe



POD301W

\$9,068

\$8,550

\$9,068









POD301LW







Number Description PRICE

### 30" Professional Series Ovens

### 30" Professional Double Oven-Select

One Full Access® telescopic
 rack and two standard racks
 (U/L)

PO302W

30" Double Oven, 1 Telescopic Rack (U/L)



PO302W



### 30" Professional Double Oven-Deluxe

- Three Full Access<sup>®</sup> telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)
- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)
- Multi-point meat probe(U)
- · Meat probe (L)

POD302W 30" Double Oven, 4 Telescopic Racks

\$12.920

\$11,662



POD302W



The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Number Description PRICE

### 30" Professional Series Ovens

### 30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- · Multi-point meat probe

PODMCW31W

Speed Oven features:

30" Triple Combo Oven with Speed Oven,

3 Telescopic Racks

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose<sup>®</sup> drawer
- · Touch control
- 2.5 cu. ft. overall capacity
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

\$15,662



PODMCW31W









Number Description PRICE

### All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>®</sup>
- · Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Restaurant-style stainless steel knobs
- · Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- · Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- · Multi-point meat probe
- · 1.4 qt. water tank
- · LED lights
- · Sabbath Mode
- · Star-K certified
- 208-240 V

### 30" Professional Series Built-In Steam and Convection Oven

### **Professional Series Steam and Convection Oven**

PODS301W

30" Steam and Convection Oven with

3 Telescopic Racks

\$9,068



PODS301W









<sup>1</sup> To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

### **MICROWAVE OVENS**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

30" Masterpiece Microwave,

Stainless Steel, 120 V

Stainless Steel, 120 V

Number Description PRICE

### All Masterpiece® Series Built-in Microwave and Speed Ovens Include the Following Features:

· Silver glass on stainless steel

• 10 power levels

· Sensor reheat

· 1.6 cu. ft. overall capacity

· Sensor cooking

### **Microwave Ovens**

### **Built-In Microwaves**

MB30WS

MB30WP

Touch Control Display
14 1/8" ceramic turntable

· 950 W Microwave power

 Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet

\$3,366



ψ0,00

30" Professional Microwave,

\$3,662



MB30WF

MB30WS



### **Speed Ovens**

### **Built-In Speed Ovens**

· Full color TFT display

• 1,000 W Microwave power

12 ¾" ceramic turntable

• 36 Cook Smart™ Programs

· Convection Bake

MC30WS 30" Masterpiece Speed Oven,

Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven,

Stainless Steel, 208-240 V

Broil

• 208 or 240 V, 4 wire fixed

connection

\$4.403

\$4,700

MC30WS



MC30WP



<sup>1</sup> To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Number Description PRICE

### MicroDrawer® Microwave Oven

### **Built-In MicroDrawer® Microwave**

- Blue digital display with scrolling text
- 1.2 cu. ft. cavity
- Fits a 7" mug or 20 oz. cup
- 950 W microwave power
- Auto-Cooking modes (including Melt, Soften, Keep Warm)
- · Sensor cooking
- · Hidden vent
- · Touch open and close
- · Perfect flush installation



MD24WS

\$3,293

\$3,366



MD30WS

MD24WS 24" Microwave Drawer

MD30WS 30" Microwave Drawer





**PRICE** Number Description

### **Warming Drawers**

### **Standard Warming Drawers**

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
- · 2.2 cu. ft. overall capacity
- · Touch Control Display
- · Four heating modes: Low, Medium, High, Proof
- · 450 W heating element
- Timer
- · Plugs into a standard 120 volt, 3-prong outlet



WD30WC

\$2.930

**WD30W** 30" Warming Drawer, Custom Panel Ready

WD30WC 30" Warming Drawer, Push to Open

\$3,226

### **Storage Drawers**

- · Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design
- · 2.4 or 0.8 cu. ft. overall capacity



SDS30WC

SD30WC 30" Storage Drawer (2.4 cu. ft.) \$1,672


SDS30WC 30" Storage Drawer, Short Height (0.8 cu. ft.) \$1,596

(Install Under Steam Oven)



Model Number Description PRICE

Accessories					Professional Series												
				PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W	PODS302W	
	SDCLNRCK30	Self-Clean Standard Rack, 30"	\$296	•	•	•	•	•	•	•	•	•	•	•	•	•	
	For the telescopic rack pricing, please contact Customer Support.			•	•	•	•	•	•	•	•	•	•	•			
••	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	\$73	•	•	•	•	•	•	•	•	•			•	•	
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	\$414	•	•	•	•								•		





# All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- Blue indicator burner ON light
- · Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- · High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

# Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low

SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

\$2,519

SGS305TS

ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

\$3,335

\$2.964

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

SGS365TS

 ExtraLow<sup>®</sup> Select feature. which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

\$3,632

**PRICE** Number Description

# All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max

- QuickClean Base<sup>®</sup> contains liquid spills
- Sleek glass control panel
- · High-quality, robust, metal knobs
- · LP conversion kit not included; order separately
- · Sabbath compliant
- · Two-year warranty

# Masterpiece® Series

Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU	
8 000 high/1 750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS

SGSP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners

\$3,335

· Progressive Illuminated light ring around each knob

 ExtraLow<sup>®</sup> Select feature. which provides 204 BTU low simmering capability with five precise setting cycles



LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 18,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low SGSXP305TS

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

\$3,853

Blue indicator light for each

burner

LR: BTU 12,000 high/1,750 low	
LF: BTU	
9 100 high/1 750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS

SGSP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

\$3,632

Progressive Illuminated light ring around each knob

ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



SGSXP365TS

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

\$4,372

Five Burners. ExtraLow® Select

Number Description PRICE

# All Masterpiece Series Freedom and Liberty Induction Cooktops Include the Following Features:

PowerBoost<sup>®</sup>

Home Connect<sup>®</sup> (Wi-Fi Enabled)

17 power levels

Masterpiece® Series

# Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop

- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow<sup>®</sup> LED
   embedded surface lights along
   sides of cooktop provide visual
   feedback when a pot is moved
   or whether a pot is heated or
   not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into on heated or one non-heated area
- PanBoost<sup>®</sup>
- 17 power levels

- · Residual heat indicators
- · Panel Lock
- Cooking Timer, Kitchen
   Timer and Stopwatch Timer
   (Countdown timer only available on current models due to UL regulations)
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3"×3"
Maximum cookware size: 13"×21"
Performance:
3,500 W/5,500 W (PowerBoost)



JII3UYWBI







Q

\$8.299

NEW CIT30YWBB 30" Dark Gray Glass, Frameless Design

NEW CIT36YWB 36" Dark Gray Glass, Stainless Steel Frame \$9,540

NEW CIT36YWBB 36" Dark Gray Glass, Frameless Design \$9,540

### GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

**PRICE** Number Description

# Masterpiece® Series

# Liberty<sup>®</sup> Induction

- Three extra-large Liberty<sup>®</sup> cooking surfaces allow for tailored cooking zones
- Number of cooking zones:
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift<sup>®</sup> has three preset heat zones
- MoveMode<sup>®</sup> allows easy transfer settings
- · Illuminated touch controls
- 17 power levels
- Control panel lock

- Automatic switch off
- Timer for all zones (Countdown timer only available on current models due to **UL** regulations)
- Maximum wattage: 10,800 W
- Power/Amps: 208-240 V, 60 Hz//50 A



CIT367YG





CIT367YGS



Left Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)	LR: 7½"×9" @ 2,200 W/3,600 V (PowerBoost )
	LF: 7½"×9" @ 2,200 W/3,600 V (PowerBoost)

×9" @ 3,600 W loost) ×9" @ 3,600 W

Center Full Zone 111/4"×91/2" @ 3,300 W/3,600 W (PowerBoost)

(PowerBoost") RF: 71/2"×9" @ 2,200 W/3,600 W (PowerBoost)

RR: 7½"×9" @

2,200 W/3,600 W

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)

**NEW CIT367YG** 

36" Titanium Gray Glass,

Frameless

**NEW CIT367YGS** 

36" Titanium Gray Glass, Stainless Steel Frame

\$6,979

\$6,979

NEW CIT367YM

36" Silver Mirrored Glass,

Frameless

NEW CIT367YMS

36" Silver Mirrored Glass, Stainless Steel Frame

\$7,833

\$7,754



CIT367YM





CIT367YMS



## **GLASS CERAMIC INDUCTION COOKTOPS**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number Description PRICE

# All Masterpiece® Heritage Series Glass Ceramic Induction Cooktops Include the Following Features:

- · Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost<sup>®</sup>
- · Anti-Overflow System
- · Two-Level Heat Indicator
- · Child safety lock

 Element Shut Off Timer and kitchen timer (Countdown timer only available on current models due to UL regulations)

# Masterpiece® Series

## 11" Element with 3,700 W

 Large and powerful 11" element with 3,700 W  Power/Amps: 240 V, 60 Hz/30 A

LR: 9" @	RR: 11" @
2,200 W/3,700 W (PowerBoost )	2,400 W/3,700 W (PowerBoost )
LF: 6" @ 1.400 W/2 200 W (PowerBoost )	RF: 6" @

NEW CIT304YB 30" Frameless Design

NEW CIT304YM 30" Silver Mirrored Finish



CIT304YB

\$5,040

\$5,661



CIT304YM



Electric and	d Induction Accessories			<u>ر</u>	ion	ا _	Ē
		PRICE	Gas Cooktops	Electric Cooktops	Freedom® Induction	Liberty® Induction	Heritage Induction
	• Recommended accessory for Freedom® Induction Cooktop • Can be used in oven • Works with induction,  TEPPAN1321  13"×21"  Recommended accessory electric and gas • Silvinox surface treatment prevents discoloration • 7-Ply material  Recommended accessory for Freedom® Induction Cooktop	<ul> <li>18/10 stainless steel</li> <li>Additional copper and aluminum materials used for fast and even heating</li> <li>10-year guarantee</li> <li>\$741</li> </ul>			•		
	TEPPAN1013 10" × 13"  Recommended accessory for  Liberty® and Freedom® Induction Cooktops	\$444			•	•	
	TEPPAN1016  10"×16"  Recommended accessory for  Liberty® and Freedom® Induction Cooktops	\$593			•	•	
	<ul> <li>Cast Aluminum Non-Stick Induction Grill</li> <li>Heavy-duty cast aluminum with a thick ferromagnetic base</li> <li>Easy to grip with two castin side handles</li> <li>Outstanding corrosion and abrasion resistance</li> <li>Ridged surface adds grilled sear marks, while draining away excess fat</li> </ul>	<ul> <li>Ovenproof up to 425°F and dishwasher-safe</li> <li>17" x 9" grilling surface</li> <li>PFOA-free</li> </ul>			•	•	
9	TGRILLPANX 17" x 9"  Stainless Steel Chef's Pan  Optimized for cooking with CookSmart® element  Works with induction, electric and gas  TGRILLPANX 17" x 9"  Stainless steel with aluminum core  Non-stick Teflon® Platinum material (CHEFSPAN08)	• Encapsulated aluminum base • Three layers	•	•	•	•	•
	CHEFSPAN08 10" Chef's Pan for 8" and 9" Elements  CHEFSPAN13 16" Chef's Pan for 13" Element	\$296 \$593	•	•	•	•	•
	Stainless Steel Roasting Pan  • Perfect for searing, braising, roasting meat, poultry and vegetables  • Ideally suited for Liberty®  TROASTERT  10" × 16" Roasting Pan with Glass Lid	<ul> <li>Dishwasher safe</li> <li>Oven-safe up to 500° F (350° with lid)</li> <li>\$296</li> </ul>				•	

Model Number Description PRICE

Electric an	d Induction Accessories	Gas Cooktons	   "⊏	Liberty® Induction	Heritage Induction
9	Wireless Cooking Temperature Sensor  Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom induction Cooking Sensor mode  TCOOKSENSW Wireless Cooking Sensor \$296	t-	•		

Gas Acces	sories			Star <sup>®</sup> Burner	Pedestal Star <sup>®</sup>
	Fits 30" and 36" 5-but center grate • Cast al	Griddle  rner Star® and Pedestal Star® Burner Series models • Locks into uminum design allows for even heat distribution and fast prehea easy cleanup and cooking		•	•
. 30	SKNOBLUW  Fits 30" and 36" Pede  • Easy to install	Blue Knob Kit, Pedestal Star <sup>®</sup> Burner Cooktops stal Star <sup>®</sup> Burners Series models • Set of five knobs • Blue meta	\$163 Ilic finish		•
W		P Gas Conversion Kit for star® Burner Series Cooktops	\$148	•	
		P Gas Conversion Kit for sedestal Star® Burner Series Cooktops	\$148		•
0	Optimized for operation over the large burner	Vok Ring on on Star® Burner and Pedestal Star® Burner Series gas cookto on all cooktop sizes, allowing the user to cook with up to a 16" v is durable and dishwasher safe		•	•



# Thermador® PROFESSIONAL

	D O	30"	36"	48"	60"
<b>DUAL FUEL RANGES</b>	Pro Grand <sup>®</sup>		PRD366WGU PRD364WIGU PRD364WDGU 6-burner Induction Griddle	PRD486WIGU Induction Griddle	PRD606WEG Griddle
DUAL FU	Pro Harmony <sup>®</sup>	PRD305WHU 5-burner 4-burner	PRD366WHU 6-burner PRD364WDHU Griddle	PRD486WDHU Griddle	
STEAM RANGES	Pro Grand <sup>®</sup>			PRD48WISGU induction PRD48WDSGU Griddle	PRD606WESG Griddle
GAS RANGES	Pro Grand <sup>®</sup>		PRG366WG 6-burner PRG364WDG Griddle	PRG486WDG Griddle	
ALL- GAS	Pro Harmony®	PRG305WH PRG304WH 5-burner 4-burner	PRG366WH 6-burner PRG364WDH Griddle	PRG486WDH Griddle	
RANGETOPS	Professional	PCG305W 5-burner	PCG366W 6-burner PCG364WD Griddle	PCG486WD Griddle	

Number Description PRICE

# All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup>
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PKNOBLUWR, sold separately. See page 5-10)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners
- · Two-year warranty
- · Star-K certified
- 15 Amps

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador® vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all units; PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

## 36" Professional Gas Rangetop

 Six Pedestal Star<sup>®</sup> Burners (Two with ExtraLow<sup>®</sup>).

15 Amps

 LR: BTU
 CR: BTU
 RR: BTU

 15,000 high\*/375 XLO
 15,000 high\*/3,000 low
 15,000 high\*/3,000 low

 LF: BTU
 CF: BTU
 RF: BTU

 18,000 high\*/375 XLO
 18,000 high\*/3,000 low
 18,000 high\*/3,000 low



PCG366V



PCG366W

36" Stainless Steel with Porcelain Surface \$6,743



<sup>\* 8,000</sup> BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description PRICE

## 36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high\*/375 XLO

LF: BTU 18,000 high\*/375 XLO Electric Griddle 1,630 W RR: BTU 15,000 high\*/3,000 low RF: BTU

18,000 high\*/3,000 low

**OP** 

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

\$6,595

# 48" Professional Gas Rangetop

 Six Pedestal Star<sup>®</sup> Burners (Two with ExtraLow<sup>®</sup>)  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high\*/375 XLO 15,000 high\*/3,000 low

LF: BTU CF: BTU 18,000 high\*/3,000 low

18,000 high\*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high\*/3,000 low RF: BTU 18,000 high\*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle \$8,225



<sup>\* 8,000</sup> BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO HARMONY® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description

# All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- · Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-9
- All burners with electronic ignition/ re-ignition
- · Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners
- For LP: Natural to LP Gas Field Conversion Kit must be ordered separately.

- · Island trim included
- Two-year warranty
- · Star-K certified

#### Griddle model:

1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

#### Main oven features:

- Thermador Connected Experience with Home Connect® enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)

- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2,750 W convection
- Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 11/2 hr light-soil clean

#### Secondary oven features:

PRICE

- · 18" auxiliary oven on 48" range only
- · Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume\*

#### Note

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

## 36" Dual-Fuel Range

- Six Pedestal Star<sup>®</sup> Burners (Two with ExtraLow )
- Oven features 4.9 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect®

LR: BTU CR: BTU 15,000 high\*\*/375 XLO 15,000 high\*\*/3,000 low 15,000 high\*\*/3,000 low CF: BTU RF: BTU LF: BTU 18,000 high\*\*/375 XLO 18,000 high\*\*/3,000 low 18,000 high\*\*/3,000 low

RR: BTU

PRD366WHU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks \$14,329









- Four Pedestal Star Burners (Two with ExtraLow )
- Oven features 4.9 cu. ft. overall volume\*

LR: BTU 15,000 high\*\*/375 XLO LF: BTU 18,000 high\*\*/375 XLO · Thermador Connected Experience with Home Connect®

> Flectric Griddle 1,630 W (6-pass)

Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high\*\*/3,000 low RF: BTU 18,000 high\*\*/3,000 low



\$15.514



Porcelain Surface and All Telescopic Oven Racks

\* According to AHAM Standards

PRD364WDHU

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>36&</sup>quot; Stainless Steel with

# PRO HARMONY® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE Number Description

# 48" Dual-Fuel Range

- · Thermador Connected Experience with Home Connect®
- Six Pedestal Star® Burners (Two with ExtraLow )
- · Main oven features 4.4 cu. ft. overall volume\*

LR: BTU	CR: BTU	Electric Griddle
15,000 high**/375 XLO	15,000 high**/3,000 low	1.630 W
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high\*\*/3,000 low

RF: BTU 18,000 high\*\*/3,000 low



PRD486WDHU

PRD486WDHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

\$21,292









<sup>\*</sup> According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

# PRO HARMONY® SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page
- Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners
- Griddle is interchangeable with grill accessory for convenient indoor grilling
- Gas rangers are field convertible from natural gas to liquid propane-Conversion Kit must be ordered separately

- · Island trim included
- · Two-year warranty
- · Star-K certified

#### Griddle model:

· 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

#### Ovens feature:

- Thermador Connected Experience with Home Connect® enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- · 17,500 BTU high-intensity infrared broiler
- Full Access<sup>®</sup> telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Gas convection oven
- 20,500 BTU bake burner

· Convection Bake, Thermal Bake (20,500 BTU)

#### Secondary oven features:

**PRICE** 

- 18" auxiliary oven on 48" range only
- · Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- · 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume\*

#### Note

· Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

## 36" All-Gas Range

Thermador Connected Experience with Home Connect<sup>®</sup>

PRG366WH

 Six Pedestal Star® Burners (Two with ExtraLow)

36" range features 5.1 cu. ft. overall volume\*

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low

\$10,476

PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks







NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models; when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

<sup>\*\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

# PRO HARMONY® SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE Number Description

## 36" All-Gas Range

- Thermador Connected Experience with Home Connect®
- Four Pedestal Star<sup>®</sup> Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)
- · 36" range features 5.1 cu. ft. overall volume\*
- · Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



18,000 high\*\*/3,000 low



PRG364WDH

LF: BTU 18,000 high\*\*/375 XLO

PRG364WDH

I R. BTU

15,000 high\*\*/375 XLO

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Electric Griddle

1,630 W

(6-pass)

\$12,475



48" All-Gas Range

- · Thermador Connected Experience with Home Connect®
- Six Pedestal Star<sup>®</sup> Burners (Two with ExtraLow®) and
- Main oven features 4.6 cu. ft. overall volume\*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

Electric Griddle 1,630 W (6-pass)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high\*\*/3,000 low RF: BTU 18,000 high\*\*/3,000 low



PRG486WDH





PRG486WDH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\$17,144

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

<sup>15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Accessorie	es			D		Harn uel F					Harn as Ra		S	F	Rang	etops	3
				3	0"	30	6"	48"	30	<b>)</b> "	30	6"	48"	30"	3	6"	48"
	Model Number	Description	PRICE	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH	PCG305W	PCG364WD	PCG366W	PCG486WD
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion) surface coating ("high-					•	•				•	•		•		•
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accessories of to the "high-release" access					•	•				•	•		•		•
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Module	\$475 s)														
	PABRICKW	Flat Ceramic Briquettes (no Basket)	\$148														
	PABRICKBKW	Flat Ceramic Briquettes with Basket	\$296														
	PAGRIDDLE	Griddle sits on top of Grates over two Burner high-release surface coating		•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	\$296	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0 9	PA24CVRW	24" Cover for Grill/ Griddle Combination Mode	\$384 els														
57	PA12LCVRN	12" Professional Indoor Grill Cover	\$444														
0	PA12LCVRW	12" Professional Griddle Cover	\$311				•	•				•	•		•		•

## PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es .			Dual Fuel Ranges All Gas I						Harmony as Ranges			Rangetops				
				3	0"	3	6"	48"	3	0"	30	6"	48"	30"	3	6"	48"
	Model Number	Description	PRICE	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH	PCG305W	PCG364WD	PCG366W	PCG486WD
	PWOKRINGHC	Wok Ring Accessory	\$296	•	•	•	•	•		•	•	•	•	•	•	•	•
1 =	PAALTKITH	High Altitude Kit, NG Pro Harmony Ranges, 5.4K ft. to 10.2K ft.	\$133	•	•	•	•	•	•	•	•	•	•				
	For the high altitude kit	pricing, please contact Customer Support.															
2/	PALPKITGA6	LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner)	\$296										•				
11/	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fuel Ra & Rangetops (4 & 6 Burner	•		•	•	•	•							•	•	•
*/	PALPKITGA	LP Conversion Kit Pro Harmony Gas Ranges (4 & 6 Burner)	\$296							•	•	•					
10/	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	\$296						•								
*/	PALPKITHA5	LP Conversion Kit Pro Harmony Gas Ranges Rangetops (5 Burner)	\$208 &	•										•			
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	\$369						•	•	•						
	PARKB30HY	Blue Knob Kit 30" DF Harmony	\$369	•	•												
	PARKB36DHY	Blue Knob Kit 36" G/DF Harmony	\$369				•					•					
	PARKB36HY	Blue Knob Kit 36" DF GR Harmony	\$369			•											

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Accessorie	es			Pro Harmony Pro Harmony Dual Fuel Ranges All Gas Ranges							Rangetops						
				3(	D"	3	6"	48"	3	0"	30	6"	48"	30"	3	6"	48"
	Model Number	Description	PRICE	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH	PCG305W	PCG364WD	PCG366W	PCG486WD
	PARKB36LHY	Blue Knob Kit 36" Grill Harmony	\$369														
	PARKB48CHY	Blue Knob Kit 48" DF Harmony	\$444					•									
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	\$444										•				
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	\$357											•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	\$623	•	•				•	•							
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	\$711			•	•				•	•					
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	\$756					•					•				
	PA30WLBC	10" Low Backguard for 30"Rangetop	\$311											•			
	PA36WLBC	10" Low Backguard for 36" Rangetop	\$399												•	•	
	PA48WLBC	10" Low Backguard for 48" Rangetop	\$475														•

# All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- · Commercial-Depth (27")
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup> (Four with ExtraLow<sup>®</sup> Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

#### All Ovens

- SoftClose<sup>®</sup> hydraulic hinges for ultrasmooth closing
- Three Full Access<sup>®</sup> telescopic racks with integrated easy-grip handles
- · Fast Preheat

#### Main Oven

- Thermador Connected Experience with Home Connect® enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume\* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

#### Induction Models

- Thermador 3,600 W Liberty<sup>®</sup> Induction with two zones
- Features 9 power levels, XHI
   PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

#### Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- · Fusion non-stick surface

#### 48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- · 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

## 60" Range Full-featured Secondary Oven

- · 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- · Temperature probe for Roast
- · 4,000 W 6-pass broil elements
- · Oven features a 4.9 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

# PRO GRAND® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

**PRICE** Number Description

## 36" Dual-Fuel Ranges

 Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

\$16,551



PRD366WGU

PRD366WGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Four Pedestal Star® Burners (Four with ExtraLow®) and

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high\*/375 XLO LF: BTU 22,000 XHI\*/375 XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high\*/375 XLO RF: BTU 18,000 high\*/375 XLO



\$17,737 PRD364WDGU







PRD364WDGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks



<sup>\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description PRICE

48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high\*/375 XLO RF: BTU 18,000 high\*/375 XLO PRD486WDGU


PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks \$23.143

# 60" Dual-Fuel Ranges

#### The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow) with 24"
 Dual Zone Griddle  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



24" Electric Griddle 1,630 W (Left & Right) (3,260 W total) RR: BTU 15,000 high\*\*/375 XLO RF: BTU 18,000 high\*\*/375 XLO



PRD606WEG



PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks \$29,886



<sup>\* 12,500</sup> BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

# PRO GRAND® SERIES—STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

# All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- · Commercial-depth (27")
- Featuring Pedestal Star<sup>®</sup> Burners with QuickClean Base<sup>™</sup> (Four with ExtraLow<sup>®</sup> Simmer)
- · Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup>
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty<sup>®</sup> surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift<sup>®</sup>, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- LP conversion kit ordered separately for converting burners for LP gas

- · Island trim is included
- · Panel lighting illuminates knob controls
- · Two-year warranty
- · Star-K certified
- · CSA certified

#### Oven features:

- Thermador Connected Experience with Home Connect® enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose<sup>®</sup> hinges for ultra-smooth closing
- Large oven includes three Full Access<sup>®</sup> telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume\*
- · Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

# Steam Oven features:

PRICE

- 27 Easy Cook<sup>®</sup> programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- · Non-plumbed
- Steam Clean function

# Warming drawer features:

- · Open sides for convenient accessibility
- · Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- · Three heat settings

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador<sup>®</sup> Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

## PRO SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number Description PRICE

## All Pro Grand® Series All Gas Ranges Include the Following Features:

- · Commercial-depth (27")
- Featuring Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup> (Four with ExtraLow<sup>®</sup> Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- Gas ranges are field convertible from natural gas to liquid propane kits sold separately
- · Island trim is included
- · Panel lighting illuminates knob controls
- · Two-year warranty
- · Star-K certified

#### Griddle model:

· 1,630 W electric element, thermostatically

- controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

#### Oven features:

- SoftClose<sup>®</sup> hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access<sup>®</sup> telescopic racks with integrated easy-grip handles

#### Large oven:

- Thermador Connected Experience with Home Connect® enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume\* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- · 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature

probe and preheat status with audible alert

Full-featured Secondary Oven features:

- · 2.5 cu. ft. overall volume\*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador<sup>®</sup> Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

 Four Pedestal Star<sup>®</sup> Burners (Four with ExtraLow<sup>®</sup>)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high\*/375 XLO LF: BTU 22,000 XHI\*/375 XLO Electric Griddle 1,630 W (6-pass)

36" Stainless Steel with Porcelain

Surface and All Telescopic Oven Racks

RR: BTU 15,000 high\*/375 XLO RF: BTU 18,000 high\*/375 XLO

\$14,698



PRG364WDG



PRG364WDG

\*\*15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup>According to AHAM Standards

# PRO GRAND® SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE Number Description

#### 48" All-Gas Range

• Six Pedestal Star® Burners (Four with ExtraLow®)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high\*/375 XLO RF: BTU 18,000 high\*/375 XLO



PRG486WDG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks \$18,329









<sup>\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Accessorie	es					Dual	Fuel			Steam			All Gas		s_
					36"		48	8"	60"	4	8"	60"	30	3"	48"
	Model Number	Description	PRICE	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRD48WISGU	PRD48WDSGU	PRD606WESG	PRG366WG	PRG364WDG	PRG486WDG
		12" Grill Plate Accessory w/ Tray (for Griddle Models) ) Fusion coated accessories to the "high-release" access				•		•	•		•	•		•	•
	PA12GRILLW  Non-stick (non-fit	12" Grill Plate Accessory w/ Tray (for Griddle Models) usion) surface coating ("high-rand durable over time.	\$475			•		•	•		•	•		•	•
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Modules	\$475 S)												
	TEPPAN1016	Teppan-yaki pan for Induction models	\$593	•			•			•					
	PABRICKW	Flat Ceramic Briquettes (no Basket)	\$148												
	PABRICKBKW	Flat Ceramic Briquettes with Basket	\$296												
	PAGRIDDLE	Griddle sits on top of Grates over two Burners, high-release s coating	\$296 surface	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	\$296	•	•	•	•	•	•	•	•	•	•	•	•

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description

Accessories						Dual	Fuel				Steam	1	A	II Ga	s
					36"		48	3"	60"	48	3"	60"	36	6"	48"
Mod Num	del	Description	PRICE	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRD48WISGU	PRD48WDSGU	PRD606WESG	PRG366WG	PRG364WDG	PRG486WDG
Null	nbei	Description	PRICE	ш.	ш.	ш.	ш.	ш.	ш.	ш	ш	ш.	ш	ш.	ш.
PAZ		24" Cover for Griddle	\$444						•			•			
PAZ	•	24" Cover for Grill/Griddle Combinatio Models	\$384 on												
PA		12" Cover Professional Indoor Grill	\$444												
PA		12" Professional Griddle Cover	\$311			•		•			•			•	•
PW	VOKRINGHC	Wok Ring Accessory	\$296	•	•	•	•	•	•	•	•	•	•	•	•
PA		High Altitude Kit, NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	\$133	•	•	•	•	•	•	•	•	•	•	•	•
	rthe high altitu stomer Suppor	ide kit pricing, please contact rt.		•	•	•	•	•	•	•	•	•	•	•	•
	<u>LPKITDGW</u>	LP Conversion Kit Pro Grand Dual Fuel Rang	\$296 es	•	•	•	•	•	•	•	•	•			
PAI		LP Conversion Kit Pro Grand Gas Ranges	\$296										•	•	•
PAI	RKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	\$369	•											
PAI	RKB36GY	Blue Knob Kit 36" Gas Grand	\$369										•		

# PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description

Accessorie	es					Dual	Fuel			;	Stean	1	P	S	
					36"		48	8"	60"	4	8"	60"	30	6"	48"
	Model Number	Description	PRICE	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRD48WISGU	PRD48WDSGU	PRD606WESG	PRG366WG	PRG364WDG	PRG486WDG
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	\$414		•	•								•	
	PARKB48CGY	Blue Knob Kit 48" Combi Grand	\$570				•	•		•					
	PARKB48SGY	Blue Knob Kit 48" Combi Steam Grand	\$563								•				•
	PARKB60CGY	Blue Knob Kit 60" Combi Grand	\$517						•						
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Grand	\$517									•			
	PA36WTKG	Toe Kick	\$163											•	
	PA48WTKG	for 36" Pro Grand <sup>®</sup> Range  Toe Kick for 48" Pro Grand <sup>®</sup> Range	\$163				•	•		•	•				•
	PA60WTKG	Toe Kick for 60" Pro Grand <sup>®</sup> Range	\$208						•			•			
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fuel Pro Ranges	\$711 Grand <sup>®</sup>	•	•	•							•	•	
	PA48WLBG	7" Low Back, for 48" Pro Grand <sup>®</sup> Gas Ra	\$756 nges				•	•		•	•				•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand <sup>®</sup> Ran	\$829 ge						•			•			

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



# Thermador® VENTILATION

		30"	36"	42"	48"	54"/60"
	Low-Profile	-3	-		-	
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
	Masterpiece <sup>®</sup>					
4		HMDW30WS	HMDW36WS			
WALL	Pro Grand <sup>®</sup>		PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony®	PH30HWS	PH36HWS		PH48HWS	
	Masterpiece <sup>®</sup>	(1)	(1)			
CHIMNEY WALL		HMCB30WS	HMCB36WS			
<b>&gt;</b>	Masterpiece <sup>®</sup>					
Z S		HDDB30WS	HDDB36WS			
CH	Professional		HPCN36WS		HPCN48WS	
9	Masterpiece <sup>®</sup>		LIMIDOCALO	LIMID 40 MO		
ISLAND	Pro Grand <sup>®</sup>		HMIB36WS	HMIB42WS		ART II
<u>                                      </u>				HPIN42WS		HPIN54WS
CUSTOM INSERT	Professional		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
DOWN- DRAFT	Masterpiece <sup>®</sup>	UCVM30XS	UCVM36XS UCVP36XS			

#### WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. **PRICE** Number Description

# All Wall Hoods Include the Following Features:

- Beautiful illumination with multi-level. LED lights
- Dishwasher-safe commercial-style stainless steel baffle filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- · Automatic mode detects temperatures to adjust fan speed automatically
- · 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation

Accessory options available

· Built-in remote control panel, sold separate (see page 6-9)

# All Masterpiece® Wall Hoods Include these Additional Features:

- · Equipped with the Thermador Connected Experience by Home Connect®
- · A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Noise Control Technology™
- · Cooktop Hood-Sync Enabled
- · Vertical ducting direction
- Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-3)

# Masterpiece® Series

#### **Drawer Under Cabinet Wall Hood**

- · A masterful blend of luxury and performance with a slide-out canopy design
- · When the slide-out canopy is pushed back, it sits flush
- against surrounding cabinetry, and when pulled forward increases capture area
- · Fan can be activated in the closed or open position
- · 600 CFM integral blower included
- Transition to 6" round and backdraft damper included



HMDW36WS

30" Masterpiece®, Under Cabinet HMDW30WS

Drawer Wall Hood, 600 CFM

36" Masterpiece®, Under Cabinet

\$3,268

# \$3,416

Drawer Wall Hood, 600 CFM

#### Low-Profile Wall Hood

HMDW36WS

- · Chiseled design that is 24" depth, 11" tall
- Approved for use with Professional Series Ranges and Rangetops
- 6" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-8)
- · Transition to 10" round and backdraft damper included



HMWB30WS

HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	\$3.120

HMWB36WS 36" Low-Profile Wall Hood, 600 CFM	\$3,268
---	---------

HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	\$3,416

48" Low-Profile Wall Hood, 1000 CFM HMWB481WS \$3,565

Model Number Description PRICE

Accessorie	es—Masterpiec	e <sup>®</sup> Series		Dra	wer	Lo	w F	Prof	ile
				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	Recirculation Ac								
	When ducting is filtered air back	s not feasible, kit brings into kitchen  Installation Note: RECHMWB RECHMWB36 are brushed si							
	Replace charce depending on u	usage Approved for use with HMWE	and adds 4" height to the appliance. Approved for use with HMWB30WS and HMWB36WS Low-Profile Series Wall Hoods with 600 CFM blowers only						
	Charcoal filter reavailable (see the second se	replacement accessory with 600 CFM blowers only							
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	\$1,037			•			
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	\$1,110				•		
	RECHMDW30	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	\$193	•					
	RECHMDW36	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	\$193		•				
FEER	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	\$148	•					
	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	\$148		•				
4		ss Steel Duct Cover and 20"-54" telescoping  • Can be used with Low-Profile I Series Wall Hoods	HMWBxxWS						
	<u>DCT3016W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	\$962						
	DCT3616W	16" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	\$977				•	•	
	DCT4816W	16" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	\$1,007						•
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	\$1,110			•			

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Thermador Dealer Price List Q2 2023 20-BSH-0914.2 1/01/2023

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description PRICE

Accessorie	es—Masterpie	ce <sup>®</sup> Series		Dra	wer	Lo	w F	rof	ile
				HMDW30WS	HMDW36WS	HMWB30WS	>	HMWB361WS	HMWB481WS
	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	\$1,125				•	•	
U	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	\$1,155						•



## **WALL HOODS**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description PRICE

## All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-8)
- Blower options sold separate and required to complete install. Works with the following blowers/new blowers launching late Q3, sold separately (see page 6-6)

Integral: VTN630W<sup>1</sup>, VTN1DZ (for PH30HWS only), VTN1090R/VTN2FZ Inline: VTI610W<sup>1</sup>/VTI1FZ<sup>1</sup>, VTI1010W/VI2FZ

Remote: VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W

 Make-up air damper relay switch (120 V max) Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page 6-8)
- Remote blower roof plates (see page 6-10)
- 25-ft remote & inline blower extension cable (see page 6-10)

#### **Professional Series**

# **Pro Harmony® Wall Hood**

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony<sup>®</sup> Professional Ranges
- Pro-style 24" depth, 18" tall

 Commercial-style stainless steel baffle filters



PH36HWS

PH30HWS	30" Pro Harmony® Wall Hood, Optional Blower	\$3,416
---------	---	---------

PH36HWS 36" Pro Harmony® Wall Hood, Optional Blower \$3,565

PH48HWS 48" Pro Harmony® Wall Hood, Optional Blower \$3,936

#### Pro Grand® Wall Hood

- Equipped with the Thermador Connected Experience by Home Connect<sup>®</sup>
- Add distinct flair to your kitchen with bold, stainless steel wall
- hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand<sup>®</sup>

Professional Ranges

- · Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	\$3.861

PH42GWS 42" Pro Grand® Wall Hood, Optional Blower \$4,084

PH48GWS 48" Pro Grand® Wall Hood, Optional Blower \$4,529

PH54GWS 54" Pro Grand® Wall Hood, Optional Blower \$4,825

PH60GWS 60" Pro Grand® Wall Hood, Optional Blower¹ \$6,011

<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

Model Number Description PRICE

Blowers	Ма	sterp	iece	Pı	rofes	sion	nal
	Custom Insert	-	Downdraft	Wall	Chimney Wall	Island	Custom Insert
	VCINxxGWS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS
Integral Blowers  • Integrated into ventilation hood at the time of installation  NEW VTN1DZ 400 CFM Integral Blower (for PH30HWS only) \$1,2	14			•1			
Launching late Q3  NEW VTN2FZ 1,000 CFM Blower							
NEW VTN2FZ 1,000 CFM Blower \$1,5	22			•	•	•	•
Inline Blowers  • May be used as integral solution for VCINxxGWS Series custom hood inserts. See website for additional details • Blower can be mounted along the duct line  • May be used as integral between the kitchen and the exterior wall the e							
NEW VTI1FZ 600 CFM Inline Blower, 6" duct size \$1,2	14 •	•	•	•2	•	•	•2
Launching late Q3							
NEW VTI2FZ 1,000 CFM Inline Blower, 10" duct size \$1,55 Launching late Q3	22 •	•	•	•	•	•	•

<sup>1</sup> For PH30HWS only

<sup>2</sup> The 600 CFM blower options are not available with the 60" hood

Model Number Description PRICE

owers		sterp	iece	Р	rofes	sior	ıal
	Custom Insert	1	Downdran	Wall	Chimney Wall	Island	Custom Insert
	VCINxxGWS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS
Remote Blowers  • For external roof or wall mount• • Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-10)  Remote Blowers 25 ft. cable (EXTNCB25W) • For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods							
NEW VTR1FZ 600 CFM Remote Blower, 6" duct size \$1,410 Launching late Q3	•	•	•	•	•	•	•
NEW VTR2FZ 1,000 CFM Remote Blower, 10" duct size \$1,473 Launching late Q3	•	•	•	•	•	•	•



Model Number Description PRICE

Accessorie	es—Professional			Pro rmor	ro nony Pro Grand						
				١	Nall			١	Wall		
				PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	Available in 6"     heights	ess Steel Duct Cover and 20"–54" telescoping • Can be used with F and Pro Harmony®		•							
	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	\$696								
	DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	\$726		•		•				
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	\$741					•			
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	\$741			•			•		
	DC3089W	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	\$741	•							
	DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	\$756		•		•				
	DC4289W	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	\$771					•			
	DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	\$786			•			•		
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	\$977		•			•			
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	\$1,067			•			•		

Model Number Description PRICE

Accessorie	es—Professional			Pro Harmony Wall			Pro Grand Wall				
				PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	Built-In Remote Control     Ability to vertically install on cabinetry or wall to control hood in a convenient location     Built-in sleek, smooth remote touch control panel	Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMDWxxWS, HMIBxxV HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS, PHxxxWS, VCINxxGWS Series hoods Wired to hood Cable length: 30 ft.	•	•	•	•	•	•	•	•	•
-	REMCPW Built-In Remote Control	Accessory \$	475								



Model Number Description PRICE

Blower and	I Duct Accessories		Pro			ı			
			Wal	I		١	Wal	I	
		PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	<ul> <li>Remote &amp; Inline Blower Extension Cable</li> <li>25-ft. extension cable for use between hood and inline or remote blower</li> <li>Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.</li> <li>Cannot join two cables together for longer length.</li> <li>For use with blowers/new blowers VTI610W/VTI1FZ, VTI1010W/V12FZ, VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W</li> </ul>	•	•	•		•	•	•	•
	EXTNCB25W 25-ft Remote & Inline Blower \$178 Extension Cable								
	EXTNSET4 3-pc extension set for Inline and remote blowers \$236	•	•	•		•	•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.								
	RFPLT600P Roof mounting plate for \$193 VTR630W¹ and, NEW Remote blower VTR1FZ²	•	•	•	•	•	•	•	•
	RFPLT1000P  Roof mounting plate for VTR1030W, VTR1330W³, and \$236  NEW Remote blower VTR2FZ⁴  \$236	•	•	•	•	•	•	•	•

<sup>1</sup> Discontinues Q3.

<sup>2</sup> Available Late Q3

<sup>3</sup> Both discontinue Q3.

<sup>4</sup> Available Late Q3

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

#### CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. **PRICE** Number Description

#### All Chimney Wall Hoods include the following features:

- Beautiful illumination with multi-level, LED lights
- · Dishwashers-safe filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-9)

#### All Masterpiece® Chimney Wall Hoods include these Additional features:

- Equipped with the Thermador Connected Experience by Home Connect
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Serves as the focal point of the room and can add a modern feel
- Cooktop Hood-Sync Enabled

- · 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included
- Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-14)
- Convertible to recirculation, accessory sold separate (see page 6-14
- Hybrid mesh filters with stainless steel frame
- · Vertical ducting direction

# Masterpiece® Series

### **Pyramid Chimney Wall Hood**

 Streamlined, contemporary, low-profile design with 5" pyramid canopy height

Noise Control Technology™

30" Masterpiece® Pyramid Chimney Wall Hood, **HMCB30WS** 

600 CFM

36" Masterpiece® Pyramid Chimney Wall Hood, **HMCB36WS** 

600 CFM

\$3,788 HMCB30WS



\$3,936

#### **Drawer Chimney Wall Hood**

- · A masterful blend of luxury and performance with unique slideout canopy design that can be pushed back for increased head room or pulled forward for increased capture area
- · Can be activated whether in the open or closed position
- Noise Control Deluxe™



HDDB30WS

HDDB30WS\* 30" Masterpiece® Drawer Chimney Wall Hood,

600 CFM

36" Masterpiece® Drawer Chimney Wall Hood, HDDB36WS\*

600 CFM

\$4,677

\$4,381

<sup>\*</sup> Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

#### **CHIMNEY WALL HOODS**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number Description PRICE

# All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- · Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-13)
- · Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold separate (see page 6-13)
- Blower options sold separate and required to complete install. Works with the following blowers/new blowers launching late Q3 sold separately (see page 6-6) Integral: VTN630W, VTN1090R/VTN2FZ

Inline: VTI610W / VTI1FZ, VTI1010W/ VI2FZ

Remote: VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W

Accessory options available

- Remote blower roof plates (see page 6-10)
- 25-ft remote & inline blower extension cable (see page 6-10)

#### **Professional Series**

# Pro Grand<sup>®</sup> Chimney Wall Hood

HPCN36WS 36" Professional® Chimney Wall Hood,

Optional Blower

HPCN48WS 48" Professional® Chimney Wall Hood,

Optional Blower

\$4,677

\$5,418 HPCN36WS



Model Number Description PRICE

Accessorie	es			N	1aste	rpied	е	Р	ro
				Dra	wer	W	'all	W	all
				HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable							
		cable for use between • Cannot join two ger length.	cables together for lon-						
		<ul> <li>WWS, HPCNxxWS,</li> <li>For use with blowers/new blowers</li> <li>VMxxXS, UCVP36xS</li> <li>launching late Q3 VTI610W/VTI1FZ,</li> </ul>						•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	\$178						
	EXTNSET4	3-pc extension set for Inline and remote blowers	\$236					•	•
		ıll, 18"–35" tall telescopic, • Can be used w telescopic heights • Professional Se	vith HPCNxxWS eries Chimney Wall Hoods						
	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wi	\$741 de						
	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wi	\$756 de						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wi	\$962 de					•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 48" Wi	\$977 de						•
1	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wi	\$1,067 de					•	

Model Number PRICE Description

Accessorie	s			N	laste	rpiec	е	Pı	ro
				Dra	wer	W	all	W	all
				HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
Ú		scoping Duct Cover for mney Wall Hood, 48" Wide	\$1,097						•
		ension for 9-ft to 12-ft tall ceilings nimney Extension Kit for terpiece® Chimney Drawer Hood	\$859	•	•				
		nimney Extension Kit for terpiece <sup>®</sup> Pyramid Chimney Hood	\$859			•	•		
· m	sible, kit brings filtered ter ev air back into kitchen deper	ery 3–6 months ment accessory a (see below)  • Charcoal filter rep ment accessory a (see below)		•	•				
	RECHMCB Recirculation Kit HMCBxxWS Chir		\$236			•	•		
	CHFHMCD Replacement Cha For Masterpiece® HMIB Recirculation	HMCB, HDDB,	\$163	•	•	•	•		
	Roof Plates  NOTE: Roof plate required for roof-marker  RFPLT600P  Roof mounting pl  VTR630W¹ and,  NEW Remote blo	ate for	\$193					•	•
	RFPLT1000P Roof mounting pl VTR1030W, VTR NEW Remote blo	1330W <sup>3</sup> , and	\$236					•	•

<sup>1</sup> Discontinues Q3.

<sup>2</sup> Available Late Q3

<sup>3</sup> Both discontinue Q3. 4 Available Late Q3

Number Description PRICE

# All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect<sup>®</sup>
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-9)

# Masterpiece® Series

#### Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece<sup>®</sup> Series cooktops
- · Brushed stainless steel

HMIB42WS

- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- · 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

 Convertible to recirculation, accessory sold separate (see page 6-17)

Accessory options available

 Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-17)



HMIB36WS



<u>HMIB36WS</u> 36" Masterpiece® Box Island Hood,

600 CFM

42" Masterpiece® Box Island Hood,

600 CFM

\$5,155

\$5,303



The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

**PRICE** Number Description

# **Professional Series**

#### **Box Island Hoods**

- · A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters
- · Make-up air damper relay switch (120 V max)

- Powerfully Quiet<sup>®</sup> optional blower system accepts integral, inline, and remote blowers
- Transition to 10" round and backdraft damper included
- · For ceiling applications of 8' to 9' height
- · May require fabrication for custom height

· Blower options sold separate and required to complete install. Works with the following blowers/new blowers launching late Q3 sold separately (see page 6-6) Integral: VTN630W, VTN1090R/VTN2FZ Inline: VTI610W /VTI1FZ, VTI1010W/VI2FZ Remote: VTR630W/VTR1FZ, VTR1030W/VTR2FZ,





- Remote blower roof plates (see page 6-10)
- · 25-ft remote & inline blower extension cable (see page 6-10)



HPIN42WS



42" Professional® Island Hood, HPIN42WS

Optional Blower

54" Professional® Island Hood, HPIN54WS

Optional Blower

\$6,637

\$5,748

Accessorie	es				Maste	rpiece	Pi	ro
					Low F	Profile	В	ох
					HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Remote & Inline Blower Extension Cable  • 25-ft. extension cable for use between hood and inline or remote blower  • Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods  • Cannot join two cables together for longer length.  • For use with blowers/new blowers launching late Q3 VTI610W/VTI1FZ, VTI1010W/VI2FZ, VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W				•	•		
	EXTNCB25W	25-ft Remote & Inline Blower \$178 Extension Cable						
( ) }	EXTNSET4	3-pc extension set for In remote blowers	-pc extension set for Inline and \$236				•	•

Model Number Description PRICE

Accessorie	es			Maste	rpiece	Р	ro
				Low F	Profile	В	ох
				HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Low-Profile Island	d Hood Extension Kit					
	Stainless steel to chimney extensi 12-ft tall ceilings	on for 9-ft to Masterpiece® Island Hood	\$1,037	•	•		
	<u>CHXTHMIB</u>	9'–12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood					
	Low-Profile Island	d Hood Recirculation Accessories					
	When ducting is Kit brings filters a	air back into Masterpiece® Island Hood					
	kitchen • Replace charcoa 3–6 months dep usage						
·m	RECHMIB	Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	\$236	•	•		
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	\$163	•	•		
	CHFILISL	Charcoal filter for Island Hoods	\$148				
1 1	Roof Plates NOTE: Roof plate	required for roof-mount application of remote blowers.					
	RFPLT600P	Roof mounting plate for VTR630W <sup>1</sup> and, <b>NEW Remote blower VTR1FZ</b> <sup>2</sup>	\$193			•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W <sup>3</sup> , and <b>NEW Remote blower VTR2FZ</b> <sup>4</sup>	\$236			•	•

<sup>1</sup> Discontinues Q3.

<sup>2</sup> Available Late Q3

<sup>3</sup> Both discontinue Q3.

<sup>4</sup> Available Late Q3

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# **CUSTOM INSERTS**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description PRICE

# All Masterpiece® Custom Inserts include the following features:

- Equipped with the Thermador Connected Experience by Home Connect<sup>™</sup>
- · Touch control
- · Two 6 W LED lights

- · Vertical ducting
- · Integral blower
- 15 Amps
- 120 V

- · Dishwasher-safe aluminum filter
- · Perimetric filter

\$2,409

\$2,558

· Plug type: hardwire

# Masterpiece® Series

#### **600 CFM Custom Insert**

- · 600 CFM blower
- Vertical ducting with 8" round duct

VCI6B30ZS 30" Custom Insert Hood, 600 CFM

VCI6B36ZS 36" Custom Insert Hood, 600 CFM



VCI6B30ZS



VCI6B36ZS





Number Description PRICE

#### **Custom Insert Hoods**

- Equipped with the Thermador Connected Experience by Home Connect®
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- · Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Beautiful illumination with multi-level, LED lights

- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)
- Powerfully Quiet<sup>®</sup> optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation
- · Vertical ducting

# Blower options sold separate and required to complete install. Works with the following blowers/new blowers launching late Q3 sold separately (see page 6-6)

Integral: VTN630W<sup>1</sup>, VTN1090R/**VTN2FZ** Inline: VTI610W<sup>1</sup>/**VTI1FZ**, VTI1010W/**VI2FZ** Remote: VTR630W/**VTR1FZ**,

VTR1030W/**VTR2FZ**, VTR1330W

- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-9)

#### Accessory options available

- Remote blower roof plates (see page 6-10)
- 25-ft remote & inline blower extension cable (see page 6-10)

#### **Professional Series**



VCIN48GWS









<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

Model Number PRICE Description

Accessorie	s			Pro		
		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
	Ability to vertically install on cabinetry or wall to control hood in a convenient location     Built-in sleek, smooth remote touch control panel     Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HPCNxxWS, HPINxxWS, PHxxxWS, and VCINxxGWS Series hoods     Vired to hood     Cable length: 30 ft.					
	REMCPW Built-In Remote Control Accessory \$475	•	•	•	•	•
	<ul> <li>Remote &amp; Inline Blower Extension Cable</li> <li>25-ft. extension cable for use between hood and inline or remote blower</li> <li>Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.</li> <li>Cannot join two cables together for longer length.</li> <li>For use with blowers/new blowers launching late Q3 VTI610W/VTI1FZ, VTI1010W/VI2FZ, VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W</li> </ul>					
	EXTNCB25W 25-ft Remote & Inline Blower Extension Cable \$178	•	•	•	•	•
( ) }	EXTNSET4 3-pc extension set for Inline and remote blowers \$236	•	•	•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.  RFPLT600P Roof mounting plate for \$193 VTR630W¹ and, NEW Remote blower VTR1FZ²	•	•	•	•	•
	RFPLT1000P Roof mounting plate for VTR1030W, VTR1330W³, and \$236  NEW Remote blower VTR2FZ⁴	•	•	•	•	•
	Charcoal Filters Charcoal Filter Kit for 30" Custom CHFVCI30ZS Inserts and VCI6B30ZS \$163\$					
	CHFVCI36ZS Charcoal Filter Kit for 36" Custom Inserts \$163 VCI6B36ZS and VCI6B36ZS					

<sup>1</sup> Discontinues Q3.

<sup>2</sup> Available Late Q3
3 Both discontinue Q3.

<sup>4</sup> Available Late Q3

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

#### **DOWNDRAFT**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description PRICE

# All Downdrafts include the following features:

- Designed for installation with all Thermador<sup>®</sup> cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- · Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- · Dishwasher safe mesh filters
- · Three speeds
- Convenient 10-minute time-delay shut-off feature

- · Filter maintenance reminder light
- · Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-21)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers/new blowers launching late Q3 sold separately (see page 6-22).

Integral: VTD600P

Inline: VTI610W /VTI1FZ, VTI1010W/

VI2FZ

Remote: VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W

 Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6.23]

page 6-23]

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

#### Accessory options available

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-21)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-24])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-24)

# Masterpiece® Series

#### **Downdraft Ventilation System**

<u>UCVM30XS</u> 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

\$2,870 UCVM30XS

UCVM36XS

36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

\$3,166 UCVM36XS

**UCVP36XS** 

36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

NOTE: Transition required and sold separately for all remote and inline blower installations.



Model Number Description PRICE

Componen	nts		UCVM30XS	UCVM36XS	UCVP36XS
	For use with     30" UCVM30XS     36" UCVM36XS     36" UCVP36XS     draft models only     Works in wall or applications     When ducting is sible, kit brings fi air back into kitc passing through coal filter	<ul> <li>To be used only with         Thermador downdrafts         and integrated blower         VTD600P. Do not use         this recirculation kit with         Gas Cooktops</li></ul>			
The state of the s	UCVRECIRC	Recirculation kit for downdraft \$889 UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with UCVFILTER	•	•	•
The same of the sa	UCVFILTER	Charcoal filter replacement \$163 For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Sea • For use with 30" UCVM30XS 36" UCVM36XS, 36" UCVP36XS downdraft mode	<ul> <li>Required for installation with gas cooktops</li> <li>Includes trim bracket, seal, and 2 metal grills</li> </ul>			
	3013031	For UCVM30XS downdraft			
	UCV36ST	36" gas cooktop seal kit \$193 For UCVM36XS and UCVP36XS downdrafts		•	•

Model Number Description PRICE

Componen	nts	UCVM30XS	UCVM36XS	UCVP36XS
0.0	Integrated Blower  VTD600P  600 CFM, 8" duct size flexible integrated blower \$1,440 Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	•	•	•
	Inline Blowers  May be used as integral solution for VCINxxGWS the exterior wall solution for VCINxxGWS the exterior wall series custom hood inserts. See website for additional details for inline blower applications—sold separately along the duct line (see page 6-24)  NEW VTI1FZ 600 CFM Inline Blower, 6" duct size \$1,214  Launching late Q3	•	•	•
	NEW VTI2FZ 1,000 CFM Inline Blower, 10" duct size \$1,522  Launching late Q3	•	•	•
	Remote Blowers  • For external roof or wall mount• • Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-24)  NEW VTR1FZ 600 CFM Remote Blower, 6" duct size Launching late Q3  25 ft. cable (EXTNCB25W) • For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods  \$1,410	•	•	•
	NEW VTR2FZ 1,000 CFM Remote Blower, 10" duct size \$1,473  Launching late Q3	٠	٠	•

Model Number Description PRICE

Componen	ts			UCVM30XS	UCVM36XS	UCVP36XS
	36" UCVM36XS, chosen in combin	be required to complete the installation of 30" UCVM30XS, 36" UCVP36XS downdrafts depending on the discharge connectivation with the downdraft blower selected (see installation manual e and remote blowers  6" side/rear transition  Rectangular 1 %"×19" transition to 6" round for side, down and rear exhaust applications		•	•	•
-	CVTSIDE8	8" side/rear transition Rectangular 1%"×19" transition to 8" round for side, down and rear exhaust applications	\$296	•	•	•
-6	CVTSIDE10	10" side/rear transition Rectangular 1 ½ "×19" transition to 10" round for side, down and rear exhaust applications	\$296	•	•	•
0	CVTFRONT6	6" round front plate Front rough-in plate for front downward exhaust applications	\$148	•	•	•
0	CVTFRONT8	8" round front plate Front rough-in plate for front downward exhaust applications	\$148	•	•	•
0	CVTFRONT10	10" round front plate Front rough-in plate for front downward exhaust applications	\$148	•	•	•
	CVDUCT2	2' rectangular duct Rectangular duct that is 2' long × 1 % " deep × 19" wide (CVDUCT2) required to conn CVTRECT2 to downdraft housing. Ability to use as an extens exhaust through a cabinet or wall. To modify length, duct may cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to nect CVTRECT2 to round ductwork	ion to be	•	•	•
	CVTRECT2	Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	\$148	•	•	•

Model Number PRICE Description

Accessorie	es		Integrated	-	Inline	1	Kemote	DIOWEIS			
			VTD600P	VTI610W/ <b>VTI1FZ</b>	VTI1010W/ <b>VI2FZ</b>	VTR630W/ <b>VTR1FZ</b>	VTR1030W/ <b>VTR2FZ</b>	VTR1330W	UCVM30XS	UCVM36XS	UCVP36XS
	<ul> <li>25-ft. extension of hood and inline of</li> <li>Supports PHxxxV HPINxxWS, UCV</li> </ul>	25-ft. extension cable for use between hood and inline or remote blower  Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.  • Cannot join two cables together for longer length.  • For use with blowers/new blowers launching late Q3 VTI610W/VTI1FZ, VTI1010W/VI2FZ, VTR630W/VTR1FZ, VTR1030W/VTR2FZ, VTR1330W									
70	EXTNCB25W	25-ft Remote & Inline Blower \$178 Extension Cable		•	•	•	•	•	•	•	•
() ]	EXTNSET4	3-pc extension set for Inline and \$236 remote blowers			•	•	•	•			
	For use with 30"     UCVM30XS, 36"     UCVP36XS     downdraft models     Cable connects a remotely located cal panel to the during remote an blower motor instapplications	<ul> <li>Cable provides ability to connect electrical panel to the downdraft from a remote location with only</li> <li>Sefect during installation applications with downward duct discharge so the electrical panel is out of the way</li> <li>Extends electrical panel cable an additional 5'</li> <li>Ability to connect two cables together to make a 10' cable</li> <li>Not to be used to connect the downdraft with inline and remote blowers</li> </ul>									
Son	EXTNCE5	5' Electrical Panel Extension Cable \$296 for Downdraft. For UCVM30XS, UCVP36XS downdrafts								•	•
	Roof Plates NOTE: Roof plate r RFPLT600P	equired for roof-mount application of remote blowers.  \$193  Roof mounting plate for  VTR630W <sup>1</sup> and, <b>NEW Remote blower VTR1FZ</b> <sup>2</sup>				•					
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W³, and \$236  NEW Remote blower VTR2FZ⁴					•				

<sup>1</sup> Discontinues Q3. 2 Available Late Q3 3 Both discontinue Q3.

<sup>4</sup> Available Late Q3

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



#### **BUILT-IN DISHWASHERS**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number

Description

PRICE

#### All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- · Concealed controls
- Black-shimmer racks with 3-Step adjustment
- · A highly flexible racking system
- · 16 place settings
- · Extra-Tall-Item Sprinkler
- 18/10 Stainless steel TallTub
- ENERGY STAR® certified
- Powerfully Quiet<sup>®</sup> operation
- · Sens-a-Wash®

- · Advanced Triple Filtration System
- · Hidden Heating Element
- · Leak Sensor and Auto Shut off
- · Connected Experience

app compatibility

O Home Connect
 Wi-Fi enabled/Home Connect

Wash Cycles:

- Normal
- Auto
- · Pots and Pans
- Quick
- Rinse

#### Options:

- PowerBoost<sup>®</sup>
- · 24-hour Delay Start
- · Half Load
- · Remote Start (Connected)
- Sanitize (NSF certified to remove up to 99.9% of bacteria)

#### **Emerald Series**

- 48 dBA
- Chef's Tool Drawer™ (third rack)

DWHD560CFM

- Blue PowerBeam® "on" indicator
- Touch Controls
- Additional Options:
- · Extra Dry



24" Masterpiece<sup>®</sup> Stainless Steel Emerald<sup>®</sup> \$2,125

<u>DWHD560CFP</u> 24" Professional Stainless Steel Emerald<sup>®</sup> \$2,125

<u>DWHD560CPR</u> 24" Custom Panel Emerald®

(Requires Custom Panel)



\$2,125

\$3,014

\$3,014



DWHD560CFP



DWHD560CPR



# Sapphire® Series

- 44 dBA
- Adjustable Chef's Tool Drawer™ (third rack)
- Flexible folding tines
- · Touch Controls
- Time remaining PowerBeam<sup>®</sup> indicator
- Sapphire Glow<sup>®</sup> Interior Light
- Crystal Protect<sup>®</sup> water softener system
- Additional Wash Cycles:
- 1 hour

# Additional Options:

 StarDry<sup>™</sup> – with Zeolite<sup>™</sup>, an exclusive Thermador drying solution



DWHD760CFM



DWHD760CFP



DWHD760CPR



<u>DWHD760CFM</u> 24" Masterpiece® Stainless Steel Sapphire® \$3,014

<u>DWHD760CFP</u> 24" Professional Stainless Steel Sapphire®

<u>DWHD760CPR</u> 24" Custom Panel Sapphire® (Requires Custom Panel)

Number Description PRICE

- 42 dBA
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- Entertainer's Drawer (third rack)
- · 18 wine glass capacity
- · Flexible folding tines
- Time remaining PowerBeam<sup>®</sup> indicator

- Premium Capacitive Touch Controls
- StarGlow interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect™ app
- Crystal Protect® water softener system

#### Additional Wash Cycles:

- Glass
- 1 Hour

#### Additional Options:

- Save Time
- StarDry<sup>™</sup> with Zeolite<sup>™</sup>, an exclusive Thermador drying solution

# Star Sapphire® Series



DWHD770CFM



DWHD770CFP



DWHD770CPR




DWHD770CFM 24" Masterpiece® Stainless Steel Star Sapphire® \$3,754

DWHD770CFP 24" Professional Stainless Steel Star Sapphire® \$3,754

DWHD770CPR 24" Custom Panel Star Sapphire® \$3,754

(Requires Custom Panel)



The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# **THERMADOR LISTA DE PRECIOS 2023**

# **TÉRMINOS Y CONDICIONES**

- Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dolaresamericanos o pesos mexicanos al tipo de cambio que HOMEA este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
- El flete en todos los casos es por cobrar, con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de \$500.00 USD + IVA.
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancia recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Para órdenes de producto especiales o manterial SKU será necesario un anticipo del 50%.

# **DEVOLUCIONES**

- Toda la devolución debe tener una autorización previa por escrito por parte de HOMEA
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causará un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.
- No se aceptan devoluciones despúes de 30 días de haber recibido el material.
- •No se aceptan devoluciones de productos que no son SKU.



# **HOMEA**

www.homea.mx

Email: ventas@homea.mx Whatsapp: (442)258.0251

Tel: **(442)216.3552** 

Lada sin Costo: 01(800)701.2121