



# PRICE SCHEDULE MX

National Pricing Effective, 2025

**HOMEA**  
PREMIUM

**HOMEA**  
[www.homea.mx](http://www.homea.mx)  
Email: [ventas@homea.mx](mailto:ventas@homea.mx)  
Whatsapp: (446)144.6318  
Tel: (442)216.3552  
Lada sin Costo: 01(800)701.2121





## OUTDOOR PRICE SCHEDULE



## VQGI Outdoor 30/36/42/54" W. Gas Grills



VQGI5421

## VQGI Outdoor Gas Grills

## • 30" W. Grill - VQGI5301

- One cast brass burner and one ProSear 2™ Burner (48,000 BTUs)
- 840-sq.-in. cooking surface (600 primary, 240 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

## • 36" W. Grill - VQGI5361

- Two cast brass burners and one ProSear 2™ Burner (73,000 BTUs)
- 935-sq.-in. cooking surface (640 primary, 295 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

## • 42" W. Grill - VQGI5421

- Two cast brass burners and one ProSear 2™ Burner (total 73,000 BTUs)
- 1200-sq.-in. cooking surface (855 primary, 345 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (16,000 BTUs)

## • 54" W. Grill - VQGI5541

- Three cast brass burners and one ProSear 2™ Burner (98,000 BTUs)
- 1555-sq.-in. cooking surface (1110 primary, 445 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and 2 rear infrared burners (28,000 BTUs)
- Control illumination with blue LEDs
- Hot surface ignition system
- Dual halogen grill surface lights
- Temperature gauge
- Premium smoker box included
- Stainless steel grilling grates
- Ceramic Briquettes facilitate even radiant heat distribution
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

| Model     | Finish | Description   | USD      | WT lb (kg)  |
|-----------|--------|---|----------|-------------|
| VQGI5301L | SS     | 30" W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$7,344  | 231 (104.8) |
| VQGI5301N | SS     | 30" W. Built-in Grill with ProSear Burner and Rotisserie (Natural)    | \$7,344  | 231 (104.8) |
| VQGI5361L | SS     | 36" W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$10,214 | 278 (126.1) |
| VQGI5361N | SS     | 36" W. Built-in Grill with ProSear Burner and Rotisserie (Natural)    | \$10,214 | 278 (126.1) |
| VQGI5421L | SS     | 42" W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$11,273 | 338 (153.3) |
| VQGI5421N | SS     | 42" W. Built-in Grill with ProSear Burner and Rotisserie (Natural)    | \$11,273 | 338 (153.3) |
| VQGI5541L | SS     | 54" W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane) | \$13,536 | 421 (191.0) |
| VQGI5541N | SS     | 54" W. Built-in Grill with ProSear Burner and Rotisserie (Natural)    | \$13,536 | 421 (191.0) |

## ACCESSORIES

| Model   | Finish | Description                       | USD     | WT lb (kg) |
|---------|--------|-----------------------------------|---------|------------|
| VIJ5301 | N/A    | Insulated Jacket for 30" W. Grill | \$1,234 | 58 (26.3)  |
| VIJ5361 | N/A    | Insulated Jacket for 36" W. Grill | \$1,280 | 58 (26.3)  |
| VIJ5421 | N/A    | Insulated Jacket for 42" W. Grill | \$1,304 | 71 (32.2)  |
| VIJ5541 | N/A    | Insulated Jacket for 54" W. Grill | \$1,398 | 88 (39.9)  |

## VQGFS Outdoor 30/36/42/54" W. Gas Grills with Carts



VQGFS5421

## VQGFS Outdoor Gas Grills with Carts

## • 30" W. Grill and Cart - VQGFS5301

- One cast brass burner and one ProSear 2™ Burner (48,000 BTUs)
- 840-sq.-in. cooking surface (600 primary, 240 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

## • 36" W. Grill and Cart - VQGFS5361

- Two cast brass burners and one ProSear 2™ Burner (73,000 BTUs)
- 935-sq.-in. cooking surface (640 primary, 295 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

## • 42" W. Grill and Cart - VQGFS5421

- Two cast brass burners and one ProSear 2™ Burner (total 73,000 BTUs)
- 1200-sq.-in. cooking surface (855 primary, 345 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (16,000 BTUs)

## • 54" W. Grill and Cart - VQGFS5541

- Three cast brass burners and one ProSear 2™ Burner (98,000 BTUs)
- 1555-sq.-in. cooking surface (1110 primary, 445 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and 2 rear infrared burners (28,000 BTUs)
- Control illumination with blue LEDs
- Hot surface ignition system
- Dual halogen grill surface lights
- Temperature gauge
- Premium smoker box included
- Stainless steel grilling grates
- Ceramic Briquettes facilitate even radiant heat distribution
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

| Model      | Finish | Description   | USD      | WT lb (kg)  |
|------------|--------|---|----------|-------------|
| VQGFS5301L | SS     | 30" W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$8,360  | 352 (159.7) |
| VQGFS5301N | SS     | 30" W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)    | \$8,360  | 352 (159.7) |
| VQGFS5361L | SS     | 36" W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$12,510 | 403 (182.8) |
| VQGFS5361N | SS     | 36" W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)    | \$12,510 | 403 (182.8) |
| VQGFS5421L | SS     | 42" W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$13,536 | 524 (237.7) |
| VQGFS5421N | SS     | 42" W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)    | \$13,536 | 524 (237.7) |
| VQGFS5541L | SS     | 54" W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane) | \$16,894 | 627 (284.4) |
| VQGFS5541N | SS     | 54" W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)    | \$16,894 | 627 (284.4) |

## VQGSB Outdoor Gas Burner and VQGPB Outdoor Power Burner



VQGSB5131

**13" W. Double Side Burners**

- Two 15,000 BTU brass burners capable of delivering intense high heat and a low simmer
- Burners and burner basin are sealed and easy to clean
- Hot surface ignition system
- Control illumination with blue LEDs
- Stainless steel cover protects the burner(s) when not in use
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

| Model             | Finish | Description                            | USD     | WT lb (kg) |
|-------------------|--------|--|---------|------------|
| <b>VQGSB5131L</b> | SS     | 13" W. Double Side Burner (LP/Propane) | \$2,483 | 48 (21.8)  |
| <b>VQGSB5131N</b> | SS     | 13" W. Double Side Burner (Natural)    | \$2,483 | 48 (21.8)  |
| <b>VIJSB2</b>     | N/A    | Side Burner Insulated Jacket           | \$1,059 | 37 (16.8)  |



VQGPB5201

**20" W. Power Burner**

- Dual-ring cast brass burner
- Maximum heat control (3,000 BTU up to 46,000 BTU)
- Large stainless steel grate surface accommodates an oversized stockpot
- Removable center grate allows use of a commercial-style wok
- Hot surface ignition system
- Control illumination with blue LEDs
- Fully extendable drip pan
- Removable stainless steel cover protects the unit when not in use

| Model             | Finish | Description                        | USD     | WT lb (kg) |
|-------------------|--------|------------------------------------|---------|------------|
| <b>VQGPB5201L</b> | SS     | 20" W. Power Burner - (LP/Propane) | \$3,636 | 78 (35.9)  |
| <b>VQGPB5201N</b> | SS     | 20" W. Power Burner - (Natural)    | \$3,636 | 78 (35.9)  |
| <b>VIJPB</b>      | N/A    | Power Burner Insulated Jacket      | \$1,176 | 45 (20.4)  |

## VQEWD 30"W. Warming Drawer / 42"W. Convenience Center with Warming Drawer



VQEWD5301

**Outdoor 30"W. Warming Drawer**

- Temperature settings from 90° to 220° offer the flexibility needed to keep breads warm or poultry piping hot
- Equipped with two removable steam pans, lids and steam racks
- Moist and crisp settings allow you to keep food at the desired texture
- Concealed heating element allows you to use the drawer as a towel or robe warmer
- “On” indicator light reminds you that the drawer is on
- Weather resistant stainless steel construction and polished highlights



VQEWD5421

**Outdoor 42"W. Convenience Center with 30"W. Warming Drawer**

- Warming drawer, LP Tank Storage Cabinet and Utility Drawer in one convenient unit
- Sliding LP tank tray for safe and easy LP tank access
- Full width and depth utility drawer accommodates oversized grill tools, towels and condiments
- Temperature settings from 90° to 220° offer the flexibility needed to keep breads warm or poultry piping hot
- Warmer drawer is equipped with two removable steam pans, lids and steam racks
- Moist and crisp settings allow you to keep food at the desired texture
- Concealed heating element allows you to use the warming drawer as a towel or robe warmer
- “On” indicator light reminds you that the drawer is on
- Weather resistant stainless steel construction and polished headlights

| Model     | Finish | Description          | USD     | WT lb (kg) |
|-----------|--------|----------------------|---------|------------|
| VQEWD5301 | SS     | 30"W. Warming Drawer | \$3,508 | 75 (34.0)  |

## Accessories

## Outdoor Access Door and Drawers

| Model             | Finish | Description                               | USD     | WT lb (kg) |
|-------------------|--------|---|---------|------------|
| <b>VOADS5181</b>  | SS     | 18"W. Single Access Door                  | \$722   | 12 (5.4)   |
| <b>VOADS5241</b>  | SS     | 24"W. Single Access Door                  | \$824   | 20 (9.1)   |
| <b>VOADD5301</b>  | SS     | 30"W. Double Access Door                  | \$909   | 23 (10.4)  |
| <b>VOADD5361</b>  | SS     | 36"W. Double Access Door                  | \$1,070 | 30 (13.6)  |
| <b>VOADD5421</b>  | SS     | 42"W. Double Access Door                  | \$1,188 | 68 (30.8)  |
| <b>VODRD5191</b>  | SS     | 19"W. Double Drawers                      | \$2,374 | 68 (30.8)  |
| <b>VOADDR5301</b> | SS     | 30"W. Double Drawer and Access Door Combo | \$2,476 | 74 (33.6)  |
| <b>VOADDR5361</b> | SS     | 36"W. Double Drawer and Access Door Combo | \$2,730 | 84 (38.1)  |
| <b>VOADDR5421</b> | SS     | 42"W. Double Drawer and Access Door Combo | \$2,633 | 94 (42.6)  |

## Outdoor Grill Vinyl Covers

| Model          | Finish | Description                              | USD   | WT lb (kg) |
|----------------|--------|--|-------|------------|
| <b>CQ530BI</b> | N/A    | 30"W. Outdoor Built-In - Vinyl Cover     | \$312 | 4 (1.8)    |
| <b>CQ536BI</b> | N/A    | 36"W. Outdoor Built-In - Vinyl Cover     | \$327 | 4 (1.8)    |
| <b>CQ542BI</b> | N/A    | 42"W. Outdoor Built-In - Vinyl Cover     | \$337 | 5 (2.3)    |
| <b>CQ554BI</b> | N/A    | 54"W. Outdoor Built-In - Vinyl Cover     | \$406 | 6 (2.7)    |
| <b>CQ530C</b>  | N/A    | 30"W. Outdoor Freestanding - Vinyl Cover | \$407 | 9 (4.1)    |
| <b>CQ536C</b>  | N/A    | 36"W. Outdoor Freestanding - Vinyl Cover | \$418 | 9 (4.1)    |
| <b>CQ542C</b>  | N/A    | 42"W. Outdoor Freestanding - Vinyl Cover | \$476 | 10 (4.5)   |
| <b>CQ554C</b>  | N/A    | 54"W. Outdoor Freestanding - Vinyl Cover | \$547 | 12 (4.5)   |

## Outdoor Grill Wind Guards

| Model         | Finish | Description              | USD   | WT lb (kg) |
|---------------|--------|--------------------------|-------|------------|
| <b>WGO300</b> | N/A    | 30"W. Outdoor Wind Guard | \$252 | 18 (8.2)   |
| <b>WGO360</b> | N/A    | 36"W. Outdoor Wind Guard | \$264 | 22 (10.0)  |
| <b>WGO420</b> | N/A    | 42"W. Outdoor Wind Guard | \$262 | 25 (11.3)  |
| <b>WGO540</b> | N/A    | 54"W. Outdoor Wind Guard | \$331 | 31 (14.1)  |

## Outdoor Grill Accessories

| Model          | Finish | Description   | USD   | WT lb (kg) |
|----------------|--------|---|-------|------------|
| <b>LASK1</b>   | N/A    | Accessory Switch Kit - Switch & transformer to operate an accessory | \$153 | 8 (3.6)    |
| <b>LPEK1</b>   | N/A    | 12 foot extension cord between Grill and Accessory                  | \$54  | 1 (0.5)    |
| <b>PROLPK1</b> | N/A    | Professional Outdoor NG to LP Conv Kit                              | \$173 | 3 (1.4)    |
| <b>PRONGK1</b> | N/A    | Professional Outdoor LP to NG Conv Kit                              | \$98  | 3 (1.4)    |

## Outdoor Storage Drawers, Access Doors, and Accessories



SD5301



SD5361

**Built-In 30" and 36"W. Outdoor Storage Drawers**

- Commercial-type size, construction, design and styling
- Sealed for protection against the elements
- Stainless steel roller bearing glides
- Extra large capacity for storing BBQ tools, accessories and seasonings
- **SD5300** 30"W. model: 24 1/2"W. x 23"D. x 5 7/8"H. - 1.9 cu. ft.
- **SD5360** 36"W. model: 30 1/8"W. x 23"D. x 5 7/8"H. - 2.4 cu. ft.
- Can be built-in indoors as well as outdoors

| Model         | Finish | Description                     | USD     | WT lb (kg) |
|---------------|--------|---------------------------------|---------|------------|
| <b>SD5301</b> | SS     | 30"W. Storage Drawer – 5 Series | \$1,887 | 97 (43.5)  |
| <b>SD5361</b> | SS     | 36"W. Storage Drawer – 5 Series | \$2,122 | 112 (50.4) |

**Access Doors**

AD51620



AD52820

**• Rugged stainless steel construction**

- Stainless steel tubular handles
- Hidden pivot point hinges
- **AD51620**
  - Single Access Door
  - Each door is approximately 16"W. x 20"H.
  - Over all dimensions are approximately 20"W. x 23"H.
- **AD52820**
  - Double Access Door
  - Each door is approximately 14"W. x 20"H
  - Over all dimensions are approximately 32"W. x 23"H.

| Model          | Finish | Description                   | USD   | WT lb (kg) |
|----------------|--------|-------------------------------|-------|------------|
| <b>AD51620</b> | SS     | Single Access Door – 5 Series | \$646 | 50 (22.5)  |
| <b>AD52820</b> | SS     | Double Access Door – 5 Series | \$985 | 75 (32.8)  |

## VRUO and VDUO Outdoor Undercounter/Freestanding 24" W. Refrigerators



VRUO5241D

**24" W. Refrigerator with Interior Drawer**

- 5.1 cu. ft. capacity stores (146) 12-oz cans
- Easy access door storage accommodates tall bottles
- Cantilevered, fully adjustable stainless steel slide-out full width shelf
- Smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Also includes (1) roller-glide and (1) half-width cantilevered, fully adjustable perforated stainless steel shelf and (1) fixed steel-framed glass shelf
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet insulates cooling environment and conserves energy while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature 34°F to 60°F
- Features easy-to-use settings and options
- Corrosion-resistant stainless steel exterior and rugged stainless steel toe kick
- Bright Arctic White interior easily wipes clean
- Efficient Arctic White LED lighting brightly illuminates interior for better viewing of contents
- Stainless steel toe kick adjustable to 4" with leveling legs

| Model               | Finish | Description            | USD     | WT lb (kg) |
|---------------------|--------|------------------------|---------|------------|
| VRUO5241D<br>(R/L)* | SS     | Viking Door – 5 Series | \$5,455 | 160 (72.6) |

\*R = right hinge; L = left hinge



VDUO5241D

**24" W. Refrigerated Drawers**

- 5.0 cu. ft. capacity stores (108) 12-oz cans in two large-capacity roller-glide drawers
- Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet insulates cooling environment and conserves energy while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature 34°F to 60°F
- Features easy-to-use settings and options
- Drawer interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Efficient Arctic White LED lighting brightly illuminates interior for better viewing of contents
- Corrosion-resistant stainless steel exterior and rugged stainless steel toe kick
- Stainless steel toe kick adjustable to 4" with leveling legs

| Model     | Finish | Description | USD     | WT lb (kg) |
|-----------|--------|-------------|---------|------------|
| VDUO5241D | SS     | 5 Series    | \$6,691 | 160 (72.6) |



## VENTILATION PRICE SCHEDULE



## VWH Built-In 10" H. Wall Hoods

**10" H. Interior-Power Hoods (460 CFM)**

- 460 CFM blower (variable speed ventilator controls; separate controls for on/off and speed control)
- 2 Halogen lights with dimmer control (separate controls for on/off and dimmer)
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model   | Finish | Description              | USD     | WT lb (kg) |
|---------|--------|--------------------------|---------|------------|
| VWH3010 | SS     | 30" W./21" D. – 5 Series | \$1,962 | 56 (25.2)  |
|         | ECF    |                          | \$3,893 |            |
| VWH3610 | SS     | 36" W./21" D. – 5 Series | \$2,158 | 60 (27.0)  |
|         | ECF    |                          | \$4,597 |            |

**10" H. Interior-Power Hoods – L Model (390 CFM)**

- 390 CFM blower (variable speed ventilator controls; separate controls for on/off and speed control)
- 2 Halogen lights with dimmer control (separate controls for on/off and dimmer)
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model    | Finish | Description              | USD     | WT lb (kg) |
|----------|--------|--------------------------|---------|------------|
| VWH3010L | SS     | 30" W./21" D. – 5 Series | \$1,962 | 56 (25.2)  |
|          | ECF    |                          | \$3,893 |            |
| VWH3610L | SS     | 36" W./21" D. – 5 Series | \$2,158 | 60 (27.0)  |
|          | ECF    |                          | \$4,597 |            |

**10" H. Interior-Power Hoods – M Model (300 CFM)**

- 300 CFM blower (variable speed ventilator controls; separate controls for on/off and speed control)
- 2 Halogen lights with dimmer control (separate controls for on/off and dimmer)
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model    | Finish | Description              | USD     | WT lb (kg) |
|----------|--------|--------------------------|---------|------------|
| VWH3010M | SS     | 30" W./21" D. – 5 Series | \$1,962 | 56 (25.2)  |
|          | ECF    |                          | \$3,893 |            |
| VWH3610M | SS     | 36" W./21" D. – 5 Series | \$2,158 | 60 (27.0)  |
|          | ECF    |                          | \$4,597 |            |

**Exclusive Color Finishes (ECF)** include Antique Bronze (AN), Blush (BH), Cast Black (CS), Daffodil (DA), Damascus Gray (DG), Eucalyptus (EU), Golden Hour (GH), Ivy (IV), Martini (MA), Nantucket (NA), November Sky (NS), Onyx (ON), Pure White (PW), Slate Blue (SB), Spiced Cider (SC), Splash (SP) Squall (SQ), and Valentine (VA)

## VWH Built-In 12"H. Wall Hoods and Recirculating Kits

**12"H. Interior-Power Hoods**

- 460 CFM blower
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Dishwasher-safe commercial-type SS baffle filters
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model            | Finish    | Description            | USD            | WT lb (kg) |
|------------------|-----------|------------------------|----------------|------------|
| <b>VWH530121</b> | <b>SS</b> | 30"W./21"D. – 5 Series | <b>\$2,355</b> | 56 (25.2)  |
|                  | ECF       |                        | \$4,245        |            |
| <b>VWH536121</b> | <b>SS</b> | 36"W./21"D. – 5 Series | <b>\$2,618</b> | 60 (27.0)  |
|                  | ECF       |                        | \$4,984        |            |

**Exclusive Color Finishes (ECF)** include Antique Bronze (AN), Blush (BH), Cast Black (CS), Daffodil (DA), Damascus Gray (DG), Eucalyptus (EU), Golden Hour (GH), Ivy (IV), Martini (MA), Nantucket (NA), November Sky (NS), Onyx (ON), Pure White (PW), Slate Blue (SB), Spiced Cider (SC), Splash (SP) Squall (SQ), and Valentine (VA)

**Brass Accent** – \$50 additional charge – add BB after color code

**Recirculating Hood Conversion Kit**

- For use with Professional 10"H. and 12"H. hoods only
- Includes charcoal filters, top vent/grille, and installation hardware
- Top vent/grille: 4"H. X 12"D.
- SS finish only

| Model        | Finish | Description    | USD   | WT lb (kg) |
|--------------|--------|----------------|-------|------------|
| <b>VRK30</b> | SS     | for 30"W. hood | \$814 | 13 (5.9)   |
| <b>VRK36</b> | SS     | for 36"W. hood | \$831 | 16 (7.3)   |

**Replacement Charcoal Filters**

- For use with VRK conversion kits
- Recommend replacement every 6-12 months

| Model        | Finish | Description                    | USD   | WT lb (kg) |
|--------------|--------|--------------------------------|-------|------------|
| <b>CFV13</b> | N/A    | 30" & 36"W. Professional hoods | \$140 | 2 (0.9)    |

## VWH Built-In 18" H./24" D. Wall Hoods

**Wall Hoods - 18" H. / 24" D.**

- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (250 watt heat lamp bulb not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model     | Finish | Description   | USD     | WT lb (kg) |
|-----------|--------|---|---------|------------|
| VWH530481 | SS     | 30" W. – 5 Series<br>Kit Compatibility: VINV300, VINV600, VINV1200, DEV900, DIL1200 | \$3,017 | 60 (27.0)  |
|           | ECF    |   | \$4,814 |            |
| VWH536481 | SS     | 36" W. – 5 Series<br>Kit Compatibility: VINV300, VINV600, VINV1200, DEV900, DIL1200 | \$3,243 | 68 (30.6)  |
|           | ECF    |   | \$5,159 |            |
| VWH548481 | SS     | 48" W. – 5 Series<br>Kit Compatibility: VINV1200, DEV15001, DIL1200                 | \$3,967 | 88 (39.6)  |
|           | ECF    |   | \$6,146 |            |
| VWH560481 | SS     | 60" W. – 5 Series<br>Kit Compatibility: VINV1200, DEV15001, DIL1200                 | \$5,149 | 108 (48.6) |
|           | ECF    |   | \$7,578 |            |

**Exclusive Color Finishes (ECF)** include Antique Bronze (AN), Blush (BH), Cast Black (CS), Daffodil (DA), Damascus Gray (DG), Eucalyptus (EU), Golden Hour (GH), Ivy (IV), Martini (MA), Nantucket (NA), November Sky (NS), Onyx (ON), Pure White (PW), Slate Blue (SB), Spiced Cider (SC), Splash (SP) Squall (SQ), and Valentine (VA)

**Brass Accent** – \$50 additional charge – add BB after color code

## DCW Duct Covers



## Duct Covers For Wall Hoods

- For use with all VWH models
- Extends height of hood by 12"; conceals duct
- 12"D.

| Model | Finish | Description         | USD     | WT lb (kg) |
|-------|--------|---------------------|---------|------------|
| DCW30 | SS     | for 30"W. VWH Hoods | \$506   | 10 (4.5)   |
|       | ECF    |                     | \$767   |            |
| DCW36 | SS     | for 36"W. VWH Hoods | \$534   | 11 (5.0)   |
|       | ECF    |                     | \$857   |            |
| DCW48 | SS     | for 48"W. VWH Hoods | \$572   | 14 (6.3)   |
|       | ECF    |                     | \$1,023 |            |
| DCW60 | SS     | for 60"W. VWH Hoods | \$1,035 | 24 (10.8)  |
|       | ECF    |                     | \$1,545 |            |

**Exclusive Color Finishes (ECF)** include Antique Bronze (AN), Blush (BH), Cast Black (CS), Daffodil (DA), Damascus Gray (DG), Eucalyptus (EU), Golden Hour (GH), Ivy (IV), Martini (MA), Nantucket (NA), November Sky (NS), Onyx (ON), Pure White (PW), Slate Blue (SB), Spiced Cider (SC), Splash (SP) Squall (SQ), and Valentine (VA)

## VCWH Built-In 18"H. Chimney Wall Hoods and DCCE Duct Cover Extensions

**Chimney Wall Hoods - 18"H. / 24"D.**

- Canopy only; must also purchase interior or exterior ventilator kit - sold separately
- Adjustable duct cover standard - for 8' to 9' ceilings
- Backlit LED knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (250 watt heat lamp bulb not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model     | Finish | Description  | USD     | WT lb (kg) |
|-----------|--------|--|---------|------------|
| VCWH53048 | SS     | 30"W. - 5 Series - Kit Compatibility:<br>VINV300, VINV600, DEV900, DIL1200 | \$3,597 | 120 (54.5) |
|           | ECF    |  | \$5,389 |            |
| VCWH53648 | SS     | 36"W. - 5 Series - Kit Compatibility:<br>VINV300, VINV600, DEV900, DIL1200 | \$3,696 | 127 (57.7) |
|           | ECF    |  | \$5,619 |            |
| VCWH54848 | SS     | 48"W. - 5 Series - Kit Compatibility:<br>VINV1200, DEV15001, DIL1200       | \$4,572 | 145 (65.8) |
|           | ECF    |  | \$6,747 |            |
| VCWH56048 | SS     | 60"W. - 5 Series - Kit Compatibility:<br>VINV1200, DEV15001, DIL1200       | \$5,550 | 160 (72.6) |
|           | ECF    |  | \$7,974 |            |

**Exclusive Color Finishes (ECF)** include Antique Bronze (AN), Blush (BH), Cast Black (CS), Daffodil (DA), Damascus Gray (DG), Eucalyptus (EU), Golden Hour (GH), Ivy (IV), Martini (MA), Nantucket (NA), November Sky (NS), Onyx (ON), Pure White (PW), Slate Blue (SB), Spiced Cider (SC), Splash (SP) Squall (SQ), and Valentine (VA)

**Brass Accent** - \$50 additional charge - add BB after color code

**Duct Cover Extensions**

- For use with professional chimney wall hoods
- Extend height of duct cover up to 12" (for 10' ceilings)
- Replaces adjustable duct cover insert; supplied standard with hood

| Model    | Finish | Description                  | USD     | WT lb (kg) |
|----------|--------|------------------------------|---------|------------|
| DCCE1210 | SS     | for 30" and 36"W. VCWH hoods | \$399   | 6 (2.7)    |
|          | ECF    |                              | \$880   |            |
| DCCE1810 | SS     | for 48"W. VCWH hoods         | \$411   | 8 (3.6)    |
|          | ECF    |                              | \$1,023 |            |
| DCCE2410 | SS     | for 60"W. VCWH hoods         | \$546   | 11 (4.9)   |
|          | ECF    |                              | \$933   |            |

**Exclusive Color Finishes (ECF)** include Antique Bronze (AN), Blush (BH), Cast Black (CS), Daffodil (DA), Damascus Gray (DG), Eucalyptus (EU), Golden Hour (GH), Ivy (IV), Martini (MA), Nantucket (NA), November Sky (NS), Onyx (ON), Pure White (PW), Slate Blue (SB), Spiced Cider (SC), Splash (SP) Squall (SQ), and Valentine (VA)

## VBCV Built-In Wall Custom Ventilator Systems



## Built-In Custom Ventilator Systems

- For use with custom wall hoods
- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
- Backlit LED Knobs extend and illuminate to control lighting level and ventilation speed
- Dimmable LED lighting is energy efficient and easily replaceable
- Heat lamps standard (bulbs not included)
- High-shelf (with cooking product) or warming shelf panel should be installed for use with heat lamp
- Dishwasher-safe commercial-type SS baffle filters with handles
- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

| Model            | Finish | Description   | USD     | WT lb (kg) |
|------------------|--------|---|---------|------------|
| <b>VBCV53638</b> | N/A    | 36"W./18"H./22"D. – 5 Series Kit<br>Compatibility:<br>VINV300, VINV600, DEV900, DIL1200 | \$2,325 | 68 (30.6)  |
| <b>VBCV54838</b> | N/A    | 48"W./18"H./22"D. – 5 Series Kit<br>Compatibility:<br>VINV1200, DEV15001, DIL1200       | \$2,692 | 88 (39.6)  |
| <b>VBCV56038</b> | N/A    | 60"W./18"H./22"D. – 5 Series Kit<br>Compatibility:<br>VINV1200, DEV15001, DIL1200       | \$3,300 | 108 (48.6) |

## Hood Accessories and Ventilator Kits

## Interior Power Ventilator Kits and Accessories

| Model    | Finish | Description         | USD     | WT lb (kg) |
|----------|--------|---------------------|---------|------------|
| VINV300  | N/A    | 300 CFM – 5 Series  | \$860   | 14 (6.4)   |
| VINV600  | N/A    | 600 CFM – 5 Series  | \$944   | 27 (12.3)  |
| VINV1200 | N/A    | 1200 CFM – 5 Series | \$1,726 | 43 (19.4)  |

## Exterior Power Ventilator Kits

| Model    | Finish | Description         | USD     | WT lb (kg) |
|----------|--------|---------------------|---------|------------|
| DEV900   | N/A    | 900 CFM – 5 Series  | \$1,678 | 42 (19.1)  |
| DEV15001 | N/A    | 1500 CFM – 5 Series | \$2,411 | 47 (21.3)  |

## In-Line Blower Kits and Accessories

| Model   | Finish | Description                          | USD     | WT lb (kg) |
|---------|--------|--------------------------------------|---------|------------|
| DIL1200 | N/A    | 1200 CFM – 5 Series                  | \$2,145 | 37 (16.8)  |
| VSL10   | N/A    | Duct Silencer Accessory for 10" duct | \$685   | 36 (16.3)  |
| ILVK    | N/A    | Vibration Isolator Kit Accessory     | \$204   | 2 (0.9)    |
| G6MD    | N/A    | Universal Make-up Air Damper         | \$395   | 4 (1.8)    |
| G8MD    | N/A    | Universal Make-up Air Damper         | \$453   | 5 (2.3)    |



## Backsplashes (Wall Hoods)

- Hemmed edges with screw holes
- Fastening screws included
- 30"H.
- Stainless steel only

| Model | Finish | Description | USD   | WT lb (kg) |
|-------|--------|-------------|-------|------------|
| BKS30 | SS     | 30"W.       | \$339 | 7 (3.2)    |
| BKS36 | SS     | 36"W.       | \$423 | 9 (4.1)    |
| BKS48 | SS     | 48"W.       | \$541 | 14 (6.3)   |
| BKS60 | SS     | 60"W.       | \$646 | 20 (9.0)   |



## Warming Shelf Panels (Wall Hoods)

- Fold up/down heavy-duty shelves (not removable) factory installed on SS backsplash
- Fastening screws included
- Two-piece assembly
- 30"H.
- Stainless steel only

| Model | Finish | Description         | USD     | WT lb (kg) |
|-------|--------|---------------------|---------|------------|
| WGP30 | SS     | 30"W. – One shelf   | \$795   | 9 (4.1)    |
| WGP36 | SS     | 36"W. – Two shelves | \$855   | 12 (5.4)   |
| WGP48 | SS     | 48"W. – Two shelves | \$1,135 | 16 (7.2)   |

## VDD Built-In Rear Downdrafts

**18" H. Downdraft**

- Raises and lowers chimney at touch of a button
- **NEW** 18" rise
- Capacitive touch controls
- Two level LED surface lighting
- Heat sensor automatically turns ventilators on full power
- Four fan speeds
- Two removable, easy-to-clean mesh filters
- Flashing light reminds user to clean filters after approximately 30 hours of use
- Choose interior or exterior ventilator kit (sold separately)
- Downdraft should not be used with griddle model cooking products

| Model          | Finish | Description      | USD     | WT lb (kg) |
|----------------|--------|------------------|---------|------------|
| <b>VDD5300</b> | SS     | 30"W. – 5 Series | \$3,112 | 65 (29.5)  |
| <b>VDD5360</b> | SS     | 36"W. – 5 Series | \$3,369 | 71 (32.2)  |
| <b>VDD5480</b> | SS     | 48"W. – 5 Series | \$3,741 | 80 (36.3)  |

**Interior Power Ventilator Kit**

| Model          | Finish | Description           | USD   | WT lb (kg) |
|----------------|--------|-----------------------|-------|------------|
| <b>VDVI600</b> | N/A    | Flex Blower – 600 CFM | \$816 | 31 (14.1)  |

**Exterior Power Ventilator Kits**

| Model           | Finish | Description | USD     | WT lb (kg) |
|-----------------|--------|-------------|---------|------------|
| <b>VDVE900</b>  | N/A    | 900 CFM     | \$1,385 | 42 (18.9)  |
| <b>DEV15001</b> | N/A    | 1500 CFM    | \$2,411 | 47 (21.3)  |

| Model              | Finish | Description   | USD   | WT lb (kg) |
|--------------------|--------|---|-------|------------|
| <b>ARKD</b>        | N/A    | Non-duct recirculation kit                          | \$885 | 5 (2.3)    |
| <b>BPFD</b>        | N/A    | Non-duct filter replacement                         | \$216 | 1 (0.5)    |
| <b>HATKD8</b>      | N/A    | Transition to 8" round                              | \$301 | 3 (1.4)    |
| <b>HATKD10</b>     | N/A    | Transition to 10" round                             | \$301 | 3 (1.4)    |
| <b>RCVD8</b>       | N/A    | Front panel rough-in for remote flex blower 8"      | \$199 | 2 (0.9)    |
| <b>RCVD10</b>      | N/A    | Front panel rough-in for remote blower 10" and VEDV | \$199 | 2 (0.9)    |
| <b>VACE36</b>      | N/A    | End Caps for 30-3/4 and 36-3/4"W. cooktop           | \$211 | 1 (0.5)    |
| <b>AXKD2</b>       | N/A    | 2' of flexible duct                                 | \$216 | 3 (1.4)    |
| <b>AXD5</b>        | N/A    | Extension Cable (For flex blower remote use)        | \$159 | 1 (0.5)    |
| <b>FSVDD30SS</b>   | N/A    | Filler strip for 30" VEC and VIC cooktop            | \$216 | 3 (1.4)    |
| <b>FSVDD36SS</b>   | N/A    | Filler strip for 36" VEC and VIC cooktop            | \$216 | 3 (1.4)    |
| <b>FSVRVDD30SS</b> | N/A    | Filler strip for 30" range/rangetop                 | \$216 | 3 (1.4)    |
| <b>FSVRVDD36SS</b> | N/A    | Filler strip for 36" range/rangetop                 | \$216 | 3 (1.4)    |
| <b>FSVRVDD48SS</b> | N/A    | Filler strip for 48" range/rangetop                 | \$216 | 3 (1.4)    |

## Hood Data

| Hood Styles   | Interior Ventilator |         |          | Exterior and In-Line Ventilators |         |          |
|---|---------------------|---------|----------|----------------------------------|---------|----------|
|   | VINV300             | VINV600 | VINV1200 | DEV900                           | DIL1200 | DEV15001 |
| <b>Professional wall hoods (24" D.)</b>                         |                     |         |          |                                  |         |          |
| VWH53048(1) - 30" W./18" H.                                     | X                   | X       | Q        | X                                | Q       |          |
| VWH53648(1) - 36" W./18" H.                                     | X                   | X       | Q        | X                                | Q       |          |
| VWH54848(1) - 48" W./18" H.                                     |                     |         | Q        |                                  | Q       | Q        |
| VWH56048(1) - 60" W./18" H.                                     |                     |         | Q        |                                  | Q       | Q        |
| <b>Professional chimney style wall hoods (24" D.)</b>           |                     |         |          |                                  |         |          |
| VCWH53048 - 30" W./18" H.                                       | X                   | X       |          | X                                | X       |          |
| VCWH53648 - 36" W./18" H.                                       | X                   | X       |          | X                                | Q       |          |
| VCWH54848 - 48" W./18" H.                                       |                     |         | Q        |                                  | Q       | Q        |
| VCWH56048 - 60" W./18" H.                                       |                     |         | Q        |                                  | Q       | Q        |
| <b>Professional wall hood custom ventilator systems (23"D.)</b> |                     |         |          |                                  |         |          |
| VBCV53638 - 36" W./18" H.                                       | X                   | X       |          | X                                | Q       |          |
| VBCV54838 - 48" W./18" H.                                       |                     |         | Q        |                                  | Q       | Q        |
| VBCV56038 - 60" W./18" H.                                       |                     |         | Q        |                                  | Q       | Q        |

X = can be used over cooking products that do **not** have char-grill feature  
 Q = can be used over **all** cooking products, including those with char-grill feature  
 TQ = can be used over outdoor grills (outdoor approved grills only)

## Hood Data

| Model Number                                | CFM  | Recommended Duct Size | Max Duct Run    | 120 V/60 Hz<br>Max Amps |
|---|------|-----------------------|-----------------|-------------------------|
| <b>FOR USE WITH HOODS</b>                   |      |                       |                 |                         |
| <b>VINV300</b> (interior)                   | 300  | 7" round              | 50 feet (15.2m) | –                       |
| <b>VINV600</b> (interior)                   | 600  | 7" round              | 50 feet (15.2m) | –                       |
| <b>DEV900</b> (exterior)                    | 900  | 10" round             | 50 feet (15.2m) | –                       |
| <b>VINV1200</b> (interior)                  | 1200 | 10" round             | 50 feet (15.2m) | –                       |
| <b>DEV15001</b> (exterior)                  | 1500 | 10" round             | 75 feet (22.9m) | –                       |
| <b>DIL1200</b> (in-line)                    | 1200 | 10" round             | 50 feet (15.2m) | –                       |
| <b>FOR USE WITH VDD 5 SERIES DOWNDRAFFS</b> |      |                       |                 |                         |
| <b>VDVI600</b> (interior)                   | 600  | 8" round              | 40 feet (12.2m) | 3.0                     |
| <b>VDVE900</b> (exterior)                   | 900  | 10" round             | 50 feet (15.2m) | 5.7                     |
| <b>DEV15001</b> (exterior)                  | 1500 | 10" round             | 75 feet (22.9m) | –                       |

**Proper Installation/Ducting Is Extremely Important To Ensure Maximum Performance From Any Ventilation Product**

- All CFMs stated based on tests with .1 static pressure: without applying static pressure (some brands consciously do not), CFM could be greatly overstated.
- Duct run length is for general reference only; for longer duct runs, increase duct size and contact a qualified and trained installer.
- Straight runs and gradual turns are best; for example, each 90° elbow is equivalent to 5-10 feet (1.52-3.05cm) of straight run.
- Never use flexible duct; it creates back pressure/air turbulence and greatly reduces performance.
- Proper performance is dependent upon proper ducting; make sure that a qualified and trained installer is used.
- Check with a qualified and trained installer or local codes for makeup air requirements, if any.
- Max. amp rating for hoods includes recommended ventilator kit rating; all products must be hard wired direct with 2-wire with ground
- A 1200 or 1500 CFM (if applicable) ventilator kit, or in-line blower should be used when installed over range/rangetops with gas char-grill.