

BRIZO®

KITCHEN

LISTA DE PRECIOS 2026

HOMEA
PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121



Kitchen Collections



Rook® 68



PC PN SS BL PG GL SL




Artesso® 14



PC PN SS BL RB GL



Tulham™ 74



PC PN SS BLBNX GLPG SL



Kintsu® 26



PC PN SS BL BNX GL



Litze® 34



PC PN SS BLGL GL



Frank Lloyd Wright®
by Brizo® 20



PC PN SS BNX GL



CR CT WD



Odin® 50



PC PN SS BL PG GL SL



MB CT WD BC



Jason Wu for Brizo™ 60



MW MWPN



MB PN CT PNWD BC

AVAILABLE FINISHES

- MATTE WHITE (MW)
- POLISHED CHROME (PC)
- BRILLIANCE® POLISHED NICKEL (PN)
- BRILLIANCE® LUXE NICKEL® (NK)
- BRILLIANCE® BRUSHED NICKEL (BN)
- BRILLIANCE® STAINLESS (SS)
- BRILLIANCE® POLISHED GOLD (PG)
- BRILLIANCE® LUXE GOLD® (GL)
- VENETIAN BRONZE® (RB)
- BRILLIANCE® LUXE STEEL® (SL)
- BRILLIANCE® BLACK ONYX (BNX)
- MATTE BLACK (BL)

- MATTE WHITE / BRILLIANCE® POLISHED NICKEL (MWPN)
- POLISHED CHROME / CLEAR (PCCL)
- BRILLIANCE® LUXE GOLD® / CLEAR (GLCL)
- POLISHED CHROME / WOOD (PCTK)
- BRILLIANCE® POLISHED NICKEL / WOOD (PNTK)
- BRILLIANCE® LUXE NICKEL® / WOOD (NKTK)
- BRILLIANCE® LUXE GOLD® / WOOD (GLTK)
- BRILLIANCE® LUXE GOLD® / BRILLIANCE® POLISHED GOLD (GLPG)
- BRILLIANCE® POLISHED NICKEL / COCOA BRONZE™ (PNCO)
- BRILLIANCE® LUXE NICKEL® / MATTE BLACK (NKBL)
- MATTE BLACK / BRILLIANCE® LUXE GOLD® (BLGL)
- MATTE BLACK / BRILLIANCE® LUXE STEEL® (BLSL)
- BRILLIANCE® BLACK ONYX / MATTE BLACK (BLBNX) OR (BNXBL)

HANDLE ACCENTS

- GLASS (CR)
- WHITE MARBLE (MB)
- BRILLIANCE® POLISHED NICKEL (PN)
- MOTHER OF PEARL (PL)
- CONCRETE (CT)
- SOLAR GREY GLASS
- WOOD (WD)
- MALACHITE (MC)
- BLACK CRYSTAL (BC)
- BRILLIANCE® POLISHED NICKEL / WOOD (PNWD)

New Frank Lloyd Wright® Pull-Down Kitchen and Pull-Down Prep Faucets with Square Spouts and Offset Lever Handles in Brilliance® Luxe Gold®



LATEST RELEASES

Ever surprising. Ever inspiring.

Breathtaking new statements. Complements to existing collections. And additional finishes across the board. Once again, we've expanded our portfolio with designs sure to inspire your newest vision.



For *the* kitchen

Frank Lloyd Wright® by Brizo® honors the architect's relentless spirit with a host of stylized silhouettes and uncommon accents. The Odin® Kitchen Collection welcomes new additions ranging from **new faucets** and **handles** to **outdoor offerings**. And the Kintsu® Kitchen Collection grows to include **Polished Nickel** among its finishes.



A LIFE *of*
BEAUTY, ON YOUR
OWN TERMS.



We believe fashion isn't a set of rules to be followed. It's the statement you make as you move through the world, the narrative you shape with every detail of your life. From the clothing you wear to the places you travel, the food you eat—and *yes*, the way you design your home—every detail should live in harmony.

Since our founding over 20 years ago, this philosophy has been our guiding light. We call it *living fashion*: the idea that every choice is an opportunity for self-expression, and every nuance helps tell your story. Because the one thing that can never be copied is staying true to yourself.

REIMAGINING
WHAT CAN BE
and CREATING
WHAT'S NEXT.

Our pioneering spirit doesn't stop at fashion-forward design. We've innovated every facet of the kitchen and bath experience—introducing thoughtfully engineered technologies that make everyday more efficient, more intuitive and ultimately, *more indulgent*.







KITCHEN



ARTESSO® KITCHEN COLLECTION

An industrial evolution.



The artisan tradition has never been more alluring. Tracing its visual inspiration to factories of the early 20th century, the Artesso® Kitchen Collection by Brizo® is a warmer, more refined take on the industrial aesthetic. An array of innovations, including a unique articulating architecture, MagneDock® Technology, and optional SmartTouch® Technology make the collection's functionality every bit the equal of its form.



Available Finishes



POLISHED CHROME (PC)



BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS (SS)



MATTE BLACK (BL)







VENETIAN BRONZE® (RB)







BRILLIANCE® LUXE GOLD® (GL)

KITCHEN FAUCETS



Item	Item No.	Price	Description	
 <p>Pull-Down Faucet</p>	63025LF-PC	1,267.88	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 16 1/8", spout outlet to deck = 8 19/32", spout reach = 8 3/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63025LF-PN	1,521.92		
	63025LF-SS	1,584.56		
	63025LF-BL	1,584.56		
	63025LF-GL	1,838.60		
	63025LF-GL	1,838.60		
	63025LF-RB	1,965.04		



 <p>SmartTouch® Pull-Down Faucet</p>	64025LF-PC	1,557.88	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64025LF-PN	1,811.92		
	64025LF-SS	1,874.56		
	64025LF-BL	1,874.56		
	64025LF-GL	2,128.60		
	64025LF-GL	2,128.60		
	64025LF-RB	2,255.04		



 <p>Articulating Faucet</p>	63225LF-PC	1,441.88	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63225LF-PN	1,695.92		
	63225LF-SS	1,758.56		
	63225LF-BL	1,758.56		
	63225LF-GL	2,012.60		
	63225LF-GL	2,012.60		
	63225LF-RB	2,139.04		

 <p>SmartTouch® Articulating Faucet</p>	64225LF-PC	1,731.88	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64225LF-PN	1,985.92		
	64225LF-SS	2,048.56		
	64225LF-BL	2,048.56		
	64225LF-GL	2,302.60		
	64225LF-GL	2,302.60		
	64225LF-RB	2,429.04		



KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
	63125LF-PC	1,441.88	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible metal hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63125LF-PN	1,695.92		
	63125LF-SS	1,758.56		
	63125LF-BL	1,758.56		
	63125LF-GL	2,012.60		
	63125LF-RB	2,139.04		
<p>Articulating Faucet with Finished Hose</p>				


	64125LF-PC	1,731.88	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64125LF-PN	1,985.92		
	64125LF-SS	2,048.56		
	64125LF-BL	2,048.56		
	64125LF-GL	2,302.60		
	64125LF-RB	2,429.04		
<p>SmartTouch® Articulating Faucet with Finished Hose</p>				

	62525LF-PC	1,662.28	<ul style="list-style-type: none"> • Includes matching metal side sprayer • 3-hole installation • Solid brass one-piece waterway • Ceramic cartridges • Overall height = 13 21/34", spout outlet to deck = 10 5/32", spout reach = 8 19/32", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	62525LF-PN	1,995.20		
	62525LF-SS	2,077.56		
	62525LF-BL	2,077.56		
	62525LF-GL	2,410.48		
	62525LF-RB	2,576.36		
<p>Bridge Faucet with Side Sprayer</p>				

PREP FAUCETS


Item	Item No.	Price	Description	
	63925LF-PC	1,267.88	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 3/8", spout reach = 7 9/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63925LF-PN	1,521.92		
	63925LF-SS	1,584.56		
	63925LF-BL	1,584.56		
	63925LF-GL	1,838.60		
	63925LF-RB	1,902.40		
<p>Pull Down Prep Faucet</p>				

PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
 <p>SmartTouch® Pull-Down Prep Faucet</p>	64925LF-PC	1,557.88	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64925LF-PN	1,811.92	
	64925LF-SS	1,874.56	
	64925LF-BL	1,874.56	
	64925LF-GL	2,128.60	
	64925LF-RB	2,192.40	




BAR FAUCET

Item	Item No.	Price	Description
 <p>Bar Faucet</p>	61025LF-PC	785.32	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 13 9/64", spout outlet to deck = 9 1/16", spout reach = 6 1/32", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61025LF-PN	941.92	
	61025LF-SS	981.36	
	61025LF-BL	981.36	
	61025LF-GL	1,139.12	
	61025LF-RB	1,216.84	




INSTANT HOT FAUCET

Item	Item No.	Price	Description
 <p>Instant Hot Faucet</p>	61325LF-H-PC	772.56	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61325LF-H-PN	926.84	
	61325LF-H-SS	966.28	
	61325LF-H-BL	966.28	
	61325LF-H-GL	1,120.56	
	61325LF-H-RB	1,197.12	




BEVERAGE FAUCET *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84–89)*

Item	Item No.	Price	Description
 <p>Beverage Faucet</p>	61325LF-C-PC	696.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61325LF-C-PN	835.20	
	61325LF-C-SS	870.00	
	61325LF-C-BL	870.00	
	61325LF-C-GL	1,009.20	
	61325LF-C-RB	1,078.80	





POT FILLER


Item	Item No.	Price	Description
 Wall Mount Pot Filler Faucet	62825LF-PC	1,498.72	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62825LF-PN	1,798.00	
	62825LF-SS	1,873.40	
	62825LF-BL	1,873.40	
	62825LF-GL	2,172.68	
	62825LF-RB	2,323.48	



ACCESSORIES *(for kitchen drains and additional accessories, see pages 94–97)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP75675PC	190.24	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP75675PN	228.52	
	RP75675SS	237.80	
	RP75675BL	237.80	
	RP75675GL	276.08	
	RP75675RB	294.64	

 Optional Escutcheon	RP71451PN	189.08	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 8" on center
	RP71451RB	213.44	
	RP71451GL	233.16	

 VoiceIQ™ Module	EP100854	284.20	<ul style="list-style-type: none"> • VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ™ module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines





KINTSU® KITCHEN COLLECTION

A matter of balance.

Essential, yet evolved. Organic, yet cultivated. Instinctive, yet refined. Contradictions create harmony in the Kintsu® Kitchen Collection by Brizo. Its fluid lines speak to minimalist sensibilities, while crafted touches reflect an artisanal soul. Uniting Japanese and Scandinavian influences, the collection truly embodies the beauty of balance.



Available Finishes



POLISHED CHROME
(PC-L)*



POLISHED NICKEL
(PN-L)*



STAINLESS
(SS-L)*



MATTE BLACK
(BL)




BLACK ONYX
(BNX-L)*




LUXE GOLD®
(GL-L)*



*FEATURES LUMICOAT® TECHNOLOGY

KITCHEN FAUCETS

Item	Item No.	Price	Description
 <p>Widespread Pull-Down Faucet with Arc Spout - Less Handles</p>	62506LF-PNLHP-L	1,300.36	<ul style="list-style-type: none"> • MagneDock® Technology - magnetic wand docking system • Ceramic cartridge • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 3-hole installation • Overall height = 16 1/8", spout outlet to deck = 9 1/8", spout reach = 9 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLES SEPARATELY
	62506LF-PCLHP-L	1,083.44	
	62506LF-SSLHP-L	1,354.88	
	62506LF-BLLHP	1,408.24	
	62506LF-BNXLHP-L	1,462.76	
	62506LF-GLLHP-L	1,625.16	


 <p>Widespread Pull-Down Faucet with Square Spout - Less Handles</p>	62507LF-PNLHP-L	1,300.36	<ul style="list-style-type: none"> • MagneDock® Technology - magnetic wand docking system • Ceramic cartridge • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 3-hole installation • Overall height = 15 15/16", spout outlet to deck = 9 7/8", spout reach = 9 5/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLES SEPARATELY
	62507LF-PCLHP-L	1,083.44	
	62507LF-SSLHP-L	1,354.88	
	62507LF-BLLHP	1,408.24	
	62507LF-BNXLHP-L	1,462.76	
	62507LF-GLLHP-L	1,625.16	

HANDLE KITS: *Widespread Pull-Down Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
 <p>Lever</p>	HK006-PN-L	230.84	 <p>Knob</p>	HK007-PN-L	269.12	<ul style="list-style-type: none"> • Handles are ADA compliant • Model number = one pair of handles • L = Lumicoat® Technology
	HK006-PC-L	192.56		HK007-PC-L	223.88	
	HK006-SS-L	241.28		HK007-SS-L	279.56	
	HK006-BL	250.56		HK007-BL	291.16	
	HK006-BNX-L	259.84		HK007-BNX-L	302.76	
	HK006-GL-L	288.84		HK007-GL-L	336.40	




KITCHEN FAUCETS (continued)

Item	Item No.	Price	Description
 <p>Pull-Down Faucet with Arc Spout - Less Handle</p>	63006LF-PNLHP-L	842.16	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 16 3/16", spout outlet to deck = 9", spout reach = 9 5/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLE SEPARATELY
	63006LF-PCLHP-L	701.80	
	63006LF-SSLHP-L	876.96	
	63006LF-BLLHP	947.72	
	63006LF-BNXLHP-L	1,017.32	
	63006LF-GLLHP-L	1,053.28	


KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
	64006LF-PNLHP-L	1,132.16	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64006LF-PCLHP-L	991.80	
	64006LF-SSLHP-L	1,166.96	
	64006LF-BLLHP	1,237.72	
	64006LF-BNXLHP-L	1,307.32	
	64006LF-GLLHP-L	1,343.28	

SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle


	63007LF-PNLHP-L	842.16	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 16 1/8", spout outlet to deck = 10", spout reach = 9 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLE SEPARATELY
	63007LF-PCLHP-L	701.80	
	63007LF-SSLHP-L	876.96	
	63007LF-BLLHP	947.72	
	63007LF-BNXLHP-L	1,017.32	
	63007LF-GLLHP-L	1,053.28	

Pull-Down Faucet with Square Spout - Less Handle

	64007LF-PNLHP-L	1,132.16	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64007LF-PCLHP-L	991.80	
	64007LF-SSLHP-L	1,166.96	
	64007LF-BLLHP	1,237.72	
	64007LF-BNXLHP-L	1,307.32	
	64007LF-GLLHP-L	1,343.28	


SmartTouch® Pull-Down Faucet with Square Spout - Less Handle


PREP FAUCETS


Item	Item No.	Price	Description
	63906LF-PNLHP-L	842.16	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 1/16", spout outlet to deck = 7 13/16", spout reach = 7 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLE SEPARATELY
	63906LF-PCLHP-L	701.80	
	63906LF-SSLHP-L	876.96	
	63906LF-BLLHP	947.72	
	63906LF-BNXLHP-L	1,017.32	
	63906LF-GLLHP-L	1,053.28	

Pull-Down Prep Faucet with Arc Spout - Less Handle



PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
	64906LF-PNLHP-L	1,132.16	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64906LF-PCLHP-L	991.80	
	64906LF-SSLHP-L	1,166.96	
	64906LF-BLLHP	1,237.72	
	64906LF-BNXLHP-L	1,307.32	
	64906LF-GLLHP-L	1,343.28	
<p>SmartTouch® Pull-Down Prep Faucet with Arc Spout - Less Handle</p>			

	63907LF-PNLHP-L	842.16	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 1/16", spout outlet to deck = 7 13/16", spout reach = 7 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLE SEPARATELY
	63907LF-PCLHP-L	701.80	
	63907LF-SSLHP-L	876.96	
	63907LF-BLLHP	947.72	
	63907LF-BNXLHP-L	1,017.32	
	63907LF-GLLHP-L	1,053.28	
<p>Pull-Down Prep Faucet with Square Spout - Less Handle</p>			


	64907LF-PNLHP-L	1,132.16	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64907LF-PCLHP-L	991.80	
	64907LF-SSLHP-L	1,166.96	
	64907LF-BLLHP	1,237.72	
	64907LF-BNXLHP-L	1,307.32	
	64907LF-GLLHP-L	1,343.28	
<p>SmartTouch® Pull-Down Prep Faucet with Square Spout - Less Handle</p>			

HANDLE KITS: *Pull-Down and Prep Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
	HLK006-PN-L	192.56		HLK007-PN-L	230.84	<ul style="list-style-type: none"> • Handles are ADA compliant • L = Lumicoat® Technology
	HLK006-PC-L	160.08		HLK007-PC-L	192.56	
	HLK006-SS-L	200.68		HLK007-SS-L	241.28	
	HLK006-BL	207.64		HLK007-BL	250.56	
	HLK006-BNX-L	215.76		HLK007-BNX-L	259.84	
	HLK006-GL-L	240.12		HLK007-GL-L	288.84	
Lever			Knob			



BAR FAUCETS



Item	Item No.	Price	Description
	61006LF-PNLHP-L	689.04	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	61006LF-PCLHP-L	574.20	
	61006LF-SSLHP-L	718.04	
	61006LF-BLLHP	774.88	
	61006LF-BNXLHP-L	832.88	
	61006LF-GLLHP-L	861.88	

Bar Faucet with Arc Spout - Less Handle

	61007LF-PNLHP-L	689.04	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 3/8", spout to deck = 8 9/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	61007LF-PCLHP-L	574.20	
	61007LF-SSLHP-L	718.04	
	61007LF-BLLHP	774.88	
	61007LF-BNXLHP-L	832.88	
	61007LF-GLLHP-L	861.88	

Bar Faucet with Square Spout - Less Handle

HANDLE KITS: *Bar Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
	HLB006-PN-L	153.12		HLB007-PN-L	230.84	<ul style="list-style-type: none"> • Handles are ADA compliant • L = Lumicoat® Technology
	HLB006-PC-L	127.60		HLB007-PC-L	192.56	
	HLB006-SS-L	160.08		HLB007-SS-L	241.28	
	HLB006-BL	165.88		HLB007-BL	250.56	
	HLB006-BNX-L	172.84		HLB007-BNX-L	259.84	
	HLB006-GL-L	191.40		HLB007-GL-L	288.84	

Lever

Knob




INSTANT HOT FAUCETS

Item	Item No.	Price	Description
	61306LF-H-PN-L	764.44	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 5/8", spout to deck = 6 3/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • L = Lumicoat® Technology • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61306LF-H-PC-L	636.84	
	61306LF-H-SS-L	795.76	
	61306LF-H-BL	859.56	
	61306LF-H-BNX-L	923.36	
	61306LF-H-GL-L	955.84	

Instant Hot Faucet with Arc Spout




INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description
 <p>Instant Hot Faucet with Square Spout</p>	61307LF-H-PN-L	764.44	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 7/16", spout to deck = 6 5/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness L = Lumicoat® Technology Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61307LF-H-PC-L	636.84	
	61307LF-H-SS-L	795.76	
	61307LF-H-BL	859.56	
	61307LF-H-BNX-L	923.36	
	61307LF-H-GL-L	955.84	



BEVERAGE FAUCETS *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84-89)*


Item	Item No.	Price	Description
 <p>Beverage Faucet with Arc Spout</p>	61306LF-C-PN-L	764.44	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain L = Lumicoat® Technology Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61306LF-C-PC-L	636.84	
	61306LF-C-SS-L	795.76	
	61306LF-C-BL	859.56	
	61306LF-C-BNX-L	923.36	
	61306LF-C-GL-L	955.84	



 <p>Beverage Faucet with Square Spout</p>	61307LF-C-PN-L	764.44	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain L = Lumicoat® Technology Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61307LF-C-PC-L	636.84	
	61307LF-C-SS-L	795.76	
	61307LF-C-BL	859.56	
	61307LF-C-BNX-L	923.36	
	61307LF-C-GL-L	955.84	




POT FILLERS

Item	Item No.	Price	Description
 <p>Wall Mount Pot Filler with Lever Handle</p>	62806LF-PN-L	1,300.36	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only L = Lumicoat® Technology Spout reach = 20 1/2"
	62806LF-PC-L	1,083.44	
	62806LF-SS-L	1,354.88	
	62806LF-BL	1,462.76	
	62806LF-BNX-L	1,570.64	
	62806LF-GL-L	1,625.16	




POT FILLERS *(continued)*

Item	Item No.	Price	Description
	62807LF-PN-L	1,300.36	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • L = Lumicoat® Technology • Spout reach = 20 1/2"
	62807LF-PC-L	1,083.44	
	62807LF-SS-L	1,354.88	
	62807LF-BL	1,462.76	
	62807LF-BNX-L	1,570.64	
	62807LF-GL-L	1,625.16	




Wall Mount Pot Filler
with Knob Handle


ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
	695306-PN-L	269.12	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck • L = Lumicoat® Technology
	695306-PC-L	223.88	
	695306-SS-L	279.56	
	695306-BL	302.76	
	695306-BNX-L	324.80	
	695306-GL-L	336.40	

Soap/Lotion Dispenser

	690106-PN-L	306.24	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 8" on center • L = Lumicoat® Technology
	690106-PC-L	255.20	
	690106-SS-L	319.00	
	690106-BL	344.52	
	690106-BNX-L	370.04	
	690106-GL-L	382.80	

Optional Escutcheon

	EP100854	284.20	<ul style="list-style-type: none"> • VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines
---	----------	--------	---

VoiceIQ® Module

HARDWARE

Item	Item No.	Price	Description
	699206-PC	55.68	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction
	699206-BL	69.60	
	699206-BNX	75.40	
	699206-NK	77.72	
	699206-GL	81.20	


Drawer Knob

	699207-PC	55.68	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction
	699207-BL	69.60	
	699207-BNX	75.40	
	699207-NK	77.72	
	699207-GL	81.20	

Bin Knob

	699106-PC	69.60	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction • 4" center to center distance
	699106-BL	87.00	
	699106-BNX	93.96	
	699106-NK	97.44	
	699106-GL	100.92	

Drawer Pull

	699107-PC	69.60	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction • 4" center to center distance
	699107-BL	87.00	
	699107-BNX	93.96	
	699107-NK	97.44	
	699107-GL	100.92	

Bin Pull



LITZE® KITCHEN COLLECTION

Art meets craft.



The Litze® Kitchen Collection by Brizo® melds a clean, contemporary sensibility with a crafted style to strike the perfect balance. With three distinct spout options, a unique articulating architecture and two handle designs, the collection is a true study in form. And carefully chosen touches—including deliberately placed knurling details, MagneDock® Technology and optional SmartTouch® Technology—provide functional benefits while celebrating the beauty of craftsmanship.

Available Finishes



POLISHED CHROME (PC)



BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS (SS)






MATTE BLACK/ BRILLIANCE® LUXE GOLD® (BLGL)







BRILLIANCE® LUXE GOLD® (GL)

KITCHEN FAUCETS











Item	Item No.	Price	Description	
 <p>Semi-Professional Kitchen Faucet with Knurled Handle</p>	63343LF-PC	1,182.04	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 23 3/16", spout outlet to deck = 9 3/4", spout reach = 9 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs 	
	63343LF-PN	1,418.68		
	63343LF-SS	1,477.84		
	63343LF-BLGL	1,596.16		
	63343LF-GL	1,714.48		

 <p>SmartTouch® Semi-Professional Kitchen Faucet with Knurled Handle</p>	64343LF-PC	1,472.04	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model 	
	64343LF-PN	1,708.68		
	64343LF-SS	1,767.84		
	64343LF-BLGL	1,886.16		
	64343LF-GL	2,004.48		











 <p>Semi-Professional Kitchen Faucet with Industrial Handle</p>	63344LF-PC	1,182.04	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 23 3/16", spout outlet to deck = 9 3/4", spout reach = 9 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs 	
	63344LF-PN	1,418.68		
	63344LF-SS	1,477.84		
	63344LF-BLGL	1,596.16		
	63344LF-GL	1,714.48		

 <p>SmartTouch® Semi-Professional Kitchen Faucet with Industrial Handle</p>	64344LF-PC	1,472.04	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model 	
	64344LF-PN	1,708.68		
	64344LF-SS	1,767.84		
	64344LF-BLGL	1,886.16		
	64344LF-GL	2,004.48		



KITCHEN FAUCETS *(continued)*



Item	Item No.	Price	Description	
	63043LF-PC	1,162.32	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 16", spout outlet to deck = 8 3/8", spout reach = 8 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63043LF-PN	1,394.32		
	63043LF-SS	1,453.48		
	63043LF-BLGL	1,569.48		
	63043LF-GL	1,685.48		
<p>Pull Down Faucet with Arc Spout and Knurled Handle</p>				
	64043LF-PC	1,452.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64043LF-PN	1,684.32		
	64043LF-SS	1,743.48		
	64043LF-BLGL	1,859.48		
	64043LF-GL	1,975.48		
<p>SmartTouch® Pull-Down Faucet with Arc Spout and Knurled Handle</p>				
	63044LF-PC	1,162.32	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 16", spout outlet to deck = 8 3/8", spout reach = 8 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63044LF-PN	1,394.32		
	63044LF-SS	1,453.48		
	63044LF-BLGL	1,569.48		
	63044LF-GL	1,685.48		
<p>Pull Down Faucet with Arc Spout and Industrial Handle</p>				
	64044LF-PC	1,452.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64044LF-PN	1,684.32		
	64044LF-SS	1,743.48		
	64044LF-BLGL	1,859.48		
	64044LF-GL	1,975.48		
<p>SmartTouch® Pull-Down Faucet with Arc Spout and Industrial Handle</p>				
	63053LF-PC	1,162.32	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 14", spout outlet to deck = 8 1/2", spout reach = 9", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63053LF-PN	1,394.32		
	63053LF-SS	1,453.48		
	63053LF-BLGL	1,569.48		
	63053LF-GL	1,685.48		
<p>Pull Down Faucet with Square Spout and Knurled Handle</p>				



KITCHEN FAUCETS *(continued)*



Item	Item No.	Price	Description	
	64053LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64053LF-PN	1,684.32		
	64053LF-SS	1,743.48		
	64053LF-BLGL	1,859.48		
	64053LF-GL	1,975.48		
Smart Touch® Pull-Down Faucet with Square Spout and Knurled Handle				
	63054LF-PC	1,162.32	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Two-function pull-down wand: spray and stream I-hole installation Euro-motion ceramic valve with InnoFlex™ waterways Overall height = 14", spout outlet to deck = 8 1/2", spout reach = 9", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63054LF-PN	1,394.32		
	63054LF-SS	1,453.48		
	63054LF-BLGL	1,569.48		
	63054LF-GL	1,685.48		
Pull-Down Faucet with Square Spout and Industrial Handle				
	64054LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64054LF-PN	1,684.32		
	64054LF-SS	1,743.48		
	64054LF-BLGL	1,859.48		
	64054LF-GL	1,975.48		
Smart Touch® Pull-Down Faucet with Square Spout and Industrial Handle				
	63063LF-PC	1,162.32	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Two-function pull-down wand: spray and stream I-hole installation Euro-motion ceramic valve with InnoFlex™ waterways Overall height = 14 1/8", spout outlet to deck = 8 3/4", spout reach = 8 7/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63063LF-PN	1,394.32		
	63063LF-SS	1,453.48		
	63063LF-BLGL	1,569.48		
	63063LF-GL	1,685.48		
Pull-Down Faucet with Angled Spout and Knurled Handle				
	64063LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional voice activation technology (EPI00854) available for use with connected home devices. Optional A/C adapter EPI02157 For additional product details reference the non-SmartTouch® Technology model 	
	64063LF-PN	1,684.32		
	64063LF-SS	1,743.48		
	64063LF-BLGL	1,859.48		
	64063LF-GL	1,975.48		
Smart Touch® Pull-Down Faucet with Angled Spout and Knurled Handle				



KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
	63064LF-PC	1,162.32	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 14 1/8", spout outlet to deck = 8 3/4", spout reach = 8 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63064LF-PN	1,394.32		
	63064LF-SS	1,453.48		
	63064LF-BLGL	1,569.48		
	63064LF-GL	1,685.48		
<p>Pull-Down Faucet with Angled Spout and Industrial Handle</p>				











	64064LF-PC	1,452.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64064LF-PN	1,684.32		
	64064LF-SS	1,743.48		
	64064LF-BLGL	1,859.48		
	64064LF-GL	1,975.48		
<p>SmartTouch® Pull-Down Faucet with Angled Spout and Industrial Handle</p>				

	63243LF-PC	1,336.32	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.8 L/min @ 414 kPa 	
	63243LF-PN	1,603.12		
	63243LF-SS	1,670.40		
	63243LF-BLGL	1,803.80		
	63243LF-GL	1,937.20		
<p>Articulating Faucet with Knurled Handle</p>				











	64243LF-PC	1,626.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64243LF-PN	1,893.12		
	64243LF-SS	1,960.40		
	64243LF-BLGL	2,093.80		
	64243LF-GL	2,227.20		
<p>SmartTouch® Articulating Faucet with Knurled Handle</p>				

	63143LF-PC	1,336.32	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible metal hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa 	
	63143LF-PN	1,603.12		
	63143LF-SS	1,670.40		
	63143LF-BLGL	1,803.80		
	63143LF-GL	1,937.20		
<p>Articulating Faucet with Finished Hose and Knurled Handle</p>				



KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
 <p>Smart Touch® Articulating Faucet with Finished Hose and Knurled Handle</p>	64143LF-PC	1,626.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64143LF-PN	1,893.12		
	64143LF-SS	1,960.40		
	64143LF-BLGL	2,093.80		
	64143LF-GL	2,227.20		
 <p>Articulating Faucet with Industrial Handle</p>	63244LF-PC	1,336.32	<ul style="list-style-type: none"> • Articulating arm with 3 joints and semi-flexible hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63244LF-PN	1,603.12		
	63244LF-SS	1,670.40		
	63244LF-BLGL	1,803.80		
	63244LF-GL	1,937.20		
 <p>Smart Touch® Articulating Faucet with Industrial Handle</p>	64244LF-PC	1,626.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64244LF-PN	1,893.12		
	64244LF-SS	1,960.40		
	64244LF-BLGL	2,093.80		
	64244LF-GL	2,227.20		
 <p>Articulating Faucet with Finished Hose and Industrial Handle</p>	63144LF-PC	1,336.32	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible metal hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63144LF-PN	1,603.12		
	63144LF-SS	1,670.40		
	63144LF-BLGL	1,803.80		
	63144LF-GL	1,937.20		
 <p>Smart Touch® Articulating Faucet with Finished Hose and Industrial Handle</p>	64144LF-PC	1,626.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64144LF-PN	1,893.12		
	64144LF-SS	1,960.40		
	64144LF-BLGL	2,093.80		
	64144LF-GL	2,227.20		

KITCHEN FAUCETS *(continued)*



Item	Item No.	Price	Description	
	62543LF-PC	1,697.08	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 15 3/8", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62543LF-PN	2,036.96		
	62543LF-SS	2,121.64		
	62543LF-BLGL	2,291.00		
	62543LF-GL	2,460.36		
Bridge Faucet with Arc Spout and Knurled Handle				
	62544LF-PC	1,697.08	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 15 3/8", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62544LF-PN	2,036.96		
	62544LF-SS	2,121.64		
	62544LF-BLGL	2,291.00		
	62544LF-GL	2,460.36		
Bridge Faucet with Arc Spout and Industrial Handle				
	62553LF-PC	1,697.08	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 3/8", spout outlet to deck = 10 7/16", spout reach = 8 9/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62553LF-PN	2,036.96		
	62553LF-SS	2,121.64		
	62553LF-BLGL	2,291.00		
	62553LF-GL	2,460.36		
Bridge Faucet with Square Spout and Knurled Handle				
	62554LF-PC	1,697.08	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 3/8", spout outlet to deck = 10 7/16", spout reach = 8 9/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62554LF-PN	2,036.96		
	62554LF-SS	2,121.64		
	62554LF-BLGL	2,291.00		
	62554LF-GL	2,460.36		
Bridge Faucet with Square Spout and Industrial Handle				
	62563LF-PC	1,697.08	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 1/2", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62563LF-PN	2,036.96		
	62563LF-SS	2,121.64		
	62563LF-BLGL	2,291.00		
	62563LF-GL	2,460.36		
Bridge Faucet with Angled Spout and Knurled Handle				

KITCHEN FAUCETS *(continued)*



Item	Item No.	Price	Description	
	62564LF-PC	1,697.08	<ul style="list-style-type: none"> Includes matching side sprayer 3-hole installation Solid brass one-piece waterway Ceramic cartridges Overall height = 13 1/2", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62564LF-PN	2,036.96		
	62564LF-SS	2,121.64		
	62564LF-BLGL	2,291.00		
	62564LF-GL	2,460.36		

Bridge Faucet with Angled Spout and Industrial Handle



PREP FAUCETS

Item	Item No.	Price	Description	
	63943LF-PC	1,162.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology MagneDock® Technology - magnetic wand docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles - swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 14", spout outlet to deck = 7 15/16", spout reach = 7 1/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa 	
	63943LF-PN	1,394.32		
	63943LF-SS	1,453.48		
	63943LF-BLGL	1,569.48		
	63943LF-GL	1,685.48		

Pull-Down Prep Faucet with Arc Spout and Knurled Handle











	64943LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non SmartTouch® Technology Model 	
	64943LF-PN	1,684.32		
	64943LF-SS	1,743.48		
	64943LF-BLGL	1,859.48		
	64943LF-GL	1,975.48		

Smart Touch® Pull-Down Prep Faucet with Arc Spout and Knurled Handle









	63944LF-PC	1,162.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology MagneDock® Technology - magnetic wand docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles - swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 14", spout outlet to deck = 7 15/16", spout reach = 7 1/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa 	
	63944LF-PN	1,394.32		
	63944LF-SS	1,453.48		
	63944LF-BLGL	1,569.48		
	63944LF-GL	1,685.48		

Pull-Down Prep Faucet with Arc Spout and Industrial Handle



PREP FAUCETS *(continued)*



Item	Item No.	Price	Description	
	64944LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non SmartTouch® Technology Model 	
	64944LF-PN	1,684.32		
	64944LF-SS	1,743.48		
	64944LF-BLGL	1,859.48		
	64944LF-GL	1,975.48		
SmartTouch® Pull-Down Prep Faucet with Arc Spout and Industrial Handle				
	63953LF-PC	1,162.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology MagneDock® Technology - magnetic wand docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 13 1/2", spout outlet to deck = 7 7/8", spout reach = 7 1/16", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs 	
	63953LF-PN	1,394.32		
	63953LF-SS	1,453.48		
	63953LF-BLGL	1,569.48		
	63953LF-GL	1,685.48		
Pull-Down Prep Faucet with Square Spout and Knurled Handle				
	64953LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non SmartTouch® Technology Model 	
	64953LF-PN	1,684.32		
	64953LF-SS	1,743.48		
	64953LF-BLGL	1,859.48		
	64953LF-GL	1,975.48		
SmartTouch® Pull-Down Prep Faucet with Square Spout and Knurled Handle				
	63954LF-PC	1,162.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology MagneDock® Technology - magnetic wand docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 13 1/2", spout outlet to deck = 7 7/8", spout reach = 7 1/16", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs 	
	63954LF-PN	1,394.32		
	63954LF-SS	1,453.48		
	63954LF-BLGL	1,569.48		
	63954LF-GL	1,685.48		
Pull-Down Prep Faucet with Square Spout and Industrial Handle				
	64954LF-PC	1,452.32	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices For additional product details reference the non SmartTouch® Technology Model 	
	64954LF-PN	1,684.32		
	64954LF-SS	1,743.48		
	64954LF-BLGL	1,859.48		
	64954LF-GL	1,975.48		
SmartTouch® Pull-Down Prep Faucet with Square Spout and Industrial Handle				



PREP FAUCETS *(continued)*



Item	Item No.	Price	Description	
 <p>Pull-Down Prep Faucet with Angle Spout and Knurled Handle</p>	63963LF-PC	1,162.32	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 7/8", spout reach = 7", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs 	
	63963LF-PN	1,394.32		
	63963LF-SS	1,453.48		
	63963LF-BLGL	1,569.48		
	63963LF-GL	1,685.48		
 <p>Smart Touch® Pull-Down Prep Faucet with Angle Spout and Knurled Handle</p>	64963LF-PC	1,452.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model 	
	64963LF-PN	1,684.32		
	64963LF-SS	1,743.48		
	64963LF-BLGL	1,859.48		
	64963LF-GL	1,975.48		
 <p>Pull-Down Prep Faucet with Angle Spout and Industrial Handle</p>	63964LF-PC	1,162.32	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 7/8", spout reach = 7", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs 	
	63964LF-PN	1,394.32		
	63964LF-SS	1,453.48		
	63964LF-BLGL	1,569.48		
	63964LF-GL	1,685.48		
 <p>Smart Touch® Pull-Down Prep Faucet with Angle Spout and Industrial Handle</p>	64964LF-PC	1,452.32	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model 	
	64964LF-PN	1,684.32		
	64964LF-SS	1,743.48		
	64964LF-BLGL	1,859.48		
	64964LF-GL	1,975.48		

BAR FAUCETS



Item	Item No.	Price	Description	
 <p>Bar Faucet with Arc Spout and Knurled Handle</p>	61043LF-PC	784.16	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 5/16", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	61043LF-PN	940.76		
	61043LF-SS	980.20		
	61043LF-BLGL	1,059.08		
	61043LF-GL	1,136.80		

 <p>Bar Faucet with Arc Spout and Industrial Handle</p>	61044LF-PC	784.16	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 5/16", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	61044LF-PN	940.76		
	61044LF-SS	980.20		
	61044LF-BLGL	1,059.08		
	61044LF-GL	1,136.80		



 <p>Bar Faucet with Square Spout and Knurled Handle</p>	61053LF-PC	784.16	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/16", spout outlet to deck = 8 3/8", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	61053LF-PN	940.76		
	61053LF-SS	980.20		
	61053LF-BLGL	1,059.08		
	61053LF-GL	1,136.80		

 <p>Bar Faucet with Square Spout and Industrial Handle</p>	61054LF-PC	784.16	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/16", spout outlet to deck = 8 3/8", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	61054LF-PN	940.76		
	61054LF-SS	980.20		
	61054LF-BLGL	1,059.08		
	61054LF-GL	1,136.80		

BAR FAUCETS *(continued)*



Item	Item No.	Price	Description	
	61063LF-PC	784.16	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 1/2", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	61063LF-PN	940.76		
	61063LF-SS	980.20		
	61063LF-BLGL	1,059.08		
	61063LF-GL	1,136.80		

Bar Faucet with Angled Spout and Knurled Handle



	61064LF-PC	784.16	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 1/2", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	61064LF-PN	940.76		
	61064LF-SS	980.20		
	61064LF-BLGL	1,059.08		
	61064LF-GL	1,136.80		

Bar Faucet with Angled Spout and Industrial Handle

INSTANT HOT FAUCETS


Item	Item No.	Price	Description	
	61343LF-H-PC	742.40	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61343LF-H-PN	890.88		
	61343LF-H-SS	928.00		
	61343LF-H-BLGL	1,002.24		
	61343LF-H-GL	1,076.48		

Instant Hot Faucet with Arc Spout and Knurled Handle

	61353LF-H-PC	742.40	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61353LF-H-PN	890.88		
	61353LF-H-SS	928.00		
	61353LF-H-BLGL	1,002.24		
	61353LF-H-GL	1,076.48		


Instant Hot Faucet with Square Spout and Knurled Handle

INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description
 <p>Instant Hot Faucet with Angled Spout and Knurled Handle</p>	61363LF-H-PC	742.40	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61363LF-H-PN	890.88	
	61363LF-H-SS	928.00	
	61363LF-H-BLGL	1,002.24	
	61363LF-H-GL	1,076.48	




BEVERAGE FAUCETS *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84-89)*

Item	Item No.	Price	Description
 <p>Beverage Faucet with Arc Spout and Knurled Handle</p>	61343LF-C-PC	669.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61343LF-C-PN	802.72	
	61343LF-C-SS	836.36	
	61343LF-C-BLGL	903.64	
	61343LF-C-GL	970.92	





 <p>Beverage Faucet with Square Spout and Knurled Handle</p>	61353LF-C-PC	669.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61353LF-C-PN	802.72	
	61353LF-C-SS	836.36	
	61353LF-C-BLGL	903.64	
	61353LF-C-GL	970.92	





 <p>Beverage Faucet with Angled Spout and Knurled Handle</p>	61363LF-C-PC	669.32	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 11/16", spout to deck = 6 5/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61363LF-C-PN	802.72	
	61363LF-C-SS	836.36	
	61363LF-C-BLGL	903.64	
	61363LF-C-GL	970.92	




POT FILLERS

Item	Item No.	Price	Description	
	62843LF-PC	1,437.24	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa 	
	62843LF-PN	1,724.92		
	62843LF-SS	1,796.84		
	62843LF-BLGL	1,940.68		
	62843LF-GL	2,084.52		
<p>Wall Mount Pot Filler Faucet with Knurled Handle</p>				

	62844LF-PC	1,437.24	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa 	
	62844LF-PN	1,724.92		
	62844LF-SS	1,796.84		
	62844LF-BLGL	1,940.68		
	62844LF-GL	2,084.52		
<p>Wall Mount Pot Filler Faucet with Industrial Handle</p>				

ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

	RP90934PC	67.28	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934PN	81.20	
	RP90934SS	84.68	
	RP90934BL	84.68	
	RP90934GL	97.44	
<p>Hole Cover</p>			

ACCESSORIES *(continued) (for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
 <p>VoiceIQ® Module</p>	EP100854	284.20	<ul style="list-style-type: none"> • VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines

HARDWARE

Item	Item No.	Price	Description
 <p>Drawer Knob</p>	699235-PC	48.72	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction
	699235-PN	58.00	
	699235-NK	68.44	
	699235-BL	61.48	
	699235-SL	70.76	
	699235-GL	70.76	

 <p>Drawer Pull</p>	699135-PC	37.12	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction
	699135-PN	44.08	
	699135-NK	52.20	
	699135-BL	46.40	
	699135-SL	53.36	
	699135-GL	53.36	

 <p>Drawer Pull with Knurling</p>	699137-PC	68.44	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction • 4 1/4" center to center distance
	699137-PN	82.36	
	699137-NK	96.28	
	699137-BLGL	92.80	
	699137-BLSL	92.80	
	699137-SL	99.76	
699137-GL	99.76		





FRANK LLOYD WRIGHT® KITCHEN COLLECTION BY BRIZO®

His vision *continues*.

In the Frank Lloyd Wright® Kitchen Collection by Brizo®, we celebrate the creative spirit of a true visionary: a restless reinventor whose only constant was change. The collection pays tribute to Wright's body of work at every turn, reveling in natural beauty, intentional asymmetry, and contrast. Like Wright himself, it looks not to the past, but instead to the future.

Available Finishes



POLISHED
CHROME
(PC)



BRILLIANCE®
POLISHED
NICKEL (PN)



BRILLIANCE®
STAINLESS
(SS)




BRILLIANCE®
LUXE GOLD®
(GL)



BRILLIANCE®
BLACK ONYX
(BNX)

Handle Accents



WOOD (WD)



GLASS (CL)



CONCRETE (CR)


KITCHEN FAUCETS

Item

Item No.

Price


Description



Pull-Down Faucet with Arc Spout - Less Handle

63022LF-PCLHP	1,044.00
63022LF-PCWDLHP	1,044.00
63022LF-PNLHP	1,252.80
63022LF-PNWDLHP	1,252.80
63022LF-SSLHP	1,305.00
63022LF-SSWDLHP	1,305.00
63022LF-BNXLHP	1,409.40
63022LF-BNXWDLHP	1,409.40
63022LF-GLLHP	1,513.80
63022LF-GLWDLHP	1,513.80


- MagneDock® Technology - magnetic wand docking system
- Euro-motion ceramic valve with InnoFlex™ supply lines
- Touch-Clean® nozzles - swipe away mineral deposits
- Two-function wand: spray and stream
- 1-hole installation
- Overall height = 16 13/16", spout outlet to deck = 8 13/16", spout reach = 9 9/16", spout swivels 360°
- Accommodates up to 3" deck thickness
- Comes with standard fittings
- Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs
- WD = wood wand accents
- Wand accents are derived from natural resources and will have unique variations in color and texture
- MUST ORDER HANDLE SEPARATELY



SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle

64022LF-PCLHP	1,334.00
64022LF-PCWDLHP	1,334.00
64022LF-PNLHP	1,600.80
64022LF-PNWDLHP	1,600.80
64022LF-SSLHP	1,668.08
64022LF-SSWDLHP	1,668.08
64022LF-BNXLHP	1,801.48
64022LF-BNXWDLHP	1,801.48
64022LF-GLLHP	1,934.88
64022LF-GLWDLHP	1,934.88


- SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light
- Optional A/C adapter EPI02157
- Optional voice activation technology (EPI00854) available for use with connected home devices
- For additional product details reference the non SmartTouch® Technology Model



Pull-Down Faucet with Square Spout - Less Handle

63023LF-PCLHP	1,044.00
63023LF-PCWDLHP	1,044.00
63023LF-PNLHP	1,252.80
63023LF-PNWDLHP	1,252.80
63023LF-SSLHP	1,305.00
63023LF-SSWDLHP	1,305.00
63023LF-BNXLHP	1,409.40
63023LF-BNXWDLHP	1,409.40
63023LF-GLLHP	1,513.80
63023LF-GLWDLHP	1,513.80

- MagneDock® Technology - magnetic wand docking system
- Euro-motion ceramic valve with InnoFlex™ supply lines
- Touch-Clean® nozzles - swipe away mineral deposits
- Two-function wand: spray and stream
- 1-hole installation
- Overall height = 15 3/16", spout outlet to deck = 8 3/4", spout reach = 9 3/16", spout swivels 360°
- Accommodates up to 3" deck thickness
- Comes with standard fittings
- Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs
- WD = concrete and wood wand accents
- Wand accents are derived from natural resources and will have unique variations in color and texture
- MUST ORDER HANDLE SEPARATELY




SmartTouch® Pull-Down Faucet with Square Spout - Less Handle


64023LF-PCLHP	1,334.00
64023LF-PCWDLHP	1,334.00
64023LF-PNLHP	1,600.80
64023LF-PNWDLHP	1,600.80
64023LF-SSLHP	1,668.08
64023LF-SSWDLHP	1,668.08
64023LF-BNXLHP	1,801.48
64023LF-BNXWDLHP	1,801.48
64023LF-GLLHP	1,934.88
64023LF-GLWDLHP	1,934.88


- SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light
- Optional A/C adapter EPI02157
- Optional voice activation technology (EPI00854) available for use with connected home devices
- For additional product details reference the non SmartTouch® Technology Model

PREP FAUCETS










Item	Item No.	Price	Description
 <p>Pull-Down Prep Faucet with Arc Spout - Less Handle</p>	63922LF-PCL HP	1,044.00	<ul style="list-style-type: none"> • MagneDock® Technology - magnetic wand docking system • Euro-motion ceramic valve with InnoFlex™ supply lines • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 15 1/16", spout outlet to deck = 7 15/16", spout reach = 7 3/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • WD = wood wand accents • Wand accents are derived from natural resources and will have unique variations in color and texture • MUST ORDER HANDLE SEPARATELY
	63922LF-PCW DL HP	1,044.00	
	63922LF-PNL HP	1,252.80	
	63922LF-PNW DL HP	1,252.80	
	63922LF-SSLHP	1,305.00	
	63922LF-SSWDLHP	1,305.00	
	63922LF-BNXLHP	1,409.40	
	63922LF-BNX WDLHP	1,409.40	
	63922LF-GLL HP	1,513.80	
	63922LF-GLW DL HP	1,513.80	

 <p>SmartTouch® Pull-Down Prep Faucet with Arc Spout - Less Handle</p>	64922LF-PCL HP	1,334.00	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64922LF-PCW DL HP	1,334.00	
	64922LF-PNL HP	1,600.80	
	64922LF-PNW DL HP	1,600.80	
	64922LF-SSLHP	1,668.08	
	64922LF-SSWDLHP	1,668.08	
	64922LF-BNXLHP	1,801.48	
	64922LF-BNX WDLHP	1,801.48	
	64922LF-GLL HP	1,934.88	
	64922LF-GLW DL HP	1,934.88	

 <p>Pull-Down Prep Faucet with Square Spout - Less Handle</p>	63923LF-PCL HP	1,044.00	<ul style="list-style-type: none"> • MagneDock® Technology - magnetic wand docking system • Euro-motion ceramic valve with InnoFlex™ supply lines • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 1/8", spout outlet to deck = 7 7/8", spout reach = 7 7/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • Wand accents are derived from natural resources and will have unique variations in color and texture • MUST ORDER HANDLE SEPARATELY
	63923LF-PCW DL HP	1,044.00	
	63923LF-PNL HP	1,252.80	
	63923LF-PNW DL HP	1,252.80	
	63923LF-SSLHP	1,305.00	
	63923LF-SSWDLHP	1,305.00	
	63923LF-BNXL HP	1,409.40	
	63923LF-BNX W DL HP	1,409.40	
	63923LF-GLL HP	1,513.80	
	63923LF-GLW DL HP	1,513.80	

 <p>SmartTouch® Pull-Down Prep Faucet with Square Spout - Less Handle</p>	64923LF-PCLHP	1,334.00	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64923LF-PCWDLHP	1,334.00	
	64923LF-PNLHP	1,600.80	
	64923LF-PNWDLHP	1,600.80	
	64923LF-SSLHP	1,668.08	
	64923LF-SSWDLHP	1,668.08	
	64923LF-BNXLHP	1,801.48	
	64923LF-BNXWDLHP	1,801.48	
	64923LF-GLLHP	1,934.88	
	64923LF-GLWDLHP	1,934.88	

HANDLE KITS: Pull-Down and Prep Faucets



Item	Item No.	Price	Item	Item No.	Price	Item	Item No.	Price
 Arc Lever	HLK022-PC	174.00	 Arc Lever with Wood Inlay	HLK022-PCWD	232.00	 Arc Lever with Glass Inlay	HL K022-PCCL	290.00
	HLK022-PN	208.80		HLK022-PNWD	278.40		HL K022-PNCL	348.00
	HLK022-SS	218.08		HLK022-SSWD	290.00		HL K022-S SCL	363.08
	HLK022-BNX	235.48		HLK022-BNXWD	313.20		HLK022-BNXCL	392.08
	HLK022-GL	252.88		HLK022-GLWD	336.40		HL K022-GLCL	421.08
 Offset Lever	HLK023-PC	174.00	 Offset Lever with Wood Inlay	HLK023-PCWD	232.00	 Offset Lever with Concrete	HL K023-PCCR	290.00
	HLK023-PN	208.80		HLK023-PNWD	278.40		HL K023-PNCR	348.00
	HLK023-SS	218.00		HLK023-SSWD	290.00		HL K023-SSCR	363.08
	HLK023-BNX	235.48		HLK023-BNXWD	313.20		HL K023-BNXCR	392.08
	HLK023-GL	252.88		HLK023-GLWD	336.40		HL K023-GLCR	421.08
 Lever	HLK024-PC	174.00	 Lever with Wood Inlay	HLK024-PCWD	232.00	 Lever with Glass Inlay	HLK024-PCCL	290.00
	HLK024-PN	208.80		HLK024-PNWD	278.40		HLK024-PNCL	348.00
	HLK024-SS	218.08		HLK024-SSWD	290.00		HLK024-SSCL	363.08
	HLK024-BNX	235.48		HLK024-BNXWD	313.20		HLK024-BNXCL	392.08
	HLK024-GL	252.88		HLK024-GLWD	336.40		HLK024-GLCL	421.08

Description


- Handles are ADA compliant
- WD = Wood
- CL = Glass
- CR = Concrete
- Handle accents are derived from natural materials and will have unique variations in color and texture





BAR FAUCETS

Item	Item No.	Price	Description
 Bar Faucet with Arc Spout - Less Handle	61022LF-PCLHP	870.00	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 3/8", spout to deck = 7 7/8", spout reach = 5 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	61022LF-PNLHP	1,044.00	
	61022LF-SSLHP	1,088.00	
	61022LF-BNXLHP	1,175.08	
	61022LF-GLLHP	1,262.08	
 Bar Faucet with Square Spout - Less Handle	61023LF-PCLHP	870.00	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/16", spout to deck = 8 5/8", spout reach = 5 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	61023LF-PNLHP	1,044.00	
	61023LF-SSLHP	1,088.00	
	61023LF-BNXLHP	1,175.08	
	61023LF-GLLHP	1,262.08	

HANDLE KITS: Bar Faucets

Item	Item No.	Price
 Arc Lever	HLB022-PC	174.00
	HLB022-PN	208.80
	HLB022-SS	218.08
	HLB022-BNX	235.48
	HLB022-GL	252.88

Item	Item No.	Price
 Offset Lever	HLB023-PC	174.00
	HLB023-PN	208.80
	HLB023-SS	218.08
	HLB023-BNX	235.48
	HLB023-GL	252.88


 Lever	HLB024-PC	174.00
	HLB024-PN	208.80
	HLB024-SS	218.08
	HLB024-BNX	235.48
	HLB024-GL	252.88

Description


- Handles are ADA compliant



BEVERAGE FAUCETS *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84–89)*


Item	Item No.	Price	Description
 Beverage Faucet with Arc Spout	61322LF-C-PC	812.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 5/8", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61322LF-C-PN	974.40	
	61322LF-C-SS	1,015.00	
	61322LF-C-BNX	1,096.20	
	61322LF-C-GL	1,177.40	



 Beverage Faucet with Square Spout	61323LF-C-PC	812.00	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap Works with RO systems, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 5/8", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61323LF-C-PN	974.40	
	61323LF-C-SS	1,015.00	
	61323LF-C-BNX	1,096.20	
	61323LF-C-GL	1,177.40	




INSTANT HOT FAUCETS

Item	Item No.	Price	Description
 Instant Hot Faucet with Arc Spout	61322LF-H-PC	812.00	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/4", spout to deck = 6 3/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61322LF-H-PN	974.40	
	61322LF-H-SS	1,015.00	
	61322LF-H-BNX	1,096.20	
	61322LF-H-GL	1,177.40	




INSTANT HOT FAUCETS *(continued)*

Item	Item No.	Price	Description
 <p>Instant Hot Faucet with Square Spout</p>	61323LF-H-PC	812.00	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/4", spout to deck = 6 3/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61323LF-H-PN	974.40	
	61323LF-H-SS	1,015.00	
	61323LF-H-BNX	1,096.20	
	61323LF-H-GL	1,177.40	



POT FILLERS

Item	Item No.	Price	Description
 <p>Wall Mount Pot Filler</p>	62822LF-PC	1,218.00	<ul style="list-style-type: none"> 1-hole installation Cold water only Spout reach = 20 3/8"
	62822LF-PN	1,461.60	
	62822LF-SS	1,523.08	
	62822LF-BNX	1,644.88	
	62822LF-GL	1,766.68	





ODIN® KITCHEN COLLECTION

Both one and many.

In the Odin® Kitchen Collection by Brizo®, a singular aesthetic finds manifold expression. The streamlined silhouette takes on new distinction with each of seven finishes, while multiple handles and spout configurations add complexity and variety. Embodying both unity and diversity, the collection represents an exquisite multiplicity.

Available Finishes



POLISHED CHROME (PC)



BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS (SS)



MATTE BLACK (BL)



BRILLIANCE® POLISHED GOLD (PG)



BRILLIANCE® LUXE STEEL® (SL)



BRILLIANCE® LUXE GOLD® (GL)



MARINE-GRADE STAINLESS (SS-OD)

Handle Accents



WOOD (WD)



CONCRETE (CT)





BLACK CRYSTAL (BC)





MARBLE (MB)

KITCHEN FAUCETS


Item	Item No.	Price	Description
 <p>Semi-Professional Kitchen Faucet - Less Handle</p>	63375LF-PCLHP	984.84	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® Nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 22 13/16", spout outlet to deck = 9 1/16", spout reach = 9 2/16", spout swivels 360° • Accommodates up to 3" deck thickness • Finished, semi-flexible metal hose • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63375LF-PNLHP	1,182.04	
	63375LF-SSLHP	1,230.76	
	63375LF-BLLHP	1,230.76	
	63375LF-PGLHP	1,379.24	
	63375LF-SLLHP	1,427.96	
	63375LF-GLLHP	1,427.96	


 <p>SmartTouch® Semi-Professional Kitchen Faucet - Less Handle</p>	64375LF-PCLHP	1,274.84	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64375LF-PNLHP	1,472.04	
	64375LF-SSLHP	1,520.76	
	64375LF-BLLHP	1,520.76	
	64375LF-PGLHP	1,669.24	
	64375LF-SLLHP	1,717.96	
	64375LF-GLLHP	1,717.96	

 <p>Pull-Down Faucet with Arc Spout - Less Handle</p>	63075LF-PCLHP	776.04	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 16 9/16", spout outlet to deck = 9", spout reach = 8 5/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63075LF-PNLHP	931.48	
	63075LF-SSLHP	969.76	
	63075LF-BLLHP	969.76	
	63075LF-PGLHP	1,086.92	
	63075LF-SLLHP	1,125.20	
	63075LF-GLLHP	1,125.20	


 <p>SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle</p>	64075LF-PCLHP	1,066.04	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64075LF-PNLHP	1,221.48	
	64075LF-SSLHP	1,259.76	
	64075LF-BLLHP	1,259.76	
	64075LF-PGLHP	1,376.92	
	64075LF-SLLHP	1,415.20	
	64075LF-GLLHP	1,415.20	


KITCHEN FAUCETS *(continued)*


Item	Item No.	Price	Description
	63065LF-PCLHP	776.04	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 5/8", spout outlet to deck = 9 1/16", spout reach = 8 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63065LF-PNLHP	931.48	
	63065LF-SSLHP	969.76	
	63065LF-BLLHP	969.76	
	63065LF-PGLHP	1,086.92	
	63065LF-SLLHP	1,125.20	
	63065LF-GLLHP	1,125.20	
Pull Down Faucet with Square Spout – Less Handle			

	64065LF-PCLHP	1,066.04	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EP102157 • Optional voice activation technology (EP100854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64065LF-PNLHP	1,221.48	
	64065LF-SSLHP	1,259.76	
	64065LF-BLLHP	1,259.76	
	64065LF-PGLHP	1,376.92	
	64065LF-SLLHP	1,415.20	
	64065LF-GLLHP	1,415.20	
SmartTouch® Pull-Down Faucet with Square Spout – Less Handle			

PREP FAUCETS

Item	Item No.	Price	Description
	63975LF-PCLHP	776.04	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 12 7/8", spout outlet to deck = 6 13/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63975LF-PNLHP	931.48	
	63975LF-SSLHP	969.76	
	63975LF-BLLHP	969.76	
	63975LF-PGLHP	1,086.92	
	63975LF-SLLHP	1,125.20	
	63975LF-GLLHP	1,125.20	
Pull Down Prep Faucet with Arc Spout – Less Handle			


	64975LF-PCLHP	1,066.04	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EP102157 • Optional voice activation technology (EP100854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64975LF-PNLHP	1,221.48	
	64975LF-SSLHP	1,259.76	
	64975LF-BLLHP	1,259.76	
	64975LF-PGLHP	1,376.92	
	64975LF-SLLHP	1,415.20	
	64975LF-GLLHP	1,415.20	
SmartTouch® Pull-Down Prep Faucet with Arc Spout – Less Handle			



63965LF-PCLHP	776.04
63965LF-PNLHP	931.48
63965LF-SSLHP	969.76
63965LF-BLLHP	969.76
63965LF-PGLHP	1,086.92
63965LF-SLLHP	1,125.20
63965LF-GLLHP	1,125.20

- DIAMOND Seal® Technology
- MagneDock® Technology – magnetic docking system
- Euro-motion Diamond™ Valve with InnoFlex™ waterways
- Touch-Clean® nozzles – swipe away mineral deposits
- Two-function wand: spray and stream
- 1-hole installation
- Overall height = 12 1/8", spout outlet to deck = 6 5/8", spout reach = 7 1/16", spout swivels 360°
- Accommodates up to 3" deck thickness
- Comes with standard fittings
- Maximum flow rate 1.8 gpm at 60 psi; 6.8L/min @ 414 kPa
- MUST ORDER HANDLE SEPARATELY

Pull Down Prep Faucet with Square Spout – Less Handle





64965LF-PCLHP	1,066.04
64965LF-PNLHP	1,221.48
64965LF-SSLHP	1,259.76
64965LF-BLLHP	1,259.76
64965LF-PGLHP	1,376.92
64965LF-SLLHP	1,415.20
64965LF-GLLHP	1,415.20

- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light
- Optional A/C adapter EPI02157
- Optional voice activation technology (EPI00854) available for use with connected home devices
- For additional product details reference the non-SmartTouch® Technology model


SmartTouch® Pull Down Prep Faucet with Square Spout – Less Handle

HANDLE KITS: *Semi-Professional, Pull-Down, Articulating & Prep Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
 Metal Lever	HLK175-PC	114.84	 Wood Lever	HLK177-PCWD	146.16	<ul style="list-style-type: none"> • Lever Handles are ADA compliant • WD = Guyana Teak Wood • BC = Black Crystal • CT = Concrete • MB = Marble • Handle accents are derived from natural materials and will have unique variations in color and texture
	HLK175-PN	138.04		HLK177-PNWD	175.16	
	HLK175-SS	143.84		HLK177-SSWD	183.28	
	HLK175-BL	143.84		HLK177-BLWD	183.28	
	HLK175-PG	161.24		HLK177-PGWD	204.16	
	HLK175-SL	167.04		HLK177-SLWD	212.28	
	HLK175-GL	167.04		HLK177-GLWD	212.28	



BAR FAUCETS



Item	Item No.	Price	Description
	61075LF-PCLHP	477.92	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	61075LF-PNLHP	573.04	
	61075LF-SSLHP	597.40	
	61075LF-BLLHP	597.40	
	61075LF-PGLHP	669.32	
	61075LF-SLLHP	692.52	
	61075LF-GLLHP	692.52	

Bar Faucet with Arc Spout - Less Handle

	61065LF-PCLHP	477.92	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 1/4", spout outlet to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	61065LF-PNLHP	573.04	
	61065LF-SSLHP	597.40	
	61065LF-BLLHP	597.40	
	61065LF-PGLHP	669.32	
	61065LF-SLLHP	692.52	
	61065LF-GLLHP	692.52	


Bar Faucet with Square Spout - Less Handle

HANDLE KITS: *Bar Faucets*

Item	Item No.	Price	Item	Item No.	Price	Description
	HLB175-PC	85.84		HLB177-PCWD	106.72	<ul style="list-style-type: none"> • Handles are ADA compliant • WD = Guyana Teak Wood • The nature of natural wood gives each wood piece a distinct texture and color
	HLB175-PN	103.24		HLB177-PNWD	127.60	
	HLB175-SS	107.88		HLB177-SSWD	133.40	
	HLB175-BL	107.88		HLB177-BLWD	133.40	
	HLB175-PG	120.64		HLB177-PGWD	154.28	
	HLB175-SL	124.12		HLB177-SLWD	154.28	
	HLB175-GL	124.12		HLB177-GLWD	149.64	




POT FILLER


Item	Item No.	Price	Description
 <p>Linear Wall Mount Pot Filler Faucet</p>	62820LF-PC	1,324.72	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62820LF-PN	1,589.20	
	62820LF-SS	1,656.48	
	62820LF-BL	1,656.48	
	62820LF-PG	1,854.84	
	62820LF-SL	1,920.96	
	62820LF-GL	1,920.96	
	62820LF-MW	1,656.48	



ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
	RP79275PG	247.08	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle Refillable from above the deck
	RP79275SL	255.20	
	RP79275PC	176.32	
	RP79275BL	220.40	
	RP79275PN	211.12	
	RP79275SS	220.40	

Soap/Lotion Dispenser



	RP71451PG	227.36	<ul style="list-style-type: none"> Includes installation hardware Accommodates up to 3" deck thickness 8" on center
	RP71451SL	233.16	
	RP71451BL	194.88	
	RP71451PC	163.56	

Optional Escutcheon

ACCESSORIES *(continued) (for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
 Hole Cover	RP90934PC	67.28	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934PN	81.20	
	RP90934SS	84.68	
	RP90934BL	84.68	
	RP90934GL	97.44	
 VoiceIQ® Module	EP100854	284.20	<ul style="list-style-type: none"> • VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines

HARDWARE

Item	Item No.	Price	Description
 Drawer Knob	699275-PC	37.12	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction
	699275-BL	46.40	
	699275-GL	53.36	
	699275-BN	52.20	
	699175-PC	55.68	
699175-BL	69.60		
699175-GL	81.20		
699175-BN	77.72		
 Drawer Pull			


KITCHEN FAUCETS

Item

Item No.

Price


Description



63121LF-PCLHP	950.04
63121LF-BLLHP	1,235.40
63121LF-PNLHP	1,140.28
63121LF-SLLHP	1,378.08
63121LF-SSLHP	1,187.84
63121LF-GLLHP	1,378.08
63121LF-PGLHP	1,289.96

Articulating Kitchen Faucet with Finished Hose - Less Handle


- The dual-jointed articulating arm and semi-flexible metal hose provide effortless maneuverability, allowing you to position the faucet exactly where you need it for ultimate convenience
- The integrated MagneDock® magnetic docking system securely holds the spray wand in place when not in use for a clean, seamless look
- Integrated InnoFlex™ PEX supply lines eliminate potential leak points and are less hassle to install
- Soft, rubber Touch-Clean® spray holes allow you to easily wipe away calcium and lime build-up with the touch of a finger
- Dual function pull-down spray wand allows you to easily switch from an aerated stream to a forceful rinsing spray
- Accommodates up to 3" counter or sink thickness
- Comes complete with standard fittings for seamless setup
- Handles sold separately—required to complete installation



63221LF-BLLHP	1,235.40
63221LF-GLLHP	1,378.08
63221LF-PCLHP	950.04
63221LF-PGLHP	1,282.96
63221LF-PNLHP	1,140.28
63221LF-SLLHP	1,378.08
63221LF-SSLHP	1,187.84

Articulating Kitchen Faucet - Less Handle


- The dual-jointed articulating arm and semi-flexible metal hose provide effortless maneuverability, allowing you to position the faucet exactly where you need it for ultimate convenience
- The integrated MagneDock® magnetic docking system securely holds the spray wand in place when not in use for a clean, seamless look
- Integrated InnoFlex™ PEX supply lines eliminate potential leak points and are less hassle to install
- Soft, rubber Touch-Clean® spray holes allow you to easily wipe away calcium and lime build-up with the touch of a finger
- Dual function pull-down spray wand allows you to easily switch from an aerated stream to a forceful rinsing spray
- Accommodates up to 3" counter or sink thickness
- Comes complete with standard fittings for seamless setup
- Handles sold separately—required to complete installation



64121LF-BLLHP	1,612.40
64121LF-GLLHP	1,798.00
64121LF-PCLHP	1,240.04
64121LF-PGLHP	1,673.88
64121LF-PNLHP	1,488.28
64121LF-SLLHP	1,798.00
64121LF-SSLHP	1,549.76

Articulating Kitchen Faucet with Finished Hose - Less Handle

- Accommodates up to 3" counter or sink thickness
- Comes complete with standard fittings for seamless setup
- SmartTouch® Technology activates water flow with a simple touch. While TempID® LED light colors indicate water temperature changes.
- Eliminate the need for batteries with the optional A/C Power Supply (EPI02157)
- Optional VoiceIQ® Technology makes your life simpler and easier. Just by speaking, turn your faucet on and off, warm up the water, dispense a precise amount, or use the innovative handwashing mode.
- VoiceIQ® module sold separately (EPI00854).
- Handles sold separately—required to complete installation





64221LF-BLLHP	1,612.40
64221LF-GLLHP	1,798.00
64221LF-PCLHP	1,240.04
64221LF-PNLHP	1,488.28
64221LF-SLLHP	1,798.00
64221LF-PGLHP	1,673.88
64221LF-SSLHP	1,488.28

SmartTouch® Articulating Kitchen Faucet - Less Handle

- Accommodates up to 3" counter or sink thickness
- Comes complete with standard fittings for seamless setup
- SmartTouch® Technology activates water flow with a simple touch. While TempID® LED light colors indicate water temperature changes.
- Eliminate the need for batteries with the optional A/C Power Supply (EPI02157)
- Optional VoiceIQ® Technology makes your life simpler and easier. Just by speaking, turn your faucet on and off, warm up the water, dispense a precise amount, or use the innovative handwashing mode.
- VoiceIQ® module sold separately (EPI00854).
- Handles sold separately—required to complete installation

KITCHEN FAUCETS

Item	Item No.	Price	Description
 <p>Kitchen Faucet Knob Handle Kit</p>	HKK175-BL	218.08	<ul style="list-style-type: none"> Sourced from natural materials, these tactile details and varying textures add intrigue to each handle.
	HKK175-BLBC	325.96	
	HKK175-BLCT	508.08	<ul style="list-style-type: none"> Handle kit includes one handle
	HKK175-GL	252.88	
	HKK175-GLBC	378.16	
	HKK175-GLMB	725.00	
	HKK175-GLCT	589.28	
	HKK175-GLMB	841.00	
	HKK175-MW	218.08	
	HKK175-MWBC	325.96	
	HKK175-MWCT	508.08	
	HKK175-MWMB	725.00	
	HKK175-PC	174.00	
	HKK175-PCBC	261.00	
	HKK175-PCCT	406.00	
	HKK175-PCMB	580.00	
	HKK175-PGBC	365.40	
	HKK175-PG	243.60	
	HKK175-PGCT	568.40	
	HKK175-PGMB	812.00	
	HKK175-PN	208.80	
	HKK175-PNBC	313.20	
	HKK175-PNCT	487.20	
	HKK175-SL	252.88	
	HKK175-SLBC	378.16	
	HKK175-SLCT	589.28	
	HKK175-SLMB	841.00	
	HKK175-SS	218.08	
	HKK175-SSBC	325.96	
	HKK175-SSCT	508.08	
	HKK175-PNMB	696.00	
	HKK175-SSMB	725.00	



Outdoor Kitchen Faucet

63075LF-SSLHP-OD	1,264.40	<ul style="list-style-type: none"> Crafted with 316L marine-grade stainless steel for durability and corrosion resistance—even in coastal or extreme environments Quick-connect supply lines allow for easy disconnection when temperatures drop. Integrated InnoFlex™ PEX supply lines eliminate potential leak points and are less hassle to install DIAMOND Seal® Technology features a patented diamond-coated valve design that helps your faucet perform like new for life—reducing leak points and lasting 2 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles) Comes complete with standard fittings for seamless setup Handles sold separately—required to complete installation
------------------	----------	--

KITCHEN FAUCETS

Item	Item No.	Price	Description
	HLK175-SS-OD	252.88	<ul style="list-style-type: none">• <i>Handle is ADA compliant</i>• <i>Handle kit includes one handle</i>• <i>Crafted with 316L Marine-Grade Stainless Steel</i>• <i>Compatible only with Odin Outdoor Faucet</i>

Outdoor Kitchen Faucet





JASON WU FOR BRIZO™ KITCHEN COLLECTION

The audacity of simplicity.

Sometimes, the simplest expression makes the loudest statement. Nowhere is that more evident than in the Jason Wu for Brizo™ Kitchen Collection. Its fresh, streamlined aesthetic breaks through the noise with stunning clarity—bringing new vibrance to the familiar.



Available Finishes



MATTE WHITE
(MW)



MATTE WHITE /
BRILLIANCE® POLISHED
NICKEL (MWPN)

Handle Accents



BRILLIANCE® POLISHED
NICKEL / WOOD
(MWD)



BRILLIANCE®
POLISHED NICKEL
(MWPN)



CONCRETE
(CT)







BLACK CRYSTAL
(BC)





MARBLE
(MB)



KITCHEN FAUCETS

Item	Item No.	Price	Description
 <p>Semi-Professional Kitchen Faucet - Less Handle</p>	63375LF-MWLHP	1,230.76	<ul style="list-style-type: none"> • MagneDock™ Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean™ nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 22 13/16", spout outlet to deck = 9 1/16", spout reach = 9 2/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Finished, semi-flexible metal hose • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63375LF-MWPNLHP	1,230.76	
 <p>SmartTouch® Semi-Professional Kitchen Faucet - Less Handle</p>	64375LF-MWLHP	1,520.76	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64375LF-MWPNLHP	1,520.76	
 <p>Pull-Down Faucet with Arc Spout - Less Handle</p>	63075LF-MWLHP	969.76	<ul style="list-style-type: none"> • MagneDock® Technology - magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function pull-down wand: spray and stream • 1-hole installation • Overall height = 16 9/16", spout outlet to deck = 9", spout reach = 8 5/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
 <p>SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle</p>	64075LF-MWLHP	1,259.76	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model



KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
 <p>Pull-Down Faucet with Square Spout - Less Handle</p>	63065LF-MWLHP	969.76	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function pull-down wand: spray and stream • 1-hole installation • Overall height = 14 5/8", spout outlet to deck = 9 1/16", spout reach = 8 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
 <p>SmartTouch® Pull-Down Faucet with Square Spout - Less Handle</p>	64065LF-MWLHP	1,259.76	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model

PREP FAUCETS

Item	Item No.	Price	Description
 <p>Pull-Down Prep Faucet with Arc Spout - Less Handle</p>	63975LF-MWLHP	969.76	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 12 7/8", spout outlet to deck = 6 13/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
 <p>SmartTouch® Pull-Down Prep Faucet with Arc Spout - Less Handle</p>	64975LF-MWLHP	1,259.76	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model



PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
	63965LF-MWLHP	969.76	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 12 1/8", spout outlet to deck = 6 5/8", spout reach = 7 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	64965LF-MWLHP	1,259.76	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model

Pull-Down Prep Faucet with Square Spout – Less Handle

Smart Touch® Pull-Down Prep Faucet with Square Spout – Less Handle

HANDLE KITS: *Semi-Professional, Pull-Down, and Prep Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
	HLK175-MW HLK175-MWPN	143.84 143.84		HLK177-MWWD	183.28	<ul style="list-style-type: none"> • Lever handles are ADA compliant • BC = Black Crystal • CT = Concrete • MB = Marble • MWWD = Guyana teak wood lever with Brilliance® Polished Nickel tip • Handle accents are derived from natural materials and will have unique variations in color and texture
Metal Lever			Wood Lever			



BAR FAUCETS

Item	Item No.	Price	Description
	61075LF-MWLHP	597.40	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY



Bar Faucet with Arc Spout - Less Handle



61065LF-MWLHP	597.40	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 11 1/4", spout outlet to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
---------------	--------	---

Bar Faucet with Square Spout - Less Handle

HANDLE KITS: Bar Faucets


Item	Item No.	Price	Item	Item No.	Price	Description
	HLB175-MW	107.88		HLB177-MWWD	133.40	<ul style="list-style-type: none"> • Handles are ADA compliant • MWWD = Guyana teak wood lever with Brilliance® Polished Nickel tip • The nature of natural wood gives each wood piece a distinct texture and color
	HLB175-MWPN	107.88				

Metal Lever

Wood Lever




INSTANT HOT FAUCETS

Item	Item No.	Price	Description
	61320LF-H-MW	614.80	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa


Instant Hot Faucet with Arc Spout




INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description
 <p>Instant Hot Faucet with Square Spout</p>	61365LF-H-MW	614.80	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa

BEVERAGE FAUCETS *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84-89)*


Item	Item No.	Price	Description
 <p>Beverage Faucet with Arc Spout</p>	61320LF-C-MW	540.56	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa

 <p>Beverage Faucet with Square Spout</p>	61365LF-C-MW	540.56	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
--	--------------	--------	---

POT FILLER

Item	Item No.	Price	Description
 <p>Linear Wall Mount Pot Filler Faucet</p>	62820LF-MW	1,656.48	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4"

ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
	RP79275MW	220.40	<ul style="list-style-type: none">• Includes installation hardware• Accomodates up to 3" deck thickness• 2 3/4" overall height• 15-ounce bottle• Refillable from above the deck
Soap/Lotion Dispenser			
	EP100854	284.20	<ul style="list-style-type: none">• VoiceIQ® Technology for hands-free voice activation• For use with SmartTouch® faucets manufactured after January 2018• Includes VoiceIQ® module, cable and 9 volt power supply• Pairs with Amazon® Alexa® and Google® Assistant-enabled devices• Metered and custom dispensing options• Warm-up feature pre-heats the water to 95°• Handwashing mode using CDC recommended guidelines
VoiceIQ® Module			



JASON WU FOR BRIZO™ KITCHEN



ROOK® KITCHEN COLLECTION

A move ahead.

The Rook® Kitchen Collection by Brizo® exudes stately elegance at every turn. Its classic craftsman style is reminiscent of an early 20th century aesthetic, while contemporary, feminine touches elevate and modernize the look. Graceful curves complement precise angles, resulting in an exquisitely calculated balance.



Available Finishes



POLISHED CHROME
(PC)



BRILLIANCE®
POLISHED NICKEL
(PN)



BRILLIANCE®
STAINLESS (SS)



MATTE BLACK
(BL)



BRILLIANCE®
POLISHED GOLD
(PG)





BRILLIANCE®
LUXE GOLD®
(GL)







BRILLIANCE®
LUXE STEEL®
(SL)

KITCHEN FAUCETS

Item	Item No.	Price	Description	
 <p>Pull Down Faucet</p>	63074LF-PC	1,256.56	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Euro-motion Diamond™ Valve with InnoFlex™ waterways Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 1-hole installation Overall height = 15 7/8", spout outlet to deck = 8 5/8", spout reach = 8 7/8", spout swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa 	
	63074LF-PN	1,518.44		
	63074LF-SS	1,582.24		
	63074LF-BL	1,582.24		
	63074LF-PG	1,771.32		
	63074LF-GL	1,835.12		
	63074LF-SL	1,835.12		

 <p>Smart Touch® Pull-Down Faucet</p>	64074LF-PC	1,555.56	<ul style="list-style-type: none"> SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices. For additional product details reference the non-SmartTouch® Technology model 	
	64074LF-PN	1,866.44		
	64074LF-SS	1,944.16		
	64074LF-BL	1,944.16		
	64074LF-PG	2,177.32		
	64074LF-GL	2,255.04		
	64074LF-SL	2,255.04		


 <p>Articulating Bridge Faucet</p>	62274LF-PC	1,914.00	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 2-hole installation Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability Overall height varies with arm position. Maximum height = 19 3/8", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62274LF-PN	2,296.00		
	62274LF-SS	2,393.08		
	62274LF-BL	2,393.08		
	62274LF-PG	2,679.60		
	62274LF-GL	2,775.88		
	62274LF-SL	2,775.88		

 <p>Articulating Bridge Faucet with Finished Hose</p>	62174LF-PC	1,914.00	<ul style="list-style-type: none"> MagneDock® Technology – magnetic docking system Touch-Clean® nozzles – swipe away mineral deposits Two-function wand: spray and stream 2-hole installation Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability Overall height varies with arm position. Maximum height = 19 3/8", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° Accommodates up to 3" deck thickness Comes with standard fittings Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa Optional decorative center hole cover available RP90934 	
	62174LF-PN	2,296.00		
	62174LF-SS	2,393.08		
	62174LF-BL	2,393.08		
	62174LF-PG	2,679.60		
	62174LF-GL	2,775.88		
	62174LF-SL	2,775.88		

PREP FAUCETS


Item	Item No.	Price	Description
	63974LF-PC	1,265.56	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 5/16", spout outlet to deck = 7 3/8", spout reach = 8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa
	63974LF-PN	1,518.44	
	63974LF-SS	1,582.24	
	63974LF-BL	1,582.24	
	63974LF-PG	1,771.32	
	63974LF-GL	1,835.12	
	63974LF-SL	1,835.12	
	Pull-Down Prep Faucet		



	64974LF-PC	1,555.56	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64974LF-PN	1,866.44	
	64974LF-SS	1,944.16	
	64974LF-BL	1,944.16	
	64974LF-PG	2,177.32	
	64974LF-GL	2,255.04	
	64974LF-SL	2,255.04	
	SmartTouch® Pull-Down Prep Faucet		




BAR FAUCET

Item	Item No.	Price	Description
	61074LF-PC	789.96	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 12 3/8", spout outlet to deck = 8 1/4", spout reach = 6 5/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa
	61074LF-PN	947.72	
	61074LF-SS	987.16	
	61074LF-BL	987.16	
	61074LF-PG	1,105.48	
	61074LF-GL	1,144.92	
	61074LF-SL	1,144.92	
	Bar Faucet		




INSTANT HOT FAUCET

Item	Item No.	Price	Description
	61374LF-H-PC	749.36	<ul style="list-style-type: none"> • Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO • Delivers near boiling water on demand • Self closing spring loaded ceramic disc valve cartridge • 1-hole installation • Overall height = 9 3/16", spout to deck = 5 15/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61374LF-H-PN	899.00	
	61374LF-H-SS	937.28	
	61374LF-H-BL	937.28	
	61374LF-H-PG	1,048.64	
	61374LF-H-GL	1,086.92	
	61374LF-H-SL	1,086.92	
	Instant Hot Faucet		




BEVERAGE FAUCET *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84–89)*

Item	Item No.	Price	Description
 Beverage Faucet	61374LF-C-PC	670.48	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 Kpa
	61374LF-C-PN	805.04	
	61374LF-C-SS	838.68	
	61374LF-C-BL	838.68	
	61374LF-C-PG	938.44	
	61374LF-C-GL	972.08	
	61374LF-C-SL	972.08	




POT FILLER


Item	Item No.	Price	Description
 Wall Mount Pot Filler Faucet	62874LF-PC	1,635.60	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62874LF-PN	1,962.72	
	62874LF-SS	2,045.08	
	62874LF-BL	2,045.08	
	62874LF-PG	2,289.84	
	62874LF-GL	2,372.20	
	62874LF-SL	2,372.20	




ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP100487PC	204.16	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP100487PN	244.76	
	RP100487SS	255.20	
	RP100487BL	255.20	
	RP100487PG	285.36	
	RP100487GL	295.80	
	RP100487SL	295.80	


 Optional Escutcheon	RP100299PC	163.56	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 8" on center
	RP100299BL	192.56	
	RP100299PN	196.04	
	RP100299SS	207.64	
	RP100299PG	226.20	
	RP100299GL	233.16	
	RP100299SL	233.16	


 Hole Cover	RP90934PG	93.96	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934SL	97.44	

ACCESSORIES *(continued) (for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
 <p>VoiceIQ® Module</p>	EP100854	284.20	<ul style="list-style-type: none"> • VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines

HARDWARE

Item	Item No.	Price	Description
 <p>Drawer Knob</p>	699261-PC	68.44	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction
	699261-PN	82.36	
	699261-NK	96.28	
	699261-NKBL	93.96	
	699261-GL	99.76	
	699261-RB	105.56	

 <p>Drawer Pull</p>	699161-PC	80.04	<ul style="list-style-type: none"> • Mounting hardware included • All metal construction • 4" center to center distance
	699161-PN	96.28	
	699161-NK	112.52	
	699161-NKBL	110.20	
	699161-GL	116.00	
	699161-RB	124.12	





TULHAM™ KITCHEN COLLECTION

The spirit of reinvention.

Grandeur takes a playful turn in the Tulham™ Kitchen Collection. Elegant contours combine with art deco motifs for an inventive blend of the traditional and the avant-garde. From the tone-on-tone split finishes to the fluting details, the collection truly captures an artistic spirit.

Available Finishes



POLISHED CHROME
(PC)



BRILLIANCE®
POLISHED NICKEL
(PN)



BRILLIANCE®
STAINLESS (SS)



MATTE BLACK /
BRILLIANCE®
BLACK ONYX
(BLBNX)





BRILLIANCE®
LUXE GOLD® /
BRILLIANCE®
POLISHED GOLD
(GLPG)





BRILLIANCE®
LUXE STEEL®
(SL)



KITCHEN FAUCETS

Item	Item No.	Price	Description	
	63058LF-PC	1,041.68	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • Euro-motion Diamond™ Valve with InnoFlex™ waterways • 1-hole installation • Overall height = 17 9/16", spout outlet to deck = 9 15/16", spout reach = 9", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa 	
	63058LF-PN	1,250.48		
	63058LF-SS	1,302.68		
	63058LF-BLBNX	1,405.92		
	63058LF-GLPG	1,510.32		
	63058LF-SL	1,510.32		

Pull-Down Kitchen Faucet


	64058LF-PC	1,331.68	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model 	
	64058LF-PN	1,540.48		
	64058LF-SS	1,592.68		
	64058LF-BLBNX	1,695.92		
	64058LF-GLPG	1,800.32		
	64058LF-SL	1,800.32		

SmartTouch® Pull-Down Kitchen Faucet


	62558LF-PC	1,520.76	<ul style="list-style-type: none"> • Includes matching metal side sprayer • 3-hole installation • Solid brass one-piece waterway • Ceramic cartridges • Overall height = 15 13/16", spout outlet to deck = 10 7/16", spout reach = 8 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • Comes with standard fittings • Optional decorative center hole cover available RP90934 	
	62558LF-PN	1,824.68		
	62558LF-SS	1,901.24		
	62558LF-BLBNX	2,053.20		
	62558LF-GLPG	2,205.16		
	62558LF-SL	2,205.16		

Bridge Kitchen Faucet with Side Spray

PREP FAUCETS


Item	Item No.	Price	Description
 <p>Pull Down Prep Kitchen Faucet</p>	63958LF-PC	1,041.68	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • Euro-motion Diamond™ Valve with InnoFlex™ waterways • 1-hole installation • Overall height = 16", spout outlet to deck = 8 1/16", spout reach = 8 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	63958LF-PN	1,250.48	
	63958LF-SS	1,302.68	
	63958LF-BLBNX	1,405.92	
	63958LF-GLPG	1,510.32	
	63958LF-SL	1,510.32	



 <p>SmartTouch® Pull-Down Prep Kitchen Faucet</p>	64958LF-PC	1,331.68	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model
	64958LF-PN	1,540.48	
	64958LF-SS	1,592.68	
	64958LF-BLBNX	1,695.92	
	64958LF-GLPG	1,800.32	
	64958LF-SL	1,800.32	




BAR FAUCET

Item	Item No.	Price	Description
 <p>Bar Faucet</p>	61058LF-PC	721.52	<ul style="list-style-type: none"> • 1-hole installation • Ceramic cartridge • Overall height = 12 3/8", spout outlet to deck = 8 1/16", spout reach = 6 3/8", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	61058LF-PN	865.36	
	61058LF-SS	902.48	
	61058LF-BLBNX	974.40	
	61058LF-GLPG	1,046.32	
	61058LF-SL	1,046.32	




INSTANT HOT FAUCET

Item	Item No.	Price	Description
 <p>Instant Hot Faucet</p>	61358LF-H-PC	689.04	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 7/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61358LF-H-PN	827.08	
	61358LF-H-SS	861.88	
	61358LF-H-BLBNX	930.32	
	61358LF-H-GLPG	998.76	
	61358LF-H-SL	998.76	




BEVERAGE FAUCET *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84–89)*

Item	Item No.	Price	Description
 <p>Beverage Faucet</p>	61358LF-C-PC	642.64	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 9/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360°" Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
	61358LF-C-PN	771.40	
	61358LF-C-SS	803.88	
	61358LF-C-BLBNX	867.68	
	61358LF-C-GLPG	931.48	
	61358LF-C-SL	931.48	







POT FILLER

Item	Item No.	Price	Description
 <p>Wall Mount Pot Filler</p>	62858LF-PC	1,363.00	<ul style="list-style-type: none"> Two handle wall mount 1-hole installation Cold water only Spout reach = 23 1/4" Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62858LF-PN	1,635.60	
	62858LF-SS	1,704.04	
	62858LF-BLBNX	1,839.76	
	62858LF-GLPG	1,976.64	
	62858LF-SL	1,976.64	



ACCESSORIES *(for kitchen drains and additional accessories, see pages 94–97)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP101658PC	252.88	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP101658PN	303.92	
	RP101658SS	316.68	
	RP101658BLBNX	341.04	
	RP101658GLPG	366.56	
	RP101658SL	366.56	
 Optional Escutcheon	RP101659PC	208.80	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 8" on center
	RP101659PN	250.56	
	RP101659SS	261.00	
	RP101659BL	281.88	
	RP101659GL	302.76	
	RP101659SL	302.76	
 Hole Cover	RP90934PC	67.28	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934PN	81.20	
	RP90934SS	84.68	
	RP90934BL	84.68	
	RP90934GL	97.44	
	RP90934SL	97.44	
 VoiceIQ® Module	EP100854	284.20	<ul style="list-style-type: none"> • VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines





SOLNA[®] KITCHEN COLLECTION

Inspired by contemporary Scandinavian furniture, the Solna[®] Kitchen Collection by Brizo[®] features crisp lines and beautifully simple forms—delivering a sleek, sophisticated look to any culinary space.

Available Finishes



POLISHED
CHROME
(PC)



BRILLIANCE[®]
STAINLESS
(SS)




MATTE BLACK
(BL)


KITCHEN FAUCETS

Item	Item No.	Price	Description
	64020LF-BL	1,547.44	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID™ – tap on/off functionality with temperature indicating LED light • MagneDock® Technology – magnetic docking system • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Two-function pull-down wand: spray and stream • Hidden pull-down wand • 1-hole installation
	64020LF-PC	1,190.16	
	64020LF-SS	1,404.76	


SmartTouch® Pull-Down
Kitchen Faucet

	63020LF-BL	1,170.44	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Two-function wand: spray and stream • Hidden pull-down wand • 1-hole installation • Spout swivels 360° • Accommodates up to 3" deck thickness • Comes standard with fittings
	63020LF-PC	900.16	
	63020LF-SS	1,125.20	

Single Handle Pull-Down
Kitchen Faucet

	63220LF-PC	873.48	<ul style="list-style-type: none"> • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Spout swivels 360° • Accommodates up to 3" deck thickness • Comes standard with fittings
	63220LF-SS	1,091.56	
	63220LF-BL	1,135.64	

Outdoor Kitchen Faucet


	63920LF-PC	900.16	<ul style="list-style-type: none"> • MagneDock® Technology – magnetic docking system • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Two-function wand: spray and stream • Hidden pull-down wand • 1-hole installation • Spout swivels 360° • Accommodates up to 3" deck thickness • Comes standard with fittings
	63920LF-BL	1,170.44	
	63920LF-SS	1,125.20	

Outdoor Kitchen Faucet


KITCHEN FAUCETS

Item	Item No.	Price	Description
	64920LF-SS	1,414.04	<ul style="list-style-type: none"> • SmartTouch® Technology with TempID™ – tap on/off functionality with temperature indicating LED light • MagneDock® Technology – magnetic docking system • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Two-function pull-down wand: spray and stream • Hidden pull-down wand • 1-hole installation
	64920LF-BL	1,552.08	
	64920LF-PC	1,197.12	


SmartTouch® Pull-Down
Prep Kitchen Faucet

	63221LF-PC	1,074.16	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible hose • MagneDock® Technology – magnetic docking system • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position: Maximum 21 1/2" • Accommodates up to 3" deck thickness
	63221LF-SS	1,343.28	
	63221LF-BL	1,396.64	

Single Handle Articulating
Kitchen Faucet


	64221LF-PC	1,364.16	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible hose • SmartTouch® Technology with TempID™ – tap on/off functionality with temperature indicating LED light • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex® waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position: Maximum 21 1/2" • Accommodates up to 3" deck thickness
	64221LF-SS	1,775.96	
	64221LF-BL	1,924.44	

Single Handle Articulating Kitchen
Faucet with SmartTouch® Technology


	63121LF-PC	1,074.16	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible hose • MagneDock® Technology – magnetic docking system • DIAMOND™ Seal Technology • Euro-motion Diamond™ Valve with InnoFlex® waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position: Maximum 21 1/2" • Accommodates up to 3" deck thickness
	63121LF-SS	1,343.28	
	63121LF-BL	1,396.64	

Articulating Faucet With
Finished Hose

KITCHEN FAUCETS

Item	Item No.	Price	Description
	64121LF-PC	1,364.16	<ul style="list-style-type: none"> • Dual-jointed articulating arm with semi-flexible hose • SmartTouch® Technology with TempID™ – tap on/off functionality with temperature indicating LED light • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex® waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position: Maximum 21 1/2" • Accommodates up to 3" deck thickness
	64121LF-SS	1,636.76	
	64121LF-BL	1,773.64	

SmartTouch® Articulating Kitchen Faucet With Finished Hose



62810LF-PC	1,260.92	• Two handle wall mount
62810LF-SS	1,576.44	• 1-hole installation
62810LF-RB	1,891.96	• Cold water only
62810LF-PN	1,512.64	• Spout reach = 23 1/4"

Classic Wall Mount Pot Filler



INSTANT HOT FAUCETS

Effortless harmony.







Brizo® Instant Hot faucets easily coordinate with any aesthetic, elevating the culinary experience with style and convenience. The near boiling water from the Instant Hot faucet is ready at a moment's notice—ideal for aromatherapy, steeping tea, brewing French press coffee and more.











Available Finishes




INSTANT HOT FAUCETS

Item	Item No.	Price	Description	
 <p>Artesso® Instant Hot Faucet</p>	61325LF-H-PC	772.56	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61325LF-H-PN	926.84		
	61325LF-H-SS	966.28		
	61325LF-H-BL	966.28		
	61325LF-H-GL	1,120.56		
	61325LF-H-RB	1,197.12		
 <p>Kintsu® Instant Hot Faucet with Arc Spout</p>	61306LF-H-PC-L	636.84	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness L = Lumicoat® Technology Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61306LF-H-SS-L	795.76		
	61306LF-H-BL	859.56		
	61306LF-H-BNX-L	923.36		
	61306LF-H-GL-L	955.84		
 <p>Kintsu® Instant Hot Faucet with Square Spout</p>	61307LF-H-PC-L	636.84	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness L = Lumicoat® Technology Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61307LF-H-SS-L	795.76		
	61307LF-H-BL	859.56		
	61307LF-H-BNX-L	923.36		
	61307LF-H-GL-L	955.84		

INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description	
 <p>Litze* Instant Hot Faucet with Arc Spout and Knurled Handle</p>	61343LF-H-PC	742.40	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61343LF-H-PN	890.88		
	61343LF-H-SS	928.00		
	61343LF-H-BLGL	1,002.24		
	61343LF-H-GL	1,076.48		
 <p>Litze* Instant Hot Faucet with Square Spout and Knurled Handle</p>	61353LF-H-PC	742.40	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61353LF-H-PN	890.88		
	61353LF-H-SS	928.00		
	61353LF-H-BLGL	1,002.24		
	61353LF-H-GL	1,076.48		
 <p>Litze* Instant Hot Faucet with Angled Spout and Knurled Handle</p>	61363LF-H-PC	742.40	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61363LF-H-PN	890.88		
	61363LF-H-SS	928.00		
	61363LF-H-BLGL	1,002.24		
	61363LF-H-GL	1,076.48		
 <p>Instant Hot Faucet with Arc Spout</p>	61320LF-H-PC	491.84	<ul style="list-style-type: none"> Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61320LF-H-PN	590.44		
	61320LF-H-MW	614.80		
	61320LF-H-SS	614.80		
	61320LF-H-BL	614.80		
	61320LF-H-PG	689.04		
	61320LF-H-GL	713.40		
	61320LF-H-SL	713.40		
 <p>Instant Hot Faucet with Square Spout</p>	61365LF-H-PC	491.84	<ul style="list-style-type: none"> Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa 	
	61365LF-H-PN	590.44		
	61365LF-H-MW	614.80		
	61365LF-H-SS	614.80		
	61365LF-H-BL	614.80		
	61365LF-H-PG	689.04		
	61365LF-H-GL	713.40		
	61365LF-H-SL	713.40		

INSTANT HOT FAUCETS *(continued)*

Item	Item No.	Price	Description
	61374LF-H-PC	749.36	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/16", spout to deck = 5 15/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61374LF-H-PN	899.00	
	61374LF-H-SS	937.28	
	61374LF-H-BL	937.38	
	61374LF-H-PG	1,048.64	
	61374LF-H-GL	1,086.92	
	61374LF-H-SL	1,086.92	

Rook® Instant Hot Faucet



	61358LF-H-PC	689.04	<ul style="list-style-type: none"> Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. Delivers near boiling water on demand Self closing spring loaded ceramic disc valve cartridge 1-hole installation Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61358LF-H-PN	827.08	
	61358LF-H-SS	861.88	
	61358LF-H-BLBNX	930.32	
	61358LF-H-GLPG	988.76	
	61358LF-H-SL	998.76	

Tulham™ Instant Hot Faucet





PRISTIVE™ TANKLESS REVERSE OSMOSIS SYSTEM

Purer water beckons.

Harness the power of reverse osmosis for cleaner, fresher, and more sustainable water purification. The Pristive™ Tankless Reverse Osmosis System, including collection matching beverage faucets, reduces more than 90 contaminants from your drinking water, when tested against NSF standards.

Available Finishes



POLISHED
CHROME
(PC)



BRILLIANCE®
POLISHED
NICKEL (PN)



BRILLIANCE®
STAINLESS
(SS)



VENETIAN
BRONZE®
(RB)



MATTE
BLACK
(BL)



MATTE
WHITE
(MW)



BRILLIANCE®
BLACK ONYX
(BNX)



BRILLIANCE®
POLISHED
GOLD (PG)



BRILLIANCE®
LUXE GOLD®
(GL)



BRILLIANCE®
LUXE STEEL®
(SL)



BRILLIANCE®
LUXE GOLD® /
BRILLIANCE®
POLISHED GOLD
(GLPG)




MATTE BLACK /
BRILLIANCE®
BLACK ONYX
(BLBNX)



MATTE BLACK /
BRILLIANCE®
LUXE GOLD®
(BLGL)





PRISTIVE™ TANKLESS REVERSE OSMOSIS SYSTEM

Item	Item No.	Price	Description
 <p>Pristive™ Tankless Reverse Osmosis System</p>	BWQ1001012	1,651.84	<ul style="list-style-type: none"> • Multi-stage tankless reverse osmosis water filtration system • 800 GPD (0.56 GPM) production rate • Tankless under-sink installation and compact design • For cold water installations only • Requires AC power outlet • System pairs with any Brizo® beverage faucet with air gap, or refrigerator • System includes 3 filter cartridges: Reverse Osmosis Filter, Carbon Filter and Pre-Filter • Optional remineralizer cartridge available for enhanced taste and pH balance • 2.5:1 filtered-to-waste water ratio • Certified reduction of more than 90 contaminants from drinking water when tested against NSF standards, including: lead, total PFAS, arsenic, bacteria, virus, chlorine, chromium, copper, TDS, mercury, microplastics, pharmaceuticals, and heavy metals. • Tankless RO system provides a constant flow of water and wastes less water compared to tanked systems • The Privistive™ Tankless RO system is rigorously tested against numerous NSF standards • Low maintenance filtration system makes filter changes easy • Integrated filter life tracking and internal leak detection with audible alerts













WATER FILTRATION










PRISTIVE™ REMINERALIZER & FILTERS

Item	Item No.	Price	Description
 <p>Pristive™ Remineralizer Cartridge</p>	BWQ300300	156.60	<ul style="list-style-type: none"> • Optional Remineralizer Cartridge to be used with Brizo RO system BWQ1001012 • In-line installation • For cold water use only • Lifespan - 2 years or 1,320 gallons
 <p>Pristive™ Reverse Osmosis Filter Cartridge</p>	BWQ300102	530.12	<ul style="list-style-type: none"> • Replacement filter for Brizo RO system BWQ1001012 • Quick quarter turn installation • For cold water use only • Lifespan - 2 years or 1,320 gallons
 <p>Pristive™ Carbon Filter Cartridge</p>	BWQ300202	156.60	<ul style="list-style-type: none"> • Replacement filter for Brizo RO system BWQ1001012 • Quick quarter turn installation • For cold water use only • Lifespan - 2 years or 1,320 gallons
 <p>Pristive™ Pre-Filter</p>	BWQ300350	176.32	<ul style="list-style-type: none"> • Replacement filter for Brizo RO system BWQ1001012 • In-line installation • For cold water use only • Lifespan - 6 years or 3,960 gallons

BEVERAGE FAUCETS

Item	Item No.	Price	Description	
 <p>Artesso® Beverage Faucet</p>	61325LF-C-PC	696.00	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61325LF-C-PN	835.20		
	61325LF-C-SS	870.00		
	61325LF-C-BL	870.00		
	61325LF-C-GL	1,009.20		
	61325LF-C-RB	1,078.80		
 <p>Litze® Beverage Faucet with Arc Spout and Knurled Handle</p>	61343LF-C-PC	669.32	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61343LF-C-PN	802.72		
	61343LF-C-SS	836.36		
	61343LF-C-BLGL	903.64		
	61343LF-C-GL	970.92		
 <p>Litze® Beverage Faucet with Square Spout and Knurled Handle</p>	61353LF-C-PC	669.32	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61353LF-C-PN	802.72		
	61353LF-C-SS	836.36		
	61353LF-C-BLGL	903.64		
	61353LF-C-GL	970.92		
 <p>Litze® Beverage Faucet with Angled Spout and Knurled Handle</p>	61363LF-C-PC	669.32	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 11/16", spout to deck = 6 5/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61363LF-C-PN	802.72		
	61363LF-C-SS	836.36		
	61363LF-C-BLGL	903.64		
	61363LF-C-GL	970.92		
 <p>Kintsu® Beverage Faucet with Square Spout</p>	61307LF-C-PC-L	636.84	<ul style="list-style-type: none"> • DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • L = Lumicoat® Technology • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61307LF-C-SS-L	795.76		
	61307LF-C-BL	859.56		
	61307LF-C-BNX-L	923.36		
	61307LF-C-GL-L	955.84		

BEVERAGE FAUCETS

Item	Item No.	Price	Description	
 <p>Beverage Faucet with Arc Spout</p>	61320LF-C-PC	423.68	<ul style="list-style-type: none"> Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61320LF-C-PN	519.68		
	61320LF-C-MW	540.56		
	61320LF-C-SS	540.56		
	61320LF-C-BL	540.56		
	61320LF-C-PG	605.52		
	61320LF-C-SL	627.56		
 <p>Beverage Faucet with Square Spout</p>	61365LF-C-PC	423.68	<ul style="list-style-type: none"> Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61365LF-C-PN	519.18		
	61365LF-C-MW	540.56		
	61365LF-C-SS	540.56		
	61365LF-C-BL	540.56		
	61365LF-C-PG	605.52		
	61365LF-C-SL	627.56		
 <p>Rook® Beverage Faucet</p>	61374LF-C-PC	670.48	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61374LF-C-PN	805.04		
	61374LF-C-SS	838.68		
	61374LF-C-BL	838.68		
	61374LF-C-PG	938.44		
	61374LF-C-GL	882.76		
	61374LF-C-SL	882.76		
 <p>Tulham™ Beverage Faucet</p>	61358LF-C-PC	642.64	<ul style="list-style-type: none"> DIAMOND Seal® Technology Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation Overall height = 9 9/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° Accommodates up to 3" deck thickness Integrated supply tubes Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa 	
	61358LF-C-PN	771.40		
	61358LF-C-SS	803.88		
	61358LF-C-BLBNX	867.88		
	61358LF-C-GLPG	931.48		
	61358LF-C-SL	931.48		
	 <p>Kintsu® Beverage Faucet with Arc Spout</p>	61306LF-C-PC-L		
61306LF-C-SS-L		795.76		
61306LF-C-BL		859.56		
61306LF-C-BNX-L		923.36		
61306LF-C-GL-L		955.84		





POT FILLERS

The perfect complement.


For those seeking even more versatility and convenience, pot fillers are a superb addition to any culinary space and make it easy to fill large cooking vessels quickly—and without the walk from the sink to the stove. Brizo® Pot Fillers are available in a range of styles and finishes, ensuring a look that complements any décor or Brizo® collection.




Available Finishes




WALL MOUNT POT FILLER FAUCETS


Item	Item No.	Price	Description
 <p>Artesso® Wall Mount Pot Filler Faucet</p>	62825LF-PC	1,498.72	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62825LF-PN	1,798.00	
	62825LF-SS	1,873.40	
	62825LF-BL	1,873.40	
	62825LF-GL	2,172.68	
	62825LF-RB	2,323.48	



 <p>Linear Wall Mount Pot Filler Faucet</p>	62820LF-PC	1,324.72	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa • Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections
	62820LF-PN	1,589.20	
	62820LF-MW	1,656.48	
	62820LF-SS	1,656.48	
	62820LF-BL	1,656.48	
	62820LF-PG	1,854.84	
	62820LF-GL	1,920.96	
	62820LF-SL	1,920.96	
	62820LF-RB	1,987.08	



 <p>Kintsu® Wall Mount Pot Filler with Lever Handle</p>	62806LF-PC-L	1,083.44	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • L = Lumicoat® Technology • Spout reach = 20 1/2" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62806LF-SS-L	1,354.88	
	62806LF-BL	1,462.76	
	62806LF-BNX-L	1,570.64	
	62806LF-GL-L	1,625.16	







 <p>Kintsu® Wall Mount Pot Filler with Knob Handle</p>	62807LF-PC-L	1,083.44	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • L = Lumicoat® Technology • Spout reach = 20 1/2" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62807LF-SS-L	1,354.88	
	62807LF-BL	1,462.76	
	62807LF-BNX-L	1,570.64	
	62807LF-GL-L	1,625.16	





WALL MOUNT POT FILLER FAUCETS *(continued)*

Item	Item No.	Price	Description	
	62843LF-PC	1,437.24	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa 	
	62843LF-PN	1,724.92		
	62843LF-SS	1,796.84		
	62843LF-BLGL	1,940.68		
	62843LF-GL	2,084.52		
<p>Litze® Wall Mount Pot Filler Faucet with Knurled Handle</p>				

	62844LF-PC	1,437.24	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa 	
	62844LF-PN	1,724.92		
	62844LF-SS	1,796.84		
	62844LF-BLGL	1,940.68		
	62844LF-GL	2,084.52		
<p>Litze® Wall Mount Pot Filler Faucet with Industrial Handle</p>				


	62874LF-PC	1,635.60	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa 	
	62874LF-PN	1,962.72		
	62874LF-SS	2,045.08		
	62874LF-BL	2,045.08		
	62874LF-PG	2,289.84		
	62874LF-GL	2,372.20		
	62874LF-SL	2,372.20		
<p>Rook® Wall Mount Pot Filler Faucet</p>				


	62858LF-PC	1,363.00	<ul style="list-style-type: none"> • Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa 	
	62858LF-PN	1,635.60		
	62858LF-SS	1,704.04		
	62858LF-BLBNX	1,839.76		
	62858LF-GLPG	1,976.64		
	62858LF-SL	1,976.64		
<p>Tulham™ Wall Mount Pot Filler Faucet</p>				





KITCHEN ACCESSORIES

SOAP/LOTION DISPENSERS


Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP75675PC	190.24	<ul style="list-style-type: none"> • Coordinates with the Artesso® kitchen collection • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP75675PN	228.52	
	RP75675SS	237.80	
	RP75675BL	237.80	
	RP75675GL	276.08	
	RP75675RB	294.64	

 Soap/Lotion Dispenser	695306-PC-L	223.88	<ul style="list-style-type: none"> • Coordinates with the Kintsu® kitchen collection • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck • L = Lumicoat® Technology
	695306-SS-L	279.56	
	695306-BL	302.76	
	695306-BNX-L	324.80	
	695306-GL-L	336.40	


 Soap/Lotion Dispenser	RP79275PC	176.32	<ul style="list-style-type: none"> • Coordinates with the Litze®, Odin® and Jason Wu for Brizo™ kitchen collections • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP79275PN	211.12	
	RP79275BL	220.40	
	RP79275MW	220.40	
	RP79275SS	220.40	
	RP79275PG	247.08	
	RP79275SL	255.20	
	RP79275GL	255.20	

 Soap/Lotion Dispenser	RP100487PC	204.16	<ul style="list-style-type: none"> • Coordinates with the Rook® kitchen collection • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP100487PN	244.76	
	RP100487SS	255.20	
	RP100487BL	255.20	
	RP100487PG	285.36	
	RP100487GL	295.80	
	RP100487SL	295.80	


SOAP/LOTION DISPENSERS *(continued)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP101658PC	252.88	<ul style="list-style-type: none"> • Coordinates with the Tulham™ kitchen collection • Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP101658PN	303.92	
	RP101658SS	316.68	
	RP101658BLBNX	341.04	
	RP101658GLPG	366.56	
	RP101658SL	366.56	


HOLE COVERS

Item	Item No.	Price	Description
 Hole Cover	RP90934PC	67.28	<ul style="list-style-type: none"> • Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934PN	81.20	
	RP90934BL	84.68	
	RP90934SS	84.68	
	RP90934PG	93.96	
	RP90934GL	97.44	
	RP90934SL	97.44	



AIR SWITCHES

Item	Item No.	Price	Description
 Air Switch	69080-PC	299.28	<ul style="list-style-type: none"> • Dual outlet controller for waste disposal and one additional accessory • Brass button and trim with polyethylene body • Simple plug-in installation of control box • Installed in 1-1/4" openings • 6' flexible hose included
	69080-PN	359.60	
	69080-SS	324.80	
	69080-BL	374.68	
	69080-MW	374.68	
	69080-PG	418.76	
	69080-GL	433.84	
	69080-SL	433.84	
	69080-RB	464.00	
	69080-BNX	403.68	

AIR GAPS

Item	Item No.	Price	Description
 Air Gap	69060-PC	67.28	<ul style="list-style-type: none"> • Polyethylene body • 5/8" dishwasher inlet, 7/8" outlet • 1 7/8" diameter, 2 1/8" long brass cap
	69060-PN	81.20	
	69060-SS	84.68	
	69060-BL	84.68	
	69060-BNX	90.48	
	69060-PG	93.96	
	69060-GL	97.44	
	69060-SL	97.44	
	69060-RB	104.40	

KITCHEN DRAINS

Item	Item No.	Price	Description
 Flange with Strainer	69052-PC	185.60	<ul style="list-style-type: none"> • Solid brass construction with stainless steel mounting hardware • Top-mount flange installation for 4 1/2" sink openings • 1 1/2" x 1 1/2" NPSM threads
	69052-PN	222.72	
	69052-SS	232.00	
	69052-PG	250.56	
	69052-BNX	250.56	
	69052-GL	269.12	
	69052-SL	269.12	
 Disposal Flange with Stopper	69070-PC	153.12	<ul style="list-style-type: none"> • Solid brass construction • Top-mount flange installation for 4 1/2" sink openings • Use with sink styles that require waste disposal to be installed up to 3/4" from sink opening
	69070-PN	183.28	
	69070-SS	191.40	
	69070-PG	214.60	
	69070-GL	221.56	
	69070-SL	221.56	
 Disposal Flange with Stopper	69072-PC	185.60	<ul style="list-style-type: none"> • Solid brass construction • Top-mount flange installation for 3 1/2" sink openings • Use with sink styles that require waste disposal to be installed between 3/4" to 1 1/2" from sink opening
	69072-PN	222.72	
	69072-SS	232.00	
	69072-PG	259.84	
	69072-BNX	250.56	
	69072-GL	269.12	
69072-SL	269.12		

VOICEIQ® TECHNOLOGY

Item	Item No.	Price	Description
	EP100854	284.20	<ul style="list-style-type: none">• VoiceIQ® Technology for hands-free voice activation• For use with SmartTouch® faucets manufactured after January 2018• Includes VoiceIQ® module, cable and 9 volt power supply• Pairs with Amazon® Alexa® and Google® Assistant-enabled devices• Metered and custom dispensing options• Warm-up feature pre-heats the water to 95°• Handwashing mode using CDC recommended guidelines

VoiceIQ® Module



HOMEA
PREMIUM

H O M E A

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121