

20
26

COLLECTION

HOMEA
PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121

 **FABER**
FRANKE'S AIR EXPERT

*Precio USD + IVA

INCA PRO PLUS

THE PROFESSIONAL CHOICE

Crafted for seamless integration, the Inca Pro Plus brings professional ventilation performance into the heart of your custom cabinetry. These new models include an internal blower, offering a self-contained ventilation solution for easier installation.



EASY SNAP



PRO



LED LIGHT



AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
INPL3619SS600	305.0748.642	36"Wx19"D Stainless Steel	600 CFM	\$1,188
INPL4819SS1200	305.0748.606	48"Wx19"D Stainless Steel	1200 CFM	\$1,597



PRO

PRO MOTOR

Engineered with high-performance components that enables a powerful extraction to remove of even the strongest cooking odors.



EASY SNAP

EASY SNAP

A clip system specifically designed to allow for a quick and easy installation of cabinet mounted hoods.



LED LIGHT

LED LIGHT

Bright, energy-efficient, LED Lights offer exceptional performance compared to standard bulbs.

INCA PRO PLUS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
INPL3619SS600	305.0748.642	36"Wx19"D Stainless Steel	600 CFM
INPL4819SS1200	305.0748.606	48"Wx19"D Stainless Steel	1200 CFM



INPL3619SS600

INSERT


FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		FILTER1	\$19
Cabinet Cut Out	34 ¾", 46 ¾"	No. of Fan Speeds	Variable	Charcoal Filter Kit	
Depth	19 ⅞"	Motor Class	600 or 1200 CFM	FILTER1LL2	\$316
Height Inside Cabinet	11"	<i>Blower included</i>		Long Lasting Charcoal Filter	
		Pro Motor	PRO 600/1200 CFM Metal Impellers		
Ducting		Display			
Type	Ducted/Recirculating with FILTER1/FILTER1LL2	Controls	Variable Speed		
Duct Size	6" Round or 10" Round - Top	Other			
Lighting		ADA Compliant	Separate Wall Switch Required		
Type	Energy-Efficient LED	Fixed Wiring Box	Yes		
# of Bulbs	Two - 5 Watt - 1 level on 36" Four - 5 Watt - 1 level on 48"				
Grease Filters					
Filter Type	Pro Stainless Steel Baffle				
Dishwasher Safe	Yes				
EasySnap Clip Installation	Clips Included				

TIMELESS GOOD LOOKS

The Inca Lux is equipped with an Energy-Efficient LED Bar and Faber's exclusive Sound Pro technology, making it more discreet than before.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
INLX35SSV2	305.0679.262	35" Stainless Steel	295/395/600 CFM	\$762





MODEL	FUN	SIZE / FINISH	MOTOR CLASS
INLX35SSV2	305.0679.262	35" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		FILTER1 \$19 Charcoal Filter Kit
Cabinet Cut Out 35"	32 7/8" W x 10 3/16" D	No. of Fan Speeds	4	FILTER1LL2 \$316 Long Lasting Charcoal Filter
Height Inside Cabinet	12 3/4"	Motor Class	295/395/600 CFM	REMORIG \$112 Wireless Remote Control
Ducting		Sound Pro	Yes	
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Variable Air Management	Ability to set to 295, 395, 600 CFM	
Duct Size	Top 6" Round	Perimeter Aspiration	Yes	
Lighting		Energy-Efficient Motor	Yes	
Type	Energy-Efficient LED Bar	Display		
# of Bulbs	One - 4 Watt - 1 Level	Controls	Electronic with LED	
Grease Filters		Intensive Speed	10 Minutes	
Filter Type	Mesh	Delay Shut-off	15 Minutes	
Dishwasher Safe	Yes	Other		
Easy Snap Clip Installation	Clips Included	ADA Compliant	With Remote Control	
		Remote Control	Purchase Separately	
		Power Cord	Included	

INCA SMART SS

INSERT

STUNNING, SLEEK VENTILATION

The Inca Smart insert is perfect when you want the hood to hide. This compact insert fits easily into upper cabinets as small as the standard 12" depth and features an exceptionally well finished bottom in painted gray. This restyled Inca Smart Stainless is now available in 240, 400, 600 CFM with LED lighting.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
INSP28SS240	305.0598.089	28" Stainless Steel	240 CFM	\$404
INSP28SS600	305.0598.087	28" Stainless Steel	600 CFM	\$460



INCA SMART SS



MODEL	FUN	SIZE / FINISH	MOTOR CLASS
INSP28SS240	305.0598.089	28" Stainless Steel	240 CFM
INSP28SS600	305.0598.087	28" Stainless Steel	600 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		
Cabinet Cut Out	26 5/8" W x 10 1/2" D	No. of Fan Speeds	4	FILTER4 \$21 Charcoal Filter Kit (240 CFM Only)
Body Width/Depth	25 5/8" W x 10 1/4" D	Motor Class	240/600 CFM	FILTER1 \$19 Charcoal Filter Kit (600 CFM Only)
Height Inside Cabinet	7 1/6" -28SS240 12 3/4" -28SS400/600	Energy-Efficient Motor	Yes	FILTER1LL2 \$316.00 Long Lasting Charcoal Filter Kit (600 CFM Only)
Ducting		Display		
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2 (SS600) FILTER4 (SS240)	Controls	Electronic With LED	
Duct Size	Top 6" Round - SS600 Top 5" Round -SS240	Intensive Speed	10 Minutes	
Lighting		Other		
Type	Energy-Efficient LED	ADA Compliant	No	
# of Bulbs	Two- 4 Watt - 1 level	Power Cord Included	Yes	
Grease Filters				
Filter Type	Mesh			
Dishwasher Safe	Yes			
Easy Snap Clip Installation	Clips Included			

SOLANO PRO 18

DESIGNED TO DELIVER THE PUREST AIR

Crafted with meticulous attention to detail, Solano Pro brings superior manufacturing standards and clean air to the kitchen.



AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
SOPR368SSV	335.0745.459	36" Stainless Steel	295/395/600 CFM	\$1,673
SOPR48SS1200	335.0745.458	48" Stainless Steel	1200 CFM	\$2,075



FABER CLOUD

Connect the hood to any Android or iOS smart device to control the kitchen's environment from anywhere.



SOUND PRO

Designed to reduce turbulence and resistance in the internal airflow, resulting in a quieter operation.



TUNABLE LIGHTS

Choose and vary the color temperature of the light, from warmer (tending to yellow) to colder (tending to white).



SELF START

A smart sensor switches the hood on automatically as soon as air temperature reaches 130°F.

SOLANO PRO 18

PRO & UNDER CABINET



SOPR308SSV

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
SOPR368SSV	335.0745.459	36" Stainless Steel	295/395/600 CFM
SOPR48SS1200	335.0745.458	48" Stainless Steel	1200 CFM

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		TELEPRO36-2 \$717	
Ceiling Height	8' - 9'	No. of Fan Speeds	4	Telescopic Chimney Kit 36"	
Canopy Depth Height	25" D x 18" H	Motor Class	295 / 395 / 600 CFM	TELEPRO48-2 \$789	
Ducting			1200 CFM for 48"	Telescopic Chimney Kit 48"	
Type	Ducted / Ductless with DUCTGR kit	Sound Pro	Yes	FILTER1 \$19	
Duct Size	Vari-Duct - 6" Round Top or Rear Vent. With 2nd blower, 10" Top or Rear Vent	Variable Air Management	295, 395, 600 CFM	FILTER1LL2 \$316	
Lighting		Display		REMORIG \$112	
Type	Energy-Efficient LED	Controls	Electronic with LED	Remote Control	
# of Bulbs	1 LED Light Bar	Self Start Heat Sensor	Yes		
Light Dimmer	Yes	Delay Shut-off	30 Minutes		
Tunable Lights	5 Settings From 2700K to 6500K	Intensive Speed	1 Level x 6 Minutes		
Grease Filters		Other			
Filter Type	Pro Stainless Steel Baffle	ADA Compliant	With Remote Control or Faber Cloud App Voice Activation		
Filter Alarm	Yes	Faber Cloud App	Control with Mobile Device		
Dishwasher Safe	Yes	Voice Activated	Apple Siri, Google Home or Amazon Alexa		
Dishwasher Safe Grease Rail	Yes	Remote Control	Purchase Separately		
		Power Cord Included	Yes		
		Anti-Pollution Mode	24 Hour		

T-SHELF

ICONIC



AN EXTRA TOUCH OF DESIGN

Faber T-Shelf - a striking statement piece that seamlessly combines industrial and premium design. Its matte black finish and sleek smoked glass shelves create an open, airy ambiance, to elevate any kitchen space. The dual LED bar offers customizable brightness and color temperature, adding elegance to the workspace while setting the atmosphere. Powered by the advanced Sound Pro blower, it ensures quiet and powerful extraction.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
TSHIS70BK600	335.0727.694	70" Matte Black	600 CFM	\$3,055



T-SHELF

ICONIC



MODEL	FUN	SIZE / FINISH	MOTOR CLASS
TSHIS70BK600	335.0727.694	70" Matte Black	600 CFM

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		FILTER2 \$20	
Ceiling Height	7' 7 1/8" - 9' 15/16"	No. of Fan Speeds	4	Charcoal Filter	
Canopy Depth Height	20 1/2" D x 3 1/8" H	Motor Class	600 CFM		
Ducting		Energy Efficient Motor	Yes		
Type	Ducted / Ductless with FILTER2	Sound Pro	Yes		
Duct Size	6" Round Top Vent	Display			
Lighting		Controls	Electronic Rainbow Knob		
Type	Energy-Efficient LED Bar	Intensive Speed	10 Minutes		
# of Bulbs	2 Lights - 4 Watt - 2 Levels	Other			
Tunable Lights	5 Settings From 2700K to 6500K	ADA Compliant	No		
Grease Filters		Fixed Wiring Box	Yes		
Filter Type	Matte Black Mesh	Shelf Material	Smoked Glass		
Dishwasher Safe	Yes	Left Top Shelf Weight Limit (2)	Max 11 lbs Each		
Anti-Pollution Mode	No	Right Top Shelf Weight Limit	Max 33 lbs		
		Right Bottom Shelf Weight Limit	Max 33 lbs		

A modern, minimalist T-shaped range hood with a stainless steel finish is mounted on a dark, textured wall. To the right, a portion of a light-colored kitchen cabinet is visible. The word "STILO" is displayed in white capital letters on a dark green rectangular background in the top right corner.

STILO

WALL

SILENT AND PRECIOUS AS PURE AIR

Stilo is one of the quietest T-shaped hoods and is guaranteed to amaze you with its high performance and low noise. The hood's stylish design conceals Faber's exclusive VAM technology, allowing a permanent extraction speed setting. Thanks to a continuous exchange of air extraction for 10 minutes activated by the Intensive Speed Function, you can enjoy maximum comfort, minimum energy consumption, and complete freedom to enjoy your home.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
STIL36SSV2	325.0653.680	36" Stainless Steel	295/395/600 CFM	\$810



FABER
FRANKE'S AIR EXPERT

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
STIL36SSV2	325.0653.680	36" Stainless Steel	295/395/600 CFM



FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		FILTER2 \$20	
Ceiling Height	Min 24" OFF - 8' 9 3/8" Max 30" OFF - 11' 3/16"	No. of Fan Speeds	4 Speed	Replacement Charcoal Filter	
Canopy Depth Height	18 1/2" D x 2 3/8" H	Motor Class	295/395/600 CFM	REMORIG \$112	
Ducting		Variable Air Management	Ability to set to 295, 395, 600 CFM	Wireless Remote Control	
Type	Ducted/ Ductless with DUCT4	Display		KIT DUCT4 EASY CUBE \$50	
Duct Size	Top 6" Round	Controls	Electronic with LED		
Lighting		Intensive Speed	10 Minutes		
Type	Energy-Efficient LED	Delay Shut-off	15 Minutes		
# of Bulbs	Two - 1 Watt - 1 Level	Other			
Grease Filters		ADA Complaint	With Remote Control		
Filter Type	Mesh	Remote Control	Purchase Separately		
Dishwasher Safe	Yes	Power Cord	Included		



MODERN GOOD LOOKS

The Beat X is equipped with LED lighting, Faber's Sound Pro technology, intensive speed, and a charcoal filter included for suspended island installation.

AVAILABLE MODEL

MODEL	FUN	SIZE / FINISH	MOTOR CLASS	\$
BEAT X	345.0655.177	45 cm Stainless steel	270/410/580/740	\$946



BEAT X

MODEL

BEAT X

FUN

345.0655.177

SIZE / FINISH

45 cm Stainless steel

MOTOR CLASS

270/410/580/740



ISLAND HOOD

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		F8 KIT 2 C.F. D196 H37	\$40
Width	45 cm	No. of Fan Speeds	3 + Boost		
Installation	Suspended Island Hood	Motor Class	270/410/580/740 m3/h		
Finish	Stainless Steel / Matte Black	Sound Pro	Yes		
		Intensive Speed	6 Minutes		
		Energy Class	A		
Ducting		Performance			
Type	Recirculating	Speed	1 / 2 / 3 / Boost		
Charcoal Filter	Included	Flow	270 / 410 / 580 / 740		
Lighting		Power	150 / 200 / 240 / 250		
Type	LED S2000 3000K	Pressure	450 / 540 / 570 / 580		
# of Bulbs	2 LEDs	Noise	53 / 59 / 66 / 70		
Grease Filters		Controls			
Filter Type	Aluminium	Controls	Push Button		
Dishwasher Safe	Yes				

TÉRMINOS Y CONDICIONES DE COMPRA

PAGOS.

- La orden de compra se dará como confirmada hasta recibir un anticipo y el cliente reciba confirmación de dicho pago.
- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones, a menos que esté autorizado por parte de dirección de HOMEA.
- Para ordenes de producto especiales fuera de línea será necesario el pago del 100%.

DEVOLUCIONES.

- No se aceptan devoluciones.

LOGÍSTICA

- El tiempo de entrega en equipos varía según disponibilidad de nuestros proveedores.
- Flete sin costo sin mínimo de compra para CDMX, Guadalajara y Monterrey.
- Para todos los demás destinos se cobra flete y este deberá ser pagado directamente por el cliente a la paquetería de su elección o bien por adelantado a HOMEA.
- En caso de que el flete sea pagado por el cliente, HOMEA se deslinda de toda responsabilidad una vez que la mercancía salga de sus instalaciones.
- En envíos por flete pagado por HOMEA, la mercancía deberá ser revisada al recibir. Una vez firmado de recibido, no se aceptan reclamaciones.
- En caso de ser necesario, efectuar la reclamación con anotación en la guía y fotografías del daño, reportándolo a HOMEA.
- Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación por daños estéticos, siempre y cuando el equipo se encuentre en la misma ubicación donde HOMEA hizo la entrega.
- Todas las entregas son en consolidado en horario abierto de lunes a viernes de 9:00 a 18:00hrs.
- HOMEA únicamente realizará entregas a pie de camión en tiendas, almacenes, fábrica, y domicilio de cliente final.
- Por ningún motivo el personal de HOMEA está autorizado a realizar maniobras dentro de las instalaciones del cliente.
- En caso de que el cliente no pueda recibir la mercancía por cualquier motivo, se hará un cargo de \$1,000 más IVA por la segunda vuelta.
- Para las recolecciones en el almacén de HOMEA, se requiere previa cita con 24 horas de anticipación, sin excepción.
- Cualquier seguro para garantizar la integridad de los equipos, se cotiza por separado.

ALMACENAJE

- Una vez hecho el pedido, la mercancía será embarcada de inmediato cuando se encuentre en stock, en caso contrario, será embarcada cuando se reciba en nuestras bodegas, sin excepción alguna. De lo contrario, el equipo será liberado a la venta y HOMEA podrá disponer del mismo, por lo que el cliente queda sujeto a disponibilidad o en espera del próximo embarque sin fecha de compromiso para nueva entrega.
- Si el pedido no es entregado, ni tampoco requerido para venta por parte de HOMEA, se aplicará un costo de almacenaje del 3% + IVA mensual sobre el valor del pedido a partir de la fecha compromiso de entrega o fecha de llegada a la bodega de HOMEA, el cual deberá ser pagado antes de la entrega.

GARANTÍA

- Un año de garantía a partir de la fecha factura, o a partir de la fecha de instalación, siempre y cuando esta no exceda 90 días naturales a partir de la fecha de factura. En el segundo caso, el cliente deberá llenar un formato enviado a servicio técnico de HOMEA, para la extensión de dicha garantía.
- La garantía aplica siempre y cuando sea por falla de fábrica y no por mal uso o mala instalación del equipo.
- No aplica garantía si no se le ha dado el mantenimiento correcto al equipo.
- El cliente deberá pagar los viáticos del técnico en caso de que no existan técnicos autorizados en su ciudad, para cubrir garantía.
- Los componentes electrónicos no entran dentro de la garantía si hubo cambio de voltaje.