

# GAGGENAU

## LISTA DE PRECIOS 2026

COD-26012026

**H**OMEA  
PREMIUM

**HOMEA**

[www.homea.mx](http://www.homea.mx)

Email: [ventas@homea.mx](mailto:ventas@homea.mx)

Whatsapp: **(446)144.6318**

Tel: **(442)216.3552**

Lada sin Costo: **01(800)701.2121**

EB 333 Oven - Expressive series ovens



# SYMMETRY PERFECTLY STAGED

The Gaggenau Expressive series, inspired by Bauhaus and modern architecture, impresses with elegant, sculptural shapes.

## Expressive series ovens



### Oven Gaggenau Expressive series GO 470/471

- Width 24" (60 cm).
- Stainless steel behind smoked glass.

#### Included accessories

- 1 wire rack.
- 1 baking tray, enameled, pyrolysis-safe.
- 1 broil pan, enameled, pyrolysis-safe
- 1 core temperature probe.
- 1 rotisserie spit.

#### Optional accessories

- BA 020 110**  
Air frying tray.  
1 3/16" (30 mm) deep.
- BA 026 116**  
Baking tray, enameled.  
1" (30 mm) deep.

- BA 026 117**  
Broil pan, enameled.  
1 3/16" (30 mm) deep.

- BA 036 166**  
Wire rack, chromium-plated.  
Without opening, with feet.

- BA 046 118**  
Glass tray for 24"/30" ovens.  
1" deep (24 mm).

- BA 056 134**  
Baking stone kit with baking  
paddle for 24" (60 cm) oven.

- BS 020 003**  
Baking paddle.

- GN 340 231**  
Gastronorm roaster in cast  
aluminum.  
GN 2/3, height 6 1/2" (165 mm),  
PFAS free non-stick coating.

#### Right-hinged

- GO 470 720** **NEW** \$16,913  
stainless steel behind smoked glass

#### Left-hinged

- GO 471 720** **NEW** \$16,913  
stainless steel behind smoked glass

Delivery starting Q4 2025.  
Star-K certification pending.



Note: Side-hinge doors are not reversible.



### Oven Gaggenau Expressive series GO 480/481

- Width 30" (76 cm).
- Stainless steel behind smoked glass.

#### Included accessories

- 1 wire rack.
- 2 baking tray/broil pan, enameled, pyrolysis-safe.
- 1 core temperature probe.
- 1 rotisserie spit.

#### Installation accessories

- GA 301 010**  
Gaggenau adjustable shelf.  
Installation kit for 30" (76 cm)  
devices.

#### Optional accessories

- BA 020 110**  
Air frying tray.  
1 3/16" (30 mm) deep.  
To be placed on wire rack.

- BA 028 115**  
Baking tray/broil pan, enameled.  
1" (30 mm) deep.

- BA 038 165**  
Wire rack, for 30"/36" (76 cm/  
90 cm) oven.

- BA 058 134**  
Baking stone kit with baking  
paddle for 30" (76 cm) oven.

- BS 020 003**  
Baking paddle.

- GN 340 231**  
Gastronorm roaster in cast  
aluminum.  
GN 2/3, height 6 1/2" (165 mm),  
PFAS free non-stick coating.

#### Right-hinged

- GO 480 721** \$18,442  
stainless steel behind smoked glass

#### Left-hinged

- GO 481 721** \$18,442  
stainless steel behind smoked glass

Note: Side-hinge doors are not reversible.



— Star-K certification pending.

## Expressive series Combi-steam ovens



### Combi-steam oven Gaggenau Expressive series GS 480/481

- Width 30" (76 cm).
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

#### Included accessories

- 1 cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 wire rack.
- 1 water inlet hose 118" (3 m).
- 1 water outlet hose 118" (3 m).
- 4 cleaning cartridges.

#### Optional accessories

##### BA 010 050

Core temperature probe.

##### BA 010 301

Triple telescopic pull-out rack.

##### BA 020 361

Cooking container stainless steel, Unperforated

##### BA 020 370

Cooking container stainless steel, Perforated

##### BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

##### BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

##### BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

##### CLS 100 40

Cleaning cartridges, set of 4\*.

\* Set of 4 included in delivery.

##### GN 010 330

Adapter for gastronorm insert and roaster.

##### GN 114 130

Gastronorm insert, stainless steel, GN 1/3. Unperforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

##### GN 114 230

Gastronorm insert, stainless steel, GN 2/3. Unperforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

##### GN 124 130

Gastronorm insert, stainless steel, GN 1/3. Perforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

##### GN 124 230

Gastronorm insert, stainless steel, GN 2/3. Perforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

##### GN 340 231

Gastronorm roaster in cast aluminum. GN 2/3, height 6 1/2" (165 mm), PFAS free non-stick coating.

#### Installation accessories

##### GZ 010 011

Extension for water inlet and outlet. 78" long (2 m).

##### GA 301 010

Gaggenau adjustable shelf Installation kit for 30" (76 cm) devices.

#### Required accessories

##### Part No. 17002490

Descaling tablets, set of 4.

#### Right-hinged

**GS 480 720** **NEW** \$19,968  
stainless steel behind smoked glass

#### Left-hinged

**GS 481 720** **NEW** \$19,968  
stainless steel behind smoked glass

Delivery starting Q4 2025.  
Star-K certification pending.



Note: Side-hinge doors are not reversible.

- Plumbed with drain.
- No electrical appliances can be installed above the combi-steam oven.

## Expressive series Combi-steam ovens



### Combi-steam oven Gaggenau Expressive series GS 470/471

- Width 24" (60 cm).
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

#### Included accessories

- 1 cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 wire rack.
- 1 water inlet hose 118" (3 m).
- 1 water outlet hose 118" (3 m).
- 4 cleaning cartridges.

#### Optional accessories

##### BA 010 050

Core temperature probe.

##### BA 010 301

Triple telescopic pull-out rack.

##### BA 020 361

Cooking container stainless steel, Unperforated

##### BA 020 370

Cooking container stainless steel, Perforated

##### BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

##### BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

##### BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

##### CLS 100 40

Cleaning cartridges, set of 4\*.  
\* Set of 4 included in delivery.

### GN 010 330

Adapter for gastronorm insert and roaster.

### GN 114 130

Gastronorm insert, stainless steel, GN 1/3.  
Unperforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

### GN 114 230

Gastronorm insert, stainless steel, GN 2/3.  
Unperforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

### GN 124 130

Gastronorm insert, stainless steel, GN 1/3.  
Perforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

### GN 124 230

Gastronorm insert, stainless steel, GN 2/3.  
Perforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

### GN 340 231

Gastronorm roaster in cast aluminum.  
GN 2/3, height 6 1/2" (165 mm), PFAS free non-stick coating.

#### Installation accessories

##### GZ 010 011

Extension for water inlet and outlet.  
78" long (2 m).

##### GA 601 010

Gaggenau adjustable shelf  
Installation kit for 24" (60 cm) devices.

#### Required accessories

##### Part No. 17002490

Descaling tablets, set of 4.

#### Right-hinged

**GS 470 720** **NEW** \$18,442  
stainless steel behind smoked glass

#### Left-hinged

**GS 471 720** **NEW** \$18,442  
stainless steel behind smoked glass

Delivery starting Q4 2025.  
Star-K certification pending.



Note: Side-hinge doors are not reversible.

- Plumbed with drain.
- No electrical appliances can be installed above the combi-steam oven.

## Expressive series Combi-steam ovens



### Combi-steam oven Gaggenau Expressive series GS 460/461

- Width 30" (76 cm).
- Tank only. No water or drain connection.
- Stainless steel behind smoked glass.

#### Included accessories

- 1 cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 wire rack.
- 4 cleaning cartridges.

#### Optional accessories

##### BA 010 050

Core temperature probe.

##### BA 010 301

Triple telescopic pull-out rack.

##### BA 020 361

Cooking container stainless steel, Unperforated

##### BA 020 370

Cooking container stainless steel, Perforated

##### BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

##### BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

##### BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

### CLS 100 40

Cleaning cartridges, set of 4\*.  
\* Set of 4 included in delivery.

### GN 010 330

Adapter for gastronorm insert and roaster.

### GN 114 130

Gastronorm insert, stainless steel, GN 1/3.  
Unperforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

### GN 114 230

Gastronorm insert, stainless steel, GN 2/3.  
Unperforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

### GN 124 130

Gastronorm insert, stainless steel, GN 1/3.  
Perforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

### GN 124 230

Gastronorm insert, stainless steel, GN 2/3.  
Perforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

### GN 340 231

Gastronorm roaster in cast aluminum.  
GN 2/3, height 6 1/2" (165 mm), PFAS free non-stick coating.

#### Installation accessories

##### GA 301 010

Gaggenau adjustable shelf  
Installation kit for 30" (76 cm) devices.

#### Required accessories

##### Part No. 17002490

Descaling tablets, set of 4.

#### Right-hinged

**GS 460 720** **NEW** \$18,442  
stainless steel behind smoked glass

#### Left-hinged

**GS 461 720** **NEW** \$18,442  
stainless steel behind smoked glass

Delivery starting Q4 2025.  
Star-K certification pending.



Note: Side-hinge doors are not reversible.

- No electrical appliances can be installed above the combi-steam oven.

## Expressive series Combi-microwave ovens



### Combi-microwave oven Gaggenau Expressive series GM 480/481

- Width 30" (76 cm).
- Stainless steel behind smoked glass.

#### Included accessories

- 1 wire rack.
- 1 glass tray.

#### Optional accessories

##### BA 010 050

Core temperature probe.

##### BA 036 166

Wire rack.

##### BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

#### Installation accessories

##### GA 301 010

Gaggenau adjustable shelf  
Installation kit for 30" (76 cm) devices

#### Right-hinged

**GM 480 720** **NEW** \$17,902  
stainless steel behind smoked glass

#### Left-hinged

**GM 481 720** **NEW** \$17,902  
stainless steel behind smoked glass

Delivery starting Q4 2025.  
Star-K certification pending.



Note: Side-hinge doors are not reversible.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Expressive series Combi-microwave ovens



### Combi-microwave oven Gaggenau Expressive series GM 450/451

- Width 24" (60 cm).
- Stainless steel behind smoked glass.

#### Included accessories

- 1 wire rack.
- 1 glass tray.

#### Optional accessories

**BA 010 050**  
Core temperature probe.

**BA 036 166**  
Wire rack.

**BA 046 118**  
Glass tray for 24"/30" (60 cm/76 cm) ovens.

#### Installation accessories

**GA 601 010**  
Gaggenau adjustable shelf  
Installation kit for 24" (60 cm) devices

#### Right-hinged

**GM 450 720** **NEW** \$16,117  
stainless steel behind smoked glass

#### Left-hinged

**GM 451 720** **NEW** \$16,117  
stainless steel behind smoked glass

**Delivery starting Q4 2025.**  
**Star-K certification pending.**



Note: Side-hinge doors are not reversible.

## Expressive series espresso machines



### Fully automatic espresso machine Gaggenau Expressive series Plumbed GC 461

- Width 24" (60 cm).
- Plumbed. Water line required.
- Stainless steel behind smoked glass.

#### Included accessories

- 1 assembly screws.
- 1 test strip.
- 1 glass milk container.
- 1 connection hose for milk frother.
- 1 milk tube.
- 1 cleaning cartridge.
- 1 descaling cartridge.

#### Installation accessories

**GA 601 010**  
Gaggenau adjustable shelf  
Installation kit for 24" (60 cm) devices

#### Optional accessories

**GA 022 720**  
Cleaning cartridge.

**GA 022 740**  
Descaling cartridge.

**Part No. 12008246**  
Water filter.

**Part No. 00312445**  
Descaling tablets.

**Part No. 00311979**  
Cleaning tablets.

**Part No. 00636455**  
Door hinge restrictor  
(92° opening angle).

#### Left-hinged

**GC 461 720** **NEW** \$10,817  
stainless steel behind smoked glass

- Left-hinged only.



**Delivery starting Q4 2025.**



### Fully automatic espresso machine Gaggenau Expressive series Tank GC 451

- Width 24" (60 cm).
- Tank only. No water connection.
- Stainless steel behind smoked glass.

#### Included accessories

- 1 assembly screws.
- 1 test strip.
- 1 glass milk container.
- 1 connection hose for milk frother.
- 1 milk tube.
- 1 cleaning cartridge.
- 1 descaling cartridge.

#### Installation accessories

**GA 601 010**  
Gaggenau adjustable shelf  
Installation kit for 24" (60 cm) devices

#### Optional accessories

**GA 022 720**  
Cleaning cartridge.

**GA 022 740**  
Descaling cartridge.

**Part No. 12008246**  
Water filter.

**Part No. 00312445**  
Descaling tablets.

**Part No. 00311979**  
Cleaning tablets.

**Part No. 00636455**  
Door hinge restrictor  
(92° opening angle).

#### Left-hinged

**GC 451 720** **NEW** \$10,397  
stainless steel behind smoked glass

- Left-hinged only.



**Delivery starting Q4 2025.**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Expressive series vacuuming drawers

**Expressive series vacuuming drawer****GV 451**

- Width 24" (60 cm), Height 5 1/2" (14 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

**Included accessories**

- 50 vacuuming bag, small.
- 50 vacuuming bag, big.
- 1 raised vacuuming platform.

- 1 adapter for vacuuming outside the chamber.
- 1 vacuuming hose.
- 1 adapter for bottle plugs.
- 3 plugs for vacuuming of bottles.

**Optional accessories****Part No. 00578813**

Vacuuming bags, small. 7" x 11", 100 pcs.

**Part No. 00578814**

Vacuuming bags, large. 9 1/2" x 14", 100 pcs.

**GV 451 720** **NEW**  
stainless steel behind smoked glass

\$8,644

Delivery starting Q4 2025.



## Expressive series culinary warming drawers

**Culinary warming drawer**  
**Gaggenau Expressive series****GW 483**

- Width 30" (76 cm), Height 8 1/16" (21.5 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

**GW 483 720** **NEW**  
stainless steel behind smoked glass

\$6,414

Delivery starting Q4 2025.

**Culinary warming drawer**  
**Gaggenau Expressive series****GW 083**

- Width 30" (76 cm), Height 8 1/16" (21 cm).
- Custom-panel ready.
- Not push-to-open, requires handle.

**GW 083 790** **NEW**  
custom panel

\$5,617

Delivery starting Q4 2025.

**Culinary warming drawer**  
**Gaggenau Expressive series****GW 451**

- Width 24" (60 cm), Height 5 1/2" (14 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

**GW 451 720** **NEW**  
stainless steel behind smoked glass

\$5,139

Delivery starting Q4 2025.

**Culinary warming drawer**  
**Gaggenau Expressive series****GW 453**

- Width 24" (60 cm), Height 8 1/16" (21.5 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

**GW 453 720** **NEW**  
stainless steel behind smoked glass

\$5,617

Delivery starting Q4 2025.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Expressive series accessories

	GO 480/481	30"	GO 470/471	24"	GS 480/481	30"	GS 470/471	24"	GS 460/461	30"	GM 480/481	30"	GM 450/451	24"	GC 461/451	24"	GV 451/720		
	•	•	•	•	•	•	•	•	•	•	•	•						BA 010 050	\$211
					•	•	•											BA 010 301	\$533
	•	•																BA 020 110 <b>NEW</b>	\$185
					•	•	•											BA 020 361	\$394
					•	•	•											BA 020 370	\$394
					•	•	•											BA 020 382	\$517
					•	•	•											BA 020 391	\$517
	•	•																BA 028 115	\$282
		•																BA 026 116 <b>NEW</b>	\$167

## Expressive series accessories

	GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720		
		●								BA 026 117 <b>NEW</b>	\$154
										Delivery starting Q4 2025.	
		●				●	●			BA 036 166 <b>NEW</b>	\$185
										Delivery starting Q4 2025.	
	●									BA 038 165	\$165
										— For use with select 30" (76 cm) ovens. — Chromium plated. — Without opening, with feet.	
		●	●	●	●	●	●			BA 046 118 <b>NEW</b>	\$282
										— Depth is 1". — Heavy-duty, fully transparent. Delivery starting Q4 2025.	
	●	●								BS 020 003 <b>NEW</b>	\$420
										Delivery starting Q4 2025.	
		●								BA 056 134 <b>NEW</b>	\$841
										Delivery starting Q4 2025.	
	●									BA 058 134 <b>NEW</b>	\$979
										Delivery starting Q4 2025.	
			●	●	●					GN 010 330	\$350
										— Wire rack to support roaster GN 340 231. — Roaster with lid sold separately, please order Part No. 00570316.	
			●	●	●					GN 114 130	\$211
										— Unperforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size perforated pan, order Part No. 00571634.	




This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Expressive series accessories

	GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
 <ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 1/2" deep, GN 2/3, full tray size.</li> <li>– Unperforated, 3 qt.</li> <li>– Must order GN 010 330 adapter separately.</li> </ul>			●	●	●					<b>GN 114 230</b> <span style="float: right;">\$308</span> <ul style="list-style-type: none"> <li>– For use in select combi-steam ovens.</li> <li>– Unperforated, stainless steel pan.</li> <li>– Gastronorm size 2/3, 1.5" (40 mm) depth.</li> <li>– For the full-size perforated pan, order Part No. 00357307.</li> </ul>
 <ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 1/2" deep, GN 1/3, half tray size.</li> <li>– Perforated, 1.5 qt.</li> <li>– Must order GN 114 130 adapter separately.</li> </ul>			●	●	●					<b>GN 124 130</b> <span style="float: right;">\$211</span> <ul style="list-style-type: none"> <li>– Perforated, stainless steel pan.</li> <li>– Dishwasher safe.</li> <li>– Gastronorm size 1/3, 1.5" (40 mm) depth.</li> <li>– For the half size unperforated pan, order Part No. 00677877.</li> </ul>
 <ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 1/2" deep, GN 2/3, full tray size.</li> <li>– Perforated, 3 qt.</li> <li>– Must order GN 114 130 adapter separately.</li> </ul>			●	●	●					<b>GN 124 230</b> <span style="float: right;">\$308</span> <ul style="list-style-type: none"> <li>– For use with select combi-steam ovens.</li> <li>– Perforated, stainless steel pan.</li> <li>– Gastronorm size 2/3, 1.5" (40 mm) depth.</li> <li>– For full size unperforated pan, order Part No. 00358656.</li> </ul>
 <ul style="list-style-type: none"> <li>– Cast-aluminum roaster, for use with GO/GS ovens.</li> <li>– GN 2/3, height 6 1/2" (165 mm),</li> <li>– PFAS free non-stick coating.</li> <li>– Lower and upper part can also be used separately, height 4" (100 mm) and 2." (65 mm).</li> <li>– For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).</li> </ul>	●	●	●	●	●					<b>GN 340 231</b> <span style="float: right;">\$841</span> <b>Delivery starting Q4 2025.</b>
 <ul style="list-style-type: none"> <li>– Cleaning cartridges, set of 4.</li> <li>– For Combi-steam oven.</li> </ul>			●	●						<b>CLS 100 40</b> <span style="float: right;">\$141</span> <ul style="list-style-type: none"> <li>– For select Combi-steam ovens that have a cleaning system and fixed water connection.</li> <li>– Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning).</li> <li>– To descale your combi-steam oven, please order descaling cartridges (Part No. 00311768).</li> </ul>
 <ul style="list-style-type: none"> <li>– Descaling tablets, set of 4.</li> <li>– For Combi-steam ovens.</li> </ul>			●	●	●					<b>Part No.17002490</b> See Cleaners & Accessories Price List for pricing <ul style="list-style-type: none"> <li>– For use with select Combi-steam ovens.</li> <li>– Place tablets into the descaling container in the oven when the oven indicates that descaling is needed, then activate the descaling process.</li> </ul>



### Expressive series accessories

	GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
 <ul style="list-style-type: none"> <li>– Vacuum Bags (Small).</li> <li>– 7.1" x 11", 100 pcs.</li> </ul>									●	<b>Part No. 00578813</b> See Cleaners & Accessories Price List for pricing  – For use with select vacuum drawers - please check for compatibility with your appliance. – To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
 <ul style="list-style-type: none"> <li>– Vacuum Bags (Large).</li> <li>– 9.5" x 13.8", 100 pcs.</li> </ul>									●	<b>Part No. 00578814</b> See Cleaners & Accessories Price List for pricing  – For use with select vacuum drawers. – To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
 <ul style="list-style-type: none"> <li>– Water filter.</li> </ul>									●	<b>Part No. 12008246</b> See Cleaners & Accessories Price List for pricing
<ul style="list-style-type: none"> <li>– Descaling tablets for manual descaling.</li> <li>– Removes hard water deposits and limescale.</li> <li>– Follow your coffee machine's instructions for running the manual descaling cycle.</li> <li>– 1 tablet per descaling session.</li> </ul>									●	<b>Part No. 00312445</b> <b>NEW</b> See One Portal for pricing  – Three tablets.  <b>Delivery starting Q4 2025.</b>
 <ul style="list-style-type: none"> <li>– Cleaning tablets for manual cleaning.</li> <li>– Removes coffee oils and other greasy residues.</li> <li>– Follow your coffee machine's instructions for running the cleaning cycle.</li> <li>– 1 tablet per cleaning.</li> </ul>									●	<b>Part No. 00311979</b> See Cleaners & Accessories Price List for pricing  – 20 tablets.
<ul style="list-style-type: none"> <li>– Door hinge restrictor (92° opening angle, set of two).</li> </ul>									●	<b>Part No. 00636455</b> <b>NEW</b> See One Portal for pricing  <b>Delivery starting Q4 2025.</b>
<ul style="list-style-type: none"> <li>– Cleaning cartridge.</li> <li>– Prolonged appliance lifespan through effective removal of coffee oils from the brewing unit.</li> </ul>									●	<b>GA 022 720</b> <b>NEW</b> <span style="float: right;">\$99</span>  – For use with Gaggenau fully automatic coffee machines with automatic cleaning.  <b>Delivery starting Q4 2025.</b>
<ul style="list-style-type: none"> <li>– Descaling cartridge.</li> <li>– Thorough removal of limescale deposits without effort.</li> </ul>									●	<b>GA 022 740</b> <b>NEW</b> <span style="float: right;">\$84</span>  – For use with Gaggenau fully automatic coffee machines with automatic cleaning.  <b>Delivery starting Q4 2025.</b>





This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

**Expressive series accessories**

	GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
 <ul style="list-style-type: none"> <li>- Gaggenau adjustable shelf</li> <li>- Installation kit for 30" (76 cm) devices.</li> <li>- For vertical combinations where optimum gap between appliances is desired.</li> <li>- Incl. mounting brackets, cover and screws.</li> </ul>			●		●	●				<p><b>GA 301 010</b> <b>NEW</b> <span style="float: right;">\$253</span></p> <ul style="list-style-type: none"> <li>- Installation above a combi-microwave oven is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case.</li> <li>- Stacking GO ovens is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case.</li> </ul> <p><b>Delivery starting Q4 2025.</b></p>
 <ul style="list-style-type: none"> <li>- Gaggenau adjustable shelf</li> <li>- Installation kit for 24" (60 cm) devices.</li> <li>- For vertical combinations where optimum gap between appliances is desired.</li> <li>- Incl. mounting brackets, cover and screws.</li> </ul>				●			●	●		<p><b>GA 601 010</b> <b>NEW</b> <span style="float: right;">\$225</span></p> <ul style="list-style-type: none"> <li>- Installation above a combi-microwave oven is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case.</li> <li>- Stacking GO ovens is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case.</li> </ul> <p><b>Delivery starting Q4 2025.</b></p>



## Oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
 <ul style="list-style-type: none"> <li>– Pull-out system for 30" single/double oven.</li> <li>– Fully extendable telescopic rails and enameled cast iron frame.</li> </ul>	●		●					<p><b>BA 018 165</b> <span style="float: right;">\$770</span></p> <ul style="list-style-type: none"> <li>– For use with select 30" (76 cm) ovens.</li> <li>– Fully extendable telescopic rails and enameled cast-iron frame.</li> <li>– Wire rack included.</li> </ul> <p><b>Available for order until December 2025.</b></p>
 <ul style="list-style-type: none"> <li>– Pull-out system for 24" oven.</li> <li>– Fully extendable telescopic rails and enameled cast iron frame.</li> </ul>		●				●		<p><b>BA 016 165</b> <span style="float: right;">\$632</span></p> <p><b>Available for order until December 2025.</b></p>
 <ul style="list-style-type: none"> <li>– Baking tray, enameled.</li> <li>– 1" deep, for use with 30" oven.</li> </ul>	●		●					<p><b>BA 028 115</b> <span style="float: right;">\$282</span></p> <ul style="list-style-type: none"> <li>– For select 30" (76 cm) ovens.</li> <li>– Enameled finish.</li> <li>– Depth is 1".</li> </ul>
 <ul style="list-style-type: none"> <li>– Wire rack, chromium-plated, for use with 30" oven.</li> <li>– Without opening, with feet.</li> </ul>	●		●					<p><b>BA 038 165</b> <span style="float: right;">\$185</span></p> <ul style="list-style-type: none"> <li>– For use with select 30" (76 cm) ovens.</li> <li>– Chromium plated.</li> <li>– Without opening, with feet.</li> </ul>

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
 <p>— Heating element for baking stone for 30" single/double oven.</p>	●		●					<p><b>BA 058 115</b> <span style="float: right;">\$282</span></p> <ul style="list-style-type: none"> <li>— For select 30" (76 cm) ovens.</li> <li>— Bakes items on baking stone evenly.</li> <li>— Heats up to 572 degrees Fahrenheit.</li> <li>— For baking stone kit (includes stone, wire rack and paddle) order Part No. 00574698, for baking stone only order Part No. 00144834, for wire rack to hold baking stone order Part No. 00687356, for pizza paddle only order Part No. 00097367.</li> </ul> <p><b>Available for order until December 2025.</b></p>
 <p>— Baking stone kit with baking paddle for EB 333 oven.</p>	●							<p><b>BA 058 135</b> <b>NEW</b> <span style="float: right;">\$1,120</span></p> <p><b>Delivery starting Q4 2025.</b></p>










## Oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
 <ul style="list-style-type: none"> <li>— Cast-aluminum roaster, for use with GO/GS ovens.</li> <li>— GN 2/3, height 6 1/2" (165 mm).</li> <li>— PFAS free non-stick coating.</li> <li>— Lower and upper part can also be used separately, height 4" (100 mm) and 2." (65 mm).</li> <li>— For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).</li> </ul>	●	●	●	●		●		<b>GN 340 231</b> <span style="float: right;">\$841</span> Delivery starting Q4 2025.
 <ul style="list-style-type: none"> <li>— Broil pan, enameled.</li> <li>— With feet and rotisserie spit attachment, 9/16" deep, for use with 30" oven.</li> </ul>	●		●					<b>Part No. 17001373</b> See Cleaners & Accessories Price List for pricing <ul style="list-style-type: none"> <li>— For select 30" (76 cm) ovens.</li> <li>— Enameled finish.</li> <li>— Contains feet and rotisserie spit attachment.</li> <li>— Depth is 1".</li> </ul> Available for order until December 2025.
 <ul style="list-style-type: none"> <li>— Stainless steel knobs with black coating.</li> </ul>	●							<b>BA 090 100</b> <span style="float: right;">\$282</span> — Black control knobs for EB 333 oven. — Set of 2.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Combi-steam oven accessories

		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
	<ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 1/2" deep, GN 2/3, full tray size.</li> <li>– Unperforated, 3 qt.</li> <li>– Must order GN 010 330 adapter separately.</li> </ul>				●			●		<p><b>GN 114 230</b> <span style="float: right;"><b>\$308</b></span></p> <ul style="list-style-type: none"> <li>– For use in select combi-steam ovens.</li> <li>– Unperforated, stainless steel pan.</li> <li>– Gastronorm size 2/3, 1.5" (40 mm) depth.</li> <li>– For the full-size perforated pan, order Part No. 00357307.</li> </ul>
	<ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 1/2" deep, GN 2/3, full tray size.</li> <li>– Perforated, 3 qt.</li> <li>– Must order GN 114 130 adapter separately.</li> </ul>				●			●		<p><b>GN 124 230</b> <span style="float: right;"><b>\$308</b></span></p> <ul style="list-style-type: none"> <li>– For use with select combi-steam ovens.</li> <li>– Perforated, stainless steel pan.</li> <li>– Gastronorm size 2/3, 1.5" (40 mm) depth.</li> <li>– For full size unperforated pan, order Part No. 00358656.</li> </ul>
	<ul style="list-style-type: none"> <li>– Triple telescopic pull-out rack.</li> <li>– For Combi-steam oven.</li> <li>– Can be used with any of the cooking containers, glass tray, or adapter.</li> </ul>				●					<p><b>BA 010 301</b> <span style="float: right;"><b>\$533</b></span></p> <ul style="list-style-type: none"> <li>– Triple telescopic pull-out rack system for select combi-steam ovens.</li> <li>– Safely pull out heavy dishes with ease.</li> </ul>
	<ul style="list-style-type: none"> <li>– Combi-Steam cooking container, stainless steel, unperforated.</li> <li>– 1 9/16" (40 mm) deep.</li> <li>– 5 qt.</li> </ul>				●					<p><b>BA 020 361</b> <span style="float: right;"><b>\$394</b></span></p>
	<ul style="list-style-type: none"> <li>– Cooking container, PFAS free non-stick coating, unperforated.</li> <li>– 1 13/16" (46 mm) deep.</li> <li>– 1 13/16" x 17 3/4" x 14 15/16" (46 x 450 x 380 mm).</li> <li>– 5.5 qt. (5.4 l)</li> </ul>				●					<p><b>BA 020 382</b> <span style="float: right;"><b>\$517</b></span></p>
	<ul style="list-style-type: none"> <li>– Cooking container, stainless steel, perforated.</li> <li>– 1 9/16" (40 mm) deep.</li> <li>– 5 qt.</li> </ul>				●					<p><b>BA 020 370</b> <span style="float: right;"><b>\$394</b></span></p> <ul style="list-style-type: none"> <li>– For use with select combi-steam ovens.</li> <li>– Perforated, stainless steel pan.</li> <li>– Gastronorm size 2/3, 1.5" (40 mm) depth.</li> <li>– For full size unperforated pan, order Part No. 17003099.</li> </ul>
	<ul style="list-style-type: none"> <li>– Cooking container insert, PFAS free non-stick coating, perforated.</li> <li>– 1 9/16" (40 mm) deep.</li> <li>– 5.5 qt. (5.4 l).</li> </ul>				●					<p><b>BA 020 391</b> <span style="float: right;"><b>\$517</b></span></p> <ul style="list-style-type: none"> <li>– For select combi-steam ovens.</li> <li>– Perforated, non-stick finish.</li> <li>– Gastronorm 2/3, 1.5" (40 mm) depth.</li> <li>– For full size unperforated pan, order Part No. 17003101.</li> </ul>



### Combi-steam oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
 <ul style="list-style-type: none"> <li>– Adapter for gastronorm insert and GN 340 231 roaster.</li> <li>– For use in Combi-steam ovens.</li> </ul>				●					<p><b>GN 010 330</b> <span style="float: right;"><b>\$350</b></span></p> <ul style="list-style-type: none"> <li>– Wire rack to support roaster GN 340 231.</li> <li>– Roaster with lid sold separately, please order Part No. 00570316.</li> </ul>
 <ul style="list-style-type: none"> <li>– Cast-aluminum roaster, for use with GO/GS ovens.</li> <li>– GN 2/3, height 6 ½" (165 mm),</li> <li>– PFAS free non-stick coating.</li> <li>– Lower and upper part can also be used separately, height 4" (100 mm) and 2." (65 mm).</li> <li>– For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).</li> </ul>				●			●		<p><b>GN 340 231</b> <span style="float: right;"><b>\$841</b></span></p> <p><b>Delivery starting Q4 2025.</b></p>
 <ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 ½" deep, GN 1/3, half tray size.</li> <li>– Unperforated, 1.5 qt.</li> <li>– Must order GN 114 130 adapter separately.</li> </ul>				●			●		<p><b>GN 114 130</b> <span style="float: right;"><b>\$211</b></span></p> <ul style="list-style-type: none"> <li>– Unperforated, stainless steel pan.</li> <li>– Dishwasher safe.</li> <li>– Gastronorm size 1/3, 1.5" (40 mm) depth.</li> <li>– For the half size perforated pan, order Part No. 00571634.</li> </ul>
 <ul style="list-style-type: none"> <li>– Gastronorm insert, stainless steel.</li> <li>– 1 ½" deep, GN 1/3, half tray size.</li> <li>– Perforated, 1.5 qt.</li> <li>– Must order GN 114 130 adapter separately.</li> </ul>				●			●		<p><b>GN 124 130</b> <span style="float: right;"><b>\$211</b></span></p> <ul style="list-style-type: none"> <li>– Perforated, stainless steel pan.</li> <li>– Dishwasher safe.</li> <li>– Gastronorm size 1/3, 1.5" (40 mm) depth.</li> <li>– For the half size unperforated pan, order Part No. 00677877.</li> </ul>
 <ul style="list-style-type: none"> <li>– Cleaning cartridges, set of 4.</li> <li>– For Combi-steam oven.</li> </ul>				●					<p><b>CLS 100 40</b> <span style="float: right;"><b>\$141</b></span></p> <ul style="list-style-type: none"> <li>– For select Combi-steam ovens that have a cleaning system and fixed water connection.</li> <li>– Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning).</li> <li>– To descale your combi-steam oven, please order descaling cartridges (Part No. 00311768).</li> </ul>



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Combi-steam oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
 <ul style="list-style-type: none"> <li>– Descaling tablets, set of 4.</li> <li>– For Combi-steam ovens.</li> </ul>				●					<p><b>Part No.17002490</b> See Cleaners &amp; Accessories Price List for pricing</p> <ul style="list-style-type: none"> <li>– For use with select Combi-steam ovens.</li> <li>– Place tablets into the descaling container in the oven when the oven indicates that descaling is needed, then activate the descaling process.</li> </ul>
 <ul style="list-style-type: none"> <li>– Wire rack.</li> </ul>				●					<p><b>Part No.17003108</b> See Cleaners &amp; Accessories Price List for pricing</p> <ul style="list-style-type: none"> <li>– For use with select Combi-steam ovens.</li> <li>– Contains feet, does not have an opening in the rack.</li> <li>– This item has a model number of BA 030 300.</li> </ul> <p><b>Available for order until December 2025.</b></p>

### Vacuuming drawer accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
 <ul style="list-style-type: none"> <li>– Vacuum Bags (Small).</li> <li>– 7.1" x 11", 100 pcs.</li> </ul>					●			<p><b>Part No. 00578813</b> See Cleaners &amp; Accessories Price List for pricing</p> <ul style="list-style-type: none"> <li>– For use with select vacuum drawers - please check for compatibility with your appliance.</li> <li>– 7.1" x 11".</li> <li>– 100 bags.</li> <li>– To purchase large bags, order Part No. 00578814.</li> <li>– To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.</li> </ul>
 <ul style="list-style-type: none"> <li>– Vacuum Bags (Large).</li> <li>– 9.5" x 13.8", 100 pcs.</li> </ul>					●			<p><b>Part No. 00578814</b> See Cleaners &amp; Accessories Price List for pricing</p> <ul style="list-style-type: none"> <li>– For use with select vacuum drawers.</li> <li>– 9.5" x 13.8".</li> <li>– 100 bags.</li> <li>– To purchase medium bags, order Part No. 00578813.</li> <li>– To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.</li> </ul>

Vario Cooktops



## 400 series Vario induction cooktops

### Common features

- Stainless steel frame.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series appliances.
- Home Connect®.



**Vario 400 series full surface induction cooktop**  
**CX 492**

- Width 36" (90 cm).
- One large cooking surface.
- Free positioning of up to 6 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.

- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

#### Included accessories

- 1 Cooking sensor for temperature regulation

**CX 492 612**  
gray glass ceramic  
stainless steel frame

\$10,464

- May be combined with other

Varios.



**Vario 400 series full surface induction cooktop**  
**CX 482**

- Width 30" (80 cm).
- Black glass ceramic.
- One large cooking surface.
- Free positioning of up to 5 items of cookware.
- All sizes and formats of cookware can be used.

- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

#### Included accessories

- 1 Cooking sensor for temperature regulation in pots.

**CX 482 612**  
gray glass ceramic  
stainless steel frame

\$8,855

- May be combined with other

Varios.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## 400 series Vario gas cooktops

### Common features

- Stainless steel.
- Natural gas.
- Full electronic power regulation on 12 levels.
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.
- Simmer function for cooking on a very low output level.
- Solid stainless steel control knobs.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



**Vario 400 series gas cooktop**  
**VG 491**

- Width 36" (90 cm).
- Five multi-ring burners with up to 59,700 BTU.
- Solid smooth-surface cast-iron pan supports.

**Included accessories**

- 1 wok attachment ring

**VG 491 211CA** \$11,384  
 stainless steel frame)

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

- May be combined with other Vario 400 series.



**Vario 400 series gas wok**  
**VG 415**

- Width 15" (38 cm).
- Three-ring burner with 18,800 BTU.

**Included accessories**

- 1 wok attachment ring

**VG 415 211CA** \$6,905  
 stainless steel frame

For conversion to LP gas, LP kit (Part No. 10004445) must be ordered.

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

- Cannot be vented in recirculation.



**Vario 400 series gas cooktop**  
**VG 425**

- Width 15" (38 cm).
- Two multi-ring burners up to 13,600 BTU.

**VG 425 211CA** \$6,427  
 stainless steel frame, 15" (38 cm)

For conversion to LP gas, LP kit (Part No. 10004446) must be ordered.

## 400 series Vario teppan yaki and grill

### Common features

- Stainless steel.
- Solid stainless steel control knob.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



**Vario 400 series teppan yaki**  
**VP 414**

- Width 15" (38 cm).
- Hard chrome-plated surface for teppan cooking and use as griddle, grill, searer and warming plate. No pots or pans necessary.

- Exact temperature control up to 480° F.
- Optimum heat distribution.

**Included accessories**

- 2 spatulas

**VP 414 611** \$7,462  
 stainless steel frame



**Vario 400 series electric grill**  
**VR 414**

- Width 15" (38 cm).
- Two zones can be operated together or separately.
- Half size cast-iron griddle included for simultaneous searing and grilling on two separate surfaces.

- Open cast-iron grill, lava stones.
- Not recommended for recirculating ventilation.

**Included accessories**

- 1 cast-iron griddle, half size.
- 1 grease collecting insert.
- 2 cast-iron grills.
- 1 lava stone.
- 1 cleaning brush.

**VR 414 611** \$7,462  
 stainless steel frame

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

- Cannot be vented in recirculation.

## 200 series Vario induction cooktops

### Common features

- Black control panel.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.



Vario 200 series induction cooktop  
**VI 230**  
— Width 12" (28 cm).

Included accessories  
1 glass scraper

**VI 230 620**  
black control panel)

\$3,860

## 200 series Vario gas cooktops

### Common features

- Black control panel.
- Natural gas.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.



Vario 200 series gas cooktop  
**VG 232**  
— Width 12" (28 cm).  
— Solid smooth-surface cast iron pan supports for easy and safe positioning of cookware).

**VG 232 220CA**  
black control panel,

\$4,196

For conversion to LP gas, LP kit (Part No. 10009476) must be ordered.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## 200 series Vario teppan yaki and grill

### Common features

- Black control panel.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.



#### Vario 200 series teppan yaki VP 230

- Width 12" (28 cm).
- Cooking directly on the metal surface, without any pots or pans.

- Exact temperature control up to 480 °F.
- Keeping warm setting.

#### Included accessories

- 2 spatula

**VP 230 620**  
black control panel

\$6,083



#### Vario 200 series electric grill VR 230

- Width 12" (28 cm).
- 2 zones, separately controlled.
- Open cast iron grill, lava stones.
- Not recommended for recirculating ventilation.

#### Included accessories

- 1 grease collecting insert.
- 1 cast iron grill.
- 1 lava stone.
- 1 cleaning brush.



**VR 230 620**  
black control panel

\$6,083








If using a VL 200 120 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

- Cannot be vented in recirculation.

## Vario accessories

	400 series										200 series								
	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"		VG 232 220CA gas 12"	VP 230 620 teppan yaki 12"	VR 230 620 electric grill 12"	
 <ul style="list-style-type: none"> <li>– Cooking sensor for temperature regulation within pots.</li> <li>– For CX 492/482 full surface induction .</li> </ul>	•	•																<p><b>CA 060 600</b></p> <ul style="list-style-type: none"> <li>– Black control knobs.</li> <li>– Set of 2.</li> <li>– Automatically senses the temperature inside the pot and controls it.</li> <li>– First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot.</li> <li>– Do not wash sensor in dishwasher.</li> <li>– To order a set of 5 sensor patches, please order Part No. 00577921.</li> </ul>	\$167
 <ul style="list-style-type: none"> <li>– Lava stones for refilling. Required for use of VR grill.</li> </ul>									•									<p><b>LV 030 000</b></p> <ul style="list-style-type: none"> <li>– Replacement lava stones for lava grills.</li> <li>– Easy to clean - wash with warm, soapy water then rinse with clear water and dry.</li> <li>– 6.6 pounds.</li> </ul>	\$141

## Vario accessories











	400 series										200 series							
	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"		VG 232 220CA gas 12"	VP 230 620 teppan yaki 12"	VR 230 620 electric grill 12"
 <ul style="list-style-type: none"> <li>– Vario 400 Stainless steel appliance cover with mounting strip.</li> <li>– Only available for individual Vario installation.</li> </ul>							•	•	•									<b>VA 440 010</b> \$561 Cover may only be used with stand alone Vario 400 cooktops, not when combined with other Vario 400 series cooktops. – Only available for individual Vario installation. Not for use when connecting multiple Varios in a single cut-out. – Covers & protects cooktop while not in use. – Stainless steel, has mounting strip.
 <ul style="list-style-type: none"> <li>– Vario 200 series black appliance cover.</li> </ul>												•	•	•	•	•		<b>VD 200 020</b> \$616 – Covers & protects cooktop while not in use.
 <ul style="list-style-type: none"> <li>– Wok pan made of multiple-layer material.</li> <li>– With round bottom and handle, ø 14 3/16", 6.3 qt., height 4".</li> </ul>			•	•	•	•							•					<b>WP 400 001</b> \$700 – Made of multi-ply material. – Round bottom. – 14.8" diameter, 3.9" height. – For wok attachment to hold wok in place, order Part No. 00464256.
 <ul style="list-style-type: none"> <li>– Wok support ring for wok pan.</li> <li>– For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only.</li> </ul>			•	•														<b>WZ 400 000</b> \$561
 <ul style="list-style-type: none"> <li>– Teppan Yaki plate made of multi-ply material</li> <li>– 13" x 21", GN 1/1.</li> <li>– For full surface induction cooktop CX 492/482.</li> </ul>	•	•																<b>GN 232 110</b> \$632 – For induction & electric cooktops. – Made of multi-ply material. – 13" x 21".
 <ul style="list-style-type: none"> <li>– Teppan Yaki.</li> <li>– For CI 292/282 flex induction cooktops.</li> </ul>	•	•	•	•														<b>CA 051 301</b> \$420 – For flex induction cooktops.
 <ul style="list-style-type: none"> <li>– Air deflector for VL 414 next to a VG 415 or VG 425 gas appliance.</li> </ul>							•	•										<b>AA 414 010</b> \$211

1 Purchase two units

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Vario accessories

	400 series										200 series				Part No.	Description	Price			
	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"				VG 232 220CA gas 12"	VP 230 620 teppan yaki 12"	VR 230 620 electric grill 12"
	•	•	•	•	•	•	•	•	•									<b>VA 420 000</b>	— Connection strip for combination with other Vario 400 series appliances for <b>flush</b> mounting.	\$238
	•	•	•	•	•	•	•	•	•									<b>VA 420 004</b>	— Invisible connection strip for combination with other Vario 400 series <b>flush</b> mounting.	\$238
	•	•	•	•	•	•	•	•	•									<b>VA 420 010</b>	— Connection strip for combination with other Vario 400 series appliances for <b>surface</b> mounting.	\$238
										•	•	•	•	•	•	•	•	<b>VV 200 010</b>	— Stainless steel connection strip for combination with other Vario 200 series appliances.	\$282
										•	•	•	•	•	•	•	•	<b>VV 200 020</b>	— Black connection strip for combination with other Vario 200 series appliances.	\$282
	•	•	•	•	•	•	•	•	•									<b>VV 401 000</b>	— Retro-fit connection strip for old Vario. — Fills gap in countertop when replacing older 400 series Vario units.	\$266
							•											<b>Part No. 10004445</b>	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar.	See Cleaners & Accessories Price List for pricing
							•											<b>Part No. 10004446</b>	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar.	See Cleaners & Accessories Price List for pricing
					•													<b>Part No. 10004447</b>	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25 mbar.	See Cleaners & Accessories Price List or One Portal for pricing
												2	•					<b>Part No. 10009476</b>	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar. — For VG 232CA and VG 264 (4 burners, order 2 kits).	See Cleaners & Accessories Price List for pricing

2 Order 2 kits.

Cooktops



GAGGENAU



## Gas cooktops



### Vario 400 series gas cooktop VG 491

- Width 36" (90 cm).
- Stainless steel.
- Natural gas.
- Five multi-ring burners with up to 59,700 BTU.
- Full electronic power regulation on 12 levels.
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.

- Simmer function for cooking on a very low output level.
- Solid smooth-surface cast-iron pan supports.
- Solid stainless steel control knobs.
- Precision-crafted 3 mm stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.

#### Included accessories

- 1 wok attachment ring.

### VG 491 211CA

stainless steel, natural gas

\$11,384

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

- May be combined with other Vario 400 series.



### 200 series gas cooktop VG 295

- Width 36" (90 cm).
- Stainless steel control panel.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.

- Multi-ring burner of solid, heat-resistant brass as used in professional kitchen.
- Solid smooth-surface cast-iron pan support.
- Up to 59,700 BTU (17 kW) on 5 burners.

#### Included accessories

- 1 wok attachment ring.

### VG 295 150CA

stainless steel, liquid gas

\$8,517

### VG 295 250CA

stainless steel, natural gas

\$8,517

- Cannot be combined with other Vario 200 series.



### 200 series gas cooktop CG 280

- Width 30" (76 cm).
- Stainless steel control panel.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.

- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.
- Solid smooth-surface cast-iron pan support.
- Up to 42,700 BTU (12.5 kW) on 5 burners.

### CG 280 212CA

stainless steel, natural gas

\$5,811

- Cannot be combined with other Vario 200 series.

## 400 series induction cooktops

### Common features

- Stainless steel frame.
- Precision-crafted 1/8" (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series appliances.
- Home Connect®.



### Vario 400 series full surface induction cooktop CX 492

- Width 36" (90 cm).
- One large cooking surface.
- Free positioning of up to 6 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.

- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

#### Included accessories

- 1 Cooking sensor for temperature regulation

### CX 492 612

gray glass ceramic  
stainless steel frame

\$10,464

- May be combined with other

Varios.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## 400 series induction cooktops



### Vario 400 series full surface induction cooktop

**CX 482**

- Width 30" (80 cm).
- Black glass ceramic.
- One large cooking surface.
- Free positioning of up to 5 items of cookware.
- All sizes and formats of cookware can be used.

- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

#### Included accessories

- 1 Cooking sensor for temperature regulation in pots.

**CX 482 612**

gray glass ceramic stainless steel frame


- May be combined with other

Varios.

\$8,855



### Cooktop accessories

	400 series				200 series					
	VG 491 211CA gas 36"	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 263 620 induction 24"	VG 295_50CA 36"	CG 280 212CA gas 30"	VG 264 220CA gas 24"		CI 292 602 induction 36"
 <ul style="list-style-type: none"> <li>— Teppan Yaki plate made of multi-ply material</li> <li>— 13" x 21", GN 1/1.</li> <li>— For full surface induction cooktop CX 492/482.</li> </ul>		•	•							<b>GN 232 110</b> \$632 <ul style="list-style-type: none"> <li>— For induction &amp; electric cooktops.</li> <li>— Made of multi-ply material.</li> <li>— 13" x 21".</li> <li>— For smaller Teppan Yaki plate, order Part No. 00573429.</li> </ul>
 <ul style="list-style-type: none"> <li>— Teppan Yaki.</li> <li>— For CI 292/282 flex induction cooktops.</li> </ul>		•	•	•					•	<b>CA 051 301</b> \$420 <ul style="list-style-type: none"> <li>— For flex induction cooktops.</li> </ul>
 <ul style="list-style-type: none"> <li>— Wok pan made of multiple-layer material.</li> <li>— With round bottom and handle, ø 14 3/16", 6.3 qt., height 4".</li> </ul>	•		•		•	•				<b>WP 400 001</b> \$700 <ul style="list-style-type: none"> <li>— Made of multi-ply material.</li> <li>— Round bottom.</li> <li>— 14.8" diameter, 3.9" height.</li> <li>— For wok attachment to hold wok in place, order Part No. 00464256.</li> </ul>
 <ul style="list-style-type: none"> <li>— Wok support ring for wok pan.</li> <li>— For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only.</li> </ul>				•						<b>WZ 400 000</b> \$561
 <ul style="list-style-type: none"> <li>— Connection strip for combination with other Vario 400 series appliances for <b>flush</b> mounting.</li> </ul>	•	•	•	•						<b>VA 420 000</b> \$238
 <ul style="list-style-type: none"> <li>— Invisible connection strip for combination with other Vario 400 series <b>flush</b> mounting.</li> </ul>	•	•	•	•						<b>VA 420 004</b> \$238
 <ul style="list-style-type: none"> <li>— Connection strip for combination with other Vario 400 series appliances for <b>surface</b> mounting.</li> </ul>	•	•	•	•						<b>VA 420 010</b> \$238
 <ul style="list-style-type: none"> <li>— Black connection strip for combination with other Vario 200 series appliances.</li> </ul>					•		•			<b>VV 200 020</b> \$282

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Cooktop accessories

	400 series				200 series						
	VG 491 211CA gas 36"	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 263 620 induction 24"	VG 295_50CA 36"	CG 280 212CA gas 30"	VG 264 220CA gas 24"			CI 292 602 induction 36"
 <ul style="list-style-type: none"> <li>– Stainless steel connection strip for combination with other Vario 200 series appliances.</li> </ul>					•	•	•	•	•	<b>VV 200 010</b>	\$282
 <ul style="list-style-type: none"> <li>– Cooking sensor for temperature regulation within pots.</li> <li>– For CX 492/482 full surface induction .</li> </ul>		•	•					•	•	<b>CA 060 600</b>	\$167
 <ul style="list-style-type: none"> <li>– Black magnetic knob for 200 series induction cooktop.</li> <li>– Stainless steel knob with black coating.</li> </ul>								•	•	<b>CA 230 100</b>	\$238
 <ul style="list-style-type: none"> <li>– LP gas kit.</li> <li>– Nozzle set liquid gas.</li> <li>– Liquid gas, LPG 25 mbar.</li> </ul>		•								<b>Part No. 10004447</b> See Cleaners & Accessories Price List or One Portal	
 <ul style="list-style-type: none"> <li>– LP gas kit.</li> <li>– Nozzle set liquid gas.</li> <li>– Liquid gas, LPG 25/27.5 mbar.</li> <li>– For VG 232CA and VG 264 (4 burners, order 2 kits).</li> </ul>							1			<b>Part No. 10009476</b> See Cleaners & Accessories Price List or One Portal	

1 Order 2 kits.

Ventilation



## 400 series downdraft

### Common features

- Stainless steel.
- Air extraction / Air recirculation.
- Precision crafted 3 mm stainless steel.



#### Retractable downdraft AL 400

- Width 46 5/8" (120 cm).
- Two blowers required.
- Extendable downdraft ventilation, when not in use can be completely lowered into the countertop.
- Can be combined perfectly with all Vario cooktops 400 series.

- Dimmable, neutral white surface LED light for ideal illumination of the cooktop.
- For surface mounting with a visible edge or for flush mounting.
- Motorless, to be combined with Gaggenau blower(s).

#### AL 400 722 stainless steel

\$8,491

Refer to Accessories Guide on page 50 for required accessories.



#### Retractable downdraft AL 400

- Width 36" (90 cm).
- Single blower required.
- Extendable downdraft ventilation, when not in use can be completely lowered into the countertop.
- Can be combined perfectly with all Vario cooktops 400 series.

- Dimmable, neutral white surface LED light for ideal illumination of the cooktop.
- For surface mounting with a visible edge or for flush mounting.
- Motorless, to be combined with Gaggenau blower(s).

#### AL 400 722 stainless steel

\$7,653

Refer to Accessories Guide on page 50 for required accessories.



#### 400 series Vario downdraft ventilation VL 414

- Width 6 1/8" (155 cm).
- Control knob with illuminated ring included.
- Can be combined perfectly flush with other Vario appliances of the 400 series.
- Solid stainless steel control knob.
- Highly efficient, low noise recirculation system with AR 410 710 blower.

- Air extraction with AR 400 742, AR 403 722, or AR 401 742 blowers.
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Home Connect®.

#### VL 414 712 stainless steel

\$4,296

Refer to Accessories Guide on page 50 for required accessories.

- One blower per downdraft.
- Control knob included with each downdraft. Ships with exhaust air elbow.



## 400 series wall hoods



#### 400 series wall hood AW 442

- Width 48" (120 cm).
- Stainless steel.
- Air extraction/Air recirculation.
- Professional technology hood combined with classic Gaggenau design.
- Highly efficient extraction of cooking vapors due to a large vapor collection area.
- Comes without blower, can be combined with (BLDC) blowers.

- Angled baffle filter with high grease absorption.
- Automatic function, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Dimmable, neutral white LED lighting for ideal illumination of the cooktop.
- Air recirculation module with activated charcoal filter: quiet and highly efficient recirculation solution with odor reduction as in air extraction mode, and long replacement intervals.

#### AW 442 720 stainless steel

\$6,517

Without blower. (Choose from 400 series AR 400 743 internal, AR 400 742 inline or AR 401 742 remote blower.). Duct cover not included.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## 200 series downdraft



### Vario 200 series downdraft ventilation

#### VL 200

- Width 5 <sup>15</sup>/<sub>16</sub>" (15 cm).
- Black control panel.
- Air extraction / air recirculation.
- Can be combined with other Vario 200 series products.
- Highly efficient ventilation system at the cooktop integrated in the countertop.

- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Low-noise system with recirculation blower AR 410 710.
- Air extraction with AR 403 722 blower.

### VL 200 120 black control panel

\$3,596

- One recirculating or extraction blower per downdraft.

## 200 series visor hoods



### 200 series visor hood

#### AF 210

- Width 36" (90 cm).
- Stainless steel handle bar.
- HVI CFM: 370, High Speed.
- Air extraction/Air recirculation.
- Unobtrusive visor hood design thanks to integrated glass sheet in the steam screen.
- Especially quiet operation thanks to integrated sound insulation.
- Steam screen extends by pulling the handle bar.
- Especially high air output.
- Energy-saving, low-noise fan.
- Function for automatic, sensor controlled power adjustment

depending on the build-up of cooking vapors.

- Dimmable, neutral white LED light for ideal illumination of the cooktop.
- The patented lowering frame allows the visor hood to disappear completely into the upper cabinet.
- Air extraction or air recirculation system.
- Air recirculation module with activated charcoal filter: quiet and highly efficient air recirculation solution with odor reduction as in air extraction mode and long replacement intervals.





### AF 210 791 stainless steel

\$4,000

- To hide hood from view for 36" model AF 210 791, order the lowering frame (AA 210 492). Mounting kit (AA 210 491) must be ordered if lowering frame is not used.



## Blowers

	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
 <ul style="list-style-type: none"> <li>400 series inline blower.</li> <li>Metal housing.</li> <li>HVI CFM: 390, High Speed.</li> <li>Air extraction.</li> <li>Inside installation.</li> <li>400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/ island hood.</li> <li>Quiet blower with high-efficiency BLDC technology.</li> </ul>	1	•	•	•	•					<b>AR 400 742</b>	\$3,426
 <ul style="list-style-type: none"> <li>400 series internal blower.</li> <li>Metal housing.</li> <li>HVI CFM: 300, High Speed.</li> <li>Air extraction.</li> <li>For installation in the duct cover.</li> <li>Powerful blower to combine with 400 series AW/AI 442 wall and island hood.</li> <li>Quiet blower with high-efficiency BLDC technology.</li> <li>Compact and space-saving due to the installation in the duct cover of AI/AW 442 island/ wall hood.</li> </ul>				•	•					<b>AR 400 743</b>	\$2,816
 <ul style="list-style-type: none"> <li>Inline blower 400 and 200 series.</li> <li>Metal housing.</li> <li>HVI CFM: 440, High Speed.</li> <li>Air extraction.</li> <li>Powerful inline blower to combine with motorless appliances AL 400, VL 200, VL 414.</li> <li>Efficient BLDC technology.</li> <li>Compact and space-saving installation in a 4" (10 cm) high toe-kick.</li> </ul>	2	•	•			•				<b>AR 403 722</b>	\$3,463
 <ul style="list-style-type: none"> <li>400 series remote blower.</li> <li>Stainless steel.</li> <li>HVI CFM: 620, High Speed.</li> <li>Air extraction.</li> <li>Outside wall installation.</li> <li>Powerful blower for combination with 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/island hood.</li> <li>Quiet blower with high-efficiency BLDC technology.</li> </ul>	3	•	•	•	•					<b>AR 401 742</b>	\$3,883

1 Order two units.



2 Order two units

3 Order two units.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Blowers





	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"			AF 210 791 36"
 <ul style="list-style-type: none"> <li>– 400 and 200 series recirculation blower.</li> <li>– Metal housing.</li> <li>– HVI CFM: 600, High Speed.</li> <li>– Air recirculation.</li> <li>– Works with AL 400 retractable downdraft and VL 414/VL 200 downdraft.</li> <li>– Powerful recirculation blower to combine with 400/200 series Vario downdraft and 400 series AL 400 retractable downdraft ventilation.</li> <li>– Efficient BLDC technology.</li> <li>– Particularly quiet due to patented noise insulation.</li> <li>– Compact, space-saving installation.</li> </ul>	4		●			●				<b>AR 410 710</b>	<b>\$4,496</b>
 <ul style="list-style-type: none"> <li>– 400 and 200 series recirculation blower.</li> <li>– HVI CFM: 370, High Speed.</li> <li>– Air recirculation.</li> <li>– For installation in 4" toe-kick.</li> <li>– Powerful blower for combination with 400 series AL 400 retractable downdraft and VL 414/VL 200 downdraft.</li> <li>– Quiet blower with high-efficiency BLDC technology.</li> <li>– Compact and space-saving installation in a 4-inch high toe-kick.</li> </ul>		●	●			●				<b>AR 413 722</b>	<b>\$3,426</b>
<p>For air recirculation operation additional accessories are required: AA 413 723 air recirculation module and AD 413 722 oval aluminum flex duct to connect to AR 413 722 recirculation blower.</p>											

4 Order two units.

## Recirculation modules

### Common features







- Long Life recirculation kit, external.
- Multiple regenerative Long Life active carbon filter.
- Consisting of filter housing with design cover, multiple regenerative Long Life active carbon filter, flexible hose, 2 hose clamps and mounting material.

	400 series				200 series				
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	
 <ul style="list-style-type: none"> <li>– Recirculation module with regenerable filter to replace AA 200 812.</li> <li>– Can be combined with AW 230 wall hood.</li> <li>– For installation on either the outer or on the telescopic chimney piece.</li> </ul>							●		<p><b>Part No. 17004654</b> See One Portal for pricing</p> <p>Replacement for AA 200 812. For replacement filters please order one of the following:</p> <ul style="list-style-type: none"> <li>– Part No. 11049036 Standard filter.</li> <li>– Part No. 11019121 Regenerable odor filter.</li> </ul>
 <ul style="list-style-type: none"> <li>– Recirculation module with regenerable filter to replace AA 200 816.</li> <li>– Can be combined with AI 230 island hood.</li> <li>– For installation on either the outer or on the telescopic chimney piece.</li> </ul>							●		<p><b>Part No. 17004651</b> See One Portal for pricing</p> <p>Replacement for AA 200 816. For replacement filters please order one of the following:</p> <ul style="list-style-type: none"> <li>– Part No. 11049036 Standard filter.</li> <li>– Part No. 11019121 Regenerable odor filter.</li> </ul>
 <ul style="list-style-type: none"> <li>– Recirculation module with regenerable filter to replace AA 211 812.</li> <li>– For recirculation operation.</li> <li>– Can be combined with 200 series AF 210 Visor hoods.</li> <li>– For installation in the upper cupboard.</li> </ul>								●	<p><b>Part No. 17004653</b> See One Portal for pricing</p> <p>Replacement for AA 211 812. For replacement filters please order the following:</p> <ul style="list-style-type: none"> <li>– Part No. 11023685.</li> </ul>
 <ul style="list-style-type: none"> <li>– Air recirculation module with activated charcoal filter.</li> <li>– For recirculation mode.</li> <li>– Can be combined with 400 series AI/ AW 442 island and wall hood.</li> <li>– Odor reduction comparable to air extraction mode (95%).</li> <li>– Noise reduction of up to 3 dBA when compared to conventional air recirculation filter systems.</li> <li>– Extended change interval for the activated charcoal filter (approx.1-1.5 years depending on cooking frequency).</li> <li>– For installation on the inner duct cover.</li> <li>– Consisting of filter bracket, two activated charcoal filters, flexible hose and two hose clamps.</li> </ul>				●					<p><b>AA 442 810</b></p> <p style="text-align: right;"><b>\$561</b></p>




This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE



## Blower accessories

	Blowers						Recirculation modules					
	AR 400 742	AR 400 743	AR 403 722	AR 401 742	AR 410 710	AR 413 722	AA 442 810	Part No. 17004651	Part No. 17004653			Part No. 17004654
						●					<b>AA 413 723</b>	\$979
						●					<b>AD 413 722</b>	\$227
							●	●			<b>Part No. 11049036</b> See One Portal for pricing  Replacement for AA 200 110 and AA 442 110.	
		●									<b>AA 442 810</b>	\$561
						●					<b>AA 410 112</b>	\$282
						●					<b>Part No. 11058748</b> See One Portal for pricing	

### Blower accessories

	Blowers						Recirculation modules			
	AR 400 742	AR 400 743	AR 403 722	AR 401 742	AR 410 710	AR 413 722	AA 442 810	Part No. 17004651	Part No. 17004653	Part No. 17004654
 <ul style="list-style-type: none"> <li>Filter for use with AA 211 812 recirculation module.</li> <li>Long Life odor filter.</li> <li>458 x 190 x 45 mm.</li> <li>Replacement filter for use with Part No. 17004653 recirculation module.</li> </ul>								●		<p><b>Part No. 11023685</b> See One Portal for pricing</p> <p>Replacement for AA 210 110. Replacement filter for Part No. 17004653 recirculation kit.</p>
 <ul style="list-style-type: none"> <li>Filter for AW/AI 230.</li> <li>Clean Air Standard odor filter.</li> <li>230 x 190 x 100 mm.</li> <li>Replacement filter for use with Long Life recirculation kit Part No. 17004651 and Part No. 17004654.</li> </ul>							●		●	<p><b>Part No. 11049036</b> See Cleaners &amp; Accessories Price List for pricing</p> <p>Replacement for AA 200 110 and AA 442 110. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation kit.</p>
 <ul style="list-style-type: none"> <li>Filter for AW/AI 230.</li> <li>Long Life odor filter.</li> <li>Replacement filter for use with Long Life recirculation kit Part No. 17004651 and Part No. 17004654.</li> </ul>							●		●	<p><b>Part No. 11019121</b> See One Portal for pricing</p> <p>Replacement for AA 200 110 and AA 442 110. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation kit.</p>








### Installation and optional accessories

	400 series					200 series				
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"		AF 210 791 36"
 <ul style="list-style-type: none"> <li>Ceiling collar for duct cover.</li> <li>Stainless steel.</li> </ul>					●					<p><b>AD 442 392</b> stainless steel</p> <p>\$324</p>
 <ul style="list-style-type: none"> <li>Ceiling collar for AW 230 wall hood duct cover.</li> <li>Stainless steel.</li> </ul>							●			<p><b>AD 200 392</b> stainless steel</p> <p>\$308</p>






This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Installation and optional accessories

	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
 <ul style="list-style-type: none"> <li>– Ceiling collar for AI 230 island hood duct cover.</li> <li>– Stainless steel.</li> </ul>				●		●				<b>AD 220 396</b> stainless steel	\$366
 <ul style="list-style-type: none"> <li>– Extension for mounting kit for island hood AI 230.</li> <li>– For a duct cover height of 3' 7 5/16" to 4' 11" (1100-1500 mm).</li> </ul>						●				<b>AD 223 346</b>	\$198
 <ul style="list-style-type: none"> <li>– Adapter for island hood AI 230.</li> <li>– For installation on a slanted roof to the left or to the right. Suitable for a slanted roof from 20 - 45 degrees.</li> </ul>						●	●			<b>AD 223 356</b>	\$211
 <ul style="list-style-type: none"> <li>– Adapter for island hood AI 230.</li> <li>– For installation on a slanted roof forwards or backwards. Suitable for a slanted roof from 20 - 45 degrees.</li> </ul>						●	●			<b>AD 223 366</b>	\$211
 <ul style="list-style-type: none"> <li>– Lowering frame for 36" AF 210 visor hood.</li> </ul>								●		<b>AA 210 492</b>	\$379
 <ul style="list-style-type: none"> <li>– Mounting set for 36" cabinet for 36" AF visor hood.</li> </ul>								●		<b>AA 210 491</b>	\$225
 <ul style="list-style-type: none"> <li>– Wall outlet.</li> <li>– Stainless steel.</li> <li>– DN 150 flat.</li> <li>– Weatherproof stainless steel louvers.</li> <li>– Integrated one-way flap.</li> </ul>	●	●	●	●	●					<b>AD 850 050</b>	\$504

## Installation and optional accessories

	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
 <ul style="list-style-type: none"> <li>— Telescopic wall-duct Stainless steel ø 8" round DN 200.</li> <li>— ø 8" round DN 200 transition Integrated one-way flap.</li> <li>— For use with 200 and 400 series AR 401 remote blowers.</li> </ul>	1	•	•	•	•					<b>AD 702 052</b>	\$324
 <ul style="list-style-type: none"> <li>— Duct cover for exhaust mode for AW 442.</li> <li>— Stainless steel.</li> </ul>				•	•					<b>AD 442 012</b> stainless steel, length 24 <sup>7</sup> / <sub>16</sub> ", for 7' 9"-8' 6" ceiling heights	\$517
										<b>AD 442 022</b> stainless steel, length 33 <sup>7</sup> / <sub>8</sub> ", for 8' 6"-10' 2" ceiling heights	\$603
 <ul style="list-style-type: none"> <li>— Duct cover for recirculation mode for AW 442.</li> <li>— Stainless steel.</li> </ul>				•	•					<b>AD 442 112</b> stainless steel length 24 <sup>7</sup> / <sub>16</sub> ", for 7' 9"-8' 6" ceiling heights	\$603
										<b>AD 442 122</b> stainless steel length 33 <sup>7</sup> / <sub>8</sub> ", for 8' 6"-10' 2" ceiling heights	\$700
 <ul style="list-style-type: none"> <li>— Duct cover extension for extraction air mode.</li> <li>— Stainless steel.</li> </ul>							•			<b>AD 200 322</b> stainless steel length 3' 3 <sup>5</sup> / <sub>8</sub> " (1000 mm). 8' 8 <sup>13</sup> / <sub>32</sub> " - 9' 8 <sup>13</sup> / <sub>32</sub> " ceiling heights	\$700
										Must be ordered with mounting kit AD 223 346.	
 <ul style="list-style-type: none"> <li>— Duct cover extension for extraction air mode.</li> <li>— Stainless steel.</li> </ul>							•			<b>AD 200 326</b> stainless steel length 3' 7 <sup>5</sup> / <sub>16</sub> " (1,100 mm). 9' 4 <sup>13</sup> / <sub>16</sub> " - 10' 4 <sup>13</sup> / <sub>32</sub> " ceiling heights	\$979
										Must be ordered with mounting kit AD 223 346.	

1 Order two units.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### AL 400 downdraft installation accessories

	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
						●				<b>LS 041 001</b>	\$128
			●							<b>AA 414 010</b>	\$211
	●									<b>AA 409 401</b>	\$185
		●								<b>AA 409 431</b>	\$253
	●	●	●			●				<b>AA 010 410</b>	\$350
	●	●								<b>AD 754 049</b>	\$225
	●	●								<b>AD 854 050</b>	\$225
		●								<b>AD 704 050</b>	\$504

## AL 400 downdraft metal ducting

	<ul style="list-style-type: none"> <li>– Flat duct.</li> <li>– Metal.</li> <li>– DN 150 flat.</li> <li>– Length 1000 mm.</li> </ul>	<b>AD 854 010</b>	<b>\$266</b>
	<ul style="list-style-type: none"> <li>– Flat duct connecting piece.</li> <li>– Metal.</li> <li>– DN 150 flat.</li> <li>– To connect 2 flat ducts.</li> </ul>	<b>AD854040</b>	<b>\$154</b>
	<ul style="list-style-type: none"> <li>– Flat duct bend 90° vertical.</li> <li>– Metal.</li> <li>– DN 150 flat.</li> <li>– For extra deep countertop.</li> </ul>	<b>AD 854 030</b>	<b>\$141</b>
	<ul style="list-style-type: none"> <li>– Flat duct bend 90° horizontal.</li> <li>– Metal.</li> <li>– DN 150 flat.</li> <li>– Vario 400.</li> </ul>	<b>AD 854 031</b>	<b>\$154</b>
	<ul style="list-style-type: none"> <li>– Flat duct bend connecting piece.</li> <li>– Metal.</li> <li>– DN 150 flat.</li> <li>– To connect 2 flat duct bends.</li> <li>– For extra deep countertop.</li> </ul>	<b>AD 854 000</b>	<b>\$211</b>
	<ul style="list-style-type: none"> <li>– Flat duct flex pipe.</li> <li>– Metal.</li> <li>– DN 150 flat.</li> <li>– Length 1000 mm.</li> </ul>	<b>AD 858 010</b>	<b>\$295</b>
	<ul style="list-style-type: none"> <li>– Flat duct adapter round 90° when connecting to 6" (DN 150) round aluflex pipe AD 751 010.</li> <li>– Metal.</li> <li>– DN 150 flat/round.</li> <li>– Transition from flat duct to round duct.</li> </ul>	<b>AD 854 032</b>	<b>\$154</b>
	<ul style="list-style-type: none"> <li>– Flat duct adapter round.</li> <li>– Metal.</li> <li>– DN 150 flat/round.</li> <li>– Transition from flat duct to round duct.</li> </ul>	<b>AD 854 041</b>	<b>\$141</b>
	<ul style="list-style-type: none"> <li>– Adhesive tape for duct components.</li> <li>– Aluminum.</li> <li>– Width 2" (50 mm).</li> <li>– 32.5' (10 m)/roll.</li> </ul>	<b>AD 990 091</b>	<b>\$31</b>

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## AL 400 downdraft metal ducting



- Flexible connecting piece for VL 200 and VL 414 downdraft.
- DN 150 flat.

AD 410 040

\$420



- Connecting piece VL 200 and VL 414 for extension with flat duct DN 150 for extra deep countertop.

AD 851 041

\$253



- Aluflex pipe.
- Aluminum.
- ø 6" (DN 150 round).

AD 751 010

\$154



- Metal zinc plated.
- 8" round.
- Reduce 8" connection to 6" connection.

AD 704 040

\$115

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Ventilation system

## Blowers and ventilation systems compatibility



**AL 400 792**  
36" Retractable downdraft

For specific questions, please contact  
GaggenauConcierge@bshg.com

Blowers



**AR 413 722**  
Recirculation configuration\*



**AR 400 742**  
Inline



**AR 401 742**  
Remote



**AR 403 722**  
Inline



**AA 413 723**  
Recirculation kit



**AD 413 722**  
Oval flex duct

6" round duct option for venting front/back

flat duct option for venting downward

flat duct option for venting downward

flat duct option for venting downward

6" round duct option for venting front/back

flat duct option for venting downward

Required installation accessories



**AD 754 049**  
Transition to 2x 6" round for front/back of AL



**AD 854 050**  
Connecting pieces



**AD 854 050**  
Connecting pieces



**AD 854 050**  
Connecting pieces




**AD 754 049**  
Transition to 2x 6" round for front/back of AL




**AD 854 050**  
Connecting pieces



**2x AD 854 032**  
Flat Duct adapter round 90°



**2x AD 858 010**  
Flat duct flex pipe



**2x AD 854 010**  
Flat duct connecting piece




**2x AD 854 010**  
Flat duct connecting piece




**2x AD 854 032**  
Flat Duct adapter round 90°




**2x AD 858 010**  
Flat duct flex pipe



**2x AD 858 010**  
Flat duct flex pipe




**AD 704 050**  
Air collector flat duct



**2x AD 854 041**  
Flat Duct adapter round



**2x AD 854 041**  
Flat Duct adapter round



**2x AD 858 010**  
Flat duct flex pipe



**AD 704 050**  
Air collector flat duct



**AD 704 050**  
Air collector flat duct




**AD 990 091**  
Aluminum adhesive tape



**AD 751 010**  
Aluflex pipeduct 6"



**AD 751 010**  
Aluflex pipeduct 6"



**AD 704 050**  
Air collector flat duct



**AD 990 091**  
Aluminum adhesive tape



**AD 990 091**  
Aluminum adhesive tape



**AA 010 410**  
Air exhaust grill (or custom grill)



**2x AD 854 032**  
Flat Duct adapter round 90°



**AD 704 050**  
Air collector flat duct



**AA 010 410**  
Air exhaust grill (or custom grill)

\* For recirculation operation, order AR 413 722 + AA 413 723 + AD 413 722.

**2x AD 854 010**  
Flat duct connecting piece

**AD 702 052**  
Telescopic wall duct 8"

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Ventilation system



For specific questions, please contact  
GaggenauConcierge@bshg.com

**AL 400 722**

46 5/8" Retractable downdraft

Blowers



**2x AR 410 710**  
Recirculation



**2x AR 400 742**  
Inline



**2x AR 401 742**  
Remote



**2x AR 403 722**  
Inline

Required installation accessories



**AD 754 049**  
Transition to  
2x 6" round for front/  
back of AL

flat duct  
option  
for venting  
downward




**AD 854 050**  
Connecting  
pieces

flat duct  
option  
for venting  
downward




**AD 854 050**  
Connecting  
pieces




**AD 754 049**  
Transition to  
2x 6" round for front/  
back of AL



**2x AD 854 032**  
Flat Duct  
adapter round 90°




**2x AD 854 010**  
Flat duct  
connecting piece



**4x AD 854 010**  
Flat duct  
connecting piece



**2x AD 854 032**  
Flat Duct  
adapter round 90°




**2x AD 858 010**  
Flat duct  
flex pipe



**2x AD 854 041**  
Flat duct  
adapter round



**4x AD 854 041**  
Flat duct  
adapter round



**2x AD 858 010**  
Flat duct  
flex pipe



**AD 990 091**  
Aluminum  
adhesive tape



**2x AD 751 010**  
Aluflex  
pipeduct 6"



**AD 751 010**  
Aluflex  
pipeduct 6"



**2x AD 854 041**  
Flat duct  
adapter round



**AA 010 410**  
Air exhaust grill  
(or custom grill)



**AD 990 091**  
Aluminum  
adhesive tape



**2x AD 854 032**  
Flat Duct  
adapter round 90°



**2x AD 702 052**  
Telescopic wall  
duct 8"



**2x AD 704 040**  
Pipe adapter DN  
200/150 round



**AD 990 091**  
Aluminum  
adhesive tape

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Ventilation system

Blowers

Required installation accessories

## Blowers and ventilation systems compatibility



**VL 414 712**  
Downdraft


For specific questions, please contact  
GaggenauConcierge@bshg.com



**AR 410 710**  
Recirculation




**AD 410 040**  
Flexible connecting piece



**AA 010 410**  
Air exhaust grill (or custom grill)  
(\*)



**AR 413 722**  
Recirculation\*



**AA 413 723** Recirculation kit  
**AD 413 722** Oval flex duct



**AD 858 010**  
Flat duct flex pipe



**AD 854 041**  
Flat Duct adapter round



**AA 010 410**  
Air exhaust grill (or custom grill)



**AD 990 091**  
Aluminum adhesive tape  
(\*)



**AR 400 742**  
Inline



**AD 858 010**  
Flat duct flex pipe



**AD 854 041**  
Flat Duct adapter round



**AD 751 010**  
Aluflex pipeduct 6"



**AD 854 032**  
Flat Duct adapter round 90°



**AD 854 010**  
Flat duct pipe



**AD 854 041**  
Flat Duct adapter round



**AD 990 091**  
Aluminum adhesive tape  
(\*)



**AR 401 742**  
Remote



**AD 858 010**  
Flat duct flex pipe



**AD 854 041**  
Flat Duct adapter round



**AD 751 010**  
Aluflex pipeduct 6"



**AD 854 032**  
Flat Duct adapter round 90°



**AD 854 010**  
Flat duct pipe



**AD 854 041**  
Flat Duct adapter round




**AD 704 040**  
Pipe adapter DN 200/150 round



**AD 702 052**  
Telescopic wall duct 8"



**AR 403 722**  
Inline



**AD 858 010**  
Flat duct flex pipe



**AD 854 041**  
Flat Duct adapter round




**AD 990 091**  
Aluminum adhesive tape  
(\*)



**AD 854 032**  
Flat Duct adapter round 90°



**AD 854 010**  
Flat duct pipe



**AD 854 041**  
Flat Duct adapter round



**AD 990 091**  
Aluminum adhesive tape  
(\*)

(\*) For extra deep countertop. Please add the parts below.



**AD 851 041**  
Connecting piece for extension with flat duct



**AD 854 000**  
Flat duct connecting piece



**AD 854 030**  
Flat duct 90° bend vertical

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Ventilation system

Blowers

Required installation accessories



**VL 200 120**  
Downdraft



**AW 442 720**  
Wall hood

For specific questions,  
please contact  
GaggenauConcierge@bshg.com



**AR 410 710**  
Recirculation



**AR 413 722**  
Recirculation\*

Additional configurations are available, see components starting on page 194.



**AR 403 722**  
Inline



**AR 400 742**  
Inline



**AR 401 742**  
Remote



**AR 400 743**  
Internal



**AA 413 723**  
Recirculation kit



**AD 413 722**  
Oval flex duct



**AD 858 010**  
Flat duct flex pipe



**AD 854 041**  
Flat Duct adapter round



**AD 442**  
Duct cover for air extraction



**AD 442**  
Duct cover for air extraction



**AD 442**  
Duct cover for air extraction or recirculation



**AD 410 040**  
Flexible connecting piece



**AD 858 010**  
Flat duct flex pipe



**AD 990 091**  
Aluminum adhesive tape (\*)



**AA 010 410**  
Air exhaust grill (or custom grill) (\*)



**AD 854 041**  
Flat Duct adapter round



**AA 010 410**  
Air exhaust grill (or custom grill)



**AD 990 091**  
Aluminum adhesive tape (\*)



**AD 702 052**  
Telescopic wall duct 8"



**AD 751 010**  
Aluflex pipeduct 6"

**For Recirculation**



**AA 442 810**  
Recirculation kit with charcoal filter

\* For recirculation operation, order AR 413 722 + AA 413 723 + AD 413 722.

(\*) For extra deep countertop. Please add the parts below.



**AD 851 041**  
Connecting piece for extension with flat duct



**AD 854 000**  
Flat duct connecting piece



**AD 854 030**  
Flat duct 90° bend vertical

Cooling



## Expressive Series Vario fridge-freezer combination

### Common features

- Dark brushed stainless steel interior, refined with solid anthracite aluminum elements.
- Warm white and glare-free LED light concept for optimal food presentation in all compartments.
- Opening assist for door enabling seamless integration without handles.
- Flat dark brushed stainless steel inner door.
- Flexible positioning of shelves and door racks through hidden rail system.
- Solid anthracite aluminum door bins.
- Professional freshness system with 2 fresh climate drawers and 1 chilled drawer.
- Internal water dispenser with water filter.
- Integrated ice maker with fixed water connection.
- Spacious, fully extendable freezer compartment including 2 additional interior drawers.
- Full touch TFT display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario fridge-freezer combination  
Gaggenau Expressive series  
**RVY 497**

- Width 35 1/2" (90 cm).
- Net volume 20 cu. ft. (566 liters).

#### Included accessories

- 1 egg holder with lid.
- 1 ice cube scoop.
- 2 oak wood bottle holder.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" male compression fitting (standard ice maker connector).

**RVY 497 790**  
fully integrated

\$27,659

- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.



Standard brushed stainless steel door panels with handles (not dark brushed stainless steel) are available to order, but require a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RA 421 915 (standard stainless-steel doors) and RVA 460 910 (installation accessory). Please see planning notes for details.



Vario fridge-freezer combination  
Gaggenau Expressive series  
**RVB 497**

- Width 35 1/2" (90 cm).
- Net volume 20 cu. ft. (566 liters).

#### Included accessories

- 1 egg holder with lid.
- 1 ice cube scoop.
- 2 oak wood bottle holder.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" male compression fitting (standard ice maker connector).

**RVB 497 790**  
fully integrated

\$27,142

RIGHT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.



Standard brushed stainless steel door panels with handles (not dark brushed stainless steel) are available to order, but require a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RA 421 913 (standard stainless steel doors) and RVA 460 910 (installation accessory). Please see planning notes for details.



Vario fridge-freezer combination  
Gaggenau Expressive series  
**RVB 477**

- Width 30" (76.2 cm).
- Net volume 16.7 cu. ft. (473 liters).

#### Included accessories

- 1 egg holder with lid.
- 1 ice cube scoop.
- 2 oak wood bottle holder.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" male compression fitting (standard ice maker connector).

**RVB 477 790**  
fully integrated

\$25,936

RIGHT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Vario 400 series refrigeration column

### Common features

- Fully integrated.
- Stainless steel interior with solid anthracite aluminum elements.
- Warm white and glare-free LED light spots.
- Opening assist for door with two options:
  1. Push-to-open function for integration into handleless cabinet front
  2. Pull-to-open function to facilitate opening the door using a handle.
- The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door bins can be aligned on the same level.
- Flat stainless steel inner door, full-length.
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Solid anthracite aluminum door bins.
- One fresh cooling drawer 32°F (0°C) with manually adjustable temperature )and one fresh cooling drawer with manually adjustable humidity.
- TFT touch display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



#### Vario 400 series refrigeration column RC 492

- Width 36" (91.4 cm).
- Net volume 20.6 cu.ft.

#### Included accessories

- 1 egg holder with lid

#### RC 492 705

fully integrated

\$19,706

RIGHT-hinged, field reversible.



– Panel ready.

– Operated with or without handle.



#### Vario 400 series refrigeration column RC 472

- Width 30" (76.2 cm).
- Net volume 16.8 cu.ft.

#### Included accessories

- 1 egg holder with lid

#### RC 472 705

fully integrated

\$18,674

RIGHT-hinged, field reversible.



– Panel ready.

– Operated with or without handle.



#### Vario 400 series refrigeration column RC 462

- Width 24" (61 cm).
- Net volume 13.0 cu.ft.

#### Included accessories

- 1 egg holder with lid

#### RC 462 705

fully integrated

\$17,641

RIGHT-hinged, field reversible.



– Panel ready.

– Operated with or without handle.

## Vario 400 series freezer column

### Common features

- Fully integrated.
- Stainless steel interior with solid anthracite aluminum elements.
- Warm white and glare-free LED light spots.
- Opening assist for door with two options:
  1. Push-to-open function for integration into handleless cabinet front
  2. Pull-to-open function to facilitate opening the door using a handle.
- The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door bins can be aligned on the same level.
- Material and aesthetics of interior as for RC model.
- Glass shelves.
- Solid anthracite aluminum door bins.
- Flat stainless steel inner door, full-length.
- Integrated automatic ice maker with fixed water connection.
- TFT touch display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



#### Vario 400 series freezer column RF 491

- Width 36" (91.4 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 19.4 cu.ft.

#### Included accessories

- 1 ice cube scoop.
- 1 ice storage container, large.
- 1 Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

#### RF 491 705

fully integrated

LEFT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.

\$17,340



#### Vario 400 series freezer column RF 471

- Width 30" (76.2 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 15.8 cu.ft.

#### Included accessories

- 1 ice cube scoop.
- 1 ice storage container, large.
- 1 Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

#### RF 471 705

fully integrated

LEFT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.

\$16,576



#### Vario 400 series freezer column RF 463

- Width 24" (61 cm).
- Almost invisible rail system for shelves for flexible positioning.
- Illuminated dispenser for ice cubes, crushed ice and chilled water in the door.
- Proximity sensor for ice and water dispenser.
- Net volume 11.2 cu.ft.

#### Included accessories

- 1 Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

#### RF 463 707

fully integrated, 24" (60 cm), left hinged

LEFT-hinged only.

- Panel ready.
- Operated with or without handle.

\$16,576



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Vario 400 series freezer column



### Vario 400 series freezer column RF 461

- Width 24" (61 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 12.2 cu.ft.

### Included accessories

- 1 ice cube scoop.
- 1 ice storage container, large.
- 1 Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

### RF 461 705

fully integrated

\$15,660

LEFT-hinged, field reversible.



- Panel ready.
- Operated with or without handle.



### Vario 400 series freezer column RF 411

- Width 18" (45.7 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 8.6 cu.ft.

### Included accessories

- 1 ice cube scoop.
- 1 ice storage container, large.
- 1 Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

### RF 411 705

fully integrated, 18" (45.7 cm)

\$13,826

LEFT-hinged, field reversible.



- Panel ready.
- Operated with or without handle.

## 400 series wine

### Common features

- Fully integrated, with glass door.
- Consistent temperatures with exact control from 41 °F to 68 °F (+5 °C to +20 °C).
- Humidity control.
- Stainless steel interior.
- Fully extendable bottle trays in oak wood and solid aluminum in anthracite.
- Bottle trays with hidden telescopic rails.
- Warm white and glare-free LED light spots.
- 5 preset lighting scenarios, selectable via TFT display.
- Opening assist for door with two options:
  1. Push-to-open function for integration into handleless cabinet front
  2. Pull-to-open function to facilitate opening the door using a handle.
- Low-vibration operation.
- TFT touch display.
- Home Connect®.
- Sabbath mode certified by Star-K.



### Vario 400 series wine climate cabinet RW 466

- Width 24" (61 cm).
- Three independently controllable climate zones.
- Number of standard wine bottles: 99.

### Included accessories

- 1 Accessory for side-by-side installation (RA 460 000)

### RW 466 765

fully integrated, with glass door

\$16,881

RIGHT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.

## 400 series wine



### Vario 400 series wine climate cabinet RW 414

- Width 18" (45.7 cm).
- Two individual temperature zones, both continuously variable.
- Number of standard wine bottles: 70.

### Included accessories

- 1 Accessory for side-by-side installation (RA 460 000)

### RW 414 765

fully integrated, with glass door

RIGHT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.

\$15,811



## 200 series wine



### 200 series 24" under-counter wine storage unit RW 404

- Width 23 5/8" (60 cm).
- Under-counter wine storage unit with stainless steel-framed glass door.
- ADA compliant.
- Two individual temperature zones, both continuously variable.
- Consistent temperatures with exact control from 41°F to 64°F.

- Extendable bottle trays in beech and aluminum.
- LED lighting.
- Cushioned door closing system allowing a soft and controlled door closure.
- Door lock.
- Number of standard wine bottles: 34.
- Side-by-side installation possible with special accessory.

### RW 404 761

stainless steel

RIGHT-hinged, field reversible.

Note: Stainless steel door only with handle. Cannot accommodate a custom panel.

\$8,913



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Cooling accessories

		400 series										Wine		200 series						
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"	RC 492/RVB 477 30"		
	<ul style="list-style-type: none"> <li>Replacement activated charcoal air filter.</li> </ul>																		<ul style="list-style-type: none"> <li>RA 050 220</li> <li>Effectively filters odors.</li> </ul>	\$167
	<ul style="list-style-type: none"> <li>Replacement activated charcoal air filter.</li> <li>set of 2 pcs.</li> </ul>	1	2	3															<ul style="list-style-type: none"> <li>RVA 450 220</li> </ul>	\$167
	<ul style="list-style-type: none"> <li>Storage container with transparent lid, anthracite.</li> <li>Egg insert Part No.11031964.</li> </ul>																		<ul style="list-style-type: none"> <li>RA 430 100</li> <li>Ideal for storing food in your refrigerator.</li> <li>Transparent lid.</li> <li>Anthracite.</li> <li>Approximately 12.75" x 7" x 3".</li> </ul>	\$99
	<ul style="list-style-type: none"> <li>Presenter in oak wood and aluminum in anthracite for single bottle display.</li> <li>1 piece.</li> <li>Includes screw hole cover set RA 430 000.</li> </ul>																		<ul style="list-style-type: none"> <li>RA 493 060</li> <li>Oak wine bottle presenter.</li> </ul>	\$84
	<ul style="list-style-type: none"> <li>Solid oak wood bottle support with magnetic connector.</li> </ul>	1	2	3															<ul style="list-style-type: none"> <li>RVA 438 040</li> <li>set of 1 piece.</li> </ul>	\$141
	<ul style="list-style-type: none"> <li>Screw hole cover set. 8 pieces.</li> </ul>																		<ul style="list-style-type: none"> <li>RA 430 000</li> <li>8 covers.</li> </ul>	\$44
	<ul style="list-style-type: none"> <li>Ethylene absorber starter kit.</li> <li>For placement in a fresh climate drawer.</li> </ul>	1	2	3															<ul style="list-style-type: none"> <li>Part No. 17006999</li> <li>See Cleaners &amp; Accessories Price List for pricing.</li> </ul>	

1 RVY 497 790  
 2 RVB 497 790  
 3 RVB 477 790

## Cooling accessories

		400 series										Wine		200 series			
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	<ul style="list-style-type: none"> <li>– Ethylene absorber refill kit.</li> </ul>	4	5	6													<b>Part No. 17007000</b> See Cleaners & Accessories Price List for pricing
	<ul style="list-style-type: none"> <li>– Ice storage container, small.</li> <li>– For installation with a door opening angle of 90° the delivered ice storage container must be exchanged for the small ice storage container. This must be done prior to fixing the door.</li> </ul>							•	•	•	•						<b>RA 448 220</b> <span style="float: right;">\$141</span>
	<ul style="list-style-type: none"> <li>– Activated charcoal water filter system for 2007–2020 Vario 400 freezer/bottom mount columns.</li> </ul>																<b>Part No. 11034152</b> See Cleaners & Accessories Price List for pricing – UltraClarity Filter.
	<ul style="list-style-type: none"> <li>– Activated charcoal water filter for 2021+ Vario 400 freezer/bottom mount columns.</li> </ul>	•	•	•				•	•	•	•						<b>Part No. 11032531</b> See Cleaners & Accessories Price List for pricing – UltraClarity Pro™ Filter .
	<ul style="list-style-type: none"> <li>– Water filter bypass for home water filtration system.</li> </ul>	•	•	•				•	•	•	•						<b>Part No. 11037377</b> See Cleaners & Accessories Price List for pricing – Install this bypass cartridge if you don't want to use a water filter in your refrigeration.
	<ul style="list-style-type: none"> <li>– Removable shelf with oak wood frame.</li> <li>– Suitable for decanters and open bottles.</li> <li>– Includes screw hole cover set RA 430 000.</li> <li>– For 18" wide appliances.</li> </ul>											•					<b>RA 492 160</b> <span style="float: right;">\$407</span> – Ideal for decanters and open bottles. – Oak frame. – Removable.

4 RY 497 790  
 5 RVB 497 790  
 6 RVB 477 790

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Panel reference guide







Step 1: Columns and Bottom Freezers			Step 2: Panels			Step 3: Handles (for use with custom panels)		
Column type	Width	Door swing type	Custom panel	Stainless steel or dark stainless steel door panels with handles	Stainless steel or dark stainless steel door panels, handleless	Stainless steel handle for refrigerator door 44 1/2" (1131 mm)	Stainless steel handle for bottom freezer door 31 7/8" (810 mm)	Stainless steel handle for bottom freezer door 25 7/8" (658 mm)
<b>Bottom Freezers/French Door Bottom Freezers</b>								
<b>RVY 497 790</b>	35 1/2"	n/a	Panel Ready	RVA 421 922 dark stainless RA 421 915 <sup>1</sup> stainless steel	RVA 428 922 dark stainless	RA 425 110	RA 425 910	—
<b>RVB 497 790</b>	35 1/2"	Right/Reversible	Panel Ready	RVA 421 920 dark stainless RA 421 913 <sup>2</sup> stainless steel	RVA 428 920 dark stainless	RA 425 110	RA 425 910	—
<b>RVB 477 790</b>	30"	Right/Reversible	Panel Ready	RVA 421 720 dark stainless	RVA 428 720 dark stainless	RA 425 110	—	RA 425 710
<b>400 series refrigeration columns</b>								
<b>RC 492 705</b>	36"	Right/Reversible	Panel Ready	RA 421 914	RA 428 914	RA 425 110	—	—
<b>RC 472 705</b>	30"	Right/Reversible	Panel Ready	RA 421 713	RA 428 713	RA 425 110	—	—
<b>RC 462 705</b>	24"	Right/Reversible	Panel Ready	RA 421 615	RA 428 615	RA 425 110	—	—
<b>400 series freezer columns</b>								
<b>RF 491 705</b>	36"	Left/Reversible	Panel Ready	RA 421 914	RA 428 914	RA 425 110	—	—
<b>RF 471 705</b>	30"	Left/Reversible	Panel Ready	RA 421 713	RA 428 713	RA 425 110	—	—
<b>RF 461 705</b>	24"	Left/Reversible	Panel Ready	RA 421 615	RA 428 615	RA 425 110	—	—
<b>RF 411 705</b>	18"	Left/Reversible	Panel Ready	RA 421 115	RA 428 115	RA 425 110	—	—
<b>400 series freezer columns with ice and water dispenser</b>								
<b>RF 463 707</b>	24"	Left	Panel Ready	RA 422 611	RA 428 811	RA 425 110	—	—
<b>400 series wine climate cabinet</b>								
<b>RW 466 765</b>	24"	Right	Panel Ready	RA 421 617 right-hinged RA 421 616 left-hinged	RA 428 616	RA 425 110	—	—
<b>RW 414 765</b>	18"	Right	Panel Ready	RA 421 117 right-hinged RA 421 116 left-hinged	RA 428 116	RA 425 110	—	—

1 Requires a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RVA 460 910 (installation accessory).

2 Requires a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RVA 460 910 (installation accessory).




## Cooling accessories

		400 series							Wine		200 series							
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>Removable shelf with oak wood frame.</li> <li>Suitable for decanters and open bottles.</li> <li>Includes screw hole cover set RA 430 000.</li> <li>For 24" wide appliances.</li> </ul>												●				<b>RA 492 660</b> 24"	\$433
	<ul style="list-style-type: none"> <li>Bottle support in oak wood for convenient storage of bottles on the division plate.</li> <li>For 18" wide appliances.</li> </ul>												●				<b>RA 498 140</b> 18"	\$99
	<ul style="list-style-type: none"> <li>Bottle support in oak wood for convenient storage of bottles on the division plate.</li> <li>For 24" wide appliances.</li> </ul>												●				<b>RA 498 640</b> 24"	\$128
	<ul style="list-style-type: none"> <li>Dark stainless steel door panels, handleless.</li> <li>For RVY 497, panel thickness 3/4".</li> </ul>	7	●														<b>RVA 428 922</b> stainless steel, 35 1/2" wide	\$2,378

7 RVY 497 790 only  
8 RY 492 705 only



## Cooling accessories





		400 series										Wine		200 series				
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>— Stainless steel door panel, handleless.</li> <li>— For 36" wide appliances, panel thickness 3/4".</li> </ul>				•			•									<b>RA 428 914</b> stainless steel, 36" wide	\$1,470
	<ul style="list-style-type: none"> <li>— Stainless steel door panel with handle.</li> <li>— For 36" wide appliances, panel thickness 3/4".</li> </ul>			•			•										<b>RA 421 914</b> stainless steel, 36" wide	\$1,470
	<ul style="list-style-type: none"> <li>— Dark stainless steel door panels, handleless.</li> <li>— For RVB 477, panel thickness 3/4".</li> </ul>		13														<b>RVA 428 720</b> stainless steel, 30" wide	\$1,820

13 RVB 477 790 only  
14 RB 472 705 only

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.





PRICE

### Cooling accessories

		400 series										Wine		200 series				
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVB 477 30"	RC 492 705 36"	RC 477 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>Dark stainless steel door panels, with handle.</li> <li>For RVB 477, panel thickness 3/4".</li> </ul>		15														<b>RVA 421 720</b> stainless steel, 30" wide	\$1,820
	<ul style="list-style-type: none"> <li>Stainless steel door panel, handleless.</li> <li>For 30" wide appliances, panel thickness 3/4".</li> </ul>																<b>RA 428 713</b> stainless steel, 30" wide	\$924
	<ul style="list-style-type: none"> <li>Stainless steel door panel with handle.</li> <li>For 30" wide appliances, panel thickness 3/4".</li> </ul>																<b>RA 421 713</b> stainless steel, 30" wide	\$911
	<ul style="list-style-type: none"> <li>Stainless steel door panel, handleless.</li> <li>For 24" wide appliances, panel thickness 3/4".</li> </ul>																<b>RA 428 615</b> stainless steel, 24" wide	\$841







15 RVB 477 790 only

### Cooling accessories

		400 series										Wine		200 series			
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	<ul style="list-style-type: none"> <li>— Stainless steel door panel with handle.</li> <li>— For 24" wide appliances, panel thickness 3/4".</li> </ul>						•			•						<b>RA 421 615</b> stainless steel, 24" wide	\$828
	<ul style="list-style-type: none"> <li>— Stainless steel door panel, handleless.</li> <li>— For RF 463, panel thickness 3/4".</li> </ul>									•						<b>RA 428 811</b> stainless steel, 24" wide	\$841
	<ul style="list-style-type: none"> <li>— Stainless steel door panel with handle.</li> <li>— For RF 463, panel thickness 3/4".</li> </ul>										•					<b>RA 422 611</b> stainless steel, 24" wide	\$828
	<ul style="list-style-type: none"> <li>— Stainless steel door panel frame, handleless.</li> <li>— For 24" wide appliances, panel thickness 3/4".</li> </ul>											•				<b>RA 428 616</b> stainless steel, 24" wide	\$841










## Cooling accessories

		400 series										Wine		200 series			
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVC 497 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>Stainless steel door panel frame with handle.</li> <li>For 18" wide appliances, panel thickness 3/4".</li> </ul>															<ul style="list-style-type: none"> <li><b>RA 421 117</b> stainless steel, right-hinged, 18" wide \$770</li> <li><b>RA 421 116</b> stainless steel, left-hinged, 18" wide \$770</li> </ul>	
	<ul style="list-style-type: none"> <li>Stainless steel handle for refrigerator door.</li> <li>With 3 mounts, length 44 1/2" (1131 mm), drilling distance between each mount 21 13/16" (554 mm).</li> </ul>	•	•	•	•	•	•	•	•	•	•	•	•			<ul style="list-style-type: none"> <li><b>RA 425 110</b> stainless steel \$211</li> </ul>	
	<ul style="list-style-type: none"> <li>Stainless steel handle for bottom freezer door.</li> <li>For RB/RVY 492, with 2 mounts, length 31 7/8" (810 mm), drilling distance between the mounts 31" (787 mm).</li> </ul>	•	•												<ul style="list-style-type: none"> <li><b>RA 425 910</b> stainless steel \$211</li> </ul>		
	<ul style="list-style-type: none"> <li>Stainless steel handle for bottom freezer door.</li> <li>For RB 472 with 2 mounts, length 25 7/8" (658 mm), drilling distance between the mounts 25 1/16" (637 mm).</li> </ul>			•											<ul style="list-style-type: none"> <li><b>RA 425 710</b> stainless steel \$211</li> </ul>		
	<ul style="list-style-type: none"> <li>Installation kit for side-by-side installation for connecting any two columns.</li> <li>Included in delivery for RF and RW.</li> </ul>	•	•	•	•	•	•	•	•	•	•	•	•			<ul style="list-style-type: none"> <li><b>RA 460 000</b> \$141</li> </ul>	
	<ul style="list-style-type: none"> <li>Additional side heating element.</li> <li>110 V. Required if appliances are installed with a distance greater than 5/8" and less than 6 5/16" next to each other and for all built-in situations in a very humid environment.</li> <li>Not required if appliances are installed more than 6 5/16" apart from each other.</li> </ul>	•	•	•	•	•	•	•	•	•	•	•	•			<ul style="list-style-type: none"> <li><b>RA 460 012</b> \$841</li> </ul>	












This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Cooling accessories

		400 series										Wine		200 series				
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>Side-by-side Connection Replacement Kit 36" cutout.</li> <li>Accessory for replacement side-by-side installation in unmodified niche.</li> <li>Required if a RVY 497 (89.4 cm wide) is installed side-by-side into a niche which was formerly housing a combination including a RY 492, RB 492 or RC 492 (90.8 cm wide).</li> </ul>	•															<b>RVA 460 900</b>	\$561
	<ul style="list-style-type: none"> <li>Side-by-side 1.1 with Side-by-side 2.0 combination kit.</li> <li>Accessory for side-by-side installation, backward compatible.</li> <li>Required if a RVY 497 is installed side-by-side with a RY, RB, RC, RF or RW of the Vario cooling 400 series.</li> </ul>	•															<b>RVA 460 020</b>	\$658
	<ul style="list-style-type: none"> <li>Single Unit Replacement Kit 36" cutout.</li> <li>Required if a RVY 497 (89.4 cm wide) is replacing a RY 492, RB 492 or RC 492 (90.8 cm wide).</li> </ul>	•	•														<b>RVA 460 910</b>	\$420
	<ul style="list-style-type: none"> <li>Connecting element for custom cabinet fronts when panels are split vertically to create one door front.</li> </ul>				•	•	•	•	•	•	•	•	•				<b>RA 460 020</b>	\$211
	<ul style="list-style-type: none"> <li>Connecting element for custom cabinet fronts for bottom freezer when panels are split vertically to create one door front.</li> </ul>	•	•	•													<b>RA 460 030</b>	\$211
	<ul style="list-style-type: none"> <li>Used to conceal the gap between the appliance and adjacent cabinet. Long. White powder coated metal.</li> </ul>				•	•	•	•	•	•	•	•	•				<b>RA 423 140</b> stainless steel	\$154
	<ul style="list-style-type: none"> <li>Side trims long - narrow for standard installation.</li> <li>Side trims, 3 mm.</li> <li>2 pieces.</li> </ul>	•	•	•													<b>RVA 423 141</b>	\$211
	<ul style="list-style-type: none"> <li>Used to conceal the gap between the appliance and adjacent cabinet.</li> <li>2 pieces, for RY and RB.</li> <li>White powder coated metal.</li> </ul>	•	•	•													<b>RA 423 340</b> stainless steel	\$141






### Cooling accessories

		400 series										Wine		200 series				
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>Side-by-side Connection Kit for RB and RC (included as standard with RF, RW).</li> <li>For RVY 497.</li> </ul>	•															<b>RVA 460 000</b>	\$282
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 36" wide RC appliances without water filter.</li> </ul>			•			•										<b>RA 464 911</b>	\$465
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 36" RF 491 705.</li> </ul>							•									<b>RA 464 914</b>	\$465
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 30" wide RC appliances without water filter.</li> </ul>					•											<b>RA 464 711</b>	\$433
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 30" RF 471 705.</li> </ul>								•								<b>RA 464 714</b>	\$433
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 24" RC and RW appliances without water filter.</li> </ul>						•					•					<b>RA 464 611</b>	\$407
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 24" RF 461 705.</li> </ul>									•							<b>RA 464 616</b>	\$407
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 24" RF 463 706. IWD, right-hinged.</li> </ul>																<b>RA 464 617</b>	\$407
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 24" RF 463 707. IWD, left-hinged.</li> </ul>								•								<b>RA 464 618</b>	\$407
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 18" RW appliances without water filter.</li> </ul>												•				<b>RA 464 111</b>	\$337
	<ul style="list-style-type: none"> <li>Ventilation grill stainless steel.</li> <li>For 18" RF 411 705.</li> </ul>										•						<b>RA 464 113</b>	\$337

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

## Cooling accessories

		400 series										Wine		200 series				
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RC 492/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"		
	<ul style="list-style-type: none"> <li>Accessory for side-by-side installation of two under-counter wine climate cabinets.</li> </ul>														●		<b>RA 097 600</b> stainless steel	\$366
	<ul style="list-style-type: none"> <li>Door lock for RW 414/466 wine storage unit.</li> <li>(Includes a special drill kit).</li> </ul>												●	●			<b>RA 420 010</b> stainless steel	\$366
	<ul style="list-style-type: none"> <li>Heavy duty hinge support for a maximum door weight of 59 lb (27 kg).</li> </ul>														●		<b>RA 260 000</b> stainless steel	\$115
	<ul style="list-style-type: none"> <li>Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite.</li> <li>For 18" wide appliances.</li> </ul>												●				<b>RA491161</b> stainless steel, 18" wide	\$366
	<ul style="list-style-type: none"> <li>Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite.</li> <li>For 24" wide appliances.</li> </ul>												●				<b>RA491661</b> stainless steel, 24" wide	\$420

# Dishwashers



## 400 series dishwashers

### Common features

- Euro Tub, appliance height 32 <sup>3</sup>/<sub>16</sub>".
- Tall Tub, appliance height 34 <sup>1</sup>/<sub>8</sub>".
- Optimal protection for sensitive glassware by low temperature drying with zeolite, optimized basket design and intelligent water softening.
- 8 programs with aqua sensor and 4 options, such as Power for cleaning and drying dishes in one hour and Intensive for particularly thorough cleaning in the lower basket.
- Flexible basket system with smooth running rails on all levels and cushioned closing of the upper and lower basket.
- Perfectly illuminated interior.
- Push-to-open function for perfect integration into handleless custom cabinet fronts.
- 3rd rack for cutlery.
- Very quiet: 42 dB.
- ENERGY STAR® certified.
- Home Connect®.



#### 400 series dishwasher DF 480/481

- Fully integrated.
- Remaining time projection onto the kitchen floor.

#### Included accessories

- 1 baking tray spray head.
- 1 Gastronorm container inserts.
- 1 holder for long-stemmed glasses

#### Without flexible hinge

- |   |                |
|---|----------------|
| <b>DF 480 701</b>                         | <b>\$6,009</b> |
| fully integrated, Euro Tub, ADA compliant |                |
| <b>DF 481 701</b>                         | <b>\$6,009</b> |
| fully integrated, Tall Tub                |                |



#### 400 series Flexible hinge dishwasher DF 480/481

- Fully integrated with flexible hinge.
- Lateral Info-Light.

#### Included accessories

- 1 baking tray spray head.
- 1 Gastronorm container inserts.
- 1 holder for long-stemmed glasses.

#### With flexible hinge

- |   |                |
|---|----------------|
| <b>DF 480 701F</b>                        | <b>\$6,009</b> |
| fully integrated, Euro Tub, ADA compliant |                |
| <b>DF 481 701F</b>                        | <b>\$6,009</b> |
| fully integrated, Tall Tub                |                |



## 200 series dishwashers



#### Dishwasher 200 series DF 210

- Fully integrated.
- Euro Tub, appliance height 32 <sup>3</sup>/<sub>16</sub>".
- Tall Tub, appliance height 34 <sup>1</sup>/<sub>8</sub>".
- 6 programs with aqua sensor and 3 options, such as Power to reduce the cycle time and Intensive for particularly thorough cleaning in the lower basket.

- Flexible basket system.
- Bright interior lighting.
- 3rd rack for cutlery and utensils.
- Very quiet: 42 dB.
- ENERGY STAR® certified.
- Home Connect®.

#### Included accessories

- 1 tray spray head.

- |   |                |
|---|----------------|
| <b>DF 210 701</b>                         | <b>\$3,414</b> |
| fully integrated, Euro Tub, ADA compliant |                |







- |                            |                |
|----------------------------|----------------|
| <b>DF 211 701</b>          | <b>\$3,414</b> |
| fully integrated, Tall Tub |                |



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRICE

### Dishwasher accessories

	400 series				200 series			
	DF 480 701	DF 481 701	DF 480 701F	DF 481 701F	DF 210 701	DF 211 701		
 <ul style="list-style-type: none"> <li>– Stainless steel trim kit for all DF 210/ DF 480 dishwashers.</li> <li>– Set of 2, for left and right.</li> </ul>	●		●		●		<b>DA 020 011</b> fully integrated, for Euro Tub	\$167
 <ul style="list-style-type: none"> <li>– Stainless steel trim kit for all DF 211/ DF 481 dishwashers.</li> <li>– Set of 2, for left and right.</li> </ul>		●		●		●	<b>DA 020 111</b> fully integrated, for Tall Tub	\$167
 <ul style="list-style-type: none"> <li>– 3rd basket.</li> <li>– For DF 211 dishwasher.</li> <li>– 3rd loading level above the upper basket.</li> <li>– For small bowls, cups and cooking utensils.</li> <li>– Movable knife shelf.</li> </ul>						●	<b>DA 045 060</b> – Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. – To be placed above upper rack. – Removable knife shelf.	\$253
 <ul style="list-style-type: none"> <li>– 3rd basket.</li> <li>– With smooth running rails.</li> <li>– For DF 481 / DF 481 F dishwasher.</li> <li>– 3rd loading level above the upper basket.</li> <li>– For small bowls, cups and cooking utensils.</li> <li>– Movable knife shelf.</li> </ul>		●		●			<b>DA 045 061</b> – Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. – To be placed above upper rack. – Removable knife shelf.	\$253
 <ul style="list-style-type: none"> <li>– Silverware cartridge for all dishwashers.</li> <li>– Made of aluminum to protect silverware from corrosion.</li> <li>– Easy use of cartridge in the cutlery basket.</li> <li>– W x H x D in inches  <math>2 \frac{1}{16} \times 8 \frac{7}{16} \times 1 \frac{1}{8}</math>.</li> </ul>	●	●	●	●	●	●	<b>DA 042 030</b> – Aluminum cassette protects silver cutlery from corrosion. – Simply put your silverware into the cassette. Cassette fits easily in the cutlery basket. – $8 \times 2.25 \times 1.6$ ".	\$84
 <ul style="list-style-type: none"> <li>– Holder for long-stemmed glasses.</li> <li>– Offers safe positioning for up to four long-stemmed glasses during the dishwashing process and ensures an optimal cleaning result.</li> <li>– For positioning in the lower basket.</li> </ul>	●	●	●	●	●	●	<b>DA 043 000</b> – Helps hold delicate glasses in place for a thorough cleaning. – Holds 4 long-stemmed glasses. – Used on lower dishwasher rack.	\$57

**H**OMEA  
PREMIUM

**HOMEA**

**[www.homea.mx](http://www.homea.mx)**

**Email: [ventas@homea.mx](mailto:ventas@homea.mx)**

**Whatsapp: (446)144.6318**

**Tel: (442)216.3552**

**Lada sin Costo: 01(800)701.2121**