



GAGGENAU

HOMEA
PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121

LISTA DE PRECIOS 2026

CODE: 02072026

GAGGENAU

OUR TOOLS TO HELP YOU SELL

Resources

Programs

GAGGENAU

FIVE YEAR WARRANTY FOR ALL NEW APPLIANCES

Gaggenau warrants that the appliance is free from defects in materials and workmanship for a period of five years from the date of the original delivery for appliances purchased on or after January 1, 2025.

See the Statement of Limited Product Warranty for full details.

Symmetry perfectly staged

The Gaggenau Expressive series, inspired by Bauhaus and modern architecture, impresses with elegant, sculptural shapes.

Expressive series ovens



Oven Gaggenau Expressive series GO 480/481

- Width 30" (76 cm).
- Stainless steel behind smoked glass.

Included accessories

- 1 wire rack.
- 2 baking tray/broil pans, enameled, pyrolysis-safe.
- 1 core temperature probe.
- 1 rotisserie spit.
- 1 door opening aid.

Optional accessories

BA 018 106
Fully extendable pull-out rack. Dual-side wire rack, chromium-plated.

BA 028 110

Air frying tray set. Incl. air frying tray and 30" (76 cm) adapter.

BA 028 115

Baking tray/broil pan, enameled. 1" (30 mm) deep.

BA 038 165

Wire rack, for 30"/36" (76 cm/90 cm) oven.

BA 058 134

Baking stone kit with baking paddle for 30" (76 cm) oven.

BS 020 003

Baking paddle.

GN 340 231

Roaster with PFAS-free coating. GN 2/3, height 6 ½" (165 mm), in combination with pull-out rack BA 018 106.

Right-hinged

GO 480 721 \$19,968
stainless steel behind smoked glass

Left-hinged

GO 481 721 \$19,968
stainless steel behind smoked glass

Note: Side-hinge doors are not reversible.



Oven Gaggenau Expressive series GO 470/471

- Width 24" (60 cm).
- Stainless steel behind smoked glass.

Included accessories

- 1 wire rack.
- 1 baking tray, enameled, pyrolysis-safe.
- 1 broil pan, enameled, pyrolysis-safe
- 1 core temperature probe.
- 1 rotisserie spit.
- 1 door opening aid.

Optional accessories

BA 016 106
Fully extendable pull-out rack. Dual-side wire rack, chromium-plated.

BA 020 110

Air frying tray. 1 ¾" (30 mm) deep. For use with 24" (60 cm) oven.

BA 026 116

Baking tray, enameled. 1" (30 mm) deep.

BA 026 117

Broil pan, enameled. 1 ¾" (30 mm) deep.

BA 036 166

Wire rack, chromium-plated. Without opening, with feet.

BA 046 118

Glass tray for 24" (60 cm) oven. 1" deep (24 mm).

BA 056 134

Baking stone kit with baking paddle for 24" (60 cm) oven.

BS 020 003

Baking paddle.

GN 340 231

Roaster with PFAS-free coating. GN 2/3, height 6 ½" (165 mm), in combination with pull-out rack BA 016 106.

Right-hinged

GO 470 720 \$18,442
stainless steel behind smoked glass

Left-hinged

GO 471 720 \$18,442
stainless steel behind smoked glass

Note: Side-hinge doors are not reversible.



*Prices are in dollars and do not include VAT.

(Precios expresados en Dólares, no incluyen IVA.)

Expressive series Combi-steam ovens



Combi-steam oven Gaggenau Expressive series **GS 480/481**

- **Width 30" (76 cm).**
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

Included accessories

- 1 cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 door opening aid.
- 1 wire rack.
- 1 water inlet hose 118" (3 m). 1 water outlet hose 118" (3 m). 4 cleaning cartridges.

Installation accessories

GZ 010 011
Extension for water inlet and outlet. 78" long (2 m).

GA 301 010
Gaggenau adjustable shelf. Installation kit for 30" (76 cm) appliances. For use in vertical installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GS Combi-steam oven. **Note this is not required** as standard cabinet shelves can be used.

Optional accessories

BA 010 050 / BA 010 051*
Core temperature probe.

BA 010 301
Triple telescopic pull-out rack.

BA 020 361
Cooking container stainless steel, Unperforated.

BA 020 370
Cooking container stainless steel, Perforated.

BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

CL S10 040

Cleaning cartridges, set of 4*.
* Set of 4 included in delivery.

GN 010 330

Adapter for gastronorm insert and roaster.

GN 114 130

Gastronorm insert, stainless steel, GN 1/3.
Unperforated, 1 $\frac{1}{16}$ " deep (40 mm), 1.3 qt. (1.5 l).

GN 114 230

Gastronorm insert, stainless steel, GN 2/3.
Unperforated, 1 $\frac{1}{16}$ " deep (40 mm), 2.6 qt. (3 l).

GN 124 130

Gastronorm insert, stainless steel, GN 1/3.
Perforated, 1 $\frac{1}{16}$ " deep (40 mm), 1.3 qt. (1.5 l).

GN 124 230

Gastronorm insert, stainless steel, GN 2/3.
Perforated, 1 $\frac{1}{16}$ " deep (40 mm), 2.6 qt. (3 l).

GN 340 231

Roaster with PFAS-free coating. GN 2/3, height 6 $\frac{1}{2}$ " (165 mm), in combination with adapter GN 010 330 and triple pull-out rail BA 010 301.

Required accessories

Part No. 17002490

Descaling tablets, set of 4.

Right-hinged

GS 480 720

stainless steel behind smoked glass

\$21,497

Left-hinged

GS 481 720

stainless steel behind smoked glass

\$21,497

Note: Side-hinge doors are not reversible.



- Plumbed with drain.
- No electrical appliances can be installed above the Combi-steam oven.

* Transitions to BA 010 051 August.

*Prices are in dollars and do not include VAT.
(Precios expresados en Dólares, no incluyen IVA.)

Expressive series Combi-steam ovens



Combi-steam oven Gaggenau Expressive series **GS 470/471**

- **Width 24" (60 cm).**
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

Included accessories

- 1 cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 door opening aid.
- 1 wire rack.
- 1 water inlet hose 118" (3 m). 1 water outlet hose 118" (3 m). 4 cleaning cartridges.

Installation accessories

GZ 010 011
Extension for water inlet and outlet. 78" long (2 m).

GA 601 010
Gaggenau adjustable shelf. Installation kit for 24" (60 cm) appliances. For use in vertical installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GS Combi-steam oven. **Note this is not required** as standard cabinet shelves can be used.

Optional accessories

BA 010 050/ BA 010 051*
Core temperature probe.

BA 010 301
Triple telescopic pull-out rack.

BA 020 361
Cooking container stainless steel, Unperforated.

BA 020 370
Cooking container stainless steel, Perforated.

BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

CL S10 040

Cleaning cartridges, set of 4*.
* Set of 4 included in delivery.

GN 010 330

Adapter for gastronorm insert and roaster.

GN 114 130

Gastronorm insert, stainless steel, GN 1/3.
Unperforated, 1 $\frac{1}{16}$ " deep (40 mm), 1.3 qt. (1.5 l).

GN 114 230

Gastronorm insert, stainless steel, GN 2/3.
Unperforated, 1 $\frac{1}{16}$ " deep (40 mm), 2.6 qt. (3 l).

GN 124 130

Gastronorm insert, stainless steel, GN 1/3.
Perforated, 1 $\frac{1}{16}$ " deep (40 mm), 1.3 qt. (1.5 l).

GN 124 230

Gastronorm insert, stainless steel, GN 2/3.
Perforated, 1 $\frac{1}{16}$ " deep (40 mm), 2.6 qt. (3 l).

GN 340 231

Roaster with PFAS-free coating. GN 2/3, height 6 $\frac{1}{2}$ " (165 mm), in combination with adapter GN 010 330 and triple pull-out rail BA 010 301.

Required accessories

Part No. 17002490

Descaling tablets, set of 4.

Right-hinged

GS 470 720

stainless steel behind smoked glass

\$19,968

Left-hinged

GS 471 720

stainless steel behind smoked glass

\$19,968

Note: Side-hinge doors are not reversible.



- Plumbed with drain.
- No electrical appliances can be installed above the Combi-steam oven.

* Transitions to BA 010 051 August.

*Prices are in dollars and do not include VAT.

Expressive series Combi-steam ovens



Combi-steam oven Gaggenau Expressive series GS 460/461

- Width 30" (76 cm).
- Tank only. No water or drain connection.
- Stainless steel behind smoked glass.

Included accessories

- 1 cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 door opening aid.
- 1 wire rack.
- 4 cleaning cartridges.

Installation accessories

GA 301 010

Gaggenau adjustable shelf. Installation kit for 30" (76 cm) appliances. For use in vertical installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GS Combi-steam oven. **Note this is not required** as standard cabinet shelves can be used.

Optional accessories

BA 010 050 / BA 010 051*
Core temperature probe.

BA 010 301
Triple telescopic pull-out rack.

BA 020 361
Cooking container stainless steel, Unperforated.

BA 020 370
Cooking container stainless steel, Perforated.

BA 020 382
Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

CL S10 040

Cleaning cartridges, set of 4*.
* Set of 4 included in delivery.

GN 010 330

Adapter for gastronorm insert and roaster.

GN 114 130

Gastronorm insert, stainless steel, GN 1/3. Unperforated, $1\frac{1}{16}$ " deep (40 mm), 1.3 qt. (1.5 l).

GN 114 230

Gastronorm insert, stainless steel, GN 2/3. Unperforated, $1\frac{1}{16}$ " deep (40 mm), 2.6 qt. (3 l).

GN 124 130

Gastronorm insert, stainless steel, GN 1/3. Perforated, $1\frac{1}{16}$ " deep (40 mm), 1.3 qt. (1.5 l).

GN 124 230

Gastronorm insert, stainless steel, GN 2/3. Perforated, $1\frac{1}{16}$ " deep (40 mm), 2.6 qt. (3 l).

GN 340 231

Roaster with PFAS-free coating. GN 2/3, height $6\frac{1}{2}$ " (165 mm), in combination with adapter GN 010 330 and triple pull-out rail BA 010 301.

Required accessories

Part No. 17002490

Descaling tablets, set of 4.

Right-hinged

GS 460 720

stainless steel behind smoked glass

\$19,968

Left-hinged

GS 461 720

stainless steel behind smoked glass

\$19,968

Note: Side-hinge doors are not reversible.



- No electrical appliances can be installed above the Combi-steam oven.

Expressive series Combi-microwave ovens



Combi-microwave oven Gaggenau Expressive series GM 480/481

- Width 30" (76 cm).
- Stainless steel behind smoked glass.

Included accessories

- 1 wire rack.
- 1 door opening aid.
- 1 glass tray.

Installation accessories

GA 301 010

Gaggenau adjustable shelf. Installation kit for 30" (76 cm) appliances. For use in vertical

installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GM Combi-microwave oven. **Note this is not required** as standard cabinet shelves can be used.

Optional accessories

BA 010 050/ BA 010 051*
Core temperature probe.

BA 036 166

Wire rack.

BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

Right-hinged

GM 480 720

stainless steel behind smoked glass

\$17,902

Left-hinged

GM 481 720

stainless steel behind smoked glass

17,902

Note: Side-hinge doors are not reversible.



* Transitions to BA 010 051 August.

*Prices are in dollars and do not include VAT.

Expressive series Combi-microwave ovens



Combi-microwave oven Gaggenau Expressive series **GM 450/451**

- **Width 24" (60 cm).**
- Stainless steel behind smoked glass.

Included accessories

- 1 wire rack.
- 1 door opening aid.
- 1 glass tray.

Installation accessories

GA 601 010

Gaggenau adjustable shelf.
Installation kit for 24" (60 cm)
appliances. For use in vertical

installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GM Combi-microwave oven.

Note this is not required as standard cabinet shelves can be used.

Optional accessories

BA 010 050 / BA 010 051*
Core temperature probe.

BA 036 166
Wire rack.

BA 046 118
Glass tray for 24"/30" (60 cm/76 cm)
ovens.

Right-hinged

GM 450 720 \$16,117
stainless steel behind smoked glass

Left-hinged

GM 451 720 \$16,117
stainless steel behind smoked glass

Note: Side-hinge doors are not reversible.



Expressive series coffee machines



Fully automatic coffee machine Gaggenau Expressive series Plumbed **GC 461**

- **Width 24" (60 cm).**
 - Plumbed. Water line required.—
- Stainless steel behind smoked glass.

Included accessories

- 1 assembly screws.
- 1 test strip.
- 1 glass milk container.
- 1 connection hose for milk frother. 1 milk tube.
- 1 cleaning cartridge.
- 1 descaling cartridge.

Installation accessories

GA 601 010

Gaggenau adjustable shelf.
Installation kit for 24" (60 cm)

appliances. For use in vertical installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GC Fully automatic coffee machine. **Note this is not required** as standard cabinet shelves can be used.

Optional accessories

GA 022 720
Cleaning cartridge.

GA 022 740
Descaling cartridge.

Part No. 12008246
Water filter.

Part No. 10020570
Door hinge restrictor
(92° opening angle).

Left-hinged

GC 461 720 \$11,235
stainless steel behind smoked glass

- Left-hinged only.



Fully automatic coffee machine Gaggenau Expressive series Tank **GC 451**

- **Width 24" (60 cm).**
 - Tank only. No water connection.—
- Stainless steel behind smoked glass.

Included accessories

- 1 assembly screws.
- 1 test strip.
- 1 glass milk container.
- 1 connection hose for milk frother. 1 milk tube.
- 1 cleaning cartridge.
- 1 descaling cartridge.

Installation accessories

GA 601 010

Gaggenau adjustable shelf.
Installation kit for 24" (60 cm)

appliances. For use in vertical installations where a perfect $\frac{3}{16}$ " (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GC Fully automatic coffee machine. **Note this is not required** as standard cabinet shelves can be used.

Optional accessories

GA 022 720
Cleaning cartridge.

GA 022 740
Descaling cartridge.

Part No. 12008246
Water filter.

Part No. 10020570
Door hinge restrictor
(92° opening angle).

Left-hinged

GC 451 720 \$10,817
stainless steel behind smoked glass

- Left-hinged only.



* Transitions to BA 010 051 August.

*Prices are in dollars and do not include VAT.
(Precios expresados en Dólares, no incluyen IVA.)

Expressive series vacuuming drawers



Vacuuming drawer
Gaggenau Expressive series
GV 451

- **Width 24" (60 cm),** Height 5 ½" (14 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

Included accessories

- 50 vacuuming bag, small.
- 50 vacuuming bag, large.
- 1 raised vacuuming platform.

- 1 adapter for vacuuming outside the chamber.
- 1 vacuuming hose.
- 1 adapter for bottle plugs.
- 3 plugs for vacuuming of bottles.

Optional accessories

Part No. 00578813
Vacuuming bags, small.
7" × 11", 100 pcs.

Part No. 00578814
Vacuuming bags, large. 9
½" × 14", 100 pcs.

GV 451 720
stainless steel behind smoked glass

\$8,644

Expressive series culinary warming drawers



Culinary warming drawer
Gaggenau Expressive series
GW 483

- **Width 30" (76 cm),** Height 8 ⅞" (21.5 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

Installation accessories

Part No. 12039458
Bracket (set of 2) anti-tilt.

GW 483 720
stainless steel behind smoked glass

\$6,893



Culinary warming drawer
Gaggenau Expressive series
GW 083

- **Width 30" (76 cm),** Height 8 ⅞" (21.5 cm).
- Custom-panel ready.
- Not push-to-open, requires handle.

Installation accessories

Part No. 12039458
Bracket (set of 2) anti-tilt.

GW 083 720
custom panel

\$6,096



Culinary warming drawer
Gaggenau Expressive series
GW 451

- **Width 24" (60 cm),** Height 5 ½" (14 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

Installation accessories

Part No. 12039458
Bracket (set of 2) anti-tilt.

GW 451 720
stainless steel behind smoked glass

\$5,460



Culinary warming drawer
Gaggenau Expressive series
GW 453

- **Width 24" (60 cm),** Height 8 ⅞" (21.5 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

Installation accessories



Part No. 12039458
Bracket (set of 2) anti-tilt.

GW 453 720
stainless steel behind smoked glass

\$6,096





Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GW 483/083 30"	GW 451/453 24"	GV 451 720 24"	
	- Core temperature probe. - Compatible with GO, GS, GM.	•	•	•	•	•	•	•					BA 010 050 \$211 Transitions to BA 010 051 August.
	- Triple telescopic pull-out rack.— - For GS Combi-steam ovens.— - Can be used with any of the cooking containers, glass tray, or adapter.			•	•	•							BA 010 301 \$533 - Triple telescopic pull-out rack system for 24"/30" (60/76 cm) GS comb-steam ovens. - Safely pull out heavy dishes with ease.
	- Fully extendable pull-out rack.— - Dual-side wire rack, chromi-um-plated. - For use with GO 480/481 30" oven.	•											BA 016 106 NEW \$700
	- Fully extendable pull-out rack.— - Dual-side wire rack, chromi-um-plated. - For use with GO 470/471 24" oven.		•										BA 018 106 NEW \$841
	- Air frying tray. - For use with 24" (60 cm) GO 470/471 oven. 1 3/16" (30 mm) deep. 1 3/16 x 17 15/16 x 14 9/4" (30 x 455 x 375 mm).		•										BA 020 110 \$185
	- Air frying tray. - For use with 30" (76 cm) GO 480/481 oven.		•										BA 028 110 NEW \$420
	- Combi-Steam cooking container, stainless steel, unperforated. 1 13/16" (46 mm) deep. 4.8 qt. (5.4 l).			•	•	•							BA 020 361 \$394 For use with 24"/30" (60/76 cm) GS Combi-steam ovens.
	- Cooking container, stainless steel, perforated. 1 3/16" (40 mm) deep. 4.4 qt. (5 l).			•	•	•							BA 020 370 \$394 - For use with 24"/30" (60/76 cm) GS Combi-steam ovens. - Perforated, stainless steel pan. - Gastronorm size 2/3, 1 1/2" (40 mm) depth.— - For full size unperforated pan, order Part No. 17003099.

*Prices are in dollars and do not include VAT.

(Precios expresados en Dólares, no incluyen IVA.)

Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GW 483/083 30"	GW 451/453 24"	GV 451 720 24"	
	– Cooking container, PFAS free non-stick coating, unperforated. – 1 ¹³/₁₆" (46 mm) deep. – 1 ¹³/₁₆" × 17 ³/₄" × 14 ¹⁵/₁₆" (46 × 450 × 380 mm). – 4.8 qt. (5.4 l).			•	•	•							BA 020 382 \$517 – For use with 24"/30" (60/76 cm) GS Combi-steam ovens.
	– Cooking container insert, PFAS free non-stick coating, perforated. – 1 ⁹/₁₆" (40 mm) deep. – 1 ¹³/₁₆" × 17 ³/₄" × 14 ¹⁵/₁₆" (40 × 450 × 380 mm). – 4.4 qt. (5 l).			•	•	•							BA 020 391 \$517 – For use with 24"/30" (60/76 cm) GS Combi-steam ovens. – Perforated, PFAS free non-stick coating.— Gastronorm 2/3, 1 ¹ / ₂ " (40 mm) depth. – For full size unperforated pan, order Part No. 17003101.
	– Baking tray/broil pan, enameled.— 1 ³/₁₆" (30 mm) deep, for use with 30" (76 cm) GO 480/481 and 36" (90 cm) EB 333 ovens.	•											BA 028 115 \$282 – For 30" (76 cm) GO 480/481 and 36" (90 cm) EB 333 ovens. – Enameled finish. – 1 ³ / ₁₆ " (30 mm) deep.
	Baking Tray, enameled for 24" (60 cm) GO 470/471 oven.— 1 ³ / ₁₆ " (30 mm) deep. – 1 ³ / ₁₆ " × 18 ¹ / ₈ " × 14 ³ / ₈ " (30 × 460 × 365 mm).		•										BA 026 116 \$167
	Broil Pan, enameled for GO 470/471 24" (60 cm) oven.— 1 ¹ / ₂ " (38 mm) deep. – 1 ³ / ₁₆ " × 18 ¹ / ₈ " × 14 ³ / ₈ " (30 × 460 × 365 mm).		•										BA 026 117 \$154
	– Wire rack, chromium-plated.— Without opening, with feet.— For 24" (60 cm) GO 470/471 ovens and 24"/30" (60/76 cm) GM 450/451, 480/481 ovens.			•				•	•				BA 036 166 \$211
	– Wire rack, chromium-plated, for use with 30" (76 cm) GO 480/481 and 36" (90 cm) EB 333 ovens. – Without opening, with feet.	•											BA 038 165 \$185 – For use with 30" (76 cm) GO 480/481 and 36" (90 cm) EB 333 ovens. – Chromium plated. – Without opening, with feet.
	– Glass tray for 24" (60 cm) GO 470/471 ovens and 24"/30" (60/76 cm) GM and GS ovens. – 1" deep.			•	•	•	•	•	•				BA 046 118 \$282 – Depth is 1". – Heavy-duty, fully transparent.
	– Baking paddle. – Serving and cutting board.	•	•										BS 020 003 \$420

*Prices are in dollars and do not include VAT.

(Precios expresados en Dólares, no incluyen IVA.)



Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GW 483/083 30"	GW 451/453 24"	GV 451 720 24"	
	– Baking stone for 24" (60 cm) oven. – Incl. baking stone support and baking paddle. – Not in combination with pull-out system.		•										BA 056 134 \$841 – Works with GO 470/471 only.
	– Baking stone for 30" (76 cm) oven. – Incl. baking stone support and baking paddle. – Not in combination with pull-out system.	•											BA 058 134 \$979 – Works with GO 480/481 only.
	– Adapter for gastronorm insert and GN 340 231 roaster. – For use in 24"/30" (60/76 cm) GSCombi-steam ovens.			•	•	•							GN 010 330 \$350 – Wire rack to support roaster GN 340 231.– Roaster with lid sold separately.
	– Gastronorm insert, stainless steel. – 1 1/2" deep, GN 1/3, half tray size. – Unperforated, 1.3 qt. (1.5 l). – Must order GN 010 330 adapter separately.			•	•	•							GN 114 130 \$211 – Unperforated, stainless steel pan. – Dishwasher safe. – Gastronorm size 1/3, 1 1/2" (40 mm) depth.– For the half size perforated pan, order Part No. 00571634.
	– Gastronorm insert, stainless steel. – 1 1/2" deep, GN 2/3, full tray size.– Unperforated, 2.6 qt. (3 l). – Must order GN 010 330 adapter separately.			•	•	•							GN 114 230 \$308 – For use with 24"/30" (60/76 cm) GS Combi-steam ovens. – Unperforated, stainless steel pan. – Gastronorm size 2/3, 1 1/2" (40 mm) depth.– For the full-size perforated pan, order Part No. 00357307.
	– Gastronorm insert, stainless steel. – 1 1/2" deep, GN 1/3, half tray size. – Perforated, 1.3 qt. (1.5 l). – Must order GN 010 330 adapter separately.			•	•	•							GN 124 130 \$211 – Perforated, stainless steel pan. – Dishwasher safe. – Gastronorm size 1/3, 1 1/2" (40 mm) depth. – For the half size unperforated pan, order Part No. 00677877.
	– Gastronorm insert, stainless steel. – 1 1/2" deep, GN 2/3, full tray size.– Perforated, 2.6 qt. (3 l). – Must order GN 010 330 adapter separately.			•	•	•							GN 124 230 \$308 – For use with 24"/30" (60/76 cm) GS Combi-steam ovens. – Perforated, stainless steel pan. – Gastronorm size 2/3, 1 1/2" (40 mm) depth.– For full size unperforated pan, order Part No. 00358656.
	– Pull-out system – Fully extendable telescopic rails and enameled cast iron frame.												BA 018 165 \$770

Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GW 483/083 30"	GW 451/453 24"	GV 451 720 24"	
	– Cast-aluminum roaster, for use with GO/GS/EB ovens. – GN 2/3, height 6 ½" (165 mm). – PFAS free non-stick coating. – For use with roasting function in EB 333 and GO oven(s).	•	•	•	•	•							GN 340 231 \$841
	– Cleaning cartridges, set of 4.— For GS Combi-steam oven. – To descale your Combi-steam oven, please order descaling cartridges (Part No. 00311768).			•	•								CL S10 040 \$141 – For GS Combi-steam ovens that have a cleaning system and fixed water connection.— Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning).
	– Descaling tablets, set of 4.— For GS Combi-steam ovens.			•	•	•							Part No.17002490 See Cleaners & Accessories Price List for pricing – For use with GS Combi-steam ovens.
	– Vacuum Bags (Small).— 7 ⅜" x 11 ⅜", 100 pcs.										•		Part No. 00578813 See Cleaners & Accessories Price List for pricing – For use with GV/DV vacuum drawers - please check for compatibility with your appliance.— To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	– Vacuum Bags (Large).— 9 ⅞" x 13 ⅝", 100 pcs.										•		Part No. 00578814 See Cleaners & Accessories Price List for pricing – For use with GV/DV vacuum drawers. – To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	– Water filter.								•				Part No. 12008246 See Cleaners & Accessories Price List for pricing
	– Heating element. – Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation												BA 058 115 \$282 Heating element for backing stone for BO 48., BX 48.
	– Stainless steel knobs with black coating												BA 090 100 \$282 Black control knobs accessory for 36" EB 333 oven
	– Gastronorm insert, stainless steel – 1 ½" deep, GN 1/3, half tray size, Perforated, 1.5 qt.												GN124130 \$211 Perforated cooking insert, half tray size, s/s

Expressive series accessories

		GO 480/481	GO 470/471	GS 480/481	GS 470/471	GS 460/461	GM 480/481	GM 450/451	GC 461/451	GW 483/083	GW 451/453	GV 451 720	
	30"	30"	24"	30"	24"	30"	30"	24"	24"	30"	24"	24"	
	Door hinge restrictor (92° opening angle, set of two).								•				Part No. 10020570 See One Portal for pricing
	- Bracket (set of 2) anti-tilt. - For GW culinary warming drawer installed under a countertop or in a single cut out by itself.									•	•		Part No. 12039458 See One Portal for pricing
	- Cleaning cartridge for use with Gaggenau Expressive series fully automatic coffee machines with automatic cleaning. - Prolonged appliance lifespan through effective removal of coffee oils from the brewing unit.								•				GA 022 720 \$99
	Descaling cartridge for use with Gaggenau Expressive series fully automatic coffee machines with automatic descaling.								•				GA 022 740 \$84
	- Gaggenau adjustable shelf.— Installation kit for 30" (76 cm) appliances. For use in vertical installations where a perfect $\frac{3}{16}$" (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Can support GS Combi-steam oven or GM Combi-microwave oven. Note this is not required as standard cabinet shelves can be used. - Includes mounting brackets, cover and screws.			•	•	•							GA 301 010 \$253
	- Gaggenau adjustable shelf.— Installation kit for 24" (60 cm) appliances. For use in vertical installations where a perfect $\frac{3}{16}$" (5 mm) gap between Gaggenau Expressive Series appliances, and a single cut out are desired. Note this is not required as standard cabinet shelves can be used. - Includes mounting brackets, cover and screws.			•				•	•				GA 601 010 \$225
	- Extension for water inlet and outlet. 78" long (2 m).			•	•								GZ 010 011 \$141
	Baking stone for 36" (90 cm) EB333 oven			•									BA 058 135 \$1,120 — Baking stone for 36" (90 cm) EB333 oven

*Prices are in dollars and do not include VAT.

(Precios expresados en Dólares, no incluyen IVA.)



400 series Vario induction cooktops

Common features

- Stainless steel frame.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series appliances.
- Gaggenau Home Connect®.



Vario 400 series full surface induction cooktop

CX 492

- Width 36" (90 cm).
- Gray glass ceramic.
- One large cooking surface.
- Free positioning of up to 6 items of cookware.
- All sizes and formats of cookware can be used.

- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

1 cooking sensor for temperature regulation.

CX 492 612

stainless steel frame

\$10,464

- May be combined with other Varios.



Vario 400 series full surface induction cooktop

CX 482

- Width 30" (80 cm).
- Gray glass ceramic.
- One large cooking surface.
- Free positioning of up to 5 items of cookware.
- All sizes and formats of cookware can be used.

- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

1 cooking sensor for temperature regulation in pots.

CX 482 612

stainless steel frame

\$9,148

- May be combined with other Varios.



Vario 400 series flex induction cooktop

VI 422

- Flex function for rectangular cooking areas.
- Frying sensor function.
- Booster function.
- Stopwatch.
- Short-term timer.

- Free positioning of cookware inside combined cooking areas.
- Frying sensor function for temperature control in pans.
- Solid stainless steel control knobs.
- Precision crafted 1/8" stainless steel frame.

VI 422 613

\$6,053



*Prices are in dollars and do not include VAT.
(Precios expresados en Dólares, no incluyen IVA.)

Cooktop accessories

		400 series			200 series	
		36" VG 491 211CA gas	36" CX 492 611/612 induction	30" CX 482 611/612 induction	36" VG 295_50CA	
	– Teppan Yaki plate made of multi-ply material. – 13" × 21", GN 1/1. – For full surface induction cooktop CX 492/482.		•	•		GN 232 110 \$645 – For induction & electric cooktops. – Made of multi-ply material. – 13" × 21". – For smaller Teppan Yaki plate, order Part No. 00573429.
	– Teppan Yaki.		•	•	•	CA 051 301 \$433 – For flex induction cooktops.
	– Wok pan made of multiple-layer material. – With round bottom and handle, ø 14 3/16", 6.3 qt., height 4".	•			•	WP 400 001 \$700 – Made of multi-ply material. – Round bottom. – 14.8" diameter, 3.9" height. – For wok attachment to hold wok in place, order Part No. 00464256.
	– Wok support ring for wok pan.—				•	WZ 400 000 \$561
	– Connection strip for combination with other Vario 400 series appliances for flush mounting.	•	•	•	•	VA 420 000 \$253
	– Invisible connection strip for combination with other Vario 400 series flush mounting.	•	•	•	•	VA 420 004 \$253
	– Connection strip for combination with other Vario 400 series appliances for surface mounting.	•	•	•	•	VA 420 010 \$253
	– Black connection strip for combination with other Vario 200 series appliances.					VV 200 020 \$295

Cooktop accessories

	400 series			200 series	
	36" VG 491 211CA gas	36" CX 492 611/612 induction	30" CX 482 611/612 induction	36" VG 295_50CA	
 – Stainless steel connection strip for combination with other Vario 200 series appliances.				• VV 200 010	\$295
 – Cooking sensor for temperature regulation within pots. – For CX 492/482 full surface induction.		•	•	CA 060 600 – Black control knobs. – Set of 2. – Automatically senses the temperature inside the pot and controls it. – First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot. – Do not wash sensor in dishwasher. – To order a set of 5 sensor patches, please order Part No. 00577921.	\$185
 – Black magnetic knob for 200 series induction cooktop. – Stainless steel knob with black coating.				CA 230 100	\$253
 – LP gas kit. – Nozzle set liquid gas.– Liquid gas, LPG 25 mbar.		•		Part No. 10004447 See Cleaners & Accessories Price List or One Portal	
 – LP gas kit. – Nozzle set liquid gas. – Liquid gas, LPG 25/27.5 mbar. – For VG 232CA and VG 264 (4 burners, order 2 kits).				Part No. 10009476 See Cleaners & Accessories Price List or One Portal	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

400 series Vario gas cooktops

Common features

- Stainless steel.
- Natural gas.
- Full electronic power regulation on 12 levels.
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.
- Simmer function for cooking on a very low output level.
- Solid stainless steel control knobs.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



Vario 400 series gas cooktop
VG 491

- Width 36" (90 cm).
- Five multi-ring burners with up to 59,700 BTU.
- Solid smooth-surface cast-iron pan supports.

Included accessories

- 1 wok attachment ring

VG 491 211CA
stainless steel frame)

\$11,384

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

— May be combined with other Vario 400 series.



Vario 400 series gas wok
VG 415

- Width 15" (38 cm).
- Three-ring burner with 18,800 BTU.

Included accessories

- 1 wok attachment ring

VG 415 211CA
stainless steel frame

\$7,603

For conversion to LP gas, LP kit (Part No. 10004445) must be ordered.

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

— Cannot be vented in recirculation.



Vario 400 series gas cooktop
VG 425

- Width 15" (38 cm).
- Two multi-ring burners up to 13,600 BTU.

VG 425 211CA
stainless steel frame, 15" (38 cm)

\$6,427

For conversion to LP gas, LP kit (Part No. 10004446) must be ordered.

400 series Vario teppan yaki and grill

Common features

- Stainless steel.
- Solid stainless steel control knob.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



Vario 400 series teppan yaki
VP 414

- Width 15" (38 cm).
- Hard chrome-plated surface for teppan cooking and use as griddle, grill, searer and warming plate. No pots or pans necessary.

- Exact temperature control up to 480° F.
- Optimum heat distribution.

Included accessories

- 2 spatulas

VP 414 611
stainless steel frame

\$7,633

200 series Vario teppan yaki and grill

Common features

- Black control panel.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.



Vario 200 series teppan yaki VP 230

- Width 12" (28 cm).
- Cooking directly on the metal surface, without any pots or pans.

- Exact temperature control up to 480 °F.
- Keeping warm setting.

Included accessories

2 spatula

VP 230 620
black control panel

\$6,257

Vario accessories

	400 series						200 series
	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 teppan yaki 15"
 – Cooking sensor for temperature regulation within pots. – For CX 492/482 full surface induction.	•	•					
							CA 060 600 – Black control knobs. – Set of 2. – Automatically senses the temperature inside the pot and controls it. – First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot. – Do not wash sensor in dishwasher. – To order a set of 5 sensor patches, please order Part No. 00577921.
 – Lava stones for refilling. Required for use of VR grill.							LV 030 000 – Replacement lava stones for lava grills.– Easy to clean - wash with warm, soapy water then rinse with clear water and dry.– 6.6 pounds.

Vario accessories

		400 series						200 series
		CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 614 teppan-yaki 15"
								VP 230 620 teppan yaki 12"
	– Vario 400 Stainless steel appliance cover with mounting strip. – Only available for individual Vario installation.				•	•		<u>VA 440 010</u> \$574 Cover may only be used with stand alone Vario 400 cooktops, not when combined with other Vario 400 series cooktops. – Only available for individual Vario installation. Not for use when connecting multiple Varios in a single cut-out. – Covers & protects cooktop while not in use. – Stainless steel, has mounting strip.
	– Vario 200 series black appliance cover.							• <u>VD 200 020</u> \$632 – Covers & protects cooktop while not in use.
	– Wok pan made of multiple-layer material. – With round bottom and handle, ø 14 3/8", 6.3 qt., height 4".				•	•		<u>WP 400 001</u> \$700 – Made of multi-ply material. – Round bottom. – 14.8" diameter, 3.9" height. – For wok attachment to hold wok in place, order Part No. 00464256.
	– Wok support ring for wok pan.— - For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only.							<u>WZ 400 000</u> \$561
	– Teppan Yaki plate made of multi-ply material. – 13" x 21", GN 1/1. – For full surface induction cooktop CX 492/482.	•	•					<u>GN 232 110</u> \$645 – For induction & electric cooktops.— - Made of multi-ply material. – 13" x 21".
	– Teppan Yaki. – For CI 292/282 flex induction cooktops.	•	•		•			<u>CA 051 301</u> \$433 – For flex induction cooktops.
	– Air deflector for VL 414 next to a VG 415 or VG 425 gas appliance.				•	•		<u>AA 414 010</u> \$225

Vario accessories

		400 series						200 series	
		CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 614 teppan yaki 15"	VP 230 620 teppan yaki 12"	
	— Connection strip for combination with other Vario 400 series appliances for flush mounting.	•	•	•	•	•	•	VA 420 000	\$253
	— Invisible connection strip for combination with other Vario 400 series flush mounting.	•	•	•	•	•	•	VA 420 004	\$253
	— Connection strip for combination with other Vario 400 series appliances for surface mounting.	•	•	•	•	•	•	VA 420 010	\$253
	— Stainless steel connection strip for combination with other Vario 200 series appliances.							W 200 010	\$295
	— Black connection strip for combination with other Vario 200 series appliances.							VV 200 020	\$295
	— Retro-fit connection strip for old Vario. — Fills gap in countertop when replacing older 400 series Vario units.	•	•	•	•	•	•	VV 401 000	\$282
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar.			•				Part No. 10004445 See Cleaners & Accessories Price List for pricing	
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar.				•			Part No. 10004446 See Cleaners & Accessories Price List for pricing	
	— LP gas kit. — Nozzle set liquid gas.— Liquid gas, LPG 25 mbar.			•				Part No. 10004447 See Cleaners & Accessories Price List or One Portal for pricing	
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar. — For VG 232CA and VG 264 (4 burners, order 2 kits).							• Part No. 10009476 See Cleaners & Accessories Price List for pricing	

400 series downdraft

Common features

- Stainless steel.
 - Air extraction / Air recirculation.
- Precision crafted 3 mm stainless steel.



400 series Vario downdraft ventilation
VL 414

- Width 6 1/8" (155 cm).
- Control knob with illuminated ring included.
- Can be combined perfectly flush with other Vario appliances of the 400 series.
- Solid stainless steel control knob.
- Highly efficient, low noise recirculation system with AR 410 710 blower.

- Air extraction with AR 400 742, AR 403 722, or AR 401 742 blowers.
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Gaggenau Home Connect®.

VL 414 712
stainless steel

Refer to Accessories Guide on page 43 for required accessories.

– One blower per downdraft.
– Control knob included with each downdraft. Ships with exhaust air elbow.



200 series downdraft



Vario 200 series downdraft ventilation
VL 200

- Width 5 1/16" (15 cm).
- Black control panel.
- Air extraction / air recirculation.—


Can be combined with other Vario 200 series products.— Highly efficient ventilation system at the cooktop integrated in the countertop.

- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Low-noise system with recirculation blower AR 410 710.
- Air extraction with AR 403 722 blower.

VL 200 120
black control panel

– One recirculating or extraction blower per downdraft.

200 series visor hoods



200 series visor hood
AF 210

- Width 36" (90 cm).
- Stainless steel handle bar.
- HVI CFM: 370, High Speed.
- Air extraction/Air recirculation.—

Unobtrusive visor hood design thanks to integrated glass sheet in the steam screen.

- Especially quiet operation thanks to integrated sound insulation.
- Steam screen extends by pulling the handle bar.
- Especially high air output.
- Energy-saving, low-noise fan.
- Function for automatic, sensor controlled power adjustment

- depending on the build-up of cooking vapors.
- Dimmable, neutral white LED light for ideal illumination of the cooktop.
- The patented lowering frame allows the visor hood to disappear completely into the upper cabinet.
- Air extraction or air recirculation system.
- Air recirculation module with activated charcoal filter: quiet and highly efficient air recirculation solution with odor reduction as in air extraction mode and long replacement intervals.

AF 210 791
stainless steel

– To hide hood from view for 36" model AF 210 791, order the lowering frame (AA 210 492). Mounting kit (AA 210 491) must be ordered if lowering frame is not used.

Blowers

		400 series		200 series		
		6"	48"	6"	36"	
		VL 414 712	AI 442 720	VL 200 120	AF 210 791	
	– 400 series inline blower. – Metal housing. – HVI CFM: 390, High Speed.– - Air extraction. – Inside installation. – 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/ island hood. – Quiet blower with high-efficiency BLDC technology.	●	●			<u>AR 400 742</u> \$3,426
	– 400 series internal blower. – Metal housing. – HVI CFM: 300, High Speed. – Air extraction. – For installation in the duct cover.– - Powerful blower to combine with 400 series AW/AI 442 wall and island hood. – Quiet blower with high-efficiency BLDC technology. – Compact and space-saving due to the installation in the duct cover of AI/AW 442 island/ wall hood.		●			<u>AR 400 743</u> \$2,816 Internal blower can only be used with 400 series AI/AW 442 island/wall hood
	– Inline blower 400 and 200 series. – Metal housing. – HVI CFM: 440, High Speed. – Air extraction. – Powerful inline blower to combine with motorless appliances AL 400, VL 200, VL 414. – Efficient BLDC technology.– - Compact and space-saving installation in a 4" (10 cm) high toe-kick.	●		●		<u>AR 403 722</u> \$3,463
	– 400 series remote blower. – Stainless steel. – HVI CFM: 620, High Speed. – Air extraction. – Outside wall installation. – Powerful blower for combination with 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/island hood. – Quiet blower with high-efficiency BLDC technology.	●	●			<u>AR 401 742</u> \$3,883

Blowers

	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AL 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
 400 and 200 series recirculation blower. - Metal housing. - HVI CFM: 600, High Speed. - Air recirculation. - Works with AL 400 retractable downdraft and VL 414/VL 200 downdraft. - Powerful recirculation blower to combine with 400/200 series Vario downdraft and 400 series AL 400 retractable downdraft ventilation. - Efficient BLDC technology. - Particularly quiet due to patented noise insulation.— - Compact, space-saving installation.	1									AR 410 710	\$4,496
 400 and 200 series recirculation blower. - HVI CFM: 370, High Speed. - Air recirculation. - For installation in 4" toe-kick.— - Powerful blower for combination with 400 series AL 400 retractable downdraft and VL 414/VL 200 downdraft. - Quiet blower with high-efficiency BLDC technology. - Compact and space-saving installation in a 4-inch high toe-kick.										AR 413 722	\$3,426
For air recirculation operation additional accessories are required: AA 413 723 air recirculation module and AD 413 722 oval aluminum flex duct to connect to AR 413 722 recirculation blower.											



Recirculation modules

Common features

- Long Life recirculation kit, external.
- Multiple regenerative Long Life active carbon filter.
- Consisting of filter housing with design cover, multiple regenerative Long Life active carbon filter, flexible hose, 2 hose clamps and mounting material.

	400 series					200 series				
	46" AL 400 722	36" AL 400 792	6" VL 414 712	48" AI 442 720	48" AW 442 720	6" VL 200 120	40" AI 230 700	36" AW 230 790	36" AF 210 791	
 – Recirculation module to replace AA 200 812, with regenerable filter. – Can be combined with AW 230 wall hood. – For installation on either the outer or on the telescopic chimney piece.								•		Part No. 17004654 See One Portal for pricing Replacement for AA 200 812. For replacement filters please order one of the following: – Part No. 11049036 Standard filter. – Part No. 11019121 Regenerable odor filter.
 – Recirculation module to replace AA 200 816, with regenerable filter. – Can be combined with AI 230 island hood. – For installation on either the outer or on the telescopic chimney piece.							•			Part No. 17004651 See One Portal for pricing Replacement for AA 200 816. For replacement filters please order one of the following: – Part No. 11049036 Standard filter. – Part No. 11019121 Regenerable odor filter.
 – Recirculation module to replace AA 211 812, with regenerable filter. – For recirculation operation. – Can be combined with 200 series AF 210 Visor hoods. – For installation in the upper cupboard.								•		Part No. 17004653 See One Portal for pricing Replacement for AA 211 812. For replacement filters please order the following: – Part No. 11023685.
 – Air recirculation module with activated charcoal filter. – For recirculation mode. – Can be combined with 400 series AI/ AW 442 island and wall hood. – Odor reduction comparable to air extraction mode (95%). – Noise reduction of up to 3 dBA when compared to conventional air recirculation filter systems. – Extended change interval for the activated charcoal filter (approx. 1–1.5 years depending on cooking frequency). – For installation on the inner duct cover. – Consisting of filter bracket, two activated charcoal filters, flexible hose and two hose clamps.					•					AA 442 810 For replacement filters please order the following: – Part No. 11049036.

Blower accessories

	Blowers						Recirculation modules			
	AR 400 742	AR 400 743	AR 403 722	AR 401 742	AR 410 710	AR 413 722	AA 442 810	Part No. 17004651	Part No. 17004653	Part No. 17004654
 Recirculation kit with filter for use with 400 series AR 413 722 recirculation blower.						•				AA 413 723 \$979
 Oval flex duct to connect 400 series AR 413 722 recirculation blower with AA 413 723 recirculation kit.						•				AD 413 722 \$238
 2 regenerable activated charcoal filter. - For air recirculation included with AR 410 710 blower.					•					AA 410 112 \$295
 2 additional activated charcoal filter with high efficient odor reduction due to large surface. For use with AA 413 723 air recirculation module.						•				Part No. 11058748 See One Portal for pricing
 - Long Life odor filter. 458 x 190 x 45 mm. - Filter for use with retrofitting AA 211 812/Part. No. 17004653 recirculation module.								•		Part No. 11023685 See One Portal for pricing Replacement filter for AA 210 110 filter.
 2 additional activated charcoal filters with highly efficient odor reduction. - Clean Air Standard odor filter. 230 x 190 x 100 mm. - Filter for AW/AI 230. - Replacement filter for use with AA 442 810, Part No. 17004651 and Part No. 17004654 Long Life recirculation modules.						•	•		•	Part No. 11049036 See Cleaners & Accessories Price List for pricing Replacement for AA 200 110 and AA 442 110 filters. Replacement filter for AA 442 810, Part No. 17004651 and Part No. 17004654 recirculation modules.
 - Long Life odor filter. - Filter for AW/AI 230. - Replacement filter for use with Part No. 17004651 and Part No. 17004654. Long Life recirculation modules							•		•	Part No. 11019121 See One Portal for pricing Replacement for AA 200 110 and AA 442 110 filters. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation modules.

Installation and optional accessories

	400 series					200 series				
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
 — Ceiling collar for duct cover.— - Stainless steel.					•					AD 442 392 stainless steel \$337
 — Ceiling collar for AW 230 wall hood duct cover. — Stainless steel.								•		AD 200 392 stainless steel \$324
 — Ceiling collar for AI 230 island hood duct cover. — Stainless steel.				•			•			AD 220 396 stainless steel \$379
 — Extension for mounting kit for island hood AI 230. — For a duct cover height of 3' 7 5/16" to 4' 11" (1100–1500 mm).							•			AD 223 346 \$211 Must be ordered in conjunction with the AD 200 322. Appliance height is dependent on the structure (cabinet height).
 — Adapter for island hood AI 230.— - For installation on a slanted roof to the left or to the right. Suitable for a slanted roof from 20 – 45 degrees.							•	•		AD 223 356 \$282
 — Adapter for island hood AI 230.— - For installation on a slanted roof forwards or backwards. Suitable for a slanted roof from 20 – 45 degrees.							•	•		AD 223 366 \$282
 — Lowering frame for 36" AF 210 visor hood.									•	AA 210 492 \$394 A flexible duct (Part No. 00361093) is needed when installed with lowering frame.

Installation and optional accessories

	400 series					200 series				
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
 – Mounting set for 36" cabinet for 36" AF visor hood.									•	AA 210 491 \$238 A flexible duct (Part No. 00361093) is needed when installed with lowering frame.
 – Wall outlet. – Stainless steel. – DN 150 flat. – Weatherproof stainless steel louvers. – Integrated one-way flap.	•	•	•	•	•					AD 850 050 \$517
 – Telescopic wall-duct Stainless steel ø 8" round DN 200. – ø 8" round DN 200 transition Integrated one-way flap. – For use with 200 and 400 series AR 401 remote blowers.	• ¹	•	•	•	•					AD 702 052 \$337
 – Duct cover for exhaust mode for AW 442. – Stainless steel.				•	•					AD 442 012 \$517 stainless steel length 24 7/16", for 7' 9"-8' 6" ceiling heights AD 442 022 \$603 stainless steel length 33 7/8", for 8' 6"-10' 2" ceiling heights
 – Duct cover for recirculation mode for AW 442. – Stainless steel.				•	•					AD 442 112 \$603 stainless steel length 24 7/16", for 7' 9"-8' 6" ceiling heights AD 442 122 \$700 stainless steel length 33 7/8", for 8' 6"-10' 2" ceiling heights
 – Duct cover extension for extraction air mode. – Stainless steel.								•		AD 200 322 \$700 stainless steel length 3' 3 5/8" (1000 mm), 8' 8 13/32" – 9' 8 13/32" ceiling heights Must be ordered with mounting kit AD 223 346.


Installation and optional accessories

		400 series					200 series			
		AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"
	— Duct cover extension for extraction air mode.									
	— Stainless steel.									
	</									


AL 400 downdraft installation accessories

	400 series					200 series					
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
 – Ventilation molding for VL 200 next to gas appliance.						●				<u>LS 041 001</u>	\$141
 – Air deflector used with 400 series VL 414 downdraft adjacent to gas cooktops.			●							<u>AA 414 010</u>	\$225
 – Cabinet support for AL 400.—36" width.	●									<u>AA 409 401</u>	\$198
 – Cabinet support for AL 400.—48" width.		●								<u>AA 409 431</u>	\$266
 – Air exhaust grill air recirculation. – Stainless steel-colored. – 35 7/16" (90 cm), including installation fittings, height adjustable. – For use with VL 200, VL 414 or AL 400.	●	●	●			●				<u>AA 010 410</u>	\$350
 – Connecting piece to 2x ø 6" round ducts, either mounted on front or back of AL 400.	●	●								<u>AD 754 049</u>	\$238


AL 400 downdraft installation accessories

		400 series					200 series					
		AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
	— Connecting piece. — AL 400 for flat duct, 2 × DN 150. — Metal zinc plated. — DN 150 flat.	•	•							<u>AD 854 050</u>	\$238	
	— Air collector flat duct for AL 400.— — Metal zinc plated. — DN 150 flat.		•							<u>AD 704 050</u>	\$517	

AL 400 downdraft metal ducting

 - Flat duct. - Metal. - DN 150 flat. - Length 39 3/8" (1000 mm).									AD 854 010	\$282
 - Flat duct connecting piece. - Metal. - DN 150 flat. - To connect 2 flat ducts.									AD 854 040	\$166
 - Flat duct bend 90° vertical. - Metal. - DN 150 flat. - For extra deep countertop.									AD 854 030	\$154
 - Flat duct bend 90° horizontal. - Metal. - DN 150 flat. - Vario 400.									AD 854 031	\$166
 - Flat duct bend connecting piece. - Metal. - DN 150 flat. - To connect 2 flat duct bends. - For extra deep countertop.									AD 854 000	\$225
 - Flat duct flex pipe. - Metal. - DN 150 flat. - Length 39 3/8" (1000 mm).									AD 858 010	\$308

AL 400 downdraft metal ducting

	– Flat duct adapter round 90° when connecting to 6" (DN 150) round aluflex pipe AD 751 010. – Metal. – DN 150 flat/round. – Transition from flat duct to round duct.	<u>AD 854 032</u>	\$166
	– Flat duct adapter round.— – Metal. – DN 150 flat/round. – Transition from flat duct to round duct.	<u>AD 854 041</u>	\$154
	– Adhesive tape for duct components. – Aluminum. – Width 2" (50 mm). – 32.5' (10 m)/roll.	<u>AD 990 091</u>	\$31
	– Flexible connecting piece for VL 200 and VL 414 downdraft. – DN 150 flat.	<u>AD 410 040</u>	\$420
	– Connecting piece VL 200 and VL 414 for extension with flat duct DN 150 for extra deep countertop.	<u>AD 851 041</u>	\$266
	– Aluflex pipe. – Aluminum. – ø 6" (DN 150 round).	<u>AD 751 010</u>	\$167
	– Metal zinc plated. – 8" round. – Reduce 8" connection to 6" connection.	<u>AD 704 040</u>	\$128

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blowers and ventilation systems compatibility



AL 400 792
36" Retractable downdraft

For specific questions, please contact
GaggenauConcierge@bshg.com

Ventilation system

Blowers

Required installation accessories



AR 413 722
Recirculation configuration*



AA 413 723
Recirculation kit

+



AD 413 722
Oval flex duct

6" round duct option for venting front/back

flat duct option for venting downward



AD 754 049
Transition to 2x 6" round for front/back of AL




AD 854 050
Connecting pieces




2x AD 854 032
Flat Duct adapter round 90°



2x AD 858 010
Flat duct flex pipe



2x AD 858 010
Flat duct flex pipe



AD 704 050
Air collector flat duct



AD 704 050
Air collector flat duct



AD 990 091
Aluminum adhesive tape



AA 010 410
Air exhaust grill (or custom grill)



AA 010 410
Air exhaust grill (or custom grill)

* For recirculation operation, order
AR 413 722 + AA 413 723 + AD 413 722.




AR 400 742
Inline

flat duct option for venting downward



AD 854 050
Connecting pieces



2x AD 854 010
Flat duct connecting piece



2x AD 854 041
Flat Duct adapter round



AD 751 010
Aluflex pipeduct 6"



AR 401 742
Remote

flat duct option for venting downward



AD 854 050
Connecting pieces



2x AD 854 010
Flat duct connecting piece



2x AD 854 041
Flat Duct adapter round



AD 751 010
Aluflex pipeduct 6"



2x AD 854 032
Flat Duct adapter round 90°



2x AD 854 010
Flat duct connecting piece



AD 704 050
Air collector flat duct



AD 702 052
Telescopic wall duct 8"



AR 403 722
Inline

6" round duct option for venting front/back

flat duct option for venting downward




AD 754 049
Transition to 2x 6" round for front/back of AL



AD 854 050
Connecting pieces



2x AD 854 032
Flat Duct adapter round 90°



2x AD 858 010
Flat duct flex pipe



2x AD 858 010
Flat duct flex pipe



AD 704 050
Air collector flat duct



AD 704 050
Air collector flat duct



AD 990 091
Aluminum adhesive tape

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Ventilation system

Blowers

Required installation accessories



AL 400 722
46 5/8" Retractable downdraft

For specific questions, please contact
GaggenauConcierge@bshg.com



2x AR 410 710
Recirculation



2x AR 400 742
Inline



2x AR 401 742
Remote




2x AR 403 722
Inline



AD 754 049
Transition to
2x 6" round for front/
back of AL



2x AD 854 032
Flat Duct
adapter round 90°



2x AD 858 010
Flat duct
flex pipe



AD 990 091
Aluminum
adhesive tape



AA 010 410
Air exhaust grill
(or custom grill)



AD 854 050
Connecting
pieces



2x AD 854 010
Flat duct
connecting piece



2x AD 854 041
Flat duct
adapter round



2x AD 751 010
Aluflex
pipeduct 6"



AD 990 091
Aluminum
adhesive tape



AD 854 050
Connecting
pieces



4x AD 854 010
Flat duct
connecting piece



4x AD 854 041
Flat duct
adapter round



AD 751 010
Aluflex
pipeduct 6"



2x AD 854 032
Flat Duct
adapter round 90°



2x AD 704 040
Pipe adapter DN
200/150 round

flat duct
option
for venting
downward



2x AD 702 052
Telescopic wall
duct 8"




AD 990 091
Aluminum
adhesive tape



AD 754 049
Transition to
2x 6" round for front/
back of AL



2x AD 854 032
Flat Duct
adapter round 90°



2x AD 858 010
Flat duct
flex pipe



2x AD 854 041
Flat duct
adapter round

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blowers and ventilation systems compatibility



VL 414 712
Downdraft


For specific questions, please contact
GaggenauConcierge@bshg.com



AR 410 710
Recirculation




AD 410 040
Flexible
connecting piece



AA 010 410
Air exhaust grill
(or custom grill)
(*)



AR 413 722
Recirculation⁺



AA 413 723
Recirculation
kit



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct
adapter round




AA 010 410
Air exhaust grill
(or custom grill)



AD 990 091
Aluminum adhesive tape
(*)



AR 400 742
Inline



AD 858 010
Flat duct flex pipe




AD 854 041
Flat Duct
adapter round



AD 751 010
Aluflex
pipeduct 6"



AD 854 032
Flat Duct
adapter round 90°



AD 854 010
Flat duct pipe




AD 854 041
Flat Duct
adapter round



AD 990 091
Aluminum adhesive tape
(*)



AR 401 742
Remote



AD 858 010
Flat duct flex pipe




AD 854 041
Flat Duct
adapter round



AD 751 010
Aluflex
pipeduct 6"



AD 854 032
Flat Duct
adapter round 90°



AD 854 010
Flat duct pipe



AD 854 041
Flat Duct
adapter round




AD 704 040
Pipe adapter DN
200/150 round



AD 702 052
Telescopic wall duct 8"



AR 403 722
Inline



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct
adapter round



AD 990 091
Aluminum adhesive tape
(*)



AD 854 032
Flat Duct
adapter round 90°



AD 854 010
Flat duct pipe



AD 854 041
Flat Duct
adapter round



AD 704 040
Pipe adapter DN
200/150 round



AD 702 052
Telescopic wall duct 8"

AD 990 091
Aluminum adhesive tape
(*)

(*) For extra deep countertop. Please add the parts below.



AD 851 041
Connecting piece for
extension with flat duct



AD 854 000
Flat duct
connecting piece



AD 854 030
Flat duct 90°
bend vertical

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Ventilation system

Blowers

Required installation accessories



VL 200 120
Downdraft



AR 410 710
Recirculation



AR 413 722
Recirculation*

Additional configurations are available, see components starting on page 194.




AR 403 722
Inline



AA 413 723
Recirculation kit



AD 413 722
Oval flex duct



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round



AD 990 091
Aluminum adhesive tape (*)



AD 410 040
Flexible connecting piece



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round



AA 010 410
Air exhaust grill (or custom grill) (*)



AA 010 410
Air exhaust grill (or custom grill)



AD 990 091
Aluminum adhesive tape (*)



AW 442 720
Wall hood

For specific questions, please contact
GaggenauConcierge@bshg.com



AR 400 742
Inline



AR 401 742
Remote



AR 400 743
Internal



AD 442
Duct cover for air extraction



AD 442
Duct cover for air extraction



AD 442
Duct cover for air extraction or recirculation



AD 702 052
Telescopic wall duct 8"



AD 751 010
Aluflex pipeduct 6"

For Recirculation



AA 442 810
Recirculation kit with charcoal filter

* For recirculation operation, order AR 413 722 + AA 413 723 + AD 413 722.

(*) For extra deep countertop. Please add the parts below.



AD 851 041
Connecting piece for extension with flat duct



AD 854 000
Flat duct connecting piece



AD 854 030
Flat duct 90° bend vertical

Expressive Series Vario fridge-freezer combination



Vario fridge-freezer combination Gaggenau Expressive series **RVY 497**

— Cut out width 35 1/2" (90 cm).—
Net volume 20 cu. ft. (566 liters).

Included accessories

- 1 egg holder with lid.
- 1 ice cube scoop.
- 2 oak wood bottle supports.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector).
- 1 activated charcoal air filter.
- 1 ethylene absorber starter kit.
- 1 activated charcoal water filter.

Required accessories

RVA 460 000

Required accessory for Expressive series side-by-side installation..

Installation accessories

RVA 421 922

Dark brushed stainless steel door panels with handles.
For RVY 497, panel thickness 3/4" (19 mm).

RVA 428 922

Dark brushed stainless steel door panels, handleless.
For RVY 497, panel thickness 3/4" (19 mm).

RVA 423 141

Side trims used to conceal the gap between the appliance and adjacent cabinet.

1/8" (3 mm), 2 pieces.

RVA 460 900

Accessory for replacing side-by-side installation in unmodified cut out.

Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is installed side-by-side into a cut out which was formerly housing a combination including an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 910

Accessory for replacement in single unmodified cut out. Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is replacing an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 020

Accessory for side-by-side installation, backward compatible. Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RA 430 100

Storage container with transparent lid, anthracite.

Part No. 11031964

Egg holder insert (for use with RA 430 100).

RVA 438 040

Solid oak bottle support with magnetic connector.

Part No. 11 032 531

Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963

Water filter bypass for home water filtration system.

RVA 450 220

Replacement activated charcoal air filter, set of 2 pcs.

Part No. 17006999

Ethylene absorber.
Starter kit.
For placement in a fresh climate drawer.

Part No. 17007000

Ethylene absorber.
Refill kit.
For placement in a fresh climate drawer.

RVY 497 790

fully integrated

\$29,987

- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.



Expressive Series Vario fridge-freezer combination



**Vario fridge-freezer combination
Gaggenau Expressive series RVB
497**

— Cut out width 35 1/2" (90 cm).—
Net volume 20 cu. ft. (566 liters).

Included accessories

- 1 egg holder with lid.
- 1 ice cube scoop.
- 2 oak wood bottle supports.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector).
- 1 activated charcoal air filter.
- 1 ethylene absorber starter kit.
- 1 activated charcoal water filter.

Required accessories

RVA 460 000

Required accessory for Expressive series side-by-side installation.

Installation accessories

RVA 421 920

Dark brushed stainless steel door panels with handles.
For RVB 497, panel thickness 3/4" (19 mm).

RVA 428 920

Dark brushed stainless steel door panels, handleless.
For RVB 497, panel thickness 3/4" (19 mm).

RVA 423 141

Side trims used to conceal the gap between the appliance and adjacent cabinet.
1/8" (3 mm), 2 pieces.

RVA 460 900

Accessory for replacing side-by-side installation in unmodified cut out.

Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is installed side-by-side into a cut out which was formerly housing a combination including an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 910

Accessory for replacement in single unmodified cut out. Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is replacing an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 020

Accessory for side-by-side installation, backward compatible. Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RA 430 100

Storage container with transparent lid, anthracite.

Part No. 11031964

Egg holder insert (for use with RA 430 100).

RVA 438 040

Solid oak bottle support with magnetic connector.

Part No. 11 032 531

Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963

Water filter bypass for home water filtration system.

RVA 450 220

Replacement activated charcoal air filter, set of 2 pcs.

Part No. 17006999

Ethylene absorber.
Starter kit.
For placement in a fresh climate drawer.

Part No. 17007000

Ethylene absorber.
Refill kit.
For placement in a fresh climate drawer.

RVB 497 790

fully integrated

\$29,383

RIGHT-hinged, field reversible.



- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.

Expressive Series Vario fridge-freezer combination



Vario fridge-freezer combination Gaggenau Expressive series **RVB 477**

- Cut out width 30" (76.2 cm).
- Net volume 16.7 cu. ft. (473 liters).

Included accessories

- 1 egg holder with lid.
- 1 ice cube scoop.
- 2 oak wood bottle supports.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector).
- 1 activated charcoal air filter.
- 1 ethylene absorber starter kit.
- 1 activated charcoal water filter.

Required accessories

RVA 460 000

Required accessory for Expressive series side-by-side installation..

Installation accessories

RVA 421 720

Dark brushed stainless steel door panels with handles.
For RVB 477, panel thickness 3/4" (19 mm).

RVA 428 720

Dark brushed stainless steel door panels, handleless.
For RVB 477, panel thickness 3/4" (19 mm).

RA 425 710

Handle bar, stainless steel, short.
For RB 472, with 2 mounts, length 25 7/8" (658 mm), height 1 15/16" (49 mm), drilling distance between the mounts 25 1/16" (637 mm).

RVA 423 141

Side trims used to conceal the gap between the appliance and adjacent cabinet.
1/8" (3 mm), 2 pieces.

RVA 460 020

Accessory for side-by-side installation, backward compatible.
Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RA 430 100

Storage container with transparent lid, anthracite.

Part No. 11031964

Egg holder insert (for use with RA 430 100).

RVA 438 040

Solid oak bottle support with magnetic connector.

Part No. 11 032 531

Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963

Water filter bypass for home water filtration system.

RVA 450 220

Replacement activated charcoal air filter, set of 2 pcs.

Part No. 17006999

Ethylene absorber.
Starter kit.
For placement in a fresh climate drawer.

Part No. 17007000

Ethylene absorber.
Refill kit.
For placement in a fresh climate drawer.

RVB 477 790

fully integrated

\$28,521

RIGHT-hinged, field reversible.



- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.

Expressive Series Vario refrigerator



Vario refrigerator Gaggenau
Expressive series RVC 497

- Cut out width 35 1/2" (90 cm).
- Net volume 21.8 cu. ft.

Included accessories

- 1 egg holder with lid.
- 2 oak wood bottle supports.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector).
- 1 activated charcoal air filter.
- 1 ethylene absorber starter kit.
- 1 activated charcoal water filter.

Required accessories

RVA 460 000
Required accessory for Expressive series side-by-side installation.

RVA 466 900
Accessory for door direction change.
For 35 3/16" (89.4 cm) wide RVC and RVF.

Installation accessories

RVA 421 924
Dark brushed stainless steel door panel with handle.
For 35 3/16" (89.4 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 428 924
Dark brushed stainless steel door panel, handleless.
For 35 3/16" (89.4 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 423 141
Side trims used to conceal the gap between the appliance and adjacent cabinet.
1/8" (3 mm), 2 pieces.

RA 460 020
Connecting element for vertically split appliance fronts (for a flush front).

RVA 460 900
Accessory for replacing side-by-side installation in unmodified cut out. Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is installed side-by-side into a cut out which was formerly housing a combination including an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 910
Accessory for replacement in single unmodified cut out. Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is replacing an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 020
Accessory for side-by-side installation, backward compatible. Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RA 430 100
Storage container with transparent lid, anthracite.

Part No. 11031964
Egg holder insert (for use with RA 430 100).

RVA 438 040
Solid oak bottle support with magnetic connector.

Part No. 11 032 531
Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963
Water filter bypass for home water filtration system.

RVA 450 220
Replacement activated charcoal air filter, set of 2 pcs.

Part No. 17006999
Ethylene absorber.
Starter kit.
For placement in a fresh climate drawer.

Part No. 17007000
Ethylene absorber.
Refill kit.
For placement in a fresh climate drawer.

RVC 497 790 **NEW** \$29,351
fully integrated

Door hinge RIGHT, reversible with RVA 466 900 accessory for door direction change.



- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.

Star-K certification pending.

Expressive Series Vario refrigerator



Vario refrigerator Gaggenau Expressive series **RVC 477**

- Cut out width 30" (76.2 cm).
- Net volume 17.9 cu. ft.

Included accessories

- 1 egg holder with lid.
- 2 oak wood bottle supports.
- 1 supply hose, 70 3/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector).
- 1 activated charcoal air filter.
- 1 ethylene absorber starter kit.
- 1 activated charcoal water filter.

Required accessories

RVA 460 000

Required accessory for Expressive series side-by-side installation.

RVA 466 700

Accessory for door direction change. For 30" (76.2 cm). wide RVC and RVF.

Installation accessories

RVA 421 722

Dark brushed stainless steel door panel with handle. For 30" (76.2 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 428 722

Dark brushed stainless steel door panel, handleless. For 30" (76.2 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 423 141

Side trims used to conceal the gap between the appliance and adjacent cabinet.

1/8" (3 mm), 2 pieces.

RA 460 020

Connecting element for vertically split appliance fronts (for a flush front).

RVA 460 020

Accessory for side-by-side installation, backward compatible. Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RA 430 100

Storage container with transparent lid, anthracite.

Part No. 11031964

Egg holder insert (for use with RA 430 100).

RVA 438 040

Solid oak bottle support with magnetic connector.

Part No. 11 032 531

Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963

Water filter bypass for home water filtration system.

RVA 450 220

Replacement activated charcoal air filter, set of 2 pcs.

Part No. 17006999

Ethylene absorber. Starter kit. For placement in a fresh climate drawer.

Part No. 17007000

Ethylene absorber. Refill kit. For placement in a fresh climate drawer.

RVC 477 790 NEW fully integrated

\$27,628

Door hinge RIGHT, reversible with RVA 466 700 accessory for door direction change.



- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.

Star-K certification pending.

Expressive Series Vario freezer



Vario freezer Gaggenau Expressive series RVF 497

- Cut out width 35 1/2" (90 cm).
- Net volume 22.3 cu. ft.

Included accessories

- 1 ice cube scoop.
- 1 ice storage container.
- 1 supply hose, 70 7/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector). 1 activated charcoal water filter.

Required accessories

RVA 460 000

Required accessory for Expressive series side-by-side installation..

RVA 466 900

Accessory for door direction change.

For 35 3/16" (89.4 cm) wide RVC and RVF.

Installation accessories

RVA 421 924

Dark brushed stainless steel door panel with handle.

For 35 3/16" (89.4 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 428 924

Dark brushed stainless steel door panel, handleless.

For 35 3/16" (89.4 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 423 141

Side trims used to conceal the gap between the appliance and adjacent cabinet.

1/8" (3 mm), 2 pieces.

RA 460 020

Connecting element for vertically split appliance fronts (for a flush front).

RVA 460 900

Accessory for replacing side-by-side installation in unmodified cut out.

Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is installed side-by-side into a cut out which was formerly housing a combination including an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 910

Accessory for replacement in single unmodified cut out. Required if an RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is replacing an RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).

RVA 460 020

Accessory for side-by-side installation, backward compatible.

Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

Part No. 11 032 531

Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963

Water filter bypass for home water filtration system.

RVF 497 790 **NEW** fully integrated

\$26,049

Door hinge LEFT, reversible with RVA 466 900 accessory for door direction change.

- Panel ready, with ice maker.
- Operated with or without handle.
- Heater kits are no longer required or available.

Star-K certification pending.



Expressive Series Vario freezer



Vario freezer
Gaggenau Expressive series
RVF 477

- Cut out width 30" (76.2 cm).
- Net volume 18.2 cu. ft.

Included accessories

- 1 ice cube scoop.
- 1 ice storage container.
- 1 supply hose, 70 3/8" (1.8 m) with 1/4" female compression fitting (standard ice maker connector). 1 activated charcoal water filter.

Required accessories

RVA 460 000
Required accessory for Expressive series side-by-side installation..

RVA 466 700
Accessory for door direction change.
For 30" (76.2 cm). wide RVC and RVF.

Installation accessories

RVA 421 722
Dark brushed stainless steel door panel with handle.
For 30" (76.2 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 428 722
Dark brushed stainless steel door panel, handleless.
For 30" (76.2 cm) wide appliances, panel thickness 3/4" (19 mm).

RVA 423 141
Side trims used to conceal the gap between the appliance and adjacent cabinet.
1/8" (3 mm), 2 pieces.

RA 460 020
Connecting element for vertically split appliance fronts (for a flush front).

RVA 460 020
Accessory for side-by-side installation, backward compatible.
Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

Part No. 11 032 531
Activated charcoal water filter. For RVY, RVB and RVF.

Part No. 11049963
Water filter bypass for home water filtration system.

RVF 477 790 NEW \$24,520
fully integrated

Door hinge LEFT, reversible with RVA 466 700 accessory for door direction change.

- Panel ready, with ice maker.
- Operated with or without handle.
- Heater kits are no longer required or available.

Star-K certification pending.



Expressive Series Vario wine climate cabinet



Vario wine climate cabinet
Gaggenau Expressive series
RVW 467

- Cut out width 24" (61 cm).
- Net volume 14 cu. ft.
- Capacity 110 bottles (based on 0.75 l standard bottles).

Included accessories

- 2 bottle supports, placement on division plate.
- 2 presenters to stage wine bottles. 1 removable oak wood tray.
- 1 wine glass holder.
- 1 activated charcoal air filter.

Required accessories

RVA 460 000
Required accessory for Expressive series side-by-side installation..

RVA 466 610
Accessory for door direction change.
For 24" (61 cm) wide RVW.

Installation accessories

RVA 421 622L
Dark brushed stainless steel door panel frame with handle. For 24" (61 cm) wide appliances, left-hinged, panel thickness ¾" (19 mm).

RVA 421 622R
Dark brushed stainless steel door panel frame with handle.
For 24" (61 cm) wide appliances, right-hinged, panel thickness ¾" (19 mm).

RVA 428 622
Dark brushed stainless steel door panel frame, handleless.
For 24" (61 cm) wide appliances, panel thickness ¾" (19 mm).

RVA 420 010
Door lock. For RVW 467 and RVW 417.

RVA 430 000
Screw hole cover set. 8 pieces.

RA 460 020
Connecting element for vertically split appliance fronts (for a flush front).

RVA 460 020
Accessory for side-by-side installation, backward compatible. Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RVA 450 220
Activated charcoal air filter.

RVA 491 660
Fully extendable bottle tray with hidden telescopic rails.
Oak wood and aluminum in anthracite.
Cushioned closing system.
For 24" (61 cm) wide appliances.

RVA 493 060
Presenter to stage one wine bottle.
Oak wood and aluminum in anthracite.
1 piece.

RVA 494 060
Removable oak wood tray. Suitable for presenting decanters and open bottles.
For RVW 467 and RVW 417.

RVA 495 000
Wine glass holder.
For RVW 467 and RVW 417.

RVA 498 660
Bottle support for convenient storage on the division plate. Oak wood and aluminum in anthracite.
For 24" (61 cm) wide appliances.

RVW 467 770 **NEW**
fully integrated

\$24,520

Door hinge RIGHT, reversible with RVA 466 610 accessory for door direction change. If using the dark brushed stainless steel door panels with a handle, select the correct panel for the intended hinge side of the RVW.



- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.

Star-K certification pending.

Expressive Series Vario wine climate cabinet



Vario wine climate cabinet Gaggenau Expressive series RVW 417

- Cut out width 18" (45.7 cm).–
- Net volume 9.9 cu. ft.
- Capacity 68 bottles (based on 0.75 l standard bottles).

Included accessories

- 2 bottle supports, placement on division plate.
- 2 presenters to stage wine bottles. 1 removable oak wood tray.
- 1 activated charcoal air filter.

Required accessories

RVA 460 000

Required accessory for Expressive series side-by-side installation..

RVA 466 110

Accessory for door direction change.
For 18" (45.7 cm) wide RVW.

Installation accessories

RVA 421 122L

Dark brushed stainless steel door panel frame with handle.
For 18" (45.7 cm) wide appliances, left-hinged, panel thickness ¾" (19 mm).

RVA 421 122R

Dark brushed stainless steel door panel frame with handle.
For 18" (45.7 cm) wide appliances, right-hinged, panel thickness ¾" (19 mm).

RVA 428 122

Dark brushed stainless steel door panel frame, handleless.
For 18" (45.7 cm) wide appliances, panel thickness ¾" (19 mm).

RVA 420 010

Door lock. For RVW 467 and RVW 417.

RVA 430 000

Screw hole cover set. 8 pieces.

RA 460 020

Connecting element for vertically split appliance fronts (for a flush front).

RVA 460 020

Accessory for side-by-side installation, backward compatible. Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.

Optional accessories

RVA 450 220

Activated charcoal air filter.

RVA 491 160

Fully extendable bottle tray with hidden telescopic rails.
Oak wood and aluminum in anthracite.
Cushioned closing system.
For 18" (45.7 cm) wide appliances.

RVA 493 060

Presenter to stage one wine bottle.
Oak wood and aluminum in anthracite.
1 piece.

RVA 494 060

Removable oak wood tray. Suitable for presenting decanters and open bottles.
For RVW 467 and RVW 417.

RVA 495 000

Wine glass holder.
For RVW 467 and RVW 417.

RVA 498 160

Bottle support for convenient storage on the division plate. Oak wood and aluminum in anthracite.
For 18" (45.7 cm) wide appliances.

RVW 417 770 **NEW** fully integrated

\$22,991

Door hinge RIGHT, reversible with RVA 466 110 accessory for door direction change. If using the dark brushed stainless steel door panels with a handle, select the correct panel for the intended hinge side of the RVW.



- Panel ready.
- Operated with or without handle.
- Heater kits are no longer required or available.

Star-K certification pending.

Cooling accessories



		Bottom Freezer		Refrigerator		Freezer		Wine cabinet		
		RVY 497 790 35 1/2"	RVB 497 790 35 1/2"	RVB 477 790 30"	RVC 497 790 35 1/2"	RVC 477 790 30"	RVF 497 790 35 1/2"	RVF 477 790 30"	RWW 467 770 24"	RWW 417 770 18"
	- Dark stainless steel door panels, with handles. - For RVY 497, cut out width 35 1/2" (90 cm). - Panel thickness 3/4" (19 mm).	•								
	- Dark stainless steel door panels, handleless. - For RVY 497, cut out width 35 1/2" (90 cm). - Panel thickness 3/4" (19 mm).	•								
	- Dark stainless steel door panels, with handles. - For RVB 497, cut out width 35 1/2" (90 cm). - Panel thickness 3/4" (19 mm).									

RVA 421 922
dark stainless steel, 35 1/2" wide \$2,519

RVA 428 922
dark stainless steel, 35 1/2" wide \$2,519

RVA 421 920
dark stainless steel, 35 1/2" wide \$2,099

Cooling accessories

		Bottom Freezer		Refrigerator		Freezer		Wine cabinet													
		RVY 497 790	35 1/2"	RVB 497 790	35 1/2"	RVB 477 790	30"	RVC 497 790	35 1/2"	RVC 477 790	30"	RVF 497 790	35 1/2"	RVF 477 790	30"	RWW 467 770	24"	RWW 417 770	18"		
	- Dark stainless steel door panels, handleless. - For RVB 497, cut out width 35 1/2" (90 cm). - Panel thickness 3/4" (19 mm).																				
	- Dark stainless steel door panels, with handles. - For RVB 497, cut out width 30" (76.2 cm). - Panel thickness 3/4" (19 mm).																				
	- Dark stainless steel door panels, handleless. - For RVB 497, cut out width 30" (76.2 cm). - Panel thickness 3/4" (19 mm).																				

Cooling accessories

		Bottom Freezer		Refrigerator		Freezer		Wine cabinet													
		RVY 497 790	35 1/2"	RVB 497 790	35 1/2"	RVB 477 790	30"	RVC 497 790	35 1/2"	RVC 477 790	30"	RVF 497 790	35 1/2"	RVF 477 790	30"	RWW 467 770	24"	RWW 417 770	18"		
	- Dark brushed stainless steel door panel with handle. - For RVC and RVF, cut out width 35 1/2" (90 cm). - Panel thickness 3/4" (19 mm).																			RVA 421 924 NEW \$2,378 dark brushed stainless steel, 35 3/16" (89.4 cm) wide	
	- Dark brushed stainless steel door panel, handleless. - For RVC and RVF, cut out width 35 1/2" (90 cm). - Panel thickness 3/4" (19 mm).																			RVA 428 924 NEW \$2,099 dark brushed stainless steel, 35 3/16" (89.4 cm) wide	
	- Dark brushed stainless steel door panel with handle. - For RVC and RVF, cut out width 30" (76.2 cm). - Panel thickness 3/4" (19 mm).																			RVA 421 722 NEW \$2,238 dark brushed stainless steel, 30" (76.2 cm) wide	


Cooling accessories

		Bottom Freezer		Refrigerator		Freezer		Wine cabinet												
		RVY 497 790	35 1/2"	RVB 497 790	35 1/2"	RVB 477 790	30"	RVC 497 790	35 1/2"	RVC 477 790	30"	RVF 497 790	35 1/2"	RVF 477 790	30"	RWW 467 770	24"	RWW 417 770	18"	
	– Dark brushed stainless steel door panel, handleless. – For RVC and RVF, cut out width 30" (76.2 cm). – Panel thickness 3/4" (19 mm).																		RVA 428 722 NEW \$1,958 dark brushed stainless steel, 30" (76.2 cm) wide	
	– Dark brushed stainless steel door panel with handle. – For RVC and RVF, cut out width 24" (61 cm). – Panel thickness 3/4" (19 mm).																		RVA 421 620 NEW \$2,099 dark brushed stainless steel, 24" (61 cm) wide	
	– Dark brushed stainless steel door panel, handleless. – For RVC and RVF, cut out width 24" (61 cm). – Panel thickness 3/4" (19 mm).																		RVA 428 620 NEW \$1,820 dark brushed stainless steel, 24" (61 cm) wide	
	– Dark brushed stainless steel door panel with handle. – For RVF, cut out width 18" (45.7 cm). – Panel thickness 3/4" (19 mm).																		RVA 421 120 NEW \$1,958 dark brushed stainless steel, 18" (45.7 cm) wide	

Cooling accessories

		Bottom Freezer		refrigerator		Freezer		Wine cabinet													
		RVY 497 790	35 1/2"	RVB 497 790	35 1/2"	RVB 477 790	30"	RVC 497 790	35 1/2"	RVC 477 790	30"	RVF 497 790	35 1/2"	RVF 477 790	30"	RVW 467 770	24"	RVW 417 770	18"		
	– Dark brushed stainless steel door panel, handleless. – For RVF, cut out width 18" (45.7 cm). – Panel thickness 3/4" (19 mm).																				RVA 428 120 NEW \$1,679 dark brushed stainless steel, 18" (45.7 cm) wide
	– Dark brushed stainless steel door panel frame with handle. – For RVW left-hinged, cut out width 24" (61 cm). – Panel thickness 3/4" (19 mm).																				RVA 421 622L NEW \$2,099 dark brushed stainless steel, 24" (61 cm) wide – LEFT-hinged only.
	– Dark brushed stainless steel door panel frame with handle. – For RVW right-hinged, cut out width 24" (61 cm). – Panel thickness 3/4" (19 mm).																				RVA 421 622R NEW \$2,099 dark brushed stainless steel, 24" (61 cm) wide – RIGHT-hinged only.
	– Dark brushed stainless steel door panel frame, handleless. – For RVW right-hinged, cut out width 24" (61 cm). – Panel thickness 3/4" (19 mm).																				RVA 428 622 NEW \$1,820 dark brushed stainless steel, 24" (61 cm) wide

Cooling accessories

		Bottom Freezer		refrigerator		Freezer		Wine cabinet												
		RVY 497 790	35 1/2"	RVB 497 790	35 1/2"	RVB 477 790	30"	RVC 497 790	35 1/2"	RVC 477 790	30"	RVF 497 790	35 1/2"	RVF 477 790	30"	RVW 467 770	24"	RVW 417 770	18"	
	– Dark brushed stainless steel door panel frame with handle. – For RVW left-hinged, cut out width 18" (45.7 cm). – Panel thickness 3/4" (19 mm).																		• RVA 421 122L NEW \$1,958 - dark brushed stainless steel, 18" (45.7 cm) wide – LEFT-hinged only.	
	– Dark brushed stainless steel door panel frame with handle. – For RVW right-hinged, cut out width 18" (45.7 cm). – Panel thickness 3/4" (19 mm).																		• RVA 421 122R NEW \$1,958 - dark brushed stainless steel, 18" (45.7 cm) wide – RIGHT-hinged only.	
	– Dark brushed stainless steel door panel frame, handleless. – For RVW right-hinged, cut out width 18" (45.7 cm). – Panel thickness 3/4" (19 mm).																		• RVA 428 122 NEW \$1,679 - dark brushed stainless steel, 18" (45.7 cm) wide	
	– Accessory for door direction change. – For RVC and RVF, cut out width 35 1/2" (90 cm)..																		RVA 466 900 NEW \$324	
	– Accessory for door direction change. – For RVC and RVF, cut out width 30" (76.2 cm).																		RVA 466 700 NEW \$324	

Cooling accessories

		Bottom Freezer		Refrigerator		Freezer		Wine cabinet			
		RVY 497 790 35 1/2"	RVB 497 790 35 1/2"	RVB 477 790 30"	RVC 497 790 35 1/2"	RVC 477 790 30"	RVF 497 790 35 1/2"	RVF 477 790 30"	RVW 467 770 24"	RVW 417 770 18"	
	- Accessory for door direction change. - For RVC and RVF, cut out width 24" (61 cm).								• RVA 466 600 NEW		\$324
	- Accessory for door direction change. - For RVW, cut out width 24" (61 cm).								• RVA 466 610 NEW		\$324
	- Accessory for door direction change. - For RVF, cut out width 18" (45.7 cm).								RVA 466 100 NEW		\$324
	- Accessory for door direction change. - For RVW, cut out width 18" (45.7 cm).								• RVA 466 110 NEW		\$324
	- Stainless steel handle for bottom freezer door. - For RVB 477 with 2 mounts, length 25 7/8" (658 mm), drilling distance between the mounts 25 1/8" (637 mm).		•							RA 425 710 stainless steel	\$238

Cooling accessories

		Bottom Freezer		Refrigerator		Freezer		Wine cabinet		
		RVY 497 790	RVB 497 790	RVB 477 790	RVC 497 790	RVC 477 790	RVF 497 790	RVF 477 790	RWW 467 770	RWW 417 770
		35 1/2"	35 1/2"	30"	35 1/2"	30"	35 1/2"	30"	24"	18"
	- Accessory for replacement side-by-side installation in unmodified cut out. - Required if a RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is installed side-by-side into a cut out which was formerly housing a combination including a RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).	•	•		•		•			
									<u>RVA 460 900</u>	\$603
	- Accessory for side-by-side installation, backward compatible. - Required if a Vario cooling Expressive series appliance is installed side-by-side with a Vario cooling 400 series appliance.	•	•		•	•	•	•	•	
									<u>RVA 460 020</u>	\$700
	- Accessory for replacement in single unmodified cut out. - Required if a RVY 497, RVB 497, RVC 497 or RVF 497 (35 3/16" (89.4 cm) wide) is replacing a RY 492, RB 492 or RC 492 (35 3/4" (90.8 cm) wide).	•	•	•			•			
									•	<u>RVA 460 910</u>
										\$446
	Connecting element for vertically split appliance fronts (for a flush front).				•	•	•	•	•	
									<u>RA 460 020</u>	\$238
	- Side trims used to conceal the gap between the appliance and adjacent cabinet. 1/8" (3 mm), 2 pieces.	•	•	•	•	•	•			
									<u>RVA 423 141</u>	\$225
	Accessory for side-by-side installation.	•	•	•	•	•	•	•	•	
									<u>RVA 460 000</u>	\$295

Cooling accessories

[illegible]

Cooling accessories

		Bottom Freezer		Refrigerator		Freezer		Wine cabinet											
		RVY 497 790	35 1/2"	RVB 497 790	35 1/2"	RVB 477 790	30"	RVC 497 790	35 1/2"	RVC 477 790	30"	RVF 497 790	35 1/2"	RVF 477 790	30"	RWW 467 770	24"	RWW 417 770	18"
	– Bottle support for convenient storage on the division plate. – Oak wood and aluminum in anthracite.																	• RVA 498 160 NEW – For RVW, cut out width 18" (45.7 cm). Delivery starting June.	\$407
	– Fully extendable bottle tray with hidden telescopic rails. – Oak wood and aluminum in anthracite. – Cushioned closing system.																	• RVA 491 660 NEW – For RVW, cut out width 24" (61 cm). Delivery starting June.	\$465
	– Fully extendable bottle tray with hidden telescopic rails. – Oak wood and aluminum in anthracite. – Cushioned closing system.																	• RVA 491 160 NEW – For RVW, cut out width 18" (45.7 cm). Delivery starting June.	\$407
	– Ethylene absorber starter kit.– For placement in a fresh climate drawer.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Part No. 17006999 See Cleaners & Accessories Price List for pricing.	
	– Ethylene absorber refill kit.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Part No. 17007000 See Cleaners & Accessories Price List for pricing	
	– Activated charcoal water filter. For RVY, RVB, RVC and RVF.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Part No. 11032531 See Cleaners & Accessories Price List for pricing – UltraClarity Pro™ Filter . Transitions to RA 450 022 June.	
	– Water filter bypass for home water filtration system.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Part No. 11049963 See Cleaners & Accessories Price List for pricing – Install this bypass cartridge if you don't want to use a water filter in your refrigeration.	

Panel reference guide



Step 1: Columns and Bottom Freezers			Step 2: Panels			Step 3: Handles (for use with custom panels)		
Column type	Width	Door swing type	Custom panel	Dark stainless steel door panels with handles	Dark stainless steel door panels, handleless	Stainless steel handle for refrigerator door 44 1/2" (1131 mm)	Stainless steel handle for bottom freezer door 31 7/8" (810 mm)	Stainless steel handle for bottom freezer door 25 7/8" (658 mm)
Expressive Series Vario fridge-freezer combinations								
RVY 497 790	35 1/2"	n/a	Panel Ready	RVA 421 922 dark stainless	RVA 428 922 dark stainless	RA 425 110	RA 425 910	—
RVB 497 790	35 1/2"	Right/Reversible	Panel Ready	RVA 421 920 dark stainless	RVA 428 920 dark stainless	RA 425 110	RA 425 910	—
RVB 477 790	30"	Right/Reversible	Panel Ready	RVA 421 720 dark stainless	RVA 428 720 dark stainless	RA 425 110	—	RA 425 710
Expressive Series Vario refrigerators								
RVC 497 790	35 1/2"	Right/Reversible with RVA 466 900 accessory	Panel Ready	RVA 421 924	RVA 428 924	RA 425 110	—	—
RVC 477 790	30"	Right/Reversible with RVA 466 700 accessory	Panel Ready	RVA 421 722	RVA 428 722	RA 425 110	—	—
RVC 467 790	24"	Right/Reversible with RVA 466 600 accessory	Panel Ready	RVA 421 620	RVA 428 620	RA 425 110	—	—
Expressive Series Vario freezers								
RVF 497 790	35 1/2"	Left/Reversible with RVA 466 900 accessory	Panel Ready	RVA 421 924	RVA 428 924	RA 425 110	—	—
RVF 477 790	30"	Left/Reversible with RVA 466 700 accessory	Panel Ready	RVA 421 722	RVA 428 722	RA 425 110	—	—
RVF 467 790	24"	Left/Reversible with RVA 466 100 accessory	Panel Ready	RVA 421 620	RVA 428 620	RA 425 110	—	—
RVF 417 790	18"	Left/Reversible with RVA 466 900 accessory	Panel Ready	RVA 421 120	RVA 428 120	RA 425 110	—	—
Expressive Series Vario wine climate cabinet								
RVW 467 770	24"	Right/Reversible with RVA 466 610 (panel ready and handleless)	Panel Ready	RVA 421 622R right-hinged RVA 421 622L left-hinged	RVA 428 622	RA 425 110	—	—
RVW 417 770	18"	Right/Reversible with RVA 466 110 (panel ready and handleless)	Panel Ready	RVA 421 122R right-hinged RVA 421 122L left-hinged	RVA 428 122	RA 425 110	—	—

200 series wine



200 series 24" wine climate cabinet

RW 204

- Width 23 ½" (60 cm).
- Opening assist for door enabling seamless integration without handles.
- 2 independently controllable climate zones.
- Consistent temperatures with exact control from 41 °F to 68 °F.
- Humidity control.
- Extendable bottle trays made of oak wood and aluminum.
- Adjustable LED lighting.
- Cushioned door closing system allowing a soft and controlled door closure.
- ENERGY STAR® certified.
- Capacity 38 bottles (based on 0.75 l standard bottles).
- Side-by-side installation possible with special accessory.

RW 204 770 **NEW** \$10,442
fully integrated, custom panel required, undercounter

RIGHT-hinged, field reversible.



Available July.



Cooling accessories

	— Replacement activated charcoal air filter.	RA 050 220	\$185
		— Effectively filters odors.	
	— Accessory for side-by-side installation of two under-counter wine climate cabinets. — For 200 series RW 404 761 only.	RA 097 600 stainless steel	\$379
	— Door lock. — For RW 204.	RA 220 010 NEW	\$394
	— Carbon air filter for RW 204 770.	RA 250 220 NEW	\$167
		— Effectively filters odors.	
	— Accessory for side-by-side installation of two under-counter wine climate cabinets. — For 200 series RW 204 770 only.	RA 297 600 NEW stainless steel	\$366
	— Heavy duty hinge support for a maximum door weight of 59 lb (27 kg).	• RA 260 000 stainless steel	\$141
	— Side trims, 2 pieces, for RY and RB refrigerator-freezer combinations White powder coated metal.	RA 423 340	\$157
	— Additional side heating element 110 V. — Required if appliances are installed handle-to-hinge or hinge-to-hinge.	RA 460 012	\$979
	— Connecting kit for front panels for columns (if panel doesn't come in one piece)	RA 460 020	\$238

Cooling accessories

	– Used to conceal the gap between the appliance and adjacent cabinet. – Side trims, long. – White powder-coated metal.	RA 423 140 stainless steel	\$167
	– Additional side heating element.— 110 V. Required if appliances are installed with a distance greater than $\frac{5}{8}$" and less than $6\frac{5}{16}$" next to each other and for all built-in situations in a very humid environment. – Not required if appliances are installed more than $6\frac{5}{16}$" apart from each other.	RA 460 012 Anticipated availability through Q3.	\$979
	– Connecting element for custom cabinet fronts when panels are split vertically to create one door front.	RA 460 020	\$238
	– Stainless steel handle for undercounter wine cabinet. – With 2 mounts, length $19\frac{1}{16}$" (500 mm), height $1\frac{15}{16}$" (49 mm), drilling distance between each mount $18\frac{1}{4}$" (477 mm).	• GH 050 010 NEW stainless steel Delivery starting July.	\$167

400 series dishwashers

Common features

- Euro Tub, appliance height 32 3⁄8".
- Tall Tub, appliance height 34 1⁄8".
- Optimal protection for sensitive glassware by low temperature drying with zeolite, optimized basket design and intelligent water softening.
- 8 programs with aqua sensor and 4 options, such as Power for cleaning and drying dishes in one hour and Intensive for particularly thorough cleaning in the lower basket.
- Flexible basket system with smooth running rails on all levels and cushioned closing of the upper and lower basket.
- Perfectly illuminated interior.
- Push-to-open function for perfect integration into handleless custom cabinet fronts.
- 3rd rack for cutlery.
- Very quiet: 42 dB.
- ENERGY STAR® certified.
- Gaggenau Home Connect®.



400 series dishwasher
DF 480/481

- Fully integrated.
- Remaining time projection onto the kitchen floor.

Included accessories

- 1 baking tray spray head.
- 1 Gastronorm container inserts. 1 holder for long-stemmed glasses.

Without flexible hinge

DF 480 701 fully integrated, Euro Tub, ADA compliant	\$6,164
DF 481 701 fully integrated, Tall Tub	\$6,164



400 series Flexible hinge dishwasher
DF 480/481

- Fully integrated with flexible hinge.– Lateral Info-Light.

Included accessories

- 1 baking tray spray head.
- 1 Gastronorm container inserts. 1 holder for long-stemmed glasses.

With flexible hinge

DF 480 701F fully integrated, Euro Tub, ADA compliant	\$6,164
DF 481 701F fully integrated, Tall Tub	\$6,164



200 series dishwashers



Dishwasher 200 series
DF 210

- Fully integrated.
- Euro Tub, appliance height 32 3⁄8".
- Tall Tub, appliance height 34 1⁄8".– 6 programs with aqua sensor and 3 options, such as Power to reduce the cycle time and Intensive for particularly thorough cleaning in the lower basket.

- Flexible basket system.
- Bright interior lighting.
- 3rd rack for cutlery and utensils.– Very quiet: 42 dB.
- ENERGY STAR® certified.
- Gaggenau Home Connect®.

Included accessories

- 1 tray spray head.

DF 210 701 fully integrated, Euro Tub, ADA compliant	\$3,565
DF 211 701 fully integrated, Tall Tub	\$3,565



Dishwasher accessories

	400 series				200 series		
	DF 480 701	DF 481 701	DF 480 701F	DF 481 701F	DF 210 701	DF 211 701	
 – Stainless steel trim kit for all DF 210/ DF 480 dishwashers. – Set of 2, for left and right.	•		•		•		DA 020 011 fully integrated, for Euro Tub \$167
 – Stainless steel trim kit for all DF 211/ DF 481 dishwashers. – Set of 2, for left and right.		•		•		•	DA 020 111 fully integrated, for Tall Tub \$167
 – 3rd basket. – For DF 211 dishwasher. – 3rd loading level above the upper basket. – For small bowls, cups and cooking utensils. – Movable knife shelf.						•	DA 045 060 \$253 – Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. – To be placed above upper rack. – Removable knife shelf.
 – 3rd basket. – With smooth running rails. – For DF 481 / DF 481 F dishwasher.— 3rd loading level above the upper basket. – For small bowls, cups and cooking utensils. – Movable knife shelf.		•		•			DA 045 061 \$253 – Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. – To be placed above upper rack. – Removable knife shelf.
 – Silverware cartridge for all dishwashers. – Made of aluminum to protect silverware from corrosion. – Easy use of cartridge in the cutlery basket. – W x H x D in inches 2 7/16" x 8 9/16" x 1 7/8".	•	•	•	•	•	•	DA 042 030 \$84 – Aluminum cassette protects silver cutlery from corrosion. – Simply put your silverware into the cassette. Cassette fits easily in the cutlery basket.— 8" x 2.25" x 1.6".
 – Holder for long-stemmed glasses.— Offers safe positioning for up to four long-stemmed glasses during the dishwashing process and ensures an optimal cleaning result. – For positioning in the lower basket.	•	•	•	•	•	•	DA 043 000 \$57 – Helps hold delicate glasses in place for a thorough cleaning. – Holds 4 long-stemmed glasses. – Used on lower dishwasher rack.

Dishwasher accessories

		400 series				200 series		
		DF 480 701	DF 481 701	DF 480 701F	DF 481 701F	DF 210 701	DF 211 701	
	— Aqua stop extension 78" (2 m) long. — For all models. — Extends the water supply and waste hose up to 10'. — Necessary if distance from water connection to dishwasher is more than 47 1/4". Extension for water inlet and outlet (78" (2 m) long).	•	•	•	•	•	•	GZ 010 011 \$141



HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121