



LISTA DE PRECIOS 2026

CODE: 260626

HOMEA
PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121

TÉRMINOS Y CONDICIONES

- Por ser nuestras líneas de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dólares o pesos al tipo de cambio del día de pago. (Los precios no incluyen IVA)
- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Pagos. Para compras regulares de mercancía, el pago se realiza por anticipado a través de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe ser consultado con su ejecutivo de cuenta.
- El flete en todos los casos es por cobrar, con excepción de las áreas metropolitanas de Monterrey, Guadalajara y México, siempre y cuando la orden de compra sea de un mínimo de \$250.00 dls. + IVA.
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancía al momento de recibirla y en su caso efectuar la reclamación de inmediato y en el momento a la compañía transportista, reportándolo a su vez a Artexa México S.A. de C.V. Solo en caso de que la mercancía recibida sea mayor a 10 piezas, se otorgará un plazo de 48 horas para su reclamación.

DEVOLUCIONES

- Toda devolución debe tener una autorización previa por escrito por parte de Artexa México S.A. de C.V.
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causara un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.

SERVICIO Y ATENCIÓN A CLIENTES

Horario de Lunes a Viernes de 9:00 a.m. a 7:00 p.m



Conmutador [01] [81] 86 25 50 00




Directo [01][81] 86 25 50 20 / [01][81] 86 25 50 14

TIEMPOS DE ENTREGA

El icono de embarque está mostrado en cada uno de los productos en esta lista de precios y denota lo siguiente:




ENTREGA INMEDIATA (Embarcarse de 24 a 48 horas una vez realizado y confirmado el pago)


Los productos no marcados con el icono de entrega inmediata () , el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

SERVICIO TÉCNICO

Para solicitar información acerca de instalaciones, refacciones de los equipos, servicio técnico y aplicación de garantías favor de apoyarse directamente con el departamento técnico en los siguientes horarios y formas de contacto:

Horario de Lunes a Viernes de 9:00 a.m. a 6:30 p.m.

 01-800-522-8994

 81-8625 5000 (Teléfono local en Monterrey, N.L.)

Extensiones directas de Servicio Técnico: 5063/5061
Instrucciones de conmutador a Servicio Técnico: Presionar 2

servicio@artexa.com





CODE: 260626

RESUMEN Y PAQUETES



Resumen de Trituradores: modelos y precios


	Código		Descripción de Producto					Precios de Lista en DLS	
	Modelo	Código Triturador	Nombre	HP	VOLTIOS	Hz	FASE	SOLO TRITURADOR	PAQUETE (Triturador + Accesorios)
	LC-50-15/ LC-50-11	14133D	Triturador de Desperdicios	1/2 HP	115	60 Hz	1 PH	\$2,110.00	
	SS-100-45/ SS-100-28	13660W	Triturador de Desperdicios	1HP	115/208/230	60 Hz	1 PH	\$3,053.00	\$4,464.08
	SS-100-29	13660A	Triturador de Desperdicios	1HP	208/230/460	60 Hz	3 PH	\$3,053.00	\$4,464.08
	SS-200-27	13663	Triturador de Desperdicios	2HP	115/208/230	60 Hz	1 PH	\$4,546.00	\$5,410.86
	SS-200-34/ SS-200-29	13663M	Triturador de Desperdicios	2HP	208/230/460	60 Hz	3 PH	\$4,546.00	\$5,410.86
	SS-300-28/ SS-300-25	13389C	Triturador de Desperdicios	3HP	208/230/460	60 Hz	3 PH	\$6,300.00	\$6,952.80
	SS-500-28	13390C	Triturador de Desperdicios	5HP	208/230/460	60 Hz	3 PH	\$8,268.00	\$8,846.97
	SS-1000-10		Triturador de Desperdicios	10HP	208/230/460	60 Hz	3PH	\$13,133.00	



Revisar sección Sistemas de Waste Xpress y Dispensadores de Agua.

Entrega inmediata. Modelo de stock con más de 1 unidad en existencia.

*Modelos con solo 1 unidad disponible para entrega inmediata, siguientes unidades sobrepedido.





Trituradores de desperdicios Comerciales	Código		Especificaciones Técnicas				Precios de Lista en DLS	
	Modelo	Código Triturador	HP	VOLTIOS	Hz	FASE	SOLO TRITURADOR	PAQUETE (Triturador + Accesorios)
  LC-50-11 / LC-50-15*	LC-50-11 / LC-50-15*	14133D	1/2 HP	115	60 Hz	1 PH	\$2,110.00	
	*El modelo LC-50 no cuenta con paquete de accesorios, solo se vende la unidad del triturador.							

Trituradores de desperdicios Comerciales	Código		Especificaciones Técnicas				Precios de Lista en DLS	
	Modelo	Código Triturador	HP	VOLTIOS	Hz	FASE	SOLO TRITURADOR	PAQUETE (Triturador + Accesorios)
  SS-100-28 / SS-100-45* SS-100-29	SS-100-28 / SS-100-45*	13660W	1 HP	115/208/230	60 Hz	1 PH	\$3,053.00	\$4,464.08
	SS-100-29	13660A	1 HP	208/230/460	60 Hz	3 PH	\$3,053.00	\$4,464.08
	*Modelo con terminación 45 en el código es enumeración 2011.							
	Paquete de Accesorios:							
	1	Syphon Breaker						
	2	Valvúla Control de Flujo (5 GPM)						
	Dependiendo del tipo de corriente y adaptador de montaje que se va utilizar se determinan los siguientes accesorios:							
						Opción 1	Opción 2	Opción 3
3	Valvúla Selenoide				120 V	220 V	440 V	
4	Centro de control				MRS-6/120V/1	MRS-7/220V/1 MRS-8/220V/3	MRS-9/440V/3	
5	Adaptador de montaje				5	7		




ENTREGA INMEDIATA (Embarcarse de 24 a 48 horas una vez realizado y confirmado el pago)

Los productos no marcados con el icono de entrega inmediata (), el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

Trituradores de desperdicios Comerciales	Código		Especificaciones Técnicas				Precios de Lista en DLS		
	Modelo	Código Triturador	HP	VOLTIOS	Hz	FASE	SOLO TRITURADOR	PAQUETE (Triturador + Accesorios)	
	SS-200-27	13663	2 HP	115/208/230	60 Hz	1 PH	\$4,546.00	\$5,410.86	
	SS-200-29/ SS-200-34*	13663M	2 HP	208/230/460	60 Hz	3 PH	\$4,546.00	\$5,410.86	
	*Modelo con terminación 34 en el código es enumeración 2011.								
	Paquete de Accesorios:								
	1	Syphon Breaker							
2	Valvula Control de Flujo (7 GPM)								
Dependiendo del tipo de corriente y adaptador de montaje que se va utilizar se determinan los siguientes accesorios:						Opción 1	Opción 2	Opción 3	
3	Valvula Selenoide						120 V	220 V	440 V
4	Centro de control						MRS-6/120V/1	MRS-7/220V/1 MRS-8/220V/3	MRS-9/440V/3
5	Adaptador de montaje						5	7	





SS-200-27
SS-200-29/ SS-200-34*

Trituradores de desperdicios Comerciales	Código		Especificaciones Técnicas				Precios de Lista en DLS		
	Modelo	Código Triturador	HP	VOLTIOS	Hz	FASE	SOLO TRITURADOR	PAQUETE (Triturador + Accesorios)	
	SS-300-25/ SS-300-28*	13389C	3 HP	208/230/460	60 Hz	3 PH	\$6,300.00	\$6,952.80	
	*Modelo con terminación 28 en el código es enumeración 2011.								
	Paquete de Accesorios:								
	1	Syphon Breaker							
	2	Valvula Control de Flujo (8 GPM)							
Dependiendo del tipo de corriente y adaptador de montaje que se va utilizar se determinan los siguientes accesorios:						Opción 1	Opción 2	Opción 3	
3	Valvula Selenoide						120 V	220 V	440 V
4	Centro de control						MRS-6/120V/1	MRS-7/220V/1 MRS-8/220V/3	MRS-9/440V/3
5	Adaptador de montaje						5	7	




ENTREGA INMEDIATA (Embarcarse de 24 a 48 horas una vez realizado y confirmado el pago).


Los productos no marcados con el icono de entrega inmediata (🚚⚡), el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

Trituradores de desperdicios Comerciales	Código		Especificaciones Técnicas				Precios de Lista en DLS	
	Modelo	Código Triturador	HP	VOLTIOS	Hz	FASE	SOLO TRITURADOR	PAQUETE (Triturador + Accesorios)
	SS-500-28	13390C	5 HP	208/230/460	60 Hz	3 PH	\$8,268.00	\$8,846.97
	SS-1000-10		10 HP	208/230/460	60 Hz	3 PH	\$13,133.00	
Los 2 últimos modelos solo se comercializan incluyendo el paquete de accesorios. Importante: Especificar el tipo de corriente que se va conectar el producto y el número de adaptador para el montaje que necesita. Al decidir estas opciones se especifican los accesorios.								



ENTREGA INMEDIATA (Embarcarse de 24 a 48 horas una vez realizado y confirmado el pago).

Los productos no marcados con el icono de entrega inmediata () , el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

Sistema Waste Xpress con adaptador de collar de montaje	Código	Especificaciones Técnicas				Precios de Lista en DLS
	Modelo	HP	VOLTIOS	Hz	FASE	PAQUETE (Triturador + Accesorios)
	WX500-6-WX101 *Con collar montaje 6	3 HP	208/230/460	60 Hz	3 PH	\$43,548.00
	WX500-7-WX101 *Con collar montaje 7	3 HP	208/230/460	60 Hz	3 PH	\$43,548.00
<p>Características importantes del Sistema Waste Xpress:</p> <ul style="list-style-type: none"> • Especificaciones eléctricas: 208-230 ó 460V en 3 PH • Reduce el volumen de basura hasta un 85% • Capacidad de trituración por hora de 318 kilos de desperdicio de comida • Ajustable a instalar debajo de una mesa de trabajo de mínimo 34" de altura • Fabricado en acero inoxidable • No requiere herramientas para la limpieza del equipo • Mínimo consumo de agua • 1 año de garantía completa sobre el producto 						
Paquete de Accesorios para Sistema Waste Xpress a instalarse con collar montaje 6 ó 7:						
1	Triturador SS-500					
2	Syphon Breaker					
3	Valvúla Control de Flujo (8 GPM)					
4	Reductor 3" a 2"					
5	Contenedor de basura plástico 10 galones					
Dependiendo del tipo de corriente y adaptador de montaje que se va utilizar se determinan los siguientes accesorios:						
		Opción 1		Opción 2		
6	Pulpadora/Secadora de desperdicios	WX-8 208/230/60/3		WX-9 460/60/3		
7	Centro de control Waste Xpress	WX101A-3, 1/2-10HP 208-240V/3		WX101A-4, 1/2-10HP 380-460V/3		
8	Valvúla Selenoide	220 V		440 V		
9	Adaptador collar de montaje	6		7		
Este sistema incluye todo el equipo y accesorios para la operación, excepto la mesa o superficie de trabajo y la mezcladora del fregadero.						

Los productos no marcados con el icono de entrega inmediata (🚚), el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

Sistema Waste Xpress con Bowl 18" Tipo A	Código		Especificaciones Técnicas			Precios de Lista en DLS
	Modelo	HP	VOLTIOS	Hz	FASE	PAQUETE (Triturador + Accesorios)
	WX500-18A-WX101 *Con bowl 18" A.	3 HP	208/230/460	60 Hz	3 PH	\$44,552.00
	<p>Características importantes del Sistema Waste Xpress:</p> <ul style="list-style-type: none"> • Especificaciones eléctricas: 208-230 ó 460V en 3 PH • Reduce el volumen de basura hasta un 85% • Capacidad de trituración por hora de 318 kilos de desperdicio de comida • Ajustable a instalar debajo de una mesa de trabajo de mínimo 34" de altura • Fabricado en acero inoxidable • No requiere herramientas para la limpieza del equipo • Mínimo consumo de agua • 1 año de garantía completa sobre el producto 					
Paquete de Accesorios para Sistema Waste Xpress a instalarse con bowl 18" tipo A						
1	Triturador SS-500					
2	Syphon Breaker					
3	Valvula Control de Flujo (8 GPM)					
4	Reductor 3" a 2"					
5	Contenedor de basura plástico 10 galones					
6	Bowl Assy Sink 18" BAF/REC					
7	Removable Splash Baffle					
8	18" Sink Cover					
Dependiendo del tipo de corriente y adaptador de montaje que se va utilizar se determinan los siguientes accesorios:						
		Opción 1		Opción 2		
9	Pulpadora/Secadora de desperdicios	WX-8 208/230/60/3		WX-9 460/60/3		
10	Centro de control Waste Xpress	WX101A-3, 1/2-10HP 208-240V/3		WX101A-4, 1/2-10HP 380-460V/3		
11	Valvula Selenoide	220 V		440 V		
Este sistema incluye todo el equipo y accesorios para la operación, excepto la mesa o superficie de trabajo y la mezcladora del fregadero.						



ENTREGA INMEDIATA (Embarcarse de 24 a 48 horas una vez realizado y confirmado el pago).

Los productos no marcados con el icono de entrega inmediata (🚚), el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

Referencia de código e imagen de cada Accesorios		Código de pieza	Descripcion	Precio	
1	Soportes a piso		11757C	Paquete de soportes a piso con set de 2.	\$309.00
2	Syphon Breaker		11477	Syphon Breaker	\$189.00
3	Válvula Control de Flujo		13763B	Valvula Control de Flujo (5 GPM)	\$137.00
			13763C	Valvula Control de Flujo (7 GPM)	\$137.00
			13763D	Valvula Control de Flujo (8 GPM)	\$137.00
4	Válvula Selenoide		14495	Valvula Selenoide a 120V	\$324.00
			14496	Valvula Selenoide a 220V	\$324.00
			11485A/14497	Valvula Selenoide a 440V	\$324.00
5	Centro de control		15259	MRS- 14 A 120V	\$1,341.00
			15259A	MRS- 15 A 220V	\$1,341.00
			15259B	MRS- 16 A 220V	\$1,341.00
			15259C	MRS- 17 A 440V	\$1,341.00
6	Adaptador de montaje		12506	Anillo de montaje/Adaptador #5 (3 1/2")	\$400.00
			12504	Anillo de montaje/Adaptador #6 (6 1/2 / 7 1/2")	\$400.00
			12505	Anillo de montaje/Adaptador #7 (6 1/2 / 7 1/2") con tapa	\$400.00

Los productos no marcados con el icono de entrega inmediata (🚚), el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.

Bowl Assemblies		
PRODUCTO	DESCRIPCIÓN	PRECIO
	Type "A" • 12", 15", 18" • Includes removable splash baffle, bowl cover, mounting adaptor.	\$1,404.00
	Type "B" • 12", 15", 18" • Includes stainless sleeve guard, removable splash baffle, mouting adaptor.	\$1,404.00
	Type "C" • 12" , 15" • Includes removable splash baffle, mounting adaptor.	\$952.00
	Magnetic Silver Saver - Trough Mount (13983) •Mounts on trough systems to keep flatware out of dispos-	\$597.00

Dispensadores de Agua Caliente Comerciales	Código		Especificaciones Técnicas		Precios de Lista en DLS
	Modelo	Código	Descripción	Acabado	
	C1300	44009A	C1300-SS-2 ENG/SPA 1300W/115V.	Cromo	\$1,100.00
Características importantes del Dispensador de Agua Caliente: <ul style="list-style-type: none"> • Tanque_ 2/3 galones de acero inoxidable (Cada unidad de grifo ya incluye el tanque.) • Flujo de Agua_ 1/2-3/4 gpm a 50 psi • Capacidad_ 100 tazas a 98 C x hora • Voltios_ 115V • El sistema mantiene y dosifica agua casi hirviendo a 98°C. 					



ENTREGA INMEDIATA (Embarcarse de 24 a 48 horas una vez realizado y confirmado el pago).

Los productos no marcados con el icono de entrega inmediata (🚚), el tiempo de entrega es de 8 semanas a partir de la fecha de pedido junto con el pago del anticipo de mínimo el 50% del total del pedido.



CODE: 260626

PRODUCTOS BASE 2026





BASE DISPOSERS Includes: Disposer and Mounting Gasket



Capacity	HP	Model	Price	Height	Support Legs	Voltage/Phase
Light	½	LC-50	\$2,110	14½"	Not Available	○ 115V 1 Ph
Small	1	SS-100	\$3,053	17" / 18¼"	Available	○ 115/208-230V 1 Ph ○ 208-230/460V 3 Ph
Medium	2	SS-200*	\$4,546	18⅞" / 19¼"	Included	
	3	SS-300*	\$6,300	23¾" - 31⅞"	20¾" - 28⅞" Short Body	Factory Installed
Large	5	SS-500*	\$8,268			
	10	SS-1000*	\$13,133			

DISPOSER PACKAGES Includes: Disposer, Solenoid Valve, Control, Syphon Breaker, Mounting, and Flow Control Valve

				Control Only	\$5,241	\$4,148	\$2,182	\$1,341	\$572				
				WITH SINK COLLAR									
Capacity	HP	Model	Mounting	AS-101	CC-101	CC-202	MRS	MS	Voltage/Phase				
Small	1	SS-100	○ #5 Sink Flange Kit For 3½" - 4" openings	\$8,083.53	\$7,134.30	\$5,436.53	\$4,464.08	\$4,020.50	1 Phase				
Medium	2	SS-200*	○ #6 Collar Adaptor Kit For 6¾" trough openings	\$9,027.12	\$8,101.20	\$6,416.85	\$5,410.86	\$5,057.76	○ 115V ○ 208-230V				
			○ #7 Collar Adaptor Kit For 6¾" sink openings						3 Phase ○ 208-230V ○ 460V				
Large	3	SS-300*	○ #6 Collar Adaptor Kit For 6¾" trough openings	\$10,795.70	\$9,833.12	\$8,054.54	\$6,952.80	\$6,654.48	3 Phase				
	5	SS-500*	○ #7 Collar Adaptor Kit For 6¾" sink openings	\$12,970.16	\$11,959.22	\$10,062.50	\$8,846.97	\$8,604.30	○ 208-230V ○ 460V				
	10	SS-1000*		\$18,394.11	\$17,286.72	\$15,137.63	-	-					
				WITH BOWL									
Capacity	HP	Model	Bowl Size	Kit Type	AS-101	CC-101	CC-202	MRS	MS	Voltage/Phase			
Small	1	SS-100			\$8,601.69	\$7,680.66	\$6,013.43	\$5,029.44	\$4,656.78	1 Phase			
Medium	2	SS-200*	○ 12"	“A” Removable splash baffle, bowl cover, and mounting adaptor	\$9,559.20	\$8,651.92	\$6,981.69	\$5,955.75	\$5,665.88	○ 115V ○ 208-230V			
			○ 15"							3 Phase ○ 208-230V ○ 460V			
Large	3	SS-300*		“B” Sleeve guard, removable splash baffle, and mounting adaptor	\$11,295.24	\$10,351.30	\$8,586.84	\$7,465.15	\$7,230.06	3 Phase			
	5	SS-500*	○ 18"		\$13,440.78	\$12,448.48	\$10,565.88	\$9,330.40	\$9,150.96	○ 208-230V ○ 460V			
	10	SS-1000*			\$18,968.65	\$17,870.34	\$15,718.95	-	-				

INFORMATION REQUIRED TO ORDER:

Model	+	Mounting	+	Control	+	Voltage/Phase
Example: SS-300		12A		AS101		208-230V 3 Ph

Adaptors available for all competitor sink bowls or cones.

*Short body model available; reduces overall height of disposer.

POWERRINSE™ WASTE COLLECTION SYSTEMS



Trough
Model PRT



Standard
Model PRS



Pot/Pan
Model PRP



Model	Tray	Price	Package Includes	Voltage / Phase
PRS	Standard Sized for everyday applications	\$19,211	<ul style="list-style-type: none"> • Tray (Mounting) • Scrap Basket • Plume Hose • Waste Collector Base Assembly • Mounting Hardware • Diffuser Assembly (PRT) • Basket Cover (PRT) 	1 Phase <input type="radio"/> 110-120V <input type="radio"/> 208/220-240V 3 Phase <input type="radio"/> 208/220-240V <input type="radio"/> 460-480V
PRP	Pot/Pan Increased tray width provides additional workspace			
PRT	Trough Accommodates multiple operators			

POWERRINSE™ ACCESSORIES & COMPONENT PARTS


Item	Price
Silver Saver	
13983 - Magnetic Silver Saver: Trough Mount, keep flatware out of disposer	\$597
Controls	
15533 - Remote Start/Stop: Built-in timer shuts off system after 20 minutes	\$895
13946 - Tamper-Proof Control Panel Screws	\$54
Other Accessories	
15427A - Scrap Basket: Durable, high impact polymer with ¼" (6.35 mm) screen	\$1,475
15426 - Standard or Pot/Pan Cover: Maximizes workspace for presoaking dishes	\$638
15568 - Trough Basket Cover: Allows food to flow into scrap basket	\$607
15444 - Trough Cover: Maximizes workspace for presoaking dishes	\$916
15493 - Trough Nozzle Kit	\$366
15504 - Trough Rack Guide: Keep silverware and small dishes out of scrap basket	\$1,296
15544 - Trough Diffuser	\$379

Watch PowerRinse make short work of dishes.
Watch the video.

INFORMATION REQUIRED TO ORDER:

Model	+	Voltage/Phase
Example: PRP		208/220-240V 3 Ph

WASTEXPRESS® FOOD WASTE REDUCTION SYSTEMS

	Capacity	HP	Grinder Model	Mounting	Price	Package Includes	Voltage / Phase
	Large	5	WX500	<input type="radio"/> #6 Collar Adaptor Kit For 6 3/8" trough openings	\$43,548	<ul style="list-style-type: none"> WasteXpress Grinder WasteXpress Control (WX101A) WasteXpress Dewatering Unit Mounting Syphon Breaker Flow Control Valve* 10 Gallon (37.9 L) Waste Bin (2) 24V Water Solenoids Magnetic Silver Saver (trough only) 	3 Phase <input type="radio"/> 208/220-240V <input type="radio"/> 460-480V
				<input type="radio"/> #7 Collar Adaptor Kit For 6 3/8" sink openings			
				Bowl Size <input type="radio"/> 18"	Kit Type <input type="radio"/> "A" Removable splash baffle, bowl cover, and mounting adaptor	\$44,552	

* Size varies by application: 2 GPM (7.6 LPM) for LEED, 3 GPM (11.4 LPM) for Bowl, or 5 GPM (18.9 LPM) for Trough.
Note: Dish table not included.



WASTEXPRESS® ACCESSORIES & COMPONENT PARTS

Collar Mountings	Price	Outlet Flanges	Price
12504 - #6 Collar Adaptor Kit: 6 3/8" opening; Includes permanent splash baffle and mounting adaptor	\$400	14679 - Inlet/Outlet Flange: Secondary, for trough or high water flow applications	\$403
12505 - #7 Collar Adaptor Kit: 6 3/8" opening; Includes removable splash baffle, stopper, and mounting adaptor	\$400	13847 - Cast Iron Waste Outlet Reducing Flange: 3" waste line to 2" line	\$146
Bowl Mounting		Plumbing Components	
Type "A" Kit - 18" bowl; Includes removable splash baffle, bowl cover, and mounting adaptor	\$1,404	Flow Control Valve 1/2"	\$137
Sink Bowl Cover - 18"	\$324	11477 - Syphon Breaker 1/2"	\$189
Baffles		13412 - Syphon Breaker: Chrome, 45° fittings	\$707
11005 - Removable Splash Baffle	\$128	Solenoid Valve 1/2"	\$324
11292A - Permanent Splash Baffle	\$103	11531 - Bowl Spray Nozzles 1/2"	\$137
Silver Savers		14280 - Trough Nozzle: 1" I.D. water inlet for trough mount systems	\$309
11249 - Silver Sleeve Guard	\$324	Controls	
13983 - Magnetic Silver Saver: Trough Mount, keep flatware out of disposer	\$597	13946 - Tamper-Proof Control Panel Screws	\$54
Dejamming Wrench		Other Accessories	
13993 - Dejamming Wrench: Loosens lodged objects	\$211	14277 - 10 Gallon Waste Bin: Fits under chute on WasteXpress dewatering unit	90
Support Legs and Feet			
14394 - Flanged Foot: For secure floor mounting	\$87		

INFORMATION REQUIRED TO ORDER:

Model + Mounting + Control + Voltage/Phase
Example: WX500 18A WX101A 208/220-240V 3 Ph

DISPOSER ACCESSORIES & COMPONENT PARTS

	Price	Disposers
Collar Mountings		
12506 - Standard #5 Sink Flange Kit: 3 1/2" – 4" sink opening	\$400	SS-100 to SS-200
12506C - Short #5 Flange Kit: 2 1/2" shorter for limited space under sink	\$400	SS-100 to SS-200
12504 - #6 Collar Adaptor Kit: 6 3/8" opening; Includes permanent splash baffle and mounting adaptor	\$400	SS-100 to SS-1000
12505 - #7 Collar Adaptor Kit: 6 3/8" opening; Includes removable splash baffle, stopper, and mounting adaptor	\$400	SS-100 to SS-1000
Bowl Mountings		
Type "A" Kit - Bowl Sizes: 12", 15", or 18"; Includes removable splash baffle, bowl cover, and mounting adaptor	\$1,404	SS-100 to SS-1000
Type "B" Kit - Bowl Sizes: 12", 15", or 18"; Includes silver sleeve guard, removable splash baffle, and mounting adaptor	\$1,404	SS-100 to SS-1000
Bowl & Bowl Mounting Adapter: 12" & 15" – 1 spray nozzle, 18" – 2 spray nozzles	\$952	SS-100 to SS-1000
Sink Bowl Covers: Sizes: 12", 15", or 18"	\$324	SS-100 to SS-1000
Mounting Gasket		
11016 - Mounting Gasket: Standard disposer mounting gasket	\$72	SS-100 to SS-1000
Competitive Adaptors		
Competitive Mounting Adaptor: For mounting InSinkErator base unit disposers to competitor's cones or bowls.	\$245	SS-100 to SS-1000
Baffles		
11005 - Removable Splash Baffle	\$128	SS-100 to SS-1000
11292A - Permanent Splash Baffle	\$103	SS-100 to SS-1000
Silver Savers		
11249 - Silver Sleeve Guard	\$324	SS-100 to SS-1000
13983 - Magnetic Silver Saver: Trough Mount, keep flatware out of disposer	\$597	SS-100 to SS-1000
Dejamming Wrench		
13993 - Dejamming Wrench: Loosens lodged objects	\$211	SS-100 to SS-1000
Support Legs and Feet		
11757C - Adjustable Support Legs: Set of 2	\$309	SS-100 to SS-200
14394 - Flanged Foot: For secure floor mounting	\$87	SS-100 to SS-1000
Safety		
14029 - Offset Chute: Mounts between InSinkErator disposer and sink bowl	\$1,774	SS-100 to SS-1000
13620 - Disposer Throat Guard: Keeps hands safely away from grind chamber	\$174	SS-100 to SS-1000
Outlet Flanges		
13847 - Cast Iron Waste Outlet Reducing Flange: 3" waste line to 2" line	\$146	SS-300 to SS-1000
14301 - Cast Iron Waste Outlet Flange	\$189	SS-200
14302 - Cast Iron Waste Outlet Flange	\$201	SS-300 to SS-1000
Plumbing Components		
Flow Control Valve 1/2"	\$137	✓
11477 - Syphon Breaker 1/2"	\$189	✓
13412 - Syphon Breaker: Chrome, 45° fittings	\$707	✓
Solenoid Valve 1/2"	\$324	✓
11531 - Bowl Spray Nozzles 1/2"	\$137	✓
14280 - Trough Nozzle: 1" I.D. water inlet for trough mount systems	\$309	✓
Controls		
13946 - Tamper-Proof Control Panel Screws	\$54	✓
13754 - Commercial Air Control Switch	\$265	LC-50

INSINKERATOR COMMERCIAL DISPOSER SIZING CHART

Volume Processed	Food Waste Composition				
	Light Majority Fruits & Vegetables	Medium 50/50 Mixture	Heavy Majority Meats & Seafood	2,500 MEALS	100 MEALS
High Buffet/Cafeteria Government	SS-300	SS-300/500	SS-500	SS-500/1000	SS-500/1000
Medium Full Service Restaurant	SS-200	SS-300	SS-300/500	SS-500	SS-500/1000
Low Limited Service Restaurant/Café/ Fast Casual	SS-100	SS-200	SS-300	SS-300/500	SS-500
	SS-100	SS-100	SS-200	SS-300	SS-300/500

Whether you serve 25 or 2,500 people, there is an InSinkErator disposer that's designed for your operation.

To determine the proper size disposer, use this recommended sizing chart. Sizing recommendations are given in general terms; actual capacities vary depending on the volume and type of food waste. **LC-50 model** available for light duty commercial applications, such as coffee shops, convenience stores, or quick service restaurants.

INSTANT HOT WATER DISPENSER



Model	Price	Features	Watts / Voltage
C1300 Hot	\$1,100	<ul style="list-style-type: none"> • Provides hot water on demand • Tank factory set at 200°F near-boiling water • Durable all-brass construction faucet with 90° swiveling gooseneck • 2/3-gallon (2.5 L) stainless steel tank • Easy adjustable temperature control 160°F – 210°F (71.1 – 98.9°C) • Instant, self-closing hot water valve • Mounts in standard sink opening or 1/4" (31.75 mm) drilled hole • Available in chrome finish • HC1300C model features dual levers for hot or cool water 	1 Phase <input type="radio"/> 1300W/115V (11.3 amps)
HC1300C Hot/Cool	\$1,436		



GENERAL TERMS & CONDITIONS OF SALE June 15, 2026

These Terms and Conditions shall govern the transaction by and between InSinkErat, LLC. (herein referred to as the "Seller") and the customer or person or entity purchasing goods ("Goods") from Seller (herein referred to as "Buyer"), together with any quotation or acknowledgment from Seller relevant to the sale of the Goods and all documents incorporated by specific reference therein, and shall constitute the complete and exclusive agreement governing the sale of Goods by Seller to Buyer. Buyer's acceptance of the Goods will manifest Buyer's assent to these Terms and Conditions. Any different or additional terms in Buyer's purchase order or other Buyer documents are hereby objected to. Buyer is authorized to sell and ship Goods to customers for use in the United States only. Grind2Energy® is subject to additional terms and conditions.

1. PRICES: Unless otherwise specified in writing by Seller, Seller shall have the right to change the price for the Goods to Seller's price for the Goods at the time of shipment. All prices are exclusive of taxes, transportation and insurance, which are to be borne by Buyer.

2. TAXES: All taxes or governmental charge (or increase in same) affecting Seller's costs or which seller is otherwise required to pay or collect in connection with the sale, purchase, delivery, storage, processing, use or consumption of Goods shall be for Buyer's account and shall be added to the price.

3. TERMS OF PAYMENT: Net 30 days Invoices will bear the date on which shipment is made and terms are based upon date of shipment and not on date of arrival. Seller shall have the right, among other remedies, to terminate or suspend performance under any order, if Buyer fails to make any payment when due. Buyer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts. Delinquent payments shall bear interest at a rate to be determined by Seller, which shall not exceed the legal maximum rate, from the date due until paid. Should Buyer's financial responsibility become unsatisfactory to Seller, Seller may require cash payments or satisfactory security.

4. SHIPMENT AND DELIVERY: Deliveries are made F.O.B. Seller's shipping point. Risk of loss or damage and liability therefore shall pass to Buyer upon delivery to carrier. Shortages or damages must be acknowledged and signed for at the time of delivery. While Seller will use all reasonable commercial efforts to maintain the delivery date(s), all shipping dates are approximate and not guaranteed. Seller reserves the right to make partial shipments. If the shipment of the Goods is postponed or delayed by Buyer for any reason, Buyer agrees to reimburse Seller for any and all storage costs and other resulting expenses.

5. LIMITED WARRANTY: Subject to the limitations of Section 6, Seller warrants that the Goods manufactured by Seller will be free from defects in material and workmanship and meet Seller's published specifications at the time of shipment under normal use and regular service and maintenance for a period of one year from the date of shipment of the Goods by Seller, unless otherwise specified by Seller in writing. Products purchased by Seller from a third party for resale to Buyer ("Resale Products") shall carry only the warranty extended by the original manufacturer.

THE WARRANTIES PROVIDED HEREIN ARE THE SOLE AND EXCLUSIVE WARRANTIES BY SELLER WITH RESPECT TO THE GOODS AND ARE IN LIEU OF AND EXCLUDE ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ARISING BY OPERATION OF LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHETHER OR NOT THE PURPOSE OR USE HAS BEEN DISCLOSED TO SELLER IN SPECIFICATIONS, DRAWINGS OR OTHERWISE, AND WHETHER OR NOT SELLER'S PRODUCTS ARE SPECIFICALLY DESIGNED AND/OR MANUFACTURED BY SELLER FOR BUYER'S USE OR PURPOSE.

These warranties do not extend to any losses or damages due to misuse, accident, abuse, neglect, normal wear and tear, Buyer's negligence, unauthorized modification or alteration, use beyond rated capacity, or improper installation, maintenance or application. To the extent that Seller has relied upon any specifications, information, representation or operating conditions or other data supplied by Buyer or its agents to Seller in the selection or design of the Goods and the preparation of Seller's quotation, and in the event that actual operating conditions or other conditions differ from those represented by Buyer and relied upon by Seller, any warranties or other provisions contained herein which are affected by such conditions shall be null and void.

If within thirty (30) days after Buyer's discovery of any nonconformity with

warranty within the warranty period, Buyer must notify Seller thereof in writing. Seller shall, at its option, repair, correct or replace F.O.B. point of manufacture, that portion of the nonconformity. Failure by Buyer to give such written notice within the applicable time period shall be deemed an absolute and unconditional waiver of Buyer's claim for such nonconformity. Goods repaired or replaced during the warranty period shall be covered by the foregoing warranties for the remainder of the original warranty period or ninety (90) days, whichever is longer.

Buyer assumes all other responsibility for any loss, damage, or injury to persons or property arising out of, connected with, or resulting from the use of Goods, either alone or in combination with other products/components.

6. LIMITATION OF REMEDY AND LIABILITY: The sole and exclusive remedy for breach of any term or condition or warranty hereunder (other than the warranty provided under section 7) shall be limited, at seller's option, to repair, correction or replacement under section 5 or refund of the purchase price. Seller shall not be liable for damages caused by delay in performance and in not event, regardless of the form of the claim or cause of action (whether based in contract, infringement, negligence, strict liability, other tort or otherwise), shall seller's liability to buyer and/or its customers exceed the price paid by buyer for the specific goods provided by seller giving rise to the claim or cause of action. Buyer agrees that in no event shall seller's liability to buyer and/or its customers extend to include incidental, consequential or punitive damages. The term "consequential damages" shall include without limitation loss of anticipated profits, business interruption, loss of use or revenue, cost of capital or loss or damage to property or equipment. It is understood that any technical advice furnished by Seller with respect to the use of the Goods is given without charge, and Seller assumes no obligation or liability for the advice given, or results obtained, all such advice being given and accepted at Buyer's risk.

7. PATENTS AND COPYRIGHTS: Subject to the limitations of the second paragraph of Section 6, Seller warrants that the Goods sold, except as are made specifically for Buyer according to Buyer's specifications, do not infringe any valid U.S. patent or copyright in existence as of the date of shipment. This warranty is given upon the condition that Buyer promptly notify Seller of any claim or suit involving Buyer in which such infringement is alleged, and, that Buyer cooperate fully with Seller and permit Seller to control completely the defense, settlement or compromise of any such allegation of infringement. In the event such Goods are held to infringe such a U.S. patent or copyright in such suit, and the use of such Goods is enjoined, or in the case of a compromise or settlement by Seller, Seller shall have the right, at its option and expense, to procure for Buyer the right to continue using such Goods, or replace them with non-infringing Goods, or modify same to become non-infringing, or grant Buyer a credit for the depreciated value of such Goods and accept return of them.

8. EXCUSE OF PERFORMANCE: Seller shall not be liable for delays in performance or for non-performance due to acts of God, acts of Buyer; war; fire; flood; weather; sabotage; strikes; or labor or civil disturbances; government requests, restrictions, laws, regulations, orders of actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstance or any event or causes beyond Seller's reasonable control. Deliveries or other performance may be suspended for an appropriate period of time or canceled by Seller upon notice to Buyer in the event of any of the foregoing, but the balance of the agreement shall otherwise remain unaffected as a result of the foregoing.

If Seller determines that its ability to supply the total demand for the Goods, or to obtain material used directly or indirectly in the manufacture of the Goods, is hindered, limited or made impracticable due to causes set forth in the preceding paragraph. Seller may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or material) among itself and its purchasers on such basis as Seller determines to be equitable without liability for any failure of performance which may result therefrom.

9. CANCELLATION: Seller may cancel this agreement at any time for any reason upon 30 days written notice. Unless otherwise agreed in writing by Seller, Buyer may not cancel this agreement for any reason.

10. CHANGES: Buyer may request changes or additions to the Goods consistent with Seller's specifications and criteria. In the event such changes or additions are accepted by Seller, Seller may revise the price and dates of delivery. Seller reserves the right to change designs and specifications for the Goods without prior notice to Buyer, except with respect to Goods being made-to-order for Buyer.

11. ASSIGNMENT: Buyer shall not assign its rights or delegate its duties hereunder or may interest therein or any rights hereunder without the prior written consent of the Seller, and any such assignment, without such consent, shall be void. Seller may assign its rights and delegate its duties hereunder.

12. GENERAL PROVISIONS: These terms and conditions supersede all other communications, negotiations and prior oral or written statements regarding the subject matter of these terms and conditions. No change, modifications, rescission, discharge, abandonment, or waiver of these terms and conditions shall be binding upon the Seller unless made in writing and signed on its behalf by a duly authorized representative of the Seller. No conditions, usage or trade, course of dealing or performance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless hereafter made in writing and signed by the party to be bound, and no modification shall be affected by the Seller's receipt, acknowledgment, or acceptance of purchase orders, shipping instruction forms, or other documentation containing terms at variance with or in addition to those set forth herein. No waiver by either party with respect to any breach or default or of any right or remedy and no course of dealing, shall be deemed to constitute a continuing waiver of any other breach or default or of any other right or remedy, unless such waiver be expressed in writing and signed by the party to be bound. All typographical or clerical errors made by Seller in any quotation, acknowledgement or publication are subject to correction.

The validity, performance, and all other matters relating to the interpretation and effect of this agreement shall be governed by the law of the state of Michigan. Buyer and Seller agree that the proper venue of all actions arising in connection herewith shall be only in the State where the Goods involved in such actions were manufactured and the parties agree to submit to such jurisdiction. The Convention for the International Sales of Goods shall not apply to this agreement.

13. COMPLIANCE WITH CERTAIN LAWS: These Goods shall be produced in compliance with the requirements of the Fair Labor Standards Act of 1938, as amended and Executive Order 11246.

14. DISPUTE RESOLUTION: In the event of any dispute INCLUDING, BUT NOT LIMITED TO, BREACH OF CONTRACT, BREACH OF WARRANTY, CLAIMS BASED IN TORT, NEGLIGENCE, PRODUCT LIABILITY, FRAUD, MARKETING, STATE OR FEDERAL REGULATIONS, ANY CLAIMS REGARDING THE ENFORCEABILITY OF THIS LIMITED WARRANTY, AND THE WAIVER OF CLASS ACTION TRIALS between Buyer and Seller, either may choose to resolve the dispute by binding arbitration, as described below, instead of in court. THIS MEANS IF EITHER BUYER OR SELLER CHOOSE BINDING ARBITRATION, NEITHER PARTY SHALL HAVE THE RIGHT TO LITIGATE SUCH CLAIM IN COURT OR HAVE A JURY TRIAL. DISCOVERY AND APPEAL RIGHTS ARE LIMITED IN BINDING ARBITRATION. Buyer and Seller agree that the proper venue if Arbitration is not so chosen by Buyer or Seller of all actions arising in connection herewith shall be only in the state of Wisconsin and the parties agree to submit to such jurisdiction. No action, regardless of form, arising out of transactions relating to the agreement, may be brought by either party more than two (2) years after the cause of action has accrued. The U.N. Convention on Contracts for the International Sales of Goods shall not apply to this agreement.

15. CLASS ACTION WAIVER: BINDING ARBITRATION MUST BE ON AN INDIVIDUAL BASIS. THIS MEANS NEITHER BUYER NOR SELLER MAY JOIN OR CONSOLIDATE CLAIMS IN ARBITRATION BY OR AGAINST OTHERS, OR LITIGATE IN COURT OR ARBITRATE ANY CLAIMS AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY.

ADMINISTRATION OF ARBITRATION: The binding arbitration must be administered by the American Arbitration Association ("AAA") in accordance with its Commercial Arbitration Rules and/or Supplementary Procedures for Consumer-Related Disputes (including proceedings to mitigate costs of travel). This binding arbitration is governed by the Federal Arbitration Act ("FAA") (9 USC §1, et. seq.) and will govern the interpretation and enforcement. The binding arbitration shall be held at a location determined by AAA or at such other location as mutually agreed. In addition to the terms stated above, the following will apply to the binding arbitration: (1) the arbitrator, and not any federal, state, or local court or agency, will have exclusive authority to resolve any dispute relating to the interpretation, applicability, enforceability or formation of this Agreement including any claim that all or any part of this Agreement is void or voidable; (2) the arbitrator shall apply Wisconsin law consistent with the FAA.

FREIGHT TERMS: F.O.B. Sturtevant, Wisconsin or nearest InSinkErat warehouse. All pricing includes prepaid freight (Truck or ground service ONLY). All air freight or premium routed shipments will be sent prepay and add. (No credit will be allowed for truck or ground freight portion). Disposers – Item 121600 – Class 85, Hot Water Dispensers – Item 26520 – Sub. 1 – Class 85.

RETURNED GOODS: Prior authorization is required for return of all products and is subject to a 20% Restocking Charge. InSinkErat is not responsible for in-transit damage of returned product not shipped in original packaging. All returned product must be sent prepaid. Product that has been damaged, altered or used prior to return, will not be considered for credit unless previously approved by InSinkErat. Any product beyond 90 days as calculated when such product shipped from InSinkErat is not eligible for return.

LOSS AND/OR DAMAGE IN TRANSIT: Our liability ceases upon delivery of the goods to the carrier at our factory. Claims for damage and/or loss in transit to be made by the consignee against the carrier. We will assist and cooperate in the processing of such claims upon customer's request.

SERVICE INFORMATION: For service information call toll free 800-845-8345.

NOTE: InSinkErat reserves the right to make changes at any time without notice in prices, color, material specifications and models and also to add or discontinue models and accessories without incurring liability to modify products already produced. InSinkErat reserves the right to cancel orders or any part thereof for causes due to any acts or demands of the Government or to fire, flood, strikes, war, embargo, lack of transportation, act of God, or any other cause or causes beyond its control.

All orders subject to acceptance by InSinkErat, Sturtevant, Wisconsin.

IMPORTANT: Do not combine commercial and household units on same purchase order.

HOMEA PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121