



PITT
COOKING

Lista de Precios 2026

HOMEA
PREMIUM

HOMEA

www.homea.mx

Email: **ventas@homea.mx**

Whatsapp: **(446)144.6318**

Tel: **(442)216.3552**

Lada sin Costo: **01(800)701.2121**

COD-31072026

UN SISTEMA DE COCCIÓN

sin límites


¿Qué es PITT cooking?

PITT cooking en tu encimera favorita.

Gracias a su diseño, los fuegos PITT cooking se pueden instalar en cualquier tipo de cocina: clásica, rural, contemporánea, minimalista y en todo tipo de encimeras: porcelánicas, compuesto de cuarzo, granito natural, mármol, micro-cemento, cristal o acero inoxidable, con la excepción de encimeras laminadas HPL, Solid Surface o de madera maciza.

Su técnica especial esta patentada y asegura una transferencia mínima de calor a la encimera.






Plato soporte doble esmalte
acabado hierro fundido

Quemador en hierro
fundido y latón

Mando de aluminio anodizado en negro

Parrilla en hierro fundido



¿Qué es PITT cooking?

PITT cooking te propone la mayor distancia entre quemadores, 8 cm más que cualquier otra placa de gas del mercado. Una mayor distancia entre quemadores te permitirá utilizar ollas y sartenes grandes a la vez, sin que se toquen entre ellas. Esta fue una de las principales razones que inspiró el proyecto de **PITT cooking** en sus inicios. Ahora podrás utilizar todas tus sartenes, ollas, cazuelas e incluso el WOK, todo al mismo tiempo.



¿Qué es PITT cooking?

Calidad y seguridad.


La cocción PITT tiene la marca de calidad oficial Kiwa GASTEC QA. Este prestigioso sello garantiza a los usuarios la certeza de que su producto (gas) cumple con los requisitos más altos en términos de calidad, funcionalidad y seguridad.

PITT cooking tiene una garantía completa de cinco años en el sistema de cocción a gas.

¿Qué es PITT cooking?

Fácil Limpieza

Después de cocinar, las partes del quemador se pueden desmontar fácilmente para su limpieza. La ausencia de esquinas y bordes combinada con un fácil desmontaje de sus componentes, hacen de PITT cooking un producto muy cómodo de usar y mantener.



Estropajo recomendado



Estropajo metálico no recomendado



No recomendamos lavar en lavavajillas



Quemadores

Máxima calidad y potencia.

Los quemadores de PITT cooking son robustos, de alta calidad y con llamas poderosas. Disponemos de tres quemadores diferentes: pequeño, mediano y uno grande de doble corona combinado con Wok. Siéntete como un chef profesional en tu propia cocina con la gama “BLACK EDITION” acabado en negro o “PROFESIONAL PITT” acabado en latón.



2kW

Quemador pequeño

Potencia mínima: 0,3 kW

Potencia máxima: 2 kW

Tamaño: ø230 mm

Encendido automático por chispa: ✓

Protección de la llama: ✓



3kW

Quemador mediano

Potencia mínima: 0,3 kW

Potencia máxima: 3 kW

Tamaño: ø230 mm

Encendido automático por chispa: ✓

Protección de la llama: ✓



5kW

Wok combinado / Quemador a fuego lento

Potencia mínima: 0,2 kW

Potencia máxima: 5 kW

Tamaño: ø270 mm

Encendido automático por chispa: ✓

Protección de la llama: ✓


Quemadores

Elige tu quemador favorito

Black Edition


Quemadores de hierro fundido en acabado negro.

FULL BLACK



Edición Profesional

Quemadores de latón y hierro fundido.





Mandos

Top Side

En los modelos de cocción PITT Top Side, los mandos de control se colocan en la parte superior de la encimera.

- Mando de aluminio anonizado en negro
- Diseño hergonómico y minimalista
- Capa superior suave al tacto

Front Side

En los modelos de cocción PITT Front Side, los mandos de control se colocan en la parte frontal del panel de cocina.

- Mando de aluminio anonizado en negro
- Diseño hergonómico y minimalista
- Capa superior suave al tacto



Gama

Elige tu configuración personalizada.

La cocción PITT ofrece una gama de 20 configuraciones diferentes.

Todos estos modelos se pueden combinar entre sí. Su configuración de cocina personalizada ideal, con su comportamiento de cocina personal y el espacio disponible en la cocina como punto de partida.

Akan*



Altar*



Azuma*



Air*



Baluran*



Bennett*



Baula*



Bely*



Bromo



Cima*



Capital*



Cusin



Colo



Danau



Drum



Dempo



Elbrus



Enep



Ebeko



Foessa




Azuma-I*




Air-I*




Bandai-I*



Balut-I*



Baluran-I*




Bennett-I*



Baula-I*



Bely-I*




Cima-I*



Capital-I*



Danau-I



Drum-I




Dempo-I




Elbrus-I




Enep-I



Ebeko-I



Foessa-I



Modelos Base y Precios







CÓDIGO	DESCRIPCIÓN	PRECIO
51.01.04.106	* Azuma, 1 Burner, NG, Professional version TOP SIDE	\$2,722 USD
71.01.04.106	* Azuma, 1 Burner, NG, Professional version FRONT SIDE	\$3,065 USD
52.01.04.106	Azuma, 1 BURNER. NG. TOP SIDE. BLACK	\$2,722 USD
72.01.04.106	Azuma, 1 BURNER. NG. FRONT SIDE. BLACK	\$3,065 USD
150.00.00.006	AZUMA-I. INDUCTION COOKTOP. 1 ZONE	\$3,401 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.003	Gas Conversion Kit. 1 PITT Azuma to LP.	\$38 USD
40.00.001	Support Bar	\$187 USD



FICHA TÉCNICA AZUMA



Power output	1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 8.39 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	11.81 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 8.39 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	11.81 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

BAULA



CÓDIGO	DESCRIPCIÓN	PRECIO
51.01.04.128	BAULA. 2 BURNER. NG. TOP SIDE. PROF	\$3,938 USD
71.01.04.128	BAULA. 2 BURNER. NG. FRONT SIDE. PROF	\$4,509 USD
52.01.04.128	BAULA. 2 BURNER. NG. TOP SIDE. BLACK	\$3,938 USD
72.01.04.128	BAULA. 2 BURNER. NG. FRONT SIDE. BLACK	\$4,509 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.005	Gas Conversion Kit. 1 PITT Baula to LP.	\$38 USD
40.00.001	Support Bar	\$187 USD

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



FICHA TÉCNICA BAULA



Power output	1x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 20.98 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 20.98 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
51.01.04.129	BELY. 2 BURNER. NG. TOP SIDE. PROF	\$3,898 USD
71.01.04.129	BELY. 2 BURNER. NG. FRONT SIDE. PROF	\$4,410 USD
52.01.04.129	BELY. 2 BURNER. NG. TOP SIDE. BLACK	\$3,898 USD
72.01.04.129	BELY. 2 BURNER. NG. FRONT SIDE. BLACK	\$4,410 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.006	Gas Conversion Kit. 1 PITT Bely to LP.	\$38 USD
40.00.001	Support Bar	\$187 USD



FICHA TÉCNICA BELY



Power output	1x 2 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 20.98 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 2 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 20.98 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
51.01.04.110	CIMA. 3 BURNER. NG. TOP SIDE. PROF	\$4,876 USD
71.01.04.110	CIMA. 3 BURNER. NG. FRONT SIDE. PROF	\$5,812 USD
52.01.04.110	CIMA. 3 BURNER. NG. TOP SIDE. BLACK	\$4,876 USD
72.01.04.110	CIMA. 3 BURNER. NG. FRONT SIDE. BLACK	\$5,812 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.008	Gas Conversion Kit. 1 PITT Cima to LP.	\$38 USD
40.00.001	Support Bar	\$187 USD



FICHA TÉCNICA CIMA



Power output	1x 2 kW, 1x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 20.98 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 2 kW, 1x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 20.98 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

CAPITAL



CÓDIGO	DESCRIPCIÓN	PRECIO
51.01.04.109	CAPITAL. 3 BURNER. NG. TOP SIDE. PROF	\$4,876 USD
71.01.04.109	CAPITAL. 3 BURNER. NG. FRONT SIDE. PROF	\$5,812 USD
52.01.04.109	CAPITAL. 3 BURNER. NG. TOP SIDE. BLACK	\$4,876 USD
72.01.04.109	CAPITAL. 3 BURNER. NG. FRONT SIDE. BLACK	\$5,812 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.008	Gas Conversion Kit. 1 PITT Capital to LP.	\$38 USD
40.00.001	Support Bar	\$187 USD


FICHA TÉCNICA CAPITAL



Power output	1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches




Capital Top Side



Power output	1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Capital Front Side



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

CUSIN



CÓDIGO	DESCRIPCIÓN	PRECIO
52.01.04.111	Cusin, 3 Burner, NG, Black version TOP SIDE	\$5,524 USD
51.01.04.111	Cusin, 3 Burner, NG, Professional version TOP SIDE	\$5,524 USD

CÓDIGO	DESCRIPCIÓN	PRECIO
72.01.04.111	Cusin, 3 Burner, NG, Black version FRONT SIDE	\$6,378 USD
71.01.04.111	Cusin, 3 Burner, NG, Professional version FRONT SIDE	\$6,378 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.007	Gas Conversion Kit. 3 PITTS Cusin to LP	\$38 USD
40.00.001	Support Bar	\$187 USD

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



FICHA TÉCNICA CUSIN



Power output	1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
52.01.04.112	* DEMPO. 4 BURNER. NG. TOP SIDE. BLACK	\$6,528 USD
72.01.04.112	* Dempo, 4 Burner, NG, Blak version FRONT SIDE	\$7,540 USD
51.01.04.112	Dempo, 4 BURNER. NG. TOP SIDE. PROFESSIONAL	\$6,528 USD
71.01.04.112	Dempo, 4 BURNER. NG. FRONT SIDE. PROFESSIONAL	\$7,540 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.009	Gas Conversion Kit. 4 PITTs to LP	\$38 USD
40.00.001	Support Bar	\$187 USD



FICHA TÉCNICA DEMPO



Power output	1x 2 kW, 1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 2 kW, 1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
52.01.04.113	Danau, 4 Burner, NG, Black version TOP SIDE	\$6,714 USD
51.01.04.113	Danau, 4 Burner, NG, Professional version TOP SIDE	\$6,714 USD

CÓDIGO	DESCRIPCIÓN	PRECIO
72.01.04.113	Danau, 4 Burner, NG, Black version FRONT SIDE	\$7,667 USD
71.01.04.113	Danau, 4 Burner, NG, Professional version FRONT SIDE	\$7,667 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.009	Gas Conversion kit. 4 PITTS to LP	\$38 USD
40.00.001	Support Bar	\$187 USD



FICHA TÉCNICA DANAU



Power output	1x 2 kW, 1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 45.59 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	1x 2 kW, 1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	15.87 × 45.59 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

DRUM



CÓDIGO	DESCRIPCIÓN	PRECIO
52.01.04.114	Drum, 4 Burner, NG, Black version TOP SIDE	\$6,899 USD
51.01.04.114	Drum, 4 Burner, NG, Professional version TOP SIDE	\$6,899 USD

CÓDIGO	DESCRIPCIÓN	PRECIO
72.01.04.114	Drum, 4 Burner, NG, Black version FRONT SIDE	\$7,879 USD
71.01.04.114	Drum, 4 Burner, NG, Professional version FRONT SIDE	\$7,879 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.009	Gas Conversion kit. 4 PITTS to LP	\$38 USD
40.00.001	Support Bar	\$187 USD

Precios expresados en USD. Precios no incluyen IVA.



Todas las parrillas incluyen un SUPPORT BAR sin costo.

FICHA TÉCNICA DRUM



Power output	1x 2 kW, 1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 45.59 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches

Power output	1x 2 kW, 1x 3 kW, 2x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 45.59 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
51.01.04.116	EBEKO. 5 BURNER. NG. TOP SIDE. PROF	\$7,070 USD
71.01.04.116	EBEKO. 5 BURNER. NG. FRONT SIDE. PROF	\$8,149 USD
52.01.04.116	EBEKO. 5 BURNER. NG. TOP SIDE. BLACK	\$7,070 USD
72.01.04.116	EBEKO. 5 BURNER. NG. FRONT SIDE. BLACK	\$8,149 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.010	Gas Conversion Kit. 5 PITTS to LP. Professional. Front or top side.	\$38 USD
40.00.001	Support Bar	\$187 USD

FICHA TÉCNICA EBEKO




Power output	2x 2 kW, 2x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches




Power output	2x 2 kW, 2x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Ebeko Top Side



Ebeko Front Side



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
52.01.04.117	Enep, 5 Burner, NG, Black version TOP SIDE	\$7,070 USD
51.01.04.117	Enep, 5 Burner, NG, Professional version TOP SIDE	\$7,070 USD

CÓDIGO	DESCRIPCIÓN	PRECIO
72.01.04.117	Enep, 5 Burner, NG, Black version FRONT SIDE	\$8,149 USD
71.01.04.117	Enep, 5 Burner, NG, Professional version FRONT SIDE	\$8,149 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.010	Gas Conversion Kit. 5 PITTS to LP. Professional. Front or top side.	\$38 USD
40.00.001	Support Bar	\$187 USD

FICHA TÉCNICA ENEP




Power output	2x 2 kW, 2x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches




Power output	2x 2 kW, 2x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Enep Top Side



Enep Front Side



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.



CÓDIGO	DESCRIPCIÓN	PRECIO
52.01.04.115	Elbrus, 5 Burner, NG, Black version TOP SIDE	\$7,070 USD
51.01.04.115	Elbrus, 5 Burner, NG, Professional version TOP SIDE	\$7,070 USD

CÓDIGO	DESCRIPCIÓN	PRECIO
72.01.04.115	Elbrus, 5 Burner, NG, Black version FRONT SIDE	\$8,149 USD
71.01.04.115	Elbrus, 5 Burner, NG, Professional version FRONT SIDE	\$8,149 USD

ACCESORIOS

CÓDIGO	DESCRIPCIÓN	PRECIO
31.05.05.010	Gas Conversion Kit. 5 PITTS to LP. Professional. Front or top side.	\$38 USD
40.00.001	Support Bar	\$187 USD



FICHA TÉCNICA ELBRUS



Power output	2x 2 kW, 2x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	4.69 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches



Power output	2x 2 kW, 2x 3 kW, 1x 0,2-5 kW
Type of cooking system	Natural Gas/LPG
Model edition	Professional Black
Unit dimensions (LxWxH)	19.80 × 33.58 × 3.50 inches
Total height (including support set)	6.46 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-0.98 inches



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

Modelos de Inducción y Precios



AIR-I



Top Side



Front Side

CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.003	AIR-I. INDUCTION COOKTOP. 1 ZONE	\$3,401 USD

BANDAI-I



Top Side



Front Side

CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.008	BANDAI-I. INDUCTION COOKTOP. 2 ZONES	\$4,417 USD

FICHA TÉCNICA AIR - I



Nominal voltage	220-240 V, 1N~
Maximum power	3000 W
Unit dimensions (LxWxH)	17.60 × 14.57 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	17.72 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3000 W
Unit dimensions (LxWxH)	17.60 × 14.57 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	17.72 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA BANDAI - I



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 14.57 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	17.72 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 14.57 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	17.72 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

BALUT-I



Top Side



Front Side

CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.007	BALUT-I. INDUCTION COOKTOP. 2 ZONES	\$4,417 USD

BALURAN-I



Top Side



Front Side

CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.026	BALURAN-I. INDUCTION COOKTOP. 2 ZONES	\$4,630 USD

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

FICHA TÉCNICA BALUT - I



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 14.57 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	17.72 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 14.57 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	17.72 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA BALURAN - I



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 14.57× 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 14.57× 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

BENNETT-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.027	BENNETT-I. INDUCTION COOKTOP. 2 ZONES	\$4,630 USD

BAULA-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.028	BAULA-I. INDUCTION COOKTOP. 2 ZONES	\$4,630 USD

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

FICHA TÉCNICA BENNETT - I



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA BAULA- I



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

BELY-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.029	BELY-I. INDUCTION COOKTOP. 2 ZONES	\$4,630 USD

CIMA-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.010	CIMA-I. INDUCTION COOKTOP. 3 ZONES	\$6,322 USD

FICHA TÉCNICA BELY - I



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 1N~
Maximum power	3680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA CIMA - I



Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	6680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	6680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



CAPITAL-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.009	CAPITAL-I. INDUCTION COOKTOP. 3 ZONES	\$6,322 USD

FOESSA-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.024	FOESSA-I. INDUCTION COOKTOP. 6 ZONES	\$11,546 USD

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

FICHA TÉCNICA CAPITAL - I



Nominal voltage	220-240 V, 2N~ 380-415 V, 2N~
Maximum power	6680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 2N~ 380-415 V, 2N~
Maximum power	6680 W
Unit dimensions (LxWxH)	17.60 × 21.61 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	23.62 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA FOESSA - I



Nominal voltage	380-415 V, 3N~
Maximum power	11040 W
Unit dimensions (LxWxH)	17.60 × 45.63 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	380-415 V, 3N~
Maximum power	11040 W
Unit dimensions (LxWxH)	17.60 × 45.63 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



DANAU-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.013	DANAU-I. INDUCTION COOKTOP. 4 ZONES	\$8,269 USD

DRUM-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.014	DRUM-I. INDUCTION COOKTOP. 4 ZONES	\$8,269 USD

FICHA TÉCNICA DANAU - I



Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	7360 W
Unit dimensions	17.60 × 45.63 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	7360 W
Unit dimensions	17.60 × 45.63 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black

FICHA TÉCNICA DRUM - I



Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	7360 W
Unit dimensions (LxWxH)	17.60 × 45.63 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Inductie
Model edition	Black



Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	7360 W
Unit dimensions (LxWxH)	17.60 × 45.63 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	47.24 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

DEMPO-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.012	DEMPO-I. INDUCTION COOKTOP. 4 ZONES	\$8,174 USD

ENEP-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.017	ENEP-I. INDUCTION COOKTOP. 5 ZONES	\$9,711 USD

FICHA TÉCNICA DEMPO - I



Top Side

Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	7360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Front Side

Nominal voltage	220-240 V, 2N~
	380-415 V, 2N~
Maximum power	7360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA ENEP - I



Top Side

Nominal voltage	380-415 V, 3N~
Maximum power	10360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Front Side

Nominal voltage	380-415 V, 3N~
Maximum power	10360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



EBEKO-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.016	EBEKO-I. INDUCTION COOKTOP. 5 ZONES	\$9,711 USD

ELBRUS-I



CÓDIGO	DESCRIPCIÓN	PRECIO
150.00.00.015	ELBRUS-I. INDUCTION COOKTOP. 5 ZONES	\$9,711 USD

FICHA TÉCNICA EBEKO - I



Nominal voltage	380-415 V, 3N~
Maximum power	10360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	380-415 V, 3N~
Maximum power	10360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



FICHA TÉCNICA ELBRUS - I



Nominal voltage	380-415 V, 3N~
Maximum power	10360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	23.62 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Nominal voltage	380-415 V, 3N~
Maximum power	10360 W
Unit dimensions (LxWxH)	17.60 × 33.82 × 3.54 inches
Total height (including support set)	4.65 inches
Minimum cabinet width	35.43 inches
Minimum countertop depth	25.59 inches
Countertop thickness	0.16-1.38 inches
Type of cooking system	Induction
Model edition	Black



Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

Accesorios Outdoor



Accesorios

CÓDIGO	DESCRIPCIÓN	PRECIO
40.00.000	Support Bar (Individual Kit)	\$187 USD
31.05.05.001	Gas conversion LP Kit. Conversion LPG G31/27,5 Akan/Abeki	\$38 USD
31.05.05.002	Gas conversion LP Kit. Conversion LPG G31/27,5 Altar/Adams	\$38 USD
31.05.05.004	Gas conversion LP Kit. Conversion LPG G31/27,5 Bandai/Balut	\$38 USD
31.05.05.011	Gas conversion LP Kit. Conversion LPG G31/27,5 Foessa(XL)	\$38 USD
31.05.05.012	Gas conversion LP Kit. Conversion LPG G31/27,5 Bromo	\$38 USD
31.05.05.013	Gas conversion LP Kit. Conversion LPG G31/27,5 Colo	\$38 USD

Accesorios Outdoor

CÓDIGO	DESCRIPCIÓN	PRECIO
42.00.011	1-PITT outdoor kit (Akan/Altar) TYPE OUTDOOR KIT A	\$1,113 USD
42.00.012	1-PITT outdoor kit (Azuma/Air) TYPE OUTDOOR KIT A	\$1,137 USD
42.00.020	2-PITT outdoor kit (Baluran/Bennett/Baula/Bely) TYPE OUTDOOR KIT B	\$1,639 USD
42.00.030	3-PITT outdoor kit (Capital/Cima) TYPE OUTDOOR KIT C	\$1,740 USD
42.01.001	Windshield Small	\$117 USD
42.01.002	Windshield Big	\$148 USD
42.02.001	Top cover 1-PITT TYPE OUTDOOR KIT A	\$887 USD
42.02.002	Top cover 2-/3-PITT TYPE OUTDOOR KIT B/C	\$1,233 USD
42.03.001	Bottom cover 1-PITT TYPE OUTDOOR KIT A	\$411 USD
42.03.002	Bottom cover 2-/3-PITT TYPE OUTDOOR KIT B/C	\$609 USD

Precios expresados en USD. Precios no incluyen IVA.

Todas las parrillas incluyen un SUPPORT BAR sin costo.

HOMEA
PREMIUM

H O M E A

www.homea.mx

Email: **ventas@homea.mx**

Whatsapp: **(446)144.6318**

Tel: **(442)216.3552**

Lada sin Costo: **01(800)701.2121**