



LISTA DE PRECIOS 2025

COD-13082025



H-O-M-E-A
PREMIUM

HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318 Tel: (442)216.3552



REFRIGERADORES




BERTAZZONI	Código	Descripción	Color	Precio
    	REF36DFIXNV	36" French door refrigerator - Freestanding - Stainless	Acero	\$4,395
	HK36MASFDX	Handles Kit Master Series 36" french door (901248)	Acero	\$457
	HK36PROFDX	Handles Kit Professional Series 36" french door (901249)	Acero	\$413
	HK36HERFDX	Handles Kit Heritage Series 36" french door (901250)	Acero	\$497
	DS2HERTSB	Black nickel decor set	Black nickel	\$1,142
	DS2HERTGO	Gold decor set	Gold	\$1,142
	DS2HERTPC	Copper decor set	Copper	\$1,142
*Jaladeras no incluidas. Debe cotizarse equipo + jaladeras.				
Especificaciones				
Size	36 in	Door storage	6 gallon sized bins	
Volume	Ref 15.9 cu.ft / Frz 6.6 cu.ft	Ice maker	Automatic ice maker	
Door finish	Stainless steel look		3.08 lbs / 24h	
User interface	Internal digital LED touch interface	Settings	Super cool, Super freeze, Ice maker	
Lighting	Top and sidewall LED lights	Technical specifications		
Refrigerator shelves	1 fixed and 4 height-adjustable, of which 1 retractable	Electrical supply	115 V 60 HZ - 190 W - 2.5 Amp	
Refrigerator crisper	1 large with preset temperature + 2 medium with adjustable humidity	Power connection	NEMA 5-15P with 67" power cord	
Freezer compartment	2 drawers	Sound rating	45 dbA	
		Water connection	1/4" waterline with shut-o valve	
		Water supply pressure	MIN 0.15 MPa (1.5 Bar, 21.32 PSI) MAX 0.83 MPa (8.3 Bar, 120.96 PSI)	
		Certification	CEC,UL	
		Warranty	2 years parts & labor	
		Packaging dimensions	W 38 3/16" H 72 7/16" D 30 9/16"	
		Weight	298.0 lbs	



BERTAZZONI	Código	Descripción	Color	Precio
	REF36BMBZPNV	36 inch Bottom Mount Built-in Refrigerator Panel Ready with ice maker & internal water dispenser. Reversible door.	Acero	\$8,420
	PROHK36PI	Handle kit - Professional series for REF36BMBZPNV (cod. tecnico 901462)		\$363
	MASHK36PI	Handle kit - Master series for REF36BMBZPNV (cod. tecnico 901463)		\$363
	HERHK36P	Handle kit - Heritage series for REF36BMBZPNV (cod. tecnico 901509)		\$725
	SP36BMX	Stainless steel door panels kit for REF36BMBZPNV (codigo tecnico 901609)		\$1,429
	CTXV	Union Kit for 2 units of REF36BMBZPNV (codigo tecnico 901602)		\$125
Especificaciones				
Size	36 in	Door storage	1 gallon sized + 2 height adjustable bins	
Volume	Ref 14.2 cu.ft / Frz 5.6 cu.ft	Ice maker	Automatic ice maker 3.9 lbs / 24hrs	
Door finish	Panel Ready	Settings	Super cool, Super freeze, Ice maker, Walter filter replacement alarm. Water dispenser, Eco mode, vacation mode. Sabbath mode.	
User interface	Internal digital LED touch interface			
Lighting	Top and sidewall LED lights			
Refrigerator shelves	1 stationary + 2 height-adjustable			
Refrigerator drawers	1 + 1 fresco drawer with separate temperature control			
Freezer compartment	2 drawers			
Technical specifications				
		Electrical supply	115 V 60 HZ - 120 W - 3 Amp	
		Power connection	NEMA 5-15P with 90" power cord	
		Sound rating	43 dbA	
		Water connection	1/4" waterline with shut-o" valve	
		Water supply pressure	25-80 psi (1.7-5.5 bar)	
		Certification	ADA Compliant,CB,CEC,ETL	
		Warranty	2 years parts & labor	
		Packaging dimensions	W 38 3/16" H 90 9/16" D 26 3/8"	
		Weight	417.0 lbs	







BERTAZZONI	Código	Descripción	Color	Precio
	REF24BMBPNB	24" Bottom Mount integrated panel ready sliding door	White	\$1,795
	Especificaciones			
	Worktop		Technical specifications	
	Size	24 in	Voltage, Frequency, Amps	115 V 60 HZ - 85 W - 0.8 Amp
	Volume	Ref 6.2 cu.ft / Frz 2.4 cu.ft	Power Connection	NEMA 5-15P with 41" power cord
	Finishing	White	Certification	CEC / ETL
	Door finish	Panel ready	Energy star	Yes
	Interface	Internal digital LED touch interface	Warranty	2 years parts & labor
	Lighting	LED on top	Packaging dimentions and weight	W 22 7/16" H 72 7/16" D 22 9/16" Weight 139.0lbs
	Refrigerator shelves	1 stationary + 3 height adjustable		
	Refrigerator drawers	1 + 1 fresco drawer with separate temperature and humidity control		
	Freezer compartment	3 drawers		
	Door storage	1 bin with lid - 2 height adjustable open bins		
	Settings	Super cool, Super freeze, Eco mode, Vacation mode		
SIDE				
FRONT				
TOP				





COLUMNAS DE REFRIGERADOR

BERTAZZONI	Código	Descripción	Color	Precio
	REF30RCBPNV	30" Refrigerator (Larder), reversible, panel ready	Acero	\$6,353
				
Especificaciones				
Size	30 in	Refrigerator drawers	1 crisper + 3 Fresco drawers with separate temperature control	
Cooling system	frost free			
User interface	LED touch control interface	Door storage	1 height-adjustable gallon-sized bin + 2 stationary bins	
Display functions	Door ajar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode	Water filter	internal	
		Water supply pressure	25 psi to 80 psi	
		Sound rating	43 dbA	
Lighting	LED side & top rail illumination	Certification	ADA Compliant, CEC, ETL	
Door ajar alarm	yes	DOE compliant	yes	
Door finishing	panel ready	Technical specifications		
Cabinet finishing	stainless steel back wall	Sound rating	43	
Refrigerator net capacity	16.7 cu.ft	Electrical supply	115 V - 60 Hz - 112 W - 2 Amp	
Refrigerator shelves	3 height-adjustable + 1 stationary	Power connection	NEMA 5-15P with 90" power cord	
		Energy consumption	325.0 kWh/yr	

BERTAZZONI	Código	Descripción	Color	Precio
 	REF24RCBPNV	24" Refrigerator (Larder), reversible, panel ready	Acero	\$5,960
	Especificaciones			
Size	24 in	Refrigerator drawers	1 crisper + 3 Fresco drawers with separate temperature control	
Cooling system	frost free	Door storage	1 height-adjustable gallon-sized bin + 2 stationary bins	
User interface	LED touch control interface		Water filter	
Display functions	Door ajar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode	Water supply pressure	25 psi to 80 psi	
		Sound rating	41 dbA	
Lighting	LED side & top rail illumination	Certification	ADA Compliant, CEC, ETL	
Door ajar alarm	yes	DOE compliant	yes	
Door finishing	panel ready	Technical specifications		
Cabinet finishing	stainless steel back wall	Sound rating	41	
Refrigerator net capacity	12.5 cu.ft	Electrical supply	115 V - 60 Hz - 112 W - 2 Amp	
Refrigerator shelves	3 height-adjustable + 1 stationary	Power connection	NEMA 5-15P with 90" power cord	
		Energy consumption	295.0 kWh/yr	


COLUMNAS DE CONGELADOR

BERTAZZONI	Código	Descripción	Color	Precio
 	REF18FCBIPLV	18" Freezer, left hinge, panel ready	Acero	\$5,764
	Especificaciones			
	Size	18 in	Freezer drawers	4
	Cooling system	frost free	Automatic ice maker	yes
	User interface	LED touch control interface	Ice production capacity	3.9 lbs/24hrs
	Display functions	Door ajar alarm, Super Freeze, Ice maker, Water filter replacement reminder, Eco mode, Vacation mode, Sabbath mode	Water filter	internal
			Water supply pressure	25 psi to 80 psi
			Sound rating	43 dbA
			Certification	ADA Compliant, CEC, ETL
	Lighting	LED lights on sides and top	DOE compliant	yes
	Door ajar alarm	yes	Technical specifications	
	Door finishing	panel ready	Sound rating	43
	Cabinet finishing	stainless steel back wall	Electrical supply	115 V - 60 Hz - 160 W - 2 Amp
	Door storage	3 height-adjustable bins	Power connection	NEMA 5-15P with 90" power cord
	Freezer net capacity	8.6 cu.ft ³	Energy consumption	452.0 kWh/yr
	Freezer shelves	3 height-adjustable + 1 stationary		

BERTAZZONI	Código	Descripción	Color	Precio
 	REF24FCBIPNV	24" Freezer, reversible, panel ready	Acero	\$6,353
	Especificaciones			
	Size	24 in	Freezer drawers	4
	Cooling system	frost free	Automatic ice maker	yes
	User interface	LED touch control interface	Ice production capacity	3.9 lbs/24hrs
	Display functions	Door ajar alarm, Super Freeze, Ice maker, Water filter replacement alarm, Eco mode, Vacation mode, Sabbath mode	Water filter	yes
			Water supply pressure	25 psi to 80 psi
			Sound rating	41 dbA
			Certification	ADA Compliant, CEC, ETL
	Lighting	LED lights on sides and top	DOE compliant	yes
	Door ajar alarm	yes	Technical specifications	
	Door finishing	panel ready	Sound rating	41
	Cabinet finishing	stainless steel back wall	Electrical supply	115 V - 60 Hz - 160 W - 2 Amp
	Freezer net capacity	12.4 cu.ft ³	Power connection	NEMA 5-15P with 90" power cord
	Freezer shelves	3 height-adjustable + 1 stationary	Energy consumption	511.0 kWh/yr

COLUMNAS DE CAVA DE VINOS

BERTAZZONI	Código	Descripción	Color	Precio
 21 7/8" 555 83 9/16" 2123 74 3/8" 1890 9 1/16" (40) 83 9/16" 2123 1 9/16" (40)	REF18WCBPRV	18" Wine Cellar, right hinges, panel ready	Acero	\$6,353
	Especificaciones			
Size	18 in	Technical specifications		
Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A	
User interface	LED touch control interface	Power rating	150W	
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord	
		Energy consumption	226.0 kWh/yr	
Lighting	LED lights interior illumination			
Door ajar alarm	yes			
Door finishing	panel ready			
Cabinet finishing	stainless steel back wall			
Wine racks	14 wooden shelves			
Bottle capacity	68 bottles			
Sound rating	41 dbA			
Certification	DOE Compliant, ETL			

BERTAZZONI	Código	Descripción	Color	Precio																																																							
 	REF18WCBPLV	18" Wine Cellar, left hinges, panel ready	Acero	\$6,353																																																							
	<table><thead><tr><th colspan="4">Especificaciones</th></tr></thead><tbody><tr><td>Size</td><td>18 in</td><td colspan="2">Technical specifications</td></tr><tr><td>Cooling system</td><td>Three temperature zones</td><td>Electrical supply</td><td>115 V - 60 Hz - 1.5 A</td></tr><tr><td>User interface</td><td>LED touch control interface</td><td>Power rating</td><td>150W</td></tr><tr><td>Display functions</td><td>Entertainment mode, Light color selection, Sabbath mode, Showroom mode</td><td>Power connection</td><td>NEMA 5-15P with 90" power cord</td></tr><tr><td></td><td></td><td>Energy consumption</td><td>226.0 kWh/yr</td></tr><tr><td>Lighting</td><td colspan="3">LED lights interior illumination</td></tr><tr><td>Door ajar alarm</td><td colspan="3">yes</td></tr><tr><td>Door finishing</td><td colspan="3">panel ready</td></tr><tr><td>Cabinet finishing</td><td colspan="3">stainless steel back wall</td></tr><tr><td>Wine racks</td><td colspan="3">14 wooden shelves</td></tr><tr><td>Bottle capacity</td><td colspan="3">68 bottles</td></tr><tr><td>Sound rating</td><td colspan="3">41 dbA</td></tr><tr><td>Certification</td><td colspan="3">DOE Compliant, ETL</td></tr></tbody></table>				Especificaciones				Size	18 in	Technical specifications		Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A	User interface	LED touch control interface	Power rating	150W	Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord			Energy consumption	226.0 kWh/yr	Lighting	LED lights interior illumination			Door ajar alarm	yes			Door finishing	panel ready			Cabinet finishing	stainless steel back wall			Wine racks	14 wooden shelves			Bottle capacity	68 bottles			Sound rating	41 dbA			Certification	DOE Compliant, ETL	
Especificaciones																																																											
Size	18 in	Technical specifications																																																									
Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A																																																								
User interface	LED touch control interface	Power rating	150W																																																								
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord																																																								
		Energy consumption	226.0 kWh/yr																																																								
Lighting	LED lights interior illumination																																																										
Door ajar alarm	yes																																																										
Door finishing	panel ready																																																										
Cabinet finishing	stainless steel back wall																																																										
Wine racks	14 wooden shelves																																																										
Bottle capacity	68 bottles																																																										
Sound rating	41 dbA																																																										
Certification	DOE Compliant, ETL																																																										



BERTAZZONI	Código	Descripción	Color	Precio
	REF24WCBPNV	24" wine cellar, reversible, panel ready	Acero	\$6,745
	Especificaciones			
	Size	24 in	Technical specifications	
	Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A
	User interface	LED touch control interface	Power rating	150W
	Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord
			Energy consumption	252.0 kWh/yr
	Lighting	LED lights interior illumination		
	Door ajar alarm	yes		
	Door finishing	panel ready		
	Cabinet finishing	stainless steel back wall		
	Wine racks	14 wooden shelves		
	Bottle capacity	100 bottles		
	Sound rating	41 dbA		
	Certification	DOE Compliant, ETL		


ACCESORIOS

ACCESORIOS PARA REFRIGERADORES		
Código	Descripción	Precio
SP18CX	Steel panels for REF18FCBIP.V	\$1,093
SP30CX	Steel panels for REF30RCBPNV	\$1,458
SP24CX	Steel panels for columns RED24 (RC&FC)	\$1,239
MASHKCOL	Master Series handle kit for premium columns	\$271
PROHKCOL	Professional Series handle kit for premium columns	\$286
HERHKCOL	Heritage Series handle kit for premium columns	\$228
901667	Carbonio Panels for Column REF18FC	\$1,538
901665	Carbonio Panels for Column REF24RC/FC	\$1,680
901666	Carbonio Panels for Column REF30RC/FC	\$1,892
901664	Carbonio Panels for Column REF36RC	\$2,029
901669	Professional Titanium Handle for Columns	\$169
9100277	Custom Panel handle insert kit	\$107.32

*Si las columnas se van a panelar y requieren usar las jaladeras de la marca, se requiere cotizar el Kit #9100277 para la instalación de las jaladeras en los paneles de cocina. Este Kit no se requiere cuando se instala con el panel de acero.

ACCESORIOS PARA CAVAS		
Código	Descripción	Precio
SP18WXV	Steel panels for REF18WCBPV	\$1,093
SP24WXV	Steel panels for REF24WCBPNV	\$1,239
901663	Carbonio Panels for Wine Column REF18W	\$1,538
901662	Carbonio Panels for Wine Column REF24W	\$1,695

ESTUFAS 36" MASTER SERIES



BERTAZZONI	Código	Descripción	Color	Precio
   	MAS365GASXVLP	36" Master Series range - Gas oven - 5 aluminum burners (NG conversion kit included) LP	Acero	\$5,218
	MAS365GASNEV	36" Master Series Range - Gas oven - 5 aluminum burners	Negro	\$5,885
	MAS365GASBIV	36" Master Series Range - Gas oven - 5 aluminum burners	Blanco	\$5,885
	Especificaciones			
Worktop		Oven Cavity		
Size	36 in	Oven configuration	single	
Cooking zones	5	Oven fuel	gas	
Gas zones	5	Oven type	fan assisted gas	
Worktop type	gas	Oven broiler type	gas	
Worktop design	stainless steel squared	Cooking modes	bake / broiler / convection bake	
Worktop controls	Knobs	Oven volume	5.9 ft ³	
Knobs	solid metal	Oven convection system	dual horizontal fans	
Burner type	aluminium	Oven controls	knobs / thermometer	
Grates	cast iron	Inner oven door	triple	
Continuous grating	yes	Removable inner glass	yes	
Thermocouple safety device	yes	Cooling fan	yes	
One-hand ignition	yes	Oven levels	7	
Backguard	yes	Door hinge	soft-motion	
Wok ring	yes	Wire-shelves	2 standard with handle	
Simmer ring	yes	Tray	1 baking tray with grill trivet	
Cookinf zones		Grill trivet for tray	yes	
Power burners	1300 BTU/h - 19 000 BTU/h (1)	Oven lights	double lateral	
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Bottom		
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Legs	stainless steel	
Simmer burner	750 BTU/h - 3500 BTU/h (1)	Technical specifications		
		Absorbed current (A)	2.5 A with dedicated circuit	
		Electrical supply	110V 60 Hz - 300W	



ESTUFAS 36" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color	Precio
	PRO366BCFGMXT	36" Professional Series range - Gas oven - 6 brass burners	Acero	\$6,726
	PRO366BCFGMNET	36" Professional Series range - Gas oven - 6 brass burners	Negro	\$8,768
	PRO366BCFGMBIT	36" Professional Series range - Gas oven - 6 brass burners	Blanco	\$8,768
	PRO366BCFGMGIT	36" Professional Series range - Gas oven - 6 brass burners	Amarillo	\$8,768
	PRO366BCFGMART	36" Professional Series range - Gas oven - 6 brass burners	Naranja	\$8,768
	PRO366BCFGMROT	36" Professional Series range - Gas oven - 6 brass burners	Rojo	\$8,768
	PRO366BCFGMXTLP	36" Professional Series range - Gas oven - 6 brass burners LP Version	Version LP	\$6,726
	Especificaciones			
	Worktop		Oven Cavity	
	Size	36 in	Oven configuration	single
	Cooking zones	6	Oven fuel	gas
	Gas zones	6 Burners	Oven type	fan assisted gas
	Worktop type	gas	Oven broiler type	gas
	Worktop design	stainless steel squared	Oven functions	bake / broiler / convection bake
	Knobs	metal coated	Oven volume	5.9 ft ³
	Burner type	brass	Oven convection system	dual horizontal fans
	Grates	cast iron	Inner oven door	triple
	Continuous grating	yes	Removable inner glass	yes
	Thermocouple safety device	yes	Cooling fan	yes
	One-hand ignition	yes	Oven levels	7
	Backguard	yes	Door hinge	soft-close
	Wok ring	yes	Sliding shelves	2 sets of telescopic glides
	Simmer ring	yes	Wire-shelves	2 heavy duty
	Cast iron griddle	yes	Tray	1 baking tray with grill trivet
	Cooking zones		Grill trivet for tray	yes
	Power burners	1300 BTU/h - 19 000 BTU/h (2)	Oven lights	double lateral
	Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Bottom	
	Medium burner	1500 BTU/h - 5900 BTU/h (2)	Legs	stainless steel
	Simmer burner	900 BTU/h - 3500 BTU/h (1)	Technical specifications	
			Absorbed current (A)	2.5 A with dedicated circuit
			Electrical supply	110V 60 Hz - 300W

ESTUFAS 48" MASTER SERIES



BERTAZZONI	Código	Descripción	Color	Precio
	MAS486GGASXVLP	48" Master Series range - Gas Oven - 6 aluminum (NG conversion kit included)	Acero Version LP	\$9,888
	MAS486GGASNEV	48" Master Series range - Gas Oven - 6 aluminum burners + griddle	Negro	\$10,686
	MAS486GGASBIV	48" Master Series range - Gas Oven - 6 aluminum	Blanco	\$10,686
 				
				
				
	</			




ESTUFAS 48" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color	Precio
	PRO486BTFGMXT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Acero	\$11,263
	PRO486BTFGMNET	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Negro	\$12,847
	PRO486BTFGMBIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Blanco	\$12,847
	PRO486BTFGMGIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Amarillo	\$12,847
	PRO486BTFGMART	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Naranja	\$12,847
	PRO486BTFGMROT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Rojo	\$12,847
	PRO486BTFGMXLTP	48" Professional Series range - Gas Oven - 6 brass burners + griddle LP Version	Versión LP	\$11,263
	Especificaciones			
	Worktop		Oven Cavity	
	Size	48 in	Oven configuration	double
	Cooking zones	7	Oven fuel	gas
	Gas zones	6 Burners	Oven type	gas conventional
	Griddle zones	electric	Oven convection system	dual horizontal fans
	Worktop type	electric / gas	Main oven type	fan assisted gas
	Worktop design	stainless steel squared	Main oven broiler type	gas
	Worktop controls	knobs	Main oven functions	bake / broiler / convection bake / defrosting
	Knobs	metal coated	Main oven volume	4.7 ft ³
	Burner type	brass	Auxiliary oven type	gas conventional
	Grates	cast iron	Auxiliary oven broiler type	gas
	Continuous grating	yes	Auxiliary oven functions	bake
	Thermocouple safety device	yes	Auxiliary oven volume	2.4 ft ³
	One-hand ignition	yes	Oven controls	knobs / thermometer
	Backguard	yes	Inner oven door	triple
	Wok ring	yes	Removable inner glass	yes
	Simmer ring	yes	Cooling fan	yes
	Cookinf zones		Oven levels	7
	Power burners	1300 BTU/h - 19 000 BTU/h (2)	Food probe	yes
	Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Door hinge	soft-close
	Medium burner	1500 BTU/h - 5900 BTU/h (2)	Sliding shelves	2 sets of telescopic glides
	Simmer burner	750 BTU/h - 3500 BTU/h (1)	Wire-shelves	2 each cavity
	Griddle power	1100 W	Tray	1 baking tray with grill trivet
	Griddle dual control	yes	Grill trivet for tray	yes
	Griddle drip tray	yes	Oven lights	double lateral
	Bottom		Legs	stainless steel
	Technical specifications		Absorbed current (A)	10 A with dedicated circuit
			Electrical supply	110 V 60 Hz - 1200W


ESTUFAS SERIE HERITAGE 36"

BERTAZZONI	Código	Descripción	Color	Precio
	HER366BCFGMNET	36" Heritage Series range - Gas Oven - 6 brass burners	Negro	\$8,772
	HER366BCFGMXT	36" Heritage Series range - Gas Oven - 6 brass burners	Acero	\$8,772
	HER366BCFGMAVT	36" Heritage Series range - Gas Oven - 6 brass burners	Crema	\$8,772
				
				
				
				
	</			






CAMPANAS SERIE HERITAGE 36"


BERTAZZONI		Código	Descripción	Color	Precio
		KC36HERTX	36" Canopy Hood Stainless	Acero	\$1,107
		KC36HERTAV	36" Canopy Hood Ivory	Crema mate	\$1,107
		KC36HERTNE	36" Canopy Hood Nero	Negro	\$1,107
Especificaciones					
Worktop			Lights	2 LED	
Size	36 in		Hood finishing	stainless steel and matt or glossy color	
Hood			Sound rating	1.3 - 8.6 Sones	
Hood type	wallmount		Max extraction power	600 CFM	
Hood control	electronic with buttons		Technical specifications		
Duct cover	included				
Motor	1		Electrical supply	120 V - 60 Hz - 3.30 A	
Speed	3		Power rating	400 W	
Filters type	baºe stainless steel				
Motor para campana HERITAGE 36"					
K36HERTX		Motor 600 CFMS			\$2,045
*Se debe cotizar Campana más Motor.					
					
					
					

ESTUFAS SERIE HERITAGE 48"

BERTAZZONI	Código	Descripción	Color	Precio
	HER486BTFGMNET	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Negro	\$13,910
	HER486BTFGMXT	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Acero	\$13,910
	HER486BTFGMAVT	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Crema	\$13,910
Especificaciones				
Worktop		Oven Cavity		
Size	48 in	Oven configuration	double	
Cooking zones	7	Oven fuel	gas	
Gas zones	6 Burners	Oven type	gas conventional	
Griddle zones	electric	Oven convection system	dual horizontal fans	
Worktop type	electric / gas	Main oven type	fan assisted gas	
Worktop design	stainless steel squared	Main oven broiler type	gas	
Worktop controls	knobs	Main oven functions	bake/broiler/convection bake/defrosting	
Knobs	solid metal	Main oven volume	4.7 ft³	
Burner type	brass	Auxiliary oven type	gas conventional	
Grates	cast iron	Auxiliary oven broiler type	gas	
Continuous grating	yes	Auxiliary oven functions	bake	
Thermocouple safety device	yes	Auxiliary oven volume	2.4 ft³	
One-hand ignition	yes	Oven controls	knobs/thermometer	
Backguard	yes	Inner oven door	triple	
Wok ring	yes	Removable inner glass	yes	
Simmer ring	yes	Cooling fan	yes	
Cooking zones		Oven levels	7	
Power burners	1300 BTU/h - 19 000 BTU/h (2)	Food probe	yes	
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Door hinges	soft-close	
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Sliding shelves	2 sets of telescopic glides	
Simmer burner	750 BTU/h - 3500 BTU/h (1)	Wire-shelves	2 each cavity	
Griddle power	1100 W	Tray	1 baking tray with grill trivet	
Griddle dual control	yes	Grill trivet for tray	yes	
Griddle drip tray	yes	Oven lights	double lateral	
Technical specifications		Bottom		
Absorbed current (A)	10 A with dedicated circuit	Legs	stainless steel	
Electrical supply	110V 60 Hz - 1200W			







CAMPANAS SERIE HERITAGE 48"

BERTAZZONI		Código	Descripción	Color	Precio
		KC48HERTX	48" Canopy Hood Stainless	Acero	\$1,375
		KC48HERTAV	48" Canopy Hood Ivory	Crema mate	\$1,375
		KC48HERTNE	48" Canopy Hood Nero	Negro mate	\$1,375
	Especificaciones				
Worktop			Lights	2 LED	
Size	48 in		Hood finishing	stainless steel and matt or glossy color	
Hood			Sound rating	1.3 - 8.6 Sones	
Hood type	wallmount		Max extraction power	600 CFM	
Hood control	electronic with buttons		Technical specifications		
Duct cover	included				
Motor	1		Electrical supply	120 V - 60 Hz - 3.30 A	
Speed	3		Power rating	400 W	
Filters type	ba°e stainless steel				
Motor para campana HERITAGE 48"					
	K48HERTX	Motor 600 CFMS	\$2,223		
*Se debe de cotizar campana + motor.					



ACCESORIOS OPCIONALES ESTUFAS

Código	Descripción	Precio
901309	Satainless Steel Grid SG36X (Works for rangetops and DB an QB Cooktops)	\$624
901472	Satainless Steel Grid CIG36 (Works for all ranges)	\$235

DECOR SET PARA CAMPANA Y ESTUFA HERITAGE 36" - 48"		
Código	Descripción	Precio
DSHERTKHGO	Decor Set 1- Range & Hood Kit : Gold Finish	\$1,958
DSHERTKHPC	Decor Set 1- Range & Hood Kit : Polished Copper Finish	\$1,958
DSHERTKHSB	Decor Set 1- Range & Hood Kit : Matt Satin Black Finish	\$1,958



DECOR SET PARA ESTUFAS MASTER 36" - 48"		
Código	Descripción	Precio
DSMASGKSG	10 x knobs in Gold	\$1,177
DSMASGKSB	10 x knobs in Black Nickel	\$1,177
DSMASHSG	2 x handle finials in Gold	\$392
DSMASHSB	2 x handle finials in nickel	\$392





PARRILLAS DE INDUCCIÓN PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Precio
	P365IAE	36" - 5 Induction Zones Cooktop Professional Series	\$4,986
	Especificaciones		
	Worktop		Cooking zones
	Size	36 in	Induction 2 bridge zones yes
	Cooking zones	5	Induction front left (≈ 8 3/4 in) 2 100 W - 3 700 W
	Induction zones	5	Induction back left (≈ 8 3/4 in) 2 100 W - 3 700 W
	Worktop type	induction	Induction center (≈ 12 in) 2 600 W - 5 500 W
	Worktop design	ceramic glass bevelled	Induction front right (≈ 8 3/4 in) 2 100 W - 3 700 W
	Worktop controls	touch controls	Induction back right (≈ 8 3/4 in) 2 100 W - 3 700 W
	Technical speciycations		
	Electrical supply	208/240 V - 50/60 Hz - 48 A	
	Power rating	11 100 W	


BERTAZZONI	Código	Descripción	Precio
	P304IAE	30" - 4 Induction Zones Cooktop Professional Series	\$3,740
	Especificaciones		
	Worktop		Cooking zones
	Size	30 in	Induction front left (≈ 8 3/4 in) 2 100 W - 3 700 W
	Cooking zones	4	Induction back left (≈ 8 3/4 in) 2 100 W - 3 700 W
	Induction zones	4	Induction front right (≈ 9 1/4 in) 2 100 W - 3 700 W
	Worktop type	induction	Induction back right (≈ 11 1/4 in) 2 600 W - 3 700 W
	Worktop design	ceramic glass bevelled	
	Worktop controls	touch controls	
	Technical speciycations		
	Electrical supply	208/240 V - 50/60 Hz - 32 A	
	Power rating	7 400 W	




PARRILLAS ENCIMERAS DE GAS BERTAZZONI


BERTAZZONI	Código	Descripción	Color	Precio
	P905Cprox	90cm Gas on steel Cooktop, 5 Brass Burners	Acero	\$1,207
	Especificaciones			
	Worktop		Cooking zones	
	Size	90 cm	Front right	1 auxiliary 0.48 kW - 1.00 kW
	Worktop surface	stainless steel	Back right	1 rapid 1.05 kW - 3.00 kW
	Layout	5 burners	Center	1 wok dual 0.48 kW - 5.00 kW
	Worktop controls	knobs	Front left	1 semi-rapid 0.60 kW - 1.75 kW
	Knobs	metal	Back left	1 semi-rapid 0.60 kW - 1.75 kW
	Pan supports	cast iron	Technical specifications	
	Burner type	brass	Electrical requirements	220/240, 50/60 Hz, 1A, 1W
	Work burner	5 kW dual		
	Flame failure device	-		
	One-hand ignition	-		
	Standard accessories	-		

PARRILLAS DE GAS

BERTAZZONI	Código	Descripción	Color	Precio
 TOP VIEW  FRONT VIEW  SIDE VIEW 	PROF486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Profesional Series	Acero	\$4,086
	Especificaciones			
	Worktop		Cooking zones	7
	Size	48 in	Griddle zones	electric
	Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel squared
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
			Burner type	brass
	Technical specifications		Electrical requirements	120 V - 60 Hz - 10 A
	Grates	Cast iron	Power rating	1100 W



BERTAZZONI	Código	Descripción	Color	Precio
   	MAST486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Master Series	Acero	\$4,086
	Especificaciones			
	Worktop		Cooking zones	7
	Size	48 in	Griddle zones	electric
	Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel squared
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
			Burner type	brass
			Technical specifications	
	Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 10 A
Power rating			1100 W	





BERTAZZONI	Código	Descripción	Color	Precio
	PROF366RTBXT	36" Rangetop 6 Brass Burners Profesional Series	Acero	\$2,668
	Especificaciones			
	Worktop	Cooking zones	6	
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
			Burner type	brass
	Grates	Cast iron	Technical specifications	
			Electrical requirements	120 V - 60 Hz - 1 A
			Power rating	1 W

BERTAZZONI	Código	Descripción	Color	Precio
	MAST366RTBXT	36" Rangetop 6 Brass Burners Master Series	Acero	\$2,668
	Especificaciones			
	Worktop	Cooking zones	6	
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
			Burner type	brass
	Grates	Cast iron	Technical specifications	
			Electrical requirements	120 V - 60 Hz - 1 A
			Power rating	0.01 W









BERTAZZONI	Código	Descripción	Color	Precio
 	MAST366QBXT	36" Built-in cooktop master series	Acero	\$1,900
	Especificaciones			
	Worktop		Cooking zones	6
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
 	Burner power	1 power burners 17000 BTU 1 rapid burner 10400 BTU 3 medium burners 6000 BTU 1 simmer burner 3750 BTU	Worktop desing	stainless steel
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
	Grates	Cast iron	Burner type	brass
	Technical specifications			
			Electrical requirements	120 V - 60 Hz - 1 A
			Power rating	1 W

BERTAZZONI	Código	Descripción	Color	Precio
 	PROF366QBXT	36" Built-in cooktop profesional series	Acero	\$1,900
	Especificaciones			
	Worktop		Cooking zones	6
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
 	Burner power	1 power burners 17000 BTU 1 rapid burner 10400 BTU 3 medium burners 6000 BTU 1 simmer burner 3750 BTU	Worktop desing	stainless steel
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
	Grates	Cast iron	Burner type	brass
	Technical specifications			
			Electrical requirements	120 V - 60 Hz - 1 A
			Power rating	0.01 W



HORNOS CONVECCIÓN 30"


BERTAZZONI	Código	Descripción	Color	Precio
   	PROF30FSEXT	30" Single Convection Oven Top Version Profesional Series	Acero	\$5,530
	Especificaciones			
	Worktop		Cavity finishing	pyrolytic grey enamel
	Size	30 in	Oven handle	metal
	Oven configuration	single	Cooling fan	yes
	Oven fuel	electric	Oven levels	7
	Oven type	self-clean	Timer	touch digital programmer
	Oven broiler type	electric	Auto cooking modes	33 preset / with assistant
	Oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Door hinge	soft-motion
	Overall volume	4.10 ft ³	Sliding shelves	1 full extension
Oven convection system Oven controls Inner oven door Removable inner glass			Wire-shelves	2 heavy gauge chromed
			Tray	1 enamelled
			Grill trivet for tray	yes
			Oven lights	double
			Technical specifications	
		Electrical requirements	120/240 Vac - 60 Hz - 30 A	
		Power rating	5400 W	


BERTAZZONI	Código	Descripción	Color	Precio
   	MAST30FSEXT	30" Single Convection Oven Top Version Master Series	Acero	\$5,530
	Especificaciones			
	Worktop		Oven handle	metal
	Size	30 in	Cooling fan	yes
	Oven configuration	single	Oven levels	7
	Oven fuel	electric	Timer	touch digital programmer
	Oven type	self-clean	Door hinge	soft-close
	Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed
	Oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Tray	1 enamelled
	Overall volume	4.10 ft ³	Grill trivet for tray	yes
Oven convection system Oven controls Inner oven door Removable inner glass Cavity finishing			Oven lights	single
			Technical specifications	
			Electrical requirements	120/240 V - 60 Hz - 30 A
			Power rating	5400 W



BERTAZZONI	Código	Descripción	Color	Precio
	PROF30FSEXV	30" Single Convection Oven Value Version Profesional Series	Acero	\$4,116
Especificaciones				
Worktop		Oven handle	metal	
Size	30 in	Cooling fan	yes	
Oven configuration	single	Oven levels	7	
Oven fuel	electric	Timer	touch digital programmer	
Oven type	self-clean	Door hinge	soft-motion	
Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped	
Oven functions	bake / broil / convection / convection bake / convection broil / defrosting / dehydrate / proofing / pyrolytic self clean / pizza / sabbath mode / warming	Tray	1 baking tray whit roasting trivet	
		Grill trivet for tray	yes	
		Oven lights	single	
Overall volume	4.10 ft ³	Technical specifications		
Oven convection system	dual diagonal with heating element	Electrical requirements	120/240 V - 60 Hz - 30 A	
Oven controls	knobs / touch LED display	Power rating	5400 W	
Inner oven door	quadruple			
Removable inner glass	yes			
Cavity finishing	pyrolityc grey enamel			







BERTAZZONI	Código	Descripción	Color	Precio
	MAST30FSEXV	30" Single Convection Oven Value Version Master Series	Acero	\$4,116
Especificaciones				
Worktop		Oven handle	metal	
Size	30 in	Cooling fan	yes	
Oven configuration	single	Oven levels	7	
Oven fuel	electric	Timer	touch digital programmer	
Oven type	self-clean	Door hinge	soft-motion	
Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed	
Oven functions	bake / broil / convection / convection bake / convection broil / pizza / defrost / dehydrate / fast preheat / keep warm / light / proof / self clean / timer	Tray	1 enamelled	
		Grill trivet for tray	yes	
		Oven lights	single	
Overall volume	4.10 ft ³	Technical specifications		
Oven convection system	dual diagonal with heating element	Electrical requirements	120/240 V - 60 Hz - 30 A	
Oven controls	knobs / touch LED display	Power rating	5400 W	
Inner oven door	quadruple			
Removable inner glass	yes			
Cavity finishing	pyrolityc grey enamel			




BERTAZZONI	Código	Descripción	Color	Precio																																																							
 	PROF30SOEX	30" Convection Speed Oven Profesional Series	Acero	\$3,145																																																							
	<table><thead><tr><th colspan="4">Especificaciones</th></tr></thead><tbody><tr><td colspan="2">Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Microwave power</td><td>200 / 400 / 600 / 800 / 1000</td></tr><tr><td>Oven configuration</td><td>single</td><td>Oven levels</td><td>2</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Timer</td><td>yes</td></tr><tr><td>Oven type</td><td>self-clean</td><td>Door hinge</td><td>soft-motion</td></tr><tr><td>Oven broiler type</td><td>electric</td><td>Wire-shelves</td><td>1 flat / 1 shaped</td></tr><tr><td>Oven functions</td><td>broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer</td><td>Tray</td><td>1 glass</td></tr><tr><td>Overall volume</td><td>1.34 ft³</td><td>Grill trivet for tray</td><td>yes</td></tr><tr><td>Oven convection system</td><td>single whit ring heating element</td><td>Oven lights</td><td>single</td></tr><tr><td>Oven controls</td><td>touch LED display</td><td colspan="2">Technical specifications</td></tr><tr><td>Inner oven door</td><td>double</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 16 A</td></tr><tr><td>Removable inner glass</td><td>yes</td><td>Power rating</td><td>1500 W</td></tr><tr><td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr></tbody></table>				Especificaciones				Worktop		Oven handle	metal	Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000	Oven configuration	single	Oven levels	2	Oven fuel	electric	Timer	yes	Oven type	self-clean	Door hinge	soft-motion	Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped	Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass	Overall volume	1.34 ft³	Grill trivet for tray	yes	Oven convection system	single whit ring heating element	Oven lights	single	Oven controls	touch LED display	Technical specifications		Inner oven door	double	Electrical requirements	120/240 V - 60 Hz - 16 A	Removable inner glass	yes	Power rating	1500 W	Cavity finishing	stainless steel	
Especificaciones																																																											
Worktop		Oven handle	metal																																																								
Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000																																																								
Oven configuration	single	Oven levels	2																																																								
Oven fuel	electric	Timer	yes																																																								
Oven type	self-clean	Door hinge	soft-motion																																																								
Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped																																																								
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass																																																								
Overall volume	1.34 ft³	Grill trivet for tray	yes																																																								
Oven convection system	single whit ring heating element	Oven lights	single																																																								
Oven controls	touch LED display	Technical specifications																																																									
Inner oven door	double	Electrical requirements	120/240 V - 60 Hz - 16 A																																																								
Removable inner glass	yes	Power rating	1500 W																																																								
Cavity finishing	stainless steel																																																										

BERTAZZONI	Código	Descripción	Color	Precio
  	MAST30SOEX	30" Convection Speed Oven Master Series	Acero	\$3,145
	Especificaciones			
	Worktop		Oven handle	metal
	Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000
	Oven configuration	single	Oven levels	2
	Oven fuel	electric	Timer	yes
	Oven type	self-clean	Door hinge	soft-motion
	Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped
	Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass
			Grill trivet for tray	yes
		Oven lights	single	
Technical specifications				
Overall volume	1.34 ft ³	Electrical requirements	120/240 V - 60 Hz - 30 A	
Oven convection system	single whit ring heating element	Power rating	1500 W	
Oven controls	touch LED display			
Inner oven door	double			
Removable inner glass	yes			
Cavity finishing	stainless steel			


BERTAZZONI	Código	Descripción	Color	Precio
  	PROF30CSEX	30" Convection Steam Oven Profesional Series	Acero	\$3,278
	Especificaciones			
	Worktop		Oven handle	metal
	Size	30 in	Shelf levels	2
	Oven configuration	single	Door hinges	soft-motion
	Oven fuel	electric	Removable water tank	33.8 fl.oz
	Oven type	combination electric		
	Oven broiler type	convection and steam		
	Oven functions	electric		
		broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting		
	Overall volume	1.34 ft ³	Technical specifications	
	Oven convection system	1 fan	Electrical requirements	240 V - 60 Hz - 16 A
			Power rating	3200 W
	Oven controls	touch LED display		
	Inner oven door	double		
	Removable inner glass	yes		
	Cavity finishing	stainless steel		

BERTAZZONI	Código	Descripción	Color	Precio
  	MAST30CSEX	30" Convection Steam Oven Master Series	Acero	\$3,278
	Especificaciones			
	Worktop		Oven handle	metal
	Size	30 in	Shelf levels	2
	Oven configuration	single	Door hinges	soft-motion
	Oven fuel	electric	Removable water tank	33.8 fl.oz
	Oven type	combination electric		
	Oven broiler type	convection and steam		
	Oven functions	electric		
		broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting		
	Overall volume	1.34 ft ³	Technical specifications	
	Oven convection system	1 fan	Electrical requirements	240 V - 60 Hz - 30 A
			Power rating	3200 W
	Oven controls	touch LED display		
	Inner oven door	double		
	Removable inner glass	yes		
	Cavity finishing	stainless steel		

HORNO CONVECCIÓN 24"


BERTAZZONI	Código	Descripción	Color	Precio
 	PROF24FSEXV	24" Electric Convection Oven Professional Series	Acero	\$1,617
	Especificaciones			
Worktop		Cavity finishing	black enamel	
Size	24 in	Oven handle	metal	
Oven configuration	Single	Cooling fan	yes	
Oven fuel	Electric	Oven levels	5	
Oven broiler type	Electric	Timer	touch digital programmer	
Cooking modes	bake / bottom bake / broil / convection / convection bake / convection broil / defrosting dehydrate / fast preheat / oven light / pizza / proofing turbo / upper bake	Door hinges	soft-motion	
Gross volume oven	2.70 ft ³	Wire-shelves	1 flat / 1 shaped	
Oven convection system	single	Tray	1 baking tray with roasting trivet	
Oven controls	knobs / touch LED display	Technical especifications		
Inner oven door	triple	Electrical supply	120/240 V 60 Hz - 2800 W 208/240 V 60 Hz - 2100 W 16 Amp dedicated circuit	
Removable inner glass	yes	Power rating	Bake: 2050 W / Broiler: 2400 W / Convection: 1800 W	
		Power connection	metal conduit 59" power cord	
		Certification	UL	

MICROONDAS

BERTAZZONI	Código	Descripción	Color	Precio
 	MO30STANE/16	30" Microwave Oven	Acero	\$1,221
	Especificaciones			
Worktop		Sensor reheat, defrost, cook	yes	
Size	30 in	Clock/Timer	yes	
Overall volume	2.00 ft ³	Cook time function	yes	
Cavity finishing	Enameled white	Child lock	yes	
Microwave power levels	10 Levels	Turnspit	1 Ø 16	
Preset cooking mode functions	yes	Technical especifications		
Multiple sequence cooking	4	Electrical requirements	120 V - 60 Hz - 10 A	
		Power rating	1100 W	


TRIMS


BERTAZZONI	Código	Descripción	Color	Precio
	FR30PROX	30" Built-in Trim for MO30STANE	Acero	\$319
	Especificaciones			
Size	30 in			
Type	Built-in Installation of MO30STANE 24" Microwave			
Finishing	stainless steel			


BERTAZZONI	Código	Descripción	Color	Precio
 	PROF24SOEX	24" - Convection Speed Oven Professional Series	Acero	\$2,690
Especificaciones				
Worktop		Grill trivet for tray	yes	
Special functions	defrost by time / defrost by weight / light / popcorn / recipes timer	Turntable quantity	1 glass	
Size	24 in			
Microwave type	combi-microwave			
Functions	broil / convection / microwave / convection broil microwave / microwave with broiler / pizza			
		Technical specifications		
Total volume	1.34 ft³	Electrical supply	240 V - 60 HZ - 3850 W / 16 Amp dedicated circuit Broiler: 1500 W / Convection: 1600 W	
Oven convection system	single			
Oven controls	touch LED display			
Auto cooking modes	yes	Power connection	NEMA 6-20P with 71" power cord	
Inner oven door	double			
Removable inner glass	yes	Certification	CETLUS	
Cavity finishing	stainless steel			
Oven levels	2			
Microwave power levels	200 / 400 / 600 / 800 / 1000			
Clock/Timer	yes			
Tray	1 glass			




CAJONES CALIENTES

BERTAZZONI	Código	Descripción	Color	Precio																											
 	PROF30WDEX	30" Convection Warming Drawer	Acero	\$1,550																											
	<table><thead><tr><th colspan="4">Especificaciones</th></tr><tr><th colspan="2">Worktop</th><th colspan="2">Technical specifications</th></tr></thead><tbody><tr><td>Size</td><td>30 in</td><td>Electrical supply</td><td>120 V - 60 Hz - 500 W 5 Amps</td></tr><tr><td>Design</td><td>Stainless steel</td><td>Power connection</td><td>NEMA 5-15P with 59" power cord</td></tr><tr><td>Volume</td><td>2.3 cu ft</td><td>Certification</td><td>CETLUS</td></tr><tr><td>Cavity finishing</td><td>Tempered glass bottom</td><td>Packaging dimensions and weight</td><td>W 26 3/8" H 13 1/2" D 32 3/4" 87.3 lbs</td></tr><tr><td>Temperature range</td><td>85 - 170 °F</td><td></td><td></td></tr></tbody></table>				Especificaciones				Worktop		Technical specifications		Size	30 in	Electrical supply	120 V - 60 Hz - 500 W 5 Amps	Design	Stainless steel	Power connection	NEMA 5-15P with 59" power cord	Volume	2.3 cu ft	Certification	CETLUS	Cavity finishing	Tempered glass bottom	Packaging dimensions and weight	W 26 3/8" H 13 1/2" D 32 3/4" 87.3 lbs	Temperature range	85 - 170 °F	
Especificaciones																															
Worktop		Technical specifications																													
Size	30 in	Electrical supply	120 V - 60 Hz - 500 W 5 Amps																												
Design	Stainless steel	Power connection	NEMA 5-15P with 59" power cord																												
Volume	2.3 cu ft	Certification	CETLUS																												
Cavity finishing	Tempered glass bottom	Packaging dimensions and weight	W 26 3/8" H 13 1/2" D 32 3/4" 87.3 lbs																												
Temperature range	85 - 170 °F																														


BERTAZZONI	Código	Descripción	Color	Precio
 	MAST30WDEX	30" Convention Warming Drawer	Acero	\$1,550
	Especificaciones			
	Worktop		Technical specifications	
	Size	30 in	Electrical supply	120 V - 60 Hz - 500 W 5 Amps
	Design	Stainless steel	Power connection	NEMA 5-15P with 59" power cord
Oven Volume	2.3 cu ft	Certification	CETLUS	
Cavity finishing	Tempered glass bottom	Packaging dimensions and weight	W 26 3/8" H 13 1/2" D 32 3/4" 87.3 lbs	
Temperature range	85 - 170 °F			

BERTAZZONI	Código	Descripción	Color	Precio
 	WD60PROX	24" Warming Drawer Professional Series	Acero	\$1,101
	Especificaciones			
	Worktop		Technical specifications	
Size	24 in	Voltage and frequency	220/240 V - 50/60 Hz	
Design	Stainless steel	Absorbed power (W)	400 W	
Controls	push/pull with soft motion operation			
Equipment	inner rubber matt / thermostat light on/o°			
Carring capacity	25kg			
Max temperature	85°C			

CAMPANA

BERTAZZONI	Código	Descripción	Color	Precio
 	KIN36XV	36" - Insert Hood, 1 motors 560 CFM Professional Series	Acero	\$1,281
	Especificaciones			
	Hood		Technical specifications	
	Size	36 in	Electrical supply	110 V - 60 Hz - 3.30 A
	Hood type	built-in	Power rating	410 W
	Hood control	electronic with buttons	Power connection	NEMA 5-15P with 59" power cord
	Motor	1	Certification	CEC, UL
	Speed	3 + booster		
	Filters type	aluminum mesh		
	Lights	2 LED		
	Hood finishing	stainless steel		
	Duct size	6" diameter		
	Sound rating	1.5 - 6 Sones		
	Max extraction power	560 CFM		
Accesorios				
	901531	Charcoal Filters for Kin Hoods		\$90
	901532	Durable Charcoal Filters for Kin Hoods		\$361
	901575	Remote Control for Kin Hoods		\$137

LAVAVAJILLAS

BERTAZZONI	Código	Descripción	Color	Precio
 	DW24T3IPV	24" - Dishwasher Tall Tub Panel Ready, Professional Series	Acero	\$2,015
	Especificaciones			
	Worktop		Technical specifications	
	Size	24 in	Delayed start	yes
	Place setting	15	Lighting	floor projection status light
	Controls	concealed multi-button	Drying system	PowerDry Plus
	Interior finish	stainless steel	Overflow protection device	yes
	User interface	LED display	Filter system	triple stage metal filter
	Spray arms	3	Certification	CEC, NSF, UL
	Number of racks	3		
	Cutlery basket	sliding	Electrical supply	120 V - 60 Hz - 12 A
	Wash cycle	6 - auto, crystal and china, pots and pans, quick, regular, rinse and hold	Power rating	1400 W
	Wash Options	7 - accel, extra dry, delay start, 3 half load modes, sanitize, scrub, stealth	Energy consumption	234 kWh
Accesorios				
	HK24PRODWX	Handle Kit for 24 Dishwasher Professional series		\$157
	HK24MASDWX	Handle Kit for 24 Dishwasher Master Series		\$157
	HK24HERDWX	Handle Kit for 24 Dishwasher Heritage Series		\$157
	901661	Carbonio Panels for dishwasher DW24T		\$875
	901668	Profesional Titanium Handle for Dishwasher		\$224



CAFETERA

BERTAZZONI	Código	Descripción	Color	Precio
	CM242WXT	24" Built-In Coffee Machine with Stainless Steel Panels	Acero	\$5,487
	Especificaciones			
	Worktop		Technical specifications	
	Size	24 in	Electrical supply	120 V - 60 Hz - 1350 W 6 Amp
	Design	Stainless steel	Power connection	67" power cord with plug
User interface		Full touch TFT display 4.3"	Automatic rising	yes
Certification		UL	Automatic descaling	yes
			Coffee length	extra large/large/medium/ small
			Pump pressure	15 bar

