GAGGENAU LISTA DE PRECIOS 2025



HOMEA PREMIUM

HOMEA

www.homea.mx Email: ventas@homea.mx Whatsapp: (446)144.6318 Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121



SYMMETRY PERFECTLY STAGED

The Gaggenau Expressive series, inspired by Bauhaus and modern architecture, impresses with elegant, sculptural shapes.

Expressive series ovens



Oven Gaggenau Expressive series GO 480/481

- Width 30" (76 cm).
- Stainless steel behind smoked glass.

Included accessories

- baking tray, enameled, pyrolysis-safe.
- broil pan, enameled, pyrolysis-safe with wire rack.
- core temperature probe.
- rotisserie spit.

Optional accessories

BA 020 110

Air frying tray. To be placed on wire rack.

BA 028 115

Baking tray, enameled. 1" (30 mm) deep.

BA 038 165

Wire rack, for 30"/36" (76 cm/ 90 cm) oven

BA 058 134

Baking stone kit with baking paddle for 30" (76 cm) oven.

BS 020 003

Baking paddle

GN 340 231

Gastronorm roaster in cast aluminum. GN 2/3, height 6 1/2" (165 mm), PFAS free non-stick coating

Right-hinged

GO 480 720 NEW \$17,905 stainless steel behind smoked glass

Left-hinged

GO 481 720 NEW stainless steel behind smoked glass

Minimum fuse protection: 35 A double-pole breaker.



Delivery starting Q4 2025. Star-K certification pending.

Note: Side-hinge doors are not reversible.



Oven Gaggenau Expressive series GO 470/471

- Width 24" (60 cm).
- Stainless steel behind smoked glass.

Included accessories

- wire rack.
- baking tray, enameled, pyrolysis-safe.
- broil pan, enameled, pyrolysis-safe
- core temperature probe.
- rotisserie spit.

Optional accessories

BA 020 110

Air frying tray. 1³/16" (30 mm) deep.

BA 026 116

Baking tray, enameled. 1" (30 mm) deep.

BA 026 117

Broil pan, enameled. 13/16" (30 mm) deep.

BA 036 166

Wire rack, chromium-plated. Without opening, with feet.

Glass tray for 24"/30") ovens. 1" deep (24 mm).

BA 056 134

Baking stone kit with baking paddle for 24" (60 cm) oven.

BS 020 003

Baking paddle.

GN 340 231

Gastronorm roaster in cast aluminum. GN 2/3, height 6 1/2" (165 mm), PFAS free non-stick coating.

Right-hinged

GO 470 720 NEW

\$16,422

\$17,905

n

stainless steel behind smoked glass

Left-hinged

GO 471 720 NEW

stainless steel behind smoked glass

\$16,422

Delivery starting Q4 2025.

Star-K certification pending.



Expressive series Combi-steam ovens



Combi-steam oven Gaggenau Expressive series GS 480/481

- Width 30" (76 cm).
- Plumbed. Water and drain line
- Stainless steel behind smoked glass.

Included accessories

- cooking container, stainless steel, perforated.
- cooking container, stainless steel, unperforated.
- wire rack.
- water inlet hose 118" (3 m).
- water outlet hose 118" (3 m).
- 4 cleaning cartridges.

Optional accessories

BA 010 050

Core temperature probe.

BA 010 301

Triple telescopic pull-out rack.

Cooking container stainless steel, Unperforated

BA 020 370

Cooking container stainless steel, Perforated

BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118

Glass tray for 24"/30" (60 cm/76 cm) ovens.

CLS 100 40

Cleaning cartridges, set of 4*.

* Set of 4 included in delivery.

GN 010 330

Adapter for gastronorm insert and roaster.

GN 114 130

Gastronorm insert, stainless steel, GN 1/3.

Unperforated, 19/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 114 230

Gastronorm insert, stainless steel, GN 2/3. Unperforated, 1% deep (40 mm), 3 qt. (3 l).

GN 124 130

Gastronorm insert, stainless steel, GN 1/3.

Perforated, 1 %/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 124 230

Gastronorm insert, stainless steel, GN 2/3.

Perforated, 1 % deep (40 mm), 3 qt. (3 l).

GN 340 231

Gastronorm roaster in cast aluminum. GN 2/3, height 6 1/2" (165 mm), PFAS free non-stick coating.

Installation accessories

GZ 010 011

Extension for water inlet and outlet. 78" long (2 m).

GA 301 010

Gaagenau adjustable shelf Installation kit for 30" (76 cm)

Required accessories

Part No. 17002490

Descaling tablets, set of 4.

Right-hinged

GS 480 720 NEW

stainless steel behind smoked glass

stainless steel behind smoked glass

\$19,389

Left-hinged

GS 481 720 NEW

\$19,389

Delivery starting Q4 2025. Star-K certification pending.



- Plumbed with drain.
- No electrical appliances can be installed above the combi-steam oven.

Expressive series Combi-steam ovens



Combi-steam oven Gaggenau Expressive series GS 470/471

- Width 24" (60 cm).
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

Included accessories

- cooking container, stainless steel, perforated.
- cooking container, stainless steel, unperforated.
- 1 wire rack.
- 1 water inlet hose 118'' (3 m).
- 1 water outlet hose 118" (3 m).
- 4 cleaning cartridges.

Optional accessories

BA 010 050

Core temperature probe.

BA 010 301

Triple telescopic pull-out rack.

BA 020 36

Cooking container stainless steel, Unperforated

BA 020 370

Cooking container stainless steel, Perforated

BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118

Glass tray for 24''/30'' (60 cm/76 cm) ovens.

CLS 100 40

Cleaning cartridges, set of 4*.

* Set of 4 included in delivery.

GN 010 330

Adapter for gastronorm insert and roaster.

GN 114 130

Gastronorm insert, stainless steel, GN 1/3.

Unperforated, 1 $^9/_{16}{^{\prime\prime}}$ deep (40 mm), 1.5 qt. (1.5 l).

GN 114 230

Gastronorm insert, stainless steel, GN 2/3. Unperforated, 1 $^9/_{16}$ " deep (40 mm), 3 qt. (3 l).

GN 124 130

Gastronorm insert, stainless steel, GN 1/3.

Perforated, 1 %16" deep (40 mm), 1.5 qt. (1.5 l).

GN 124 230

Gastronorm insert, stainless steel, GN 2/3.
Perforated 1.9/h/" deep (40 mm)

Perforated, 1 %16" deep (40 mm), 3 qt. (3 l).

GN 340 231

Gastronorm roaster in cast aluminum. GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating.

Installation accessories

GZ 010 011

Extension for water inlet and outlet. 78" long (2 m).

GA 601 010

Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices

Required accessories

Part No. 17002490

Descaling tablets, set of 4.

Right-hinged

GS 470 720 NEW stainless steel behind smoked glass

Left-hinged

GS 471 720 NEW stainless steel behind smoked glass

\$17,905

\$17,905

Delivery starting Q4 2025. Star-K certification pending.



- Plumbed with drain.
- No electrical appliances can be installed above the combi-steam oven.

Expressive series Combi-steam ovens



Combi-steam oven Gaggenau Expressive series GS 460/461

- Width 30" (76 cm).
- Tank only. No water or drain connection.
- Stainless steel behind smoked glass.

Included accessories

- cooking container, stainless steel, perforated.
- 1 cooking container, stainless steel, unperforated.
- 1 wire rack.
- 4 cleaning cartridges.

Optional accessories

BA 010 050

Core temperature probe.

BA 010 301

Triple telescopic pull-out rack.

BA 020 361

Cooking container stainless steel, Unperforated

BA 020 370

Cooking container stainless steel, Perforated

BA 020 382

Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391

Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118

Glass tray for 24''/30'' (60 cm/76 cm) ovens.

CLS 100 40

Cleaning cartridges, set of 4*.

* Set of 4 included in delivery.

GN 010 330

Adapter for gastronorm insert and roaster.

GN 114 130

Gastronorm insert, stainless steel, GN 1/3. Unperforated, 1 %" deep (40 mm),

Unperforated, 1 1/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 114 230

Gastronorm insert, stainless steel, GN 2/3.

Unperforated, $1^{9}/_{16}$ " deep (40 mm), 3 qt. (3 l).

GN 124 130

Gastronorm insert, stainless steel, GN 1/3. Perforated, 1 %/4" deep (40 mm), 1.5 qt. (1.5 l).

GN 124 230

Gastronorm insert, stainless steel, GN 2/3. Perforated, 1 ⁹/16" deep (40 mm), 3 at. (3 l).

GN 340 231

Gastronorm roaster in cast aluminum. GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating.

Installation accessories

GA 301 010

Gaggenau adjustable shelf Installation kit for 30" (76 cm)

Required accessories

Part No. 17002490

Descaling tablets, set of 4.

Right-hinged

GS 460 720 NEW

stainless steel behind smoked glass

Left-hinged

GS 461720 NEW stainless steel behind smoked glass

\$17,905

\$17,905

Delivery starting Q4 2025. Star-K certification pending.



Note: Side-hinge doors are not reversible.

 No electrical appliances can be installed above the combi-steam oven.

Expressive series Combi-microwave ovens



Combi-microwave oven Gaggenau Expressive series GM 480/481

- Width 30" (76 cm).
- Stainless steel behind smoked glass.

Included accessories

- wire rack.
- glass tray.

Optional accessories

BA 010 050

Core temperature probe.

BA 036 166

Wire rack.

BA 046 118

Glass tray for 24''/30'' (60 cm/76 cm) ovens.

Installation accessories

GA 301 010

Gaggenau adjustable shelf Installation kit for 30" (76 cm) devices

Right-hinged

GM 480 720 NEW

\$13,610

stainless steel behind smoked glass

Left-hinged

GM 481 720 NEW

stainless steel behind smoked glass

Delivery starting Q4 2025. Star-K certification pending.



\$13,610

\$12,252

\$12,252

Expressive series Combi-microwave ovens



Combi-microwave oven Gaggenau Expressive series

GM 450/451

- Width 24" (60 cm).
- Stainless steel behind smoked

Included accessories

- wire rack.
- glass tray.

Optional accessories

BA 010 050

Core temperature probe.

BA 036 166

Wire rack.

Glass tray for 24"/30" (60 cm/76 cm) ovens.

Installation accessories

GA 601 010

Gaggenau adjustable shelf Installation kit for 24" (60 cm)

Right-hinged

GM 450 720 NEW

stainless steel behind smoked glass

Left-hinged

GM 451 720 NEW

stainless steel behind smoked glass

Delivery starting Q4 2025. Star-K certification pending.

Note: Side-hinge doors are not reversible.

Expressive series espresso machines



Fully automatic espresso machine Gaggenau Expressive series Plumbed

GC 461

- Width 24" (60 cm).
- Plumbed, Water line required.
- Stainless steel behind smoked glass.

Included accessories

- 1 assembly screws.
- test strip.
- glass milk container.
- connection hose for milk frother.
- 1 milk tube.
- cleaning cartridge.
- descaling cartridge.

Installation accessories

GA 601 010

Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices

Optional accessories

GA 022 720

Cleaning cartridge.

GA 022 740

Descaling cartridge.

Part No. 12008246

Water filter.

Part No. 00312445

Descaling tablets.

Part No. 00311979

Cleaning tablets.

Part No. 00636455 Door hinge restrictor

(92° opening angle).

Left-hinged

GC 461 720 NEW

- Left-hinged only.

stainless steel behind smoked glass



\$10,501

Delivery starting Q4 2025.



Fully automatic espresso machine Gaggenau Expressive series Tank

GC 451

- Width 24" (60 cm).
- Tank only. No water connection.
- Stainless steel behind smoked glass.

Included accessories

- assembly screws.
- test strip.
- glass milk container.
- connection hose for milk frother.
- milk tube.
- cleaning cartridge.
- 1 descaling cartridge.

Installation accessories

GA 601 010

Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices

Optional accessories

GA 022 720

Cleaning cartridge.

GA 022 740

Descaling cartridge.

Part No. 12008246 Water filter.

Part No. 00312445

Descaling tablets. Part No. 00311979

Cleaning tablets.

Part No. 00636455

Door hinge restrictor (92° opening angle).

Left-hinged

GC 451 720 NEW

stainless steel behind smoked glass

- Left-hinged only.

Delivery starting Q4 2025.



\$10,094

\$7,373

Expressive series vacuuming drawers



Expressive series vacuuming drawer

GV 451

- Width 24" (60 cm), Height 5 1/2"
- Stainless steel behind smoked glass.
- Push-to-open.

Included accessories

50 vacuuming bag, small. 50 vacuuming bag, big.

1 raised vacuuming platform.

- 1 adapter for vacuuming outside the chamber.
- vacuuming hose.
- adapter for bottle plugs.
- 3 plugs for vacuuming of bottles.

Optional accessories

Part No. 00578813

Vacuuming bags, small. 7" × 11", 100 pcs.

Part No. 00578814

Vacuuming bags, large. 9 ½" × 14", 100 pcs.

GV 451720 NEW stainless steel behind smoked glass

Delivery starting Q4 2025.



Expressive series culinary warming drawers



Culinary warming drawer Gaggenau Expressive series

- Width 30" (76 cm), Height 8 1/16" (21.5 cm).
- Stainless steel behind smoked glass.
- Push-to-open.



\$6,227

stainless steel behind smoked glass

Delivery starting Q4 2025.





Culinary warming drawer Gaggenau Expressive series **GW 083**

- Width 30" (76 cm), Height 8 1/16" (21 cm).
- Custom-panel ready.
- Not push-to-open, requires handle.



\$5,454

Delivery starting Q4 2025.





Culinary warming drawer Gaggenau Expressive series

- Width 24" (60 cm), Height 5 1/2"
- Stainless steel behind smoked glass.
- Push-to-open.

GW 451720 NEW

\$4,990

stainless steel behind smoked glass



Delivery starting Q4 2025.





Culinary warming drawer Gaggenau Expressive series

- Width 24" (60 cm), Height 8 7/16" (21.5 cm).
- Stainless steel behind smoked glass.
- Push-to-open.

GW 453 720 NEW

stainless steel behind smoked glass

\$5,454

Delivery starting Q4 2025.



Expressive series of	iccessories										
		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
9	Core temperature probe.Compatible with GO, GS, GM.	•	•	•	•	•	•	•			BA 010 050 \$204
	 Triple telescopic pull-out rack. For Combi-steam oven. Can be used with any of the cooking containers, glass tray, or adapter. 			•	•	•					BA 010 301 \$517 — Triple telescopic pull-out rack system for select comb-steam ovens. — Safely pull out heavy dishes with ease.
	 Air frying tray. 1 ³/₁₆" (30 mm) deep. 1 ³/₁₆ × 17 ¹⁵/₁₆ × 14 ³/₄" (30 × 455 × 375 mm). 	•	•								BA 020 110 NEW \$178 Delivery starting Q4 2025.
	- Combi-Steam cooking container, stainless steel, unperforated 1%" (40 mm) deep 5 qt.			•	•	•					BA 020 361 \$381
	 Cooking container, stainless steel, perforated. 1 %" (40 mm) deep. 5 qt. 			•	•	•					BA 020 370 \$381 — For use with select combi-steam ovens. — Perforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003099.
	 Cooking container, PFAS free non-stick coating, unperforated. 1 13/16" (46 mm) deep. 1 15/16 × 173 ¼ × 14 15/16" (46 × 450 × 380 mm). 5.5 qt. (5.4 l) 			•	•	•					BA 020 382 \$501
	 Cooking container insert, PFAS free non-stick coating, perforated. 1 %6" (40 mm) deep. 1 %6 × 17 ¾ × 14 ½ /6" (40 × 450 × 380 mm). 5.5 qt. (5.4 l). 			•	•	•					BA 020 391 \$501 — For select combi-steam ovens. — Perforated, PFAS free non-stick coating. — Gastronorm 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003101.
	 Baking tray, enameled. 1" deep, for use with 30" oven. 	•	•								BA 028 115 \$272 — For select 30" (76 cm) ovens. — Enameled finish. — Depth is 1".
	 Baking Tray, enameled for 24" Oven. 1 ³/₁6" (30 mm) deep. 1 ³/₁6 × 18 ¹/₈ × 14 ³/₈" (30 × 460 × 365 mm). 		•								BA 026 116 NEW \$162 Delivery starting Q4 2025.

9

Expressive series a											
		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
	 Broil Pan, enameled for 24" Oven. 1½" (38 mm) deep. 1½ × 18 ½ × 14 ¾ (38 × 460 × 365 mm). 		•								BA 026 117 NEW \$149 Delivery starting Q4 2025.
	 Wire rack, chromium-plated. Without opening, with feet. For 24" (60 cm) and 30" (76 cm) devices. 		•				•	•			BA 036 166 NEW \$204 Delivery starting Q4 2025.
	 Wire rack, chromium-plated, for use with 30" oven. Without opening, with feet. 	•									BA 038 165 \$178 — For use with select 30" (76 cm) ovens. — Chromium plated. — Without opening, with feet.
	 Glass tray for 24" GO ovens and 24"/30" GM ovens. 1"deep. 		•	•	•	•	•	•			BA 046 118 NEW \$272 — Depth is 1". — Heavy-duty, fully transparent. Delivery starting Q4 2025.
	Baking paddle. Serving and cutting board.	•	•								BS 020 003 NEW \$407 Delivery starting Q4 2025.
	- Baking stone for 24" oven Incl. baking stone support and baking paddle Not in combination with pull-out system.		•								BA 056 134 NEW \$815 Delivery starting Q4 2025.
	 Baking stone for 30" oven. Incl. baking stone support and baking paddle. Not in combination with pull-out system. 	•									BA 058 134 NEW \$950 Delivery starting Q4 2025.
	 Adapter for gastronorm insert and GN 340 231 roaster. For use in Combi-steam ovens. 			•	•	•					GN 010 330 \$339 - Wire rack to support roaster GN 340 231. - Roaster with lid sold separately, please order Part No. 00570316.
	 Gastronorm insert, stainless steel. 1½" deep, GN 1/3, half tray size. Unperforated, 1.5 qt. Must order GN 114 130 adapter separately. 			•	•	•					GN 114 130 \$204 - Unperforated, stainless steel pan Dishwasher safe Gastronorm size 1/3, 1.5" (40 mm) depth For the half size perforated pan, order Part No. 00571634.

		30″	24"	30″	24"	30″	30″	24"	24"		
		GO 480/481	GO 470/471	GS 480/481	GS 470/471	GS 460/461	GM 480/481	GM 450/451	GC 461/451	GV 451 720	
	 Gastronorm insert, stainless steel. 1½" deep, GN 2/3, full tray size. Unperforated, 3 qt. Must order GN 010 330 adapter separately. 			•	•	•					GN 114 230 \$298 - For use in select combi-steam ovens. - Unperforated, stainless steel pan. - Gastronorm size 2/3, 1.5" (40 mm) depth. - For the full-size perforated pan, order Part No. 00357307.
	 Gastronorm insert, stainless steel. 1½" deep, GN 1/3, half tray size. Perforated, 1.5 qt. Must order GN 114 130 adapter separately. 			•	•	•					GN 124 130 \$20 — Perforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size unperforated pan, order Part No. 00677877.
	 Gastronorm insert, stainless steel. 1½" deep, GN 2/3, full tray size. Perforated, 3 qt. Must order GN 114 130 adapter separately. 			•	•	•					GN 124 230 \$298 - For use with select combi-steam ovens. - Perforated, stainless steel pan. - Gastronorm size 2/3, 1.5" (40 mm) depth. - For full size unperforated pan, order Part No. 00358656.
	 Cast-aluminum roaster, for use with GO/GS ovens. GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating. Lower and upper part can also be used separately, height 4" (100 mm) and 2." (65 mm). For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately). 	•	•	•	•	•					GN 340 231 \$818 Delivery starting Q4 2025.
	- Cleaning cartridges, set of 4 For Combi-steam oven.			•	•						CLS 100 40 \$13 — For select Combi-steam ovens that have a cleaning system and fixed water connection. — Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning). — To descale your combi-steam oven, please order descaling cartridges (Part No. 00311768)
Showing Labors Cd 200	Descaling tablets, set of 4. For Combi-steam ovens.			•	•	•					Part No.17002490 See Cleaners & Accessories Price List for pricing — For use with select Combi-steam ovens. — Place tablets into the descaling container in the oven when the oven indicates that descaling is needed, then activate the descaling process.

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
	 Vacuum Bags (Small). 7.1" × 11", 100 pcs. 								•	Part No. 00578813 See Cleaners & Accessories Price List for pricing - For use with select vacuum drawers - please check for compatibility with your appliance. - To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	 Vacuum Bags (Large). 9.5" × 13.8", 100 pcs. 								•	Part No. 00578814 See Cleaners & Accessories Price List for pricing - For use with select vacuum drawers. - To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	— Water filter.							•		Part No. 12008246 See Cleaners & Accessories Price List for pricing
	 Descaling tablets for manual descaling. Removes hard water deposits and limescale. Follow your coffee machine's instructions for running the manual descaling cycle. 1 tablet per descaling session. 							•		Part No. 00312445 See One Portal for pricing — Three tablets. Delivery starting Q4 2025.
Management of the control of the con	 Cleaning tablets for manual cleaning. Removes coffee oils and other greasy residues. Follow your coffee machine's instructions for running the cleaning cycle. 1 tablet per cleaning. 							•		Part No. 00311979 See Cleaners & Accessories Price List for pricing — 20 tablets.
	 Door hinge restrictor (92° opening angle, set of two). 							•		Part No. 00636455 NEW See One Portal for pricing Delivery starting Q4 2025.
	 Cleaning cartridge. Prolonged appliance lifespan through effective removal of coffee oils from the brewing unit. 							•		GA 022 720 SEW \$94 — For use with Gaggenau fully automatic coffee machines with automatic cleaning. Delivery starting Q4 2025.
	Descaling cartridge. Thorough removal of limescale deposits without effort.							•		GA 022 740 NEW \$81 — For use with Gaggenau fully automatic coffee machines with automatic cleaning. Delivery starting Q4 2025.

Expressive series u											
		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
	 Gaggenau adjustable shelf Installation kit for 30" (76 cm) devices. For vertical combinations where optimum gap between appliances is desired. Incl. mounting brackets, cover and screws. 			•		•	•				GA 301 010 NEW \$245 — Installation above a combi-microwave oven is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. — Stacking GO ovens is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. Delivery starting Q4 2025.
	 Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices. For vertical combinations where optimum gap between appliances is desired. Incl. mounting brackets, cover and screws. 				•			•	•		GA 601 010 NEW \$217 — Installation above a combi-microwave oven is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. — Stacking GO ovens is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. Delivery starting Q4 2025.
	Extension for water inlet and outlet.78" long (2 m).			•	•						GZ 010 011 \$136

ED 333 oven



Oven EB 333

Width 36" (90 cm).

- Stainless steel.
- One-piece front-hinged door with 3 mm precision crafted stainless steel front door panel.
- Cushioned door opening and closing system.
- Diagonally positioned light sources for optimal interior lighting.
- Pyrolytic system.
- 17 heating methods with core temperature probe, rotisserie spit and baking stone function.
- Automatic programs.
- Core temperature probe with estimation of cooking time.

- Convection fan rotates in both directions for ideal heat distribution.
- TFT touch display.
- Panel-free appliance with control module behind glass.
- Electronic temperature control from 85°F - 550°F.
- Net volume 3.6 cu.ft.
- Home Connect®.
- Star-K certified.

Included accessories

- 1 baking tray, enameled pyrolysis-safe.
- 1 rotisserie spit.
- 1 wire rack.
- 1 broiling tray with wire rack.
- 1 plug-in core temperature probe.

EB 333 611 stainless steel

— Drop-down door.



\$18,647

Oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens		
 Pull-out system for 30" single/double oven. Fully extendable telescopic rails and enameled cast iron frame. 	•		•					BA 018 165 — For use with select 30" (76 cm) ovens. — Fully extendable telescopic rails and enameled cast-iron frame. — Wire rack included. Available for order until December 2025.	\$747
- Pull-out system for 24" oven Fully extendable telescopic rails and enameled cast iron frame.		•				•		BA 016 165 Available for order until December 2025.	\$611
— Baking tray, enameled. — 1" deep, for use with 30" oven.	•		•					BA 028 115 — For select 30" (76 cm) ovens. — Enameled finish. — Depth is 1".	\$272
- Wire rack, chromium-plated, for use with 30" oven Without opening, with feet.	•		•					BA 038 165 — For use with select 30" (76 cm) ovens. — Chromium plated. — Without opening, with feet.	\$178

Oven accessories

Oven accessories									
		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
	- Heating element for baking stone for 30" single/double oven.	•		•					BA 058 115 \$272 — For select 30" (76 cm) ovens. — Bakes items on baking stone evenly. — Heats up to 572 degrees Fahrenheit. — For baking stone kit (includes stone, wire rack and paddle) order Part No. 00574698, for baking stone only order Part No. 00144834, for wire rack to hold baking stone order Part No. 00687356, for pizza paddle only order Part No. 00097367. Available for order until December 2025.
	- Baking stone kit with baking paddle for EB 333 oven.	•							BA 058 135 NEW \$1,086 Delivery starting Q4 2025.



Oven accessories

15

Oven accessories					1				
		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
	— Pizza peel, set of 2.	•	•	•			•		BS 020 002 \$123 — Sturdy pizza paddles with large surface area. — Ideal for removing baked goods (such as pizza and bread) out of your oven. — Made of wood. — Each paddle is approximately 12" wide and 0.25" thick. — For 1 pizza paddle, order Part No. 00097367. Available for order until December 2025.
	 Cast-aluminum roaster, for use with GO/GS ovens. GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating. Lower and upper part can also be used separately, height 4" (100 mm) and 2." (65 mm). For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately). 	•	•	•	•		•		GN 340 231 \$815 Delivery starting Q4 2025.
	 Broil pan, enameled. With feet and rotisserie spit attachment, %" deep, for use with 30" oven. 	•		•					Part No. 17001373 See Cleaners & Accessories Price List for pricing - For select 30" (76 cm) ovens. - Enameled finish. - Contains feet and rotisserie spit attachment. - Depth is 1". Available for order until December 2025.
	Stainless steel knobs with black coating .	•							BA 090 100 \$272 — Black control knobs for EB 333 oven. — Set of 2.

Combi-steam oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
 Gastronorm insert, stainless steel. 1 ½" deep, GN 2/3, full tray size. Unperforated, 3 qt. Must order GN 010 330 adapter separately. 				•			•		GN 114 230 \$298 — For use in select combi-steam ovens. — Unperforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For the full-size perforated pan, order Part No. 00357307.
 Gastronorm insert, stainless steel. 1½" deep, GN 2/3, full tray size. Perforated, 3 qt. Must order GN 114 130 adapter separately. 				•			•		GN 124 230 \$298 - For use with select combi-steam ovens Perforated, stainless steel pan Gastronorm size 2/3, 1.5" (40 mm) depth For full size unperforated pan, order Part No. 00358656.
 Triple telescopic pull-out rack. For Combi-steam oven. Can be used with any of the cooking containers, glass tray, or adapter. 				•					BA 010 301 \$517 — Triple telescopic pull-out rack system for select comb-steam ovens. — Safely pull out heavy dishes with ease.
 Combi-Steam cooking container, stainless steel, unperforated. 1 %6" (40 mm) deep. 5 qt. 				•					BA 020 361 \$381
 Cooking container, PFAS free non-stick coating, unperforated. 1 15/4" (46 mm) deep. 1 15/4 × 17 ½ × 14 15/4" (46 × 450 × 380 mm). 5.5 qt. (5.4 l) 				•					BA 020 382 \$501
 Cooking container, stainless steel, perforated. 1 %6" (40 mm) deep. 5 qt. 				•					BA 020 370 \$381 — For use with select combi-steam ovens. — Perforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003099.
 Cooking container insert, PFAS free non-stick coating, perforated. 1 %/6" (40 mm) deep. 5.5 qt. (5.4 l). 				•					BA 020 391 \$501 — For select combi-steam ovens. — Perforated, non-stick finish. — Gastronorm 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003101.

17

Combi-steam oven accessories

	EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
Adapter for gastronorm insert and GN 340 231 roaster. For use in Combi-steam ovens.				•					GN 010 330 \$339 — Wire rack to support roaster GN 340 231. — Roaster with lid sold separately, please order Part No. 00570316.
 Cast-aluminum roaster, for use with GO/GS ovens. GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating. Lower and upper part can also be used separately, height 4" (100 mm) and 2." (65 mm). For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately). 				•			•		GN 340 231 \$815 Delivery starting Q4 2025.
 Gastronorm insert, stainless steel. 1½" deep, GN 1/3, half tray size. Unperforated, 1.5 qt. Must order GN 114 130 adapter separately. 				•			•		GN 114 130 \$204 — Unperforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size perforated pan, order Part No. 00571634.
 Gastronorm insert, stainless steel. 11/2" deep, GN 1/3, half tray size. Perforated, 1.5 qt. Must order GN 114 130 adapter separately. 				•			•		GN 124 130 \$204 — Perforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size unperforated pan, order Part No. 00677877.
- Cleaning cartridges, set of 4 For Combi-steam oven.				•					CLS 100 40 \$136 For select Combi-steam ovens that have a cleaning system and fixed water connection. Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning). To descale your combi-steam oven, please order descaling cartridges (Part No. 00311768).

Combi-steam oven accessories

Combi-steam oven	40003301103									
		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
Constitution of the	- Descaling tablets, set of 4 For Combi-steam ovens.				•					Part No.17002490 See Cleaners & Accessories Price List for pricing — For use with select Combi-steam ovens. — Place tablets into the descaling container in the oven when the oven indicates that descaling is needed, then activate the descaling process.
	- Extension for water inlet and outlet 78" long (2 m).				•					GZ 010 011 \$126
	— Wire rack.				•					Part No.17003108 See Cleaners & Accessories Price List for pricing - For use with select Combi-steam ovens. - Contains feet, does not have an opening in the rack. - This item has a model number of BA 030 300. Available for order until December 2025.

Vacuuming drawer accessories

vacuuming arawer	accessories								
		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
	— Vacuum Bags (Small). — 7.1" × 11", 100 pcs.					•			Part No. 00578813 See Cleaners & Accessories Price List for pricing - For use with select vacuum drawers - please check for compatibility with your appliance. - 7.1" × 11". - 100 bags. - To purchase large bags, order Part No. 00578814. - To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	— Vacuum Bags (Large). — 9.5" × 13.8", 100 pcs.					•			Part No. 00578814 See Cleaners & Accessories Price List for pricing - For use with select vacuum drawers 9.5" × 13.8" 100 bags To purchase medium bags, order Part No. 00578813 To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.



400 series Vario induction cooktops

Common features

- Stainless steel frame.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series appliances.
- Home Connect®.



Vario 400 series full surface induction cooktop

CX 492

- Width 36" (90 cm).
- One large cooking surface.
- Free positioning of up to 6 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

1 Cooking sensor for temperature regulation

CX 492 611 black glass ceramic

stainless steel frame

CX 492 612 gray glass ceramic stainless steel frame

 May be combined with other Varios.



\$10,161

\$10,161



Vario 400 series full surface induction cooktop

CX 482

- Width 30" (80 cm).
- Black glass ceramic.
- One large cooking surface.
- Free positioning of up to 5 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

Cooking sensor for temperature regulation in pots.

CX 482 611

black glass ceramic stainless steel frame CX 482 612

gray glass ceramic stainless steel frame

 May be combined with other Varios.



\$9,309

\$8,599



400 series Vario gas cooktops

Common features

- Stainless steel.
- Natural gas.
- Full electronic power regulation on 12 levels.
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.
- Simmer function for cooking on a very low output level.
- Solid stainless steel control knobs.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



Vario 400 series gas cooktop

- Width 36" (90 cm).
- Five multi-ring burners with up to 59,700 BTU.
- Solid smooth-surface cast-iron pan supports.

Included accessories

1 wok attachment ring

VG 491 211CA

stainless steel frame)

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

- May be combined with other Vario 400 series.



Vario 400 series gas wok

VG 415

- Width 15" (38 cm).
- Three-ring burner with 18,800 BTU.

Included accessories

wok attachment ring

VG 415 211CA

\$6,703

\$11,054

stainless steel frame

For conversion to LP gas, LP kit (Part No. 10004445) must be ordered.

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

- Cannot be vented in recirculation.



Vario 400 series gas cooktop

- Width 15" (38 cm).
- Two multi-ring burners up to 13,600 BTU.

VG 425 211CA

\$6,239

stainless steel frame, 15" (38 cm)

For conversion to LP gas, LP kit (Part No. 10004446) must be ordered.

400 series Vario teppan yaki and grill

Common features

- Stainless steel.
- Solid stainless steel control knob.
- Precision-crafted 1/8-inch (3 mm) stainless steel.

- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



Vario 400 series teppan yaki **VP 414**

- Width 15" (38 cm).
- Hard chrome-plated surface for teppan cooking and use as griddle, grill, searer and warming plate. No pots or pans necessary.
- Exact temperature control up to
- Optimum heat distribution.

VP 414 611 stainless steel frame

\$6.163

Included accessories

2 spatulas



Vario 400 series electric grill **VR 414**

- Width 15" (38 cm).
- Two zones can be operated together or separately.
- Half size cast-iron griddle included for simultaneous searing and grilling on two separate surfaces.
- Open cast-iron grill, lava stones.
- Not recommended for recirculating ventilation.

Included accessories

- cast-iron griddle, half size.
- grease collecting insert.
- cast-iron grills.

- lava stone.
- 1 cleaning brush.

VR 414 611

stainless steel frame

\$6,163

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

- Cannot be vented in recirculation.

200 series Vario induction cooktops

Common features

- Black control panel.
- Can be combined with other Vario 200 series products.

• Control panel for comfortable and secure operation.



Vario 200 series induction cooktop VI 230 1 glass scraper

VI 230 620
black control panel)

\$3,748

Width 12" (28 cm).

200 series Vario gas cooktops

Common features

- Black control panel.
- Natural gas.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.



Vario 200 series gas cooktop VG 232

- Width 12" (28 cm).
- Solid smooth-surface cast iron pan supports for easy and safe positioning of cookware).

VG 232 220CA black control panel, \$4,075

For conversion to LP gas, LP kit (Part No. 10009476) must be ordered.



200 series Vario teppan yaki and grill

Common features

- Black control panel.
- Can be combined with other Vario 200 series products.

• Control panel for comfortable and secure operation.



Vario 200 series teppan yaki **VP 230**

- Width 12" (28 cm).
- Cooking directly on the metal surface, without any pots or
- Exact temperature control up to 480 °F.
- Keeping warm setting.

Included accessories

2 spatula

VP 230 620

black control panel

\$5,026



Vario 200 series electric grill VR 230

- Width 12" (28 cm).
- 2 zones, separately controlled.
- Open cast iron grill, lava stones.
- Not recommended for recirculating ventilation.

Included accessories

- 1 grease collecting insert.
- cast iron grill.
- 1 lava stone.
- 1 cleaning brush.

VR 230 620

black control panel

\$5,026

If using a VL 200 120 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

- Cannot be vented in recirculation.

Vario accessories

	400 series		20	0 series	
	CX 492 611/612 induction 36" CX 482 611/612 induction 30" VI 492 613 flex induct. 36" VI 414 613 wok 15" VI 422 615 flex induction 15" VI 422 615 flex induction 15" VI 445 211CA gas 36" VG 445 211CA gas wok 15" VG 425 211CA gas 15"	VP 414 611 teppan yaki 15" VR 414 electric grill 15"	VI 263 620 induction 24" VI 230 620 induction 12" VI 230 620 induction 12"	231 220CA gas 24 232 220CA wok 12" 232 220CA gas 12" 230 620 teppan yaki	
 Cooking sensor for temperature regulation within pots. For CX 492/482 full surface induction . 	•				CA 060 600 \$162 — Black control knobs. — Set of 2. — Automatically senses the temperature inside the pot and controls it. — First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot. — Do not wash sensor in dishwasher. — To order a set of 5 sensor patches, please order Part No. 00577921.
 Lava stones for refilling. Required for use of VR grill. 		•			LV 030 000 \$136 — Replacement lava stones for lava grills. — Easy to clean - wash with warm, soapy water then rinse with clear water and dry. — 6.6 pounds.

Vario accessories

		400 series 200 series	
		CX 492 611/612 induction 36" VX 482 611/612 induction 30" VI 492 615 flex induct. 36" VI 414 613 wok 15" VI 422 613 flex induction 15" VI 412 613 wok 15" VI 412 613 flex induction 15" VI 412 614 fleppan yolki 15" VI 414 610 triti grill 16" VI 23 620 induction 24" VI 23 620 induction 12" VI 23 620 electric grill 12" VR 230 620 electric grill 12"	
T	 Vario 400 Stainless steel appliance cover with mounting strip. Only available for individual Vario installation. 		
	Vario 200 series black appliance cover.	VD 200 020 Covers & protects cooktop while not in use.	\$598
	 Wok pan made of multiple-layer material. With round bottom and handle, ø 14 ³/16", 6.3 qt., height 4". 	WP 400 001 - Made of multi-ply material Round bottom 14.8" diameter, 3.9" height For wok attachment to hold wok in place order Part No. 00464256.	\$679
	- Wok support ring for wok pan For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only.	wz 400 000	\$543
	- Teppan Yaki plate made of multi-ply material - 13" × 21", GN 1/1. - For full surface induction cooktop CX 492/482.	GN 232 110 — For induction & electric cooktops. — Made of multi-ply material. — 13" × 21".	\$611
	- Teppan Yaki For Cl 292/282 flex induction cooktops.	CA 051 301 — For flex induction cooktops.	\$407
	 Air deflector for VL 414 next to a VG 415 or VG 425 gas appliance. 	AA 414 010	\$204

Vario accessories

		Ţ			_	_	_	ies					2	00	ser	ies			
		CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct, 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA ggs 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"	VG 232 220CA gas 12"	VP 230 620 teppan yakı 12"	VR 230 620 electric grill 12"	
, miniminin	 Connection strip for combination with other Vario 400 series appliances for flush mounting. 	•	•							•	•								VA 420 000 \$236
ummumin ,	Invisible connection strip for combination with other Vario 400 series flush mounting.	•	•	•	•	•	•	•	•	•	•								VA 420 004 \$230
minimininininininininininininininininin	 Connection strip for combination with other Vario 400 series appliances for surface mounting. 	•	•	•	•	•	•	•	•	•	•								VA 420 010 \$230
	Stainless steel connection strip for combination with other Vario 200 series appliances.											•	•	•	•	•	•	•	VV 200 010 \$27
Thumminum.	Black connection strip for combination with other Vario 200 series appliances.											•	•	•	•	•	•	•	VV 200 020 \$27
ummumin 1	 Retro-fit connection strip for old Vario. Fills gap in countertop when replacing older 400 series Vario units. 	•	•	•	•	•	•	•	•	•	•								VV 401 000 \$258
* *	LP gas kit.Nozzle set liquid gas.Liquid gas, LPG 25/27.5 mbar.							•											Part No. 10004445 See Cleaners & Accessories Price List for pricing
\$ \$ \$ \$	LP gas kit.Nozzle set liquid gas.Liquid gas, LPG 25/27.5 mbar.								•										Part No. 10004446 See Cleaners & Accessories Price List for pricing
999999	LP gas kit.Nozzle set liquid gas.Liquid gas, LPG 25 mbar.						•												Part No. 10004447 See Cleaners & Accessories Price List or One Portal for pricing
	 LP gas kit. Nozzle set liquid gas. Liquid gas, LPG 25/27.5 mbar. For VG 232CA and VG 264 (4 burners, order 2 kits). 													2		•			Part No. 10009476 See Cleaners & Accessories Price List for pricing



\$11,054

\$8,270

\$5,642

Gas cooktops



Vario 400 series gas cooktop

- Width 36" (90 cm).
- Stainless steel.
- Natural gas.
- Five multi-ring burners with up to 59,700 BTU.
- Full electronic power regulation
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.

- Simmer function for cooking on a very low output level.
- Solid smooth-surface cast-iron pan supports.
- Solid stainless steel control knobs.

Included accessories 1 wok attachment ring.

- Precision-crafted 3 mm stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.

VG 491 211CA

stainless steel, natural gas

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

- May be combined with other Vario 400 series.



200 series gas cooktop VG 295

- Width 36" (90 cm).
- Stainless steel control panel.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.
- Multi-ring burner of solid, heat-resistant brass as used in professional kitchen.
- Solid smooth-surface cast-iron pan support.
- Up to 59,700 BTU (17 kW) on 5 burners.

Included accessories

1 wok attachment ring.

VG 295 150CA

stainless steel, liquid gas

VG 295 250CA \$8,270

stainless steel, natural gas

- Cannot be combined with other Vario 200 series.



200 series gas cooktop

- Width 30" (76 cm).
- Stainless steel control panel.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels. with exact setting and reproduction of flame size.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.
- Solid smooth-surface cast-iron pan support.
- Up to 42,700 BTU (12.5 kW) on 5 burners.

CG 280 212CA

stainless steel, natural gas

- Cannot be combined with other Vario 200 series.



400 series induction cooktops

Common features

- Stainless steel frame.
- Precision-crafted ¹/₈" (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series applianc-
- Home Connect®.



Vario 400 series full surface induction cooktop

CX 492

- Width 36" (90 cm).
- One large cooking surface.
- Free positioning of up to 6 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

Cooking sensor for temperature regulation

CX 492 611

black glass ceramic stainless steel frame

CX 492 612

gray glass ceramic stainless steel frame

 May be combined with other Varios.



\$10,161

\$10,161

400 series induction cooktops



Vario 400 series full surface induction cooktop

CX 482

- Width 30" (80 cm).
- Black glass ceramic.
- One large cooking surface.
- Free positioning of up to 5 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

1 Cooking sensor for temperature regulation in pots.

CX 482 611

black glass ceramic stainless steel frame CX 482 612

gray glass ceramic stainless steel frame

 May be combined with other Varios.

\$8,599

\$9,309





Cooktop accessories

		4	00 :	seri	es			200) se	rie	s		
		VG 491 211CA gas 36"	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 263 620 induction 24"	VG 295 50CA 36"	CG 280 242CA 225 30"	CG 280 212CA gds 30	VG 264 220CA gas 24"	CI 292 602 induction 36"	CI 282 602 induction 30"	
	 Teppan Yaki plate made of multi-ply material 13" × 21", GN 1/1. For full surface induction cooktop CX 492/482. 		•	•									GN 232 110 \$611 - For induction & electric cooktops. - Made of multi-ply material. - 13" × 21". - For smaller Teppan Yaki plate, order Part No. 00573429.
	 Teppan Yaki. For Cl 292/282 flex induction cooktops. 		•	•	•						•	•	CA 051 301 \$407 — For flex induction cooktops.
	 Wok pan made of multiple-layer material. With round bottom and handle, ø 14 ³/16", 6.3 qt., height 4". 	•			•		•	•					WP 400 001 \$679 - Made of multi-ply material. - Round bottom. - 14.8" diameter, 3.9" height. - For wok attachment to hold wok in place, order Part No. 00464256.
	 Wok support ring for wok pan. For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only. 				•								WZ 400 000 \$543
, miniminimini	Connection strip for combination with other Vario 400 series appliances for flush mounting.	•	•	•	•								VA 420 000 \$230
ummumim	Invisible connection strip for combination with other Vario 400 series flush mounting.	•	•	•	•								VA 420 004 \$230
, miniminini	 Connection strip for combination with other Vario 400 series appliances for surface mounting. 	•	•	•	•								VA 420 010 \$230
thintenting the same of the sa	Black connection strip for combination with other Vario 200 series appliances.					•				•			VV 200 020 \$272

Cooktop accessories

		4	00:	seri	es			200 :	serie	es		
		VG 491 211CA gas 36"	CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 263 620 induction 24"	VG 295 50CA 36"	CG 280 212CA gas 30"	VG 264 220CA gas 24"	CI 292 602 induction 36"	CI 282 602 induction 30"	
. Milliam Milliam	Stainless steel connection strip for combination with other Vario 200 series appliances.					•	•		•	•	•	VV 200 010 \$272
	 Cooking sensor for temperature regulation within pots. For CX 492/482 full surface induction . 		•	•						•	•	CA 060 600 \$162 — Black control knobs. — Set of 2. — Automatically senses the temperature inside the pot and controls it. — First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot. — Do not wash sensor in dishwasher. — To order a set of 5 sensor patches, please order Part No. 00577921.
	- Black magnetic knob for 200 series induction cooktop. - Stainless steel knob with black coating.									•	•	CA 230 100 \$230
3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25 mbar.	•										Part No. 10004447 See Cleaners & Accessories Price List or One Portal
	 LP gas kit. Nozzle set liquid gas. Liquid gas, LPG 25/27.5 mbar. For VG 232CA and VG 264 (4 burners, order 2 kits). 								1.			Part No. 10009476 See Cleaners & Accessories Price List or One Portal



32

\$8,246

\$7,431

\$4.173

0

400 series downdraft

Common features

- Stainless steel.
- Air extraction / Air recirculation.

• Precision crafted 3 mm stainless steel.



Retractable downdraft

AL 400

- Width 46 5/8" (120 cm).
- Two blowers required.
- Extendable downdraft ventilation, when not in use can be completely lowered into the countertop.
- Can be combined perfectly with all Vario cooktops 400 series.
- Dimmable, neutral white surface LED light for ideal illumination of the cooktop.
- For surface mounting with a visible edge or for flush mounting.
- Motorless, to be combined with Gaggenau blower(s).

AL 400 722

stainless steel

Refer to Accessories Guide on page 50 for required accessories.



Retractable downdraft

- Width 36" (90 cm).
- Single blower required.
- Extendable downdraft ventilation, when not in use can be completely lowered into the countertop.
- Can be combined perfectly with all Vario cooktops 400 series.
- Dimmable, neutral white surface LED light for ideal illumination of the cooktop.
- For surface mounting with a visible edge or for flush mounting.
- Motorless, to be combined with Gaggenau blower(s).

AL 400 792

stainless steel

Refer to Accessories Guide on page 50 for required accessories.



400 series Vario downdraft ventilation

VL 414

- Width 6 1/8" (155 cm).
- Control knob with illuminated ring included.
- Can be combined perfectly flush with other Vario appliances of the 400 series.
- Solid stainless steel control knob.
- Highly efficient, low noise recirculation system with AR 410 710 blower.
- Air extraction with AR 400 742, AR 403 722, or AR 401 742 blowers.
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Home Connect®

VL 414 712

stainless steel

Refer to Accessories Guide on page 50 for required accessories.



Control knob included with each downdraft. Ships with exhaust air elbow.



400 series wall hoods



400 series wall hood AW 442

Width 48" (120 cm).

- Stainless steel.
- Air extraction/Air recirculation.
- Professional technology hood combined with classic Gaggenau design.
- Highly efficient extraction of cooking vapors due to a large vapor collection area.
- Comes without blower, can be combined with (BLDC) blowers.

- Angled baffle filter with high grease absorption.
- Automatic function, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Dimmable, neutral white LED lighting for ideal illumination of the cooktop.
- Air recirculation module with activated charcoal filter: quiet and highly efficient recirculation solution with odor reduction as in air extraction mode, and long replacement intervals.

AW 442 720

stainless steel

Without blower. (Choose from 400 series AR 400 743 internal, AR 400 742 inline or AR 401 742 remote blower.). Duct cover not included.

\$6,239

\$3,494

\$3,885

200 series downdraft



Vario 200 series downdraft ventilation

VL 200

- Width 5 15/16" (15 cm).
- Black control panel.
- Air extraction / air recirculation.
- Can be combined with other Vario 200 series products.
- Highly efficient ventilation system at the cooktop integrated in the countertop.
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Low-noise system with recirculation blower AR 410 710.
- Air extraction with AR 403 722 blower.

VL 200 120

black control panel

One recirculating or extraction blower per

200 series visor hoods



200 series visor hood

AF 210

- Width 36" (90 cm).
- Stainless steel handle bar.
- HVI CFM: 370, High Speed.
- Air extraction/Air recirculation.
- Unobtrusive visor hood design thanks to integrated glass sheet in the steam screen.
- Especially quiet operation thanks to integrated sound insulation.
- Steam screen extends by pulling the handle bar.
- Especially high air output.
- Energy-saving, low-noise fan.
- Function for automatic, sensor controlled power adjustment

- depending on the build-up of cooking vapors.
- Dimmable, neutral white LED light for ideal illumination of the cooktop.
- The patented lowering frame allows the visor hood to disappear completely into the upper cabinet.
- Air extraction or air recirculation system.
- Air recirculation module with activated charcoal filter: quiet and highly efficient air recirculation solution with odor reduction as in air extraction mode and long replacement intervals.

AF 210 791 stainless steel

 To hide hood from view for 36" model AF 210 791, order the lowering frame (AA 210 492). Mounting kit (AA 210 491) must be ordered if lowering frame is not used.



Blowers

34

		40	0 se	ries			200	serie	s	
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
 400 series inline blower. Metal housing. HVI CFM: 390, High Speed. Air extraction. Inside installation. 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/ island hood. Quiet blower with high-efficiency BLDC technology. 	1	•	•	•	•					AR 400 742 \$3,326
 400 series internal blower. Metal housing. HVI CFM: 300, High Speed. Air extraction. For installation in the duct cover. Powerful blower to combine with 400 series AW/AI 442 wall and island hood. Quiet blower with high-efficiency BLDC technology. Compact and space-saving due to the installation in the duct cover of AI/AW 442 island/ wall hood. 				•	•					AR 400 743 \$2,733 Internal blower can only be used with 400 series AI/AW 442 island/wall hood
 Inline blower 400 and 200 series. Metal housing. HVI CFM: 440, High Speed. Air extraction. Powerful inline blower to combine with motorless appliances AL 400, VL 200, VL 414. Efficient BLDC technology. Compact and space-saving installation in a 4" (10 cm) high toe-kick. 	2	•	•			•				AR 403 722 \$3,087
 400 series remote blower. Stainless steel. HVI CFM: 620, High Speed. Air extraction. Outside wall installation. Powerful blower for combination with 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/island hood. Quiet blower with high-efficiency BLDC technology. 	3	•	•	•	•					AR 401742 \$3,771

¹ Order two units.

² Order two units 3 Order two units.

Blowers

		40	0 se	ries			200	serie	es	
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
 400 and 200 series recirculation blower. Metal housing. HVI CFM: 600, High Speed. Air recirculation. Works with AL 400 retractable downdraft and VL 414/VL 200 downdraft. Powerful recirculation blower to combine with 400/200 series Vario downdraft and 400 series AL 400 retractable downdraft ventilation. Efficient BLDC technology. Particularly quiet due to patented noise insulation. Compact, space-saving installation. 	4		•			•				AR 410 710 \$4,365
 400 and 200 series recirculation blower. HVI CFM: 370, High Speed. Air recirculation. For installation in 4" toe-kick. Powerful blower for combination with 400 series AL 400 retractable downdraft and VL 414/VL 200 downdraft. Quiet blower with high-efficiency BLDC technology. Compact and space-saving installation in a 4-inch high toe-kick. 		•	•			•				AR 413 722 \$3,326 For air recirculation operation additional accessories are required: AA 413 723 air recirculation module and AD 413 722 oval aluminum flex duct to connect to AR 413 722 recirculation blower.

Recirculation modules

Common features

- Long Life recirculation kit, external.
- Multiple regenerative Long Life active carbon filter.
- Consisting of filter housing with design cover, multiple regenerative Long Life active carbon filter, flexible hose, 2 hose clamps and mounting material.

	400 series						200 :	serie	s	
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
 Recirculation module with regenerable filter to replace AA 200 812. Can be combined with AW 230 wall hood. For installation on either the outer or on the telescopic chimney piece. 							•			Part No. 17004654 See One Portal for pricing Replacement for AA 200 812. For replacement filters please order one of the following: — Part No. 11049036 Standard filter. — Part No. 11019121 Regenerable odor filter.
 Recirculation module with regenerable filter to replace AA 200 816. Can be combined with AI 230 island hood. For installation on either the outer or on the telescopic chimney piece. 							•			Part No. 17004651 See One Portal for pricing Replacement for AA 200 816. For replacement filters please order one of the following: — Part No. 11049036 Standard filter. — Part No. 11019121 Regenerable odor filter.
 Recirculation module with regenerable filter to replace AA 211 812. For recirculation operation. Can be combined with 200 series AF 210 Visor hoods. For installation in the upper cupboard. 									•	Part No. 17004653 See One Portal for pricing Replacement for AA 211 812. For replacement filters please order the following: — Part No. 11023685.
 Air recirculation module with activated charcoal filter. For recirculation mode. Can be combined with 400 series Al/ AW 442 island and wall hood. Odor reduction comparable to air extraction mode (95%). Noise reduction of up to 3 dBA when compared to conventional air recirculation filter systems. Extended change interval for the activated charcoal filter (approx.1-1.5 years depending on cooking frequency). For installation on the inner duct cover. Consisting of filter bracket, two activated charcoal filters, flexible hose and two hose clamps. 					•					AA 442 810 \$543

Blower accessories

			Blo	wer	s		Re		culo	itior	
	AR 400 742	AR 400 743	AR 403 722	AR 401 742	AR 410 710	AR 413 722	AA 442 810	14651	Ť.	Т	
Recirculation kit with filter for use with 400 series AR 413 722 recirculation blower.						•					AA 413 723 \$950
Oval flex duct to connect 400 series AR 413 722 recirculation blower with AA 413 723 recirculation kit.						•					AD 413 722 \$219
 2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA 442 810. 							•	•			Part No. 11049036 See One Portal for pricing Replacement for AA 200 110 and AA 442 110.
 Air recirculation module with activated charcoal filter. For recirculation mode. Can be combined with 400 series Al/ AW 442 island and wall hood. Odor reduction comparable to air extraction mode (95%). Noise reduction of up to 3 dBA when compared to conventional air recirculation filter systems. Extended change interval for the activated charcoal filter (approx.1-1.5 years depending on cooking frequency). For installation on the inner duct cover. Consisting of filter bracket, two activated charcoal filters, flexible hose and two hose clamps. 		•									AA 442 810 \$543
 2 regenerable activated charcoal filter. For air recirculation included with AR 410 710 blower. 					•						AA 410 112 \$272
 2 additional activated charcoal filter with high efficient odor reduction due to large surface. For use with AA 413 723 air recirculation module. 						•					Part No. 11058748 See One Portal for pricing

Blower accessories

	Blowers								ulat Iules		
	AR 400 742	AR 400 743	AR 403 722	AR 401742	AR 410 710	AR 413 722	AA 442 810	Part No. 17004651	Part No. 17004653	Part No. 17004654	
 Filter for use with AA 211 812 recirculation module. Long Life odor filter. 458 × 190 × 45 mm. Replacement filter for use with Part. No. 17004653 recirculation module. 									•		Part No. 11023685 See One Portal for pricing Replacement for AA 210 110. Replacement filter for Part No. 17004653 recirculation kit.
 Filter for AW/AI 230. Clean Air Standard odor filter. 230 × 190 × 100 mm. Replacement filter for use with Long Life recirculation kit Part No. 17004651 and Part No. 17004654. 								•		•	Part No. 11049036 See Cleaners & Accessories Price List for pricing Replacement for AA 200 110 and AA 442 110. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation kit.
 Filter for AW/AI 230. Long Life odor filter. Replacement filter for use with Long Life recirculation kit Part No. 17004651 and Part No. 17004654. 								•		•	Part No. 11019121 See One Portal for pricing Replacement for AA 200 110 and AA 442 110. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation kit.

Installation and optional accessories

	1		_	_		Γ.					
		40	0 se	ries			200 s	serie	S		
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"		
Ceiling collar for duct cover. Stainless steel.					•					AD 442 392 stainless steel	\$313
Ceiling collar for AW 230 wall hood duct cover.Stainless steel.								•		AD 200 392 stainless steel	\$298

Installation and optional accessories

mistaliation and op			400	O ser	ies		2	200 s	erie	s	
		AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
	 Ceiling collar for Al 230 island hood duct cover. Stainless steel. 				•			•			AD 220 396 \$352 stainless steel
H	 Extension for mounting kit for island hood Al 230. For a duct cover height of 3' 7 5/16" to 4' 11" (1100-1500 mm). 							•			AD 223 346 \$191 Must be ordered in conjunction with the AD 200 322. Appliance height is dependent on the structure (cabinet height).
	 Adapter for island hood Al 230. For installation on a slanted roof to the left or to the right. Suitable for a slanted roof from 20 - 45 degrees. 							•	•		AD 223 356 \$204
	 Adapter for island hood Al 230. For installation on a slanted roof forwards or backwards. Suitable for a slanted roof from 20 - 45 degrees. 							•	•		AD 223 366 \$204
	— Lowering frame for 36" AF 210 visor hood.									•	AA 210 492 \$366 A flexible duct (Part No. 00361093) is needed when installed with lowering frame.
	— Mounting set for 36" cabinet for 36" AF visor hood.									•	AA 210 491 \$217 A flexible duct (Part No. 00361093) is needed when installed with lowering frame.
	 Wall outlet. Stainless steel. DN 150 flat. Weatherproof stainless steel louvers. Integrated one-way flap. 	•	•	•	•	•					AD 850 050 \$488

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Installation and optional accessories

		40	0 se	ries			200) sei	ries	;	
	AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	21 001 010	AW 230 790 36"	AF 210 791 36"	
 Telescopic wall-duct Stainless steel ø 8" round DN 200. ø 8" round DN 200 transition Integrated one-way flap. For use with 200 and 400 series AR 401 remote blowers. 	1	•	•	•	•						AD 702 052 \$313
Duct cover for exhaust mode for AW 442.Stainless steel.				•	•						AD 442 012 \$501 stainless steel, length 247/16", for 7' 9"-8' 6" ceiling heights AD 442 022 \$585 stainless steel, length 337/6", for 8' 6"-10' 2" ceiling heights
Duct cover for recirculation mode for AW 442.Stainless steel.				•	•						AD 442 112 \$585 stainless steel length 247/1/6", for 7'9"-8'6" ceiling heights AD 442 122 \$679 stainless steel length 337/6", for 8'6"-10'2" ceiling heights
Duct cover extension for extraction air mode. Stainless steel.									•		AD 200 322 \$672 stainless steel length 3' 3 5/8" (1000 mm). 8' 8 15/32" - 9' 8 15/32 ceiling heights Must be ordered with mounting kit AD 223 346.
Duct cover extension for extraction air mode.Stainless steel.							•				AD 200 326 \$950 stainless steel length 3' 7 5/16 (1,100 mm). 9' 4 13/16 - 10' 4 13/32" ceiling heights Must be ordered with mounting kit AD 223 346.

AL 400 downdraft installation accessories

	installation accessories		40	0 sei	ries		Ι.	200 s	serie	s	
		AL 400 722 46"	AL 400 792 36"	1	AI 442 720 48"	AW 442 720 48"	200 120 6"	AI 230 700 40"	AW 230 790 36"	210 791 36"	
	- Ventilation molding for VL 200 next to gas appliance.	₹	₹	>	₹	8	1/	₹	8	AF	LS 041 001 \$123
	Air deflector used with 400 series VL 414 downdraft adjacent to gas cooktops.			•							AA 414 010 \$204
	Cabinet support for AL 400.36" width.	•									AA 409 401 \$178
	Cabinet support for AL 400.48" width.		•								AA 409 431 \$245
	 Air exhaust grill air recirculation. Stainless steel-colored. 35⁷/16" (90 cm), including installation fittings, height adjustable. For use with VL 200, VL 414 or AL 400. 	•	•	•			•				AA 010 410 \$339
0.0	 Connecting piece to 2x ø 6" round ducts, either mounted on front or back of AL 400. 	•	•								AD 754 049 \$217
	 Connecting piece. AL 400 for flat duct, 2 × DN 150. Metal zinc plated. DN 150 flat. 	•	•								AD 854 050 \$217
80	- Air collector flat duct for AL 400. - Metal zinc plated. - DN 150 flat.		•								AD 704 050 \$488

AL 400 downdraft metal ducting



- Flat duct.
- Metal.
- DN 150 flat.
- Length 1000 mm.



- Flat duct connecting piece.
- Metal.
- DN 150 flat.
- To connect 2 flat ducts.



- Flat duct bend 90 $^{\circ}$ vertical.
- Metal.
- DN 150 flat.
- For extra deep countertop.



- Flat duct bend 90° horizontal.
- Metal.
- DN 150 flat.
- Vario 400.



- Flat duct bend connecting piece.
- Metal.
- DN 150 flat.
- $\,-\,$ To connect 2 flat duct bends.
- $\,-\,$ For extra deep countertop.



- Flat duct flex pipe.
- Metal.
- $-\,$ DN 150 flat.
- Length 1000 mm.



- Flat duct adapter round 90° when connecting to 6" (DN 150) round aluflex pipe AD 751 010.
- Metal.
- $-\,$ DN 150 flat/round.
- Transition from flat duct to round duct.



- Flat duct adapter round.
- Metal.
- DN 150 flat/round.
- Transition from flat duct to round duct.



- Adhesive tape for duct components.
- Aluminum.
- Width 2" (50 mm).
- 32.5′ (10 m)/roll.

AD 854 010

AD854040

\$149

\$258

AD 854 030

\$136

AD 854 031

854 031

\$149

AD 854 000

\$204

AD 858 010

\$285

AD 854 032

\$149

AD 990 091

AD 854 041

\$29

\$136

PRICE

AL 400 downdraft metal ducting



- Flexible connecting piece for VL 200 and VL 414 downdraft.
- DN 150 flat.

AD 410 040

\$407



 Connecting piece VL 200 and VL 414 for extension with flat duct DN 150 for extra deep countertop.

AD 851 041

\$245



- Aluflex pipe.
- Aluminum.
- ø 6" (DN 150 round).

AD 751 010

\$149



- Metal zinc plated.
- 8" round.
- Reduce 8" connection to 6" connection.

AD 704 040

\$110

Blowers and ventilation systems compatibility



AL 400 792 36" Retractable downdraft

For specific questions, please contact GaggenauConcierge@bshg.com



AR 413 722



AA 413 723 AD 413 722 Oval flex duct Recirculation kit flat duct option

6" round duct option for venting front/back

AD 754 049 Transition to 2x 6" round for front/back of AL



2x AD 854 032

Flat Duct adapter round 90°



2x AD 858 010

Flat duct flex pipe



AD 704 050

Air collector flat duct



AD 990 091

Aluminum adhesive tape



AA 010 410

Air exhaust grill (or custom grill) * For recirculation operation, order AR 413 722 + AA 413 723 + AD 413 722.



AR 400 742

Inline





for venting

downward

AD 854 050

Connecting

pieces

2x AD 858 010

Flat duct flex pipe

AD 704 050

Air collector

flat duct

AD 990 091

Aluminum

adhesive tape

AA 010 410 Air exhaust grill

(or custom grill)

AD 854 050

Connecting pieces



2x AD 854 010

Flat duct connecting piece



2x AD 854 041

Flat Duct adapter round



AD 751 010

Aluflex pipeduct 6"



AR 401 742

Remote

flat duct option for venting downward



AD 854 050

Connecting pieces



2x AD 854 010

Flat duct connecting piece



2x AD 854 041

Flat Duct adapter round



AD 751 010

Aluflex pipeduct 6"



2x AD 854 032

Flat Duct adapter round 90°



2x AD 854 010

Flat duct connecting piece



AD 704 050

Air collector flat duct



AD 702 052 Telescopic

wall duct 8"






AD 704 050

Air collector flat duct



AD 990 091

adhesive tape





AD 990 091

Aluminum adhesive tape

Aluminum

Gaggenau Dealer Price List Q3 2025 20-BSH-0914.5 06/03/2025

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



For specific questions, please contact GaggenauConcierge@bshg.com

AL 400 722

46 5/8" Retractable downdraft



2x AR 410 710

Recirculation



OU

AD 754 049

Transition to 2x 6" round for front/ back of AL



2x AD 854 032

Flat Duct adapter round 90°



2x AD 858 010

Flat duct flex pipe



AD 990 091

Aluminum adhesive tape



AA 010 410

Air exhaust grill (or custom grill)





2x AR 400 742

Inline



downward



AD 854 050

Connecting pieces



2x AD 854 010

Flat duct connecting piece



2x AD 854 041

Flat duct adapter round



2x AD 751 010

Aluflex pipeduct 6"



AD 990 091

Aluminum adhesive tape





2x AR 401 742

Remote





AD 854 050

Connecting pieces



4x AD 854 010

Flat duct connecting piece



4x AD 854 041

Flat duct adapter round



AD 751 010

Aluflex pipeduct 6"



2x AD 854 032

Flat Duct adapter round 90°



2x AD 704 040

Pipe adapter DN 200/150 round



2x AD 702 052

Telescopic wall duct 8"



AD 990 091

Aluminum adhesive tape



2x AR 403 722

Inline



AD 754 049

Transition to 2x 6" round for front/ back of AL



2x AD 854 032

Flat Duct adapter round 90°



2x AD 858 010

Flat duct flex pipe



2x AD 854 041


Flat duct adapter round This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blowers and ventilation systems compatibility AR 410 710 AR 413 722 Recirculation Recirculation* AA 413 723 AD 413 722 Recirculation Oval flex duct kit AD 410 040 AD 858 010 Flat duct flex pipe Flexible connecting piece AD 854 041 AA 010 410 Flat Duct Air exhaust grill adapter round (or custom grill) (*) **AA 010 410** Air exhaust grill (or custom grill)



AD 990 091 Aluminum adhesive tape

(*)



(*)

For specific questions, please contact

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

For specific questions, please contact ${\tt GaggenauConcierge@bshg.com}$ AW 442 720 Wall hood AR 400 742 AR 401 742 AR 400 743 Inline Remote Internal **AD 442 AD 442** AD 442 Duct cover for Duct cover for Duct cover for air extraction air extraction air extraction or recirculation AD 751 010 AD 702 052 Telescopic wall duct 8" Aluflex pipeduct 6" For Recirculation **AA 442 810** Recirculation kit with charcoal filter





\$23,839

Expressive Series Vario fridge-freezer combination

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Common features

- Dark brushed stainless steel interior, refined with solid anthracite aluminum elements.
- Warm white and glare-free LED light concept for optimal food presentation in all compartments.
- Opening assist for door enabling seamless integration without handles.
- Flat dark brushed stainless steel inner door.
- Flexible positioning of shelves and door racks through hidden
- Solid anthracite aluminum door bins.

- Professional freshness system with 2 fresh climate drawers and 1 chilled drawer.
- Internal water dispenser with water filter.
- Integrated ice maker with fixed water connection.
- Spacious, fully extendable freezer compartment including 2 additional interior drawers.
- Full touch TFT display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario fridge-freezer combination Gaggenau Expressive series

- Width 35 1/2" (90 cm).
- Net volume 20 cu. ft. (566 liters).

Included accessories


- egg holder with lid.
- ice cube scoop.
- oak wood bottle holder.
- supply hose, 70 $^{7}/_{8}$ " (1.8 m) with 1/4" male compression fitting (standard ice maker connector).

RVY 497 790

fully integrated



- Panel ready.



- Heater kits are no longer required or available.

Standard brushed stainless steel door panels with handles (not dark brushed stainless steel) are available to order, but require a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RA 421 915 (standard stainless-steel doors) and RVA 460 910 (installation accessory). Please see planning notes for details.



Vario fridge-freezer combination Gaggenau Expressive series

- Width 35 1/2" (90 cm).
- Net volume 20 cu. ft. (566 liters).

Included accessories

- egg holder with lid.
- ice cube scoop. oak wood bottle holder.
- supply hose, 70 $^{7}/8"$ (1.8 m) with 1/4" male compression fitting (standard ice maker connector).

RVB 497 790

fully integrated

RIGHT-hinged, field reversible.



\$23,394

- Panel ready.
- Operated with or without handle
- Heater kits are no longer required or available.

Standard brushed stainless steel door panels with handles (not dark brushed stainless steel) are available to order, but require a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RA 421 913 (standard stainless steel doors) and RVA 460 910 (installation accessory). Please see planning notes for details.



Vario fridge-freezer combination Gaggenau Expressive series **RVB 477**

- Width 30" (76.2 cm).
- Net volume 16.7 cu. ft. (473 liters).

Included accessories

- egg holder with lid.
- ice cube scoop.
- oak wood bottle holder.
- supply hose, 70 $^{7/8}$ " (1.8 m) with 1¼" male compression fitting (standard ice maker connector).

RVB 477 790

fully integrated

RIGHT-hinged, field reversible.



\$22,355

Panel ready.

- Operated with or without handle.
- Heater kits are no longer required or available.

Vario 400 series refrigeration column

Common features

- Fully integrated.
- Stainless steel interior with solid anthracite aluminum elements.
- Warm white and glare-free LED light spots.
- Opening assist for door with two options:
- 1. Push-to-open function for integration into handleless cabinet front
- 2. Pull-to-open function to facilitate opening the door using a handle
- The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door bins can be aligned on the same level.
- Flat stainless steel inner door, full-length.
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Solid anthracite aluminum door bins.
- One fresh cooling drawer 32°F (0°C) with manually adjustable temperature)and one fresh cooling drawer with manually adjustable humidity.
- TFT touch display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario 400 series refrigeration column RC 492

- Width 36" (91.4 cm).
- Net volume 20.6 cu.ft.

Included accessories

1 egg holder with lid

RC 492 705

fully integrated

RIGHT-hinged, field reversible.



\$17,700

- Panel ready.
- Operated with or without handle.



Vario 400 series refrigeration column

- RC 472
- Width 30" (76.2 cm).Net volume 16.8 cu.ft.

Included accessories

1 egg holder with lid

RC 472 705

fully integrated

\$16,773

RIGHT-hinged, field reversible.



- Panel ready.
- Operated with or without handle.



Vario 400 series refrigeration column RC 462

- Width 24" (61 cm).
- Net volume 13.0 cu.ft.

Included accessories

1 egg holder with lid

RC 462 705

fully integrated

RIGHT-hinged, field reversible.



\$15,845

- Panel ready.

Operated with or without handle.

Vario 400 series freezer column

Common features

- Fully integrated.
- Stainless steel interior with solid anthracite aluminum elements.
- Warm white and glare-free LED light spots.
- Opening assist for door with two options:
- 1. Push-to-open function for integration into handleless cabinet front
- 2. Pull-to-open function to facilitate opening the door using a handle.
- The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door bins can be aligned on the same level.
- Material and aesthetics of interior as for RC model.
- Glass shelves.
- Solid anthracite aluminum door bins.
- Flat stainless steel inner door, full-length.
- Integrated automatic ice maker with fixed water connection.
- TFT touch display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario 400 series freezer column

- Width 36" (91.4 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning
- Net volume 19.4 cu.ft.

Included accessories

- ice cube scoop.
- ice storage container, large.
- Accessory for side-by-side installation (RA 460 000).
- supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

RF 491 705

fully integrated

LEFT-hinged, field reversible.





\$16,835

- Panel ready.
- Operated with or without handle.



Vario 400 series freezer column **RF 471**

- Width 30" (76.2 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 15.8 cu.ft.

Included accessories

- ice cube scoop. ice storage container, large.
- Accessory for side-by-side installation (RA 460 000).
- supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

RF 471 705

fully integrated

LEFT-hinged, field reversible.



\$16,094

- Panel ready.
- Operated with or without handle.



Vario 400 series freezer column **RF 463**

- Width 24" (61 cm).

- Almost invisible rail system for shelves for flexible positioning.
- Illuminated dispenser for ice cubes, crushed ice and chilled water in the door.
- Proximity sensor for ice and water dispenser.
- Net volume 11.2 cu.ft.

Included accessories

- 1 Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

RF 463 707


\$16,094

fully integrated, 24" (60 cm), left hinge

LEFT-hinged only.



- Panel ready.
- Operated with or without handle.



\$15,204

Vario 400 series freezer column



Vario 400 series freezer column

- Width 24" (61 cm).

- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 12.2 cu.ft.

Included accessories

- ice cube scoop.
- ice storage container, large.
- Accessory for side-by-side installation (RA 460 000).
- supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

RF 461 705

fully integrated



Panel ready.

Operated with or without handle.

LEFT-hinged, field reversible.



Vario 400 series freezer column

- Width 18" (45.7 cm).
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Net volume 8.6 cu.ft.

Included accessories

- ice cube scoop.
- 1 ice storage container, large.
- Accessory for side-by-side installation (RA 460 000).
- 1 supply hose, 47" (1.2 m) with 1/4" male compression fitting (standard ice maker connector).

RF 411 705

fully integrated, 18" (45.7 cm)

LEFT-hinged, field reversible.



\$13,424

\$16,390

Panel ready.

Operated with or without handle.

400 series wine

Common features

- Fully integrated, with glass door.
- Consistent temperatures with exact control from 41 °F to 68 °F (+5 °C to +20 °C).
- · Humidity control.
- Stainless steel interior.
- Fully extendable bottle trays in oak wood and solid aluminum in anthracite.
- Bottle trays with hidden telescopic rails.
- Warm white and glare-free LED light spots.
- 5 preset lighting scenarios, selectable via TFT display.

- Opening assist for door with two options:
- 1. Push-to-open function for integration into handleless cabinet
- 2. Pull-to-open function to facilitate opening the door using a
- Low-vibration operation.
- TFT touch display.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario 400 series wine climate cabinet

- Width 24" (61 cm).
- Three independently controllable climate zones.
- Number of standard wine bottles: 99.

Included accessories

Accessory for side-by-side installation (RA 460 000)

RW 466 765

fully integrated, with glass door

RIGHT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.



\$15,352

400 series wine



Vario 400 series wine climate cabinet

RW 414

- Width 18" (45.7 cm).
- Two individual temperature zones, both continuously variable.
- Number of standard wine bottles: 70.

Included accessories

Accessory for side-by-side installation (RA 460 000)

RW 414 765

fully integrated, with glass door

RIGHT-hinged, field reversible.



\$8,654

Panel ready.Operated with or without handle.

200 series wine



200 series 24" under-counter wine storage unit

RW 404

- Width 23 ⁵/₈" (60 cm).
- Under-counter wine storage unit with stainless steel-framed glass door.
- ADA compliant.
- Two individual temperature zones, both continuously variable.
- Consistent temperatures with exact control from 41°F to 64°F.

- Extendable bottle trays in beech and aluminum.
- LED lighting.
- Cushioned door closing system allowing a soft and controlled door closure.
- Door lock.
- Number of standard wine bottles: 34.
- Side-by-side installation possible with special accessory.

RW 404 761

stainless steel

RIGHT-hinged, field reversible.

Note: Stainless steel door only with handle. Cannot accommodate a custom panel.



		_	/	/		, %	367,6	,			_		/ Gir	- /s	
	RY 492/RVY 497 36"	PR 797/PVR 797 34"	RD 472/RVB 497 38	KB 4/2/KVB 4// 50"	RC 492 / US 38"		RF 471 705 30"	1	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	_		1	
Replacement activated charcoal air filter.													•		RA 050 220 \$162 — Effectively filters odors.
 Replacement activated charcoal air filter. set of 2 pcs. 	1	2	22	3											RVA 450 220 \$162
Storage container with transparent lid, anthracite. Egg insert Part No.11031964.	•	•													RA 430 100 \$94 — Ideal for storing food in your refrigerator. — Transparent lid. — Anthracite. — Approximately 12.75" × 7" × 3".
 Presenter in oak wood and aluminum in anthracite for single bottle display. 1 piece. Includes screw hole cover set RA 430 000. 											•	•			RA 493 060 \$81 — Oak wine bottle presenter.
Solid oak wood bottle support with magnetic connector.	1	2	22	3											RVA 438 040 \$136 — set of 1 piece.
— Screw hole cover set. 8 pieces.											•	•			RA 430 000 \$42 — 8 covers.
Ethylene absorber starter kit. For placement in a fresh climate drawer.	1	2	22	3											Part No. 17006999 See Cleaners & Accessories Price List for pricing.

¹ RVY 497 790

² RVB 497 790

³ RVB 477 790

Cooling accessor			
		RV 492/RVY 497 36" RB 492/RVB 477 36" RC 492 705 36" RC 472 705 36" RC 472 705 36" RC 482 705 24" RF 491 705 30" RF 461 705 24" RF 461 705 24" RF 461 705 24" RF 461 705 24" RF 461 705 22" RF 461 705 22"	
	— Ethylene absorber refill kit.	Part No. 17007000 See Cleaners & Accessories Price List for pr	ricing
	 lce storage container, small. For installation with a door opening angle of 90° the delivered ice storage container must be exchanged for the small ice storage container. This must be done prior to fixing the door. 	RA 448 220	\$136
	 Activated charcoal water filter system for 2007-2020 Vario 400 freezer/bottom mount columns. 	Part No. 11034152 See Cleaners & Accessories Price List for pr — UltraClarity Filter.	ricing
	 Activated charcoal water filter for 2021+ Vario 400 freezer/ bottom mount columns. 	Part No. 11032531 See Cleaners & Accessories Price List for pr — UltraClarity Pro™ Filter .	ricing
	— Water filter bypass for home water filtration system.	Part No. 11037377 See Cleaners & Accessories Price List for pr — Install this bypass cartridge if you don't v to use a water filter in your refrigeration.	want
	 Removable shelf with oak wood frame. Suitable for decanters and open bottles. Includes screw hole cover set RA 430 000. For 18" wide appliances. 	RA 492 160 — Ideal for decanters and open bottles. — Oak frame. — Removable.	\$394

⁴ RVY 497 790

⁵ RVB 497 790

⁶ RVB 477 790


PRICE

Panel reference guide









Step 1: Columns	and Bot	tom Freezers	Step 2: Panels			Step 3: Handl	es (for use with o	custom panels)
Column type	Width	Door swing type	Custom panel	Stainless steel or dark stainless steel door panels with handles	Stainless steel or dark stainless steel door panels, handleless	Stainless steel handle for refrigerator door 44 ½" (1131 mm)	Stainless steel handle for bottom freezer door 31 7/7" (810 mm)	Stainless steel handle for bottom freezer door 25 ⁷ /s" (658 mm)
Bottom Freezers/	French Do	or Bottom Freezers						
RVY 497 790	35 ½"	n/a	Panel Ready	RVA 421 922 dark stainless RA 421 915 ¹ stainless steel	RVA 428 922 dark stainless	RA 425 110	RA 425 910	_
RVB 497 790	35 ½"	Right/Reversible	Panel Ready	RVA 421 920 dark stainless RA 421 913 ² stainless steel	RVA 428 920 dark stainless	RA 425 110	RA 425 910	_
RVB 477 790	30"	Right/Reversible	Panel Ready	RVA 421 720 dark stainless	RVA 428 720 dark stainless	RA 425 110	_	RA 425 710
400 series refrige	ration col	umns						
RC 492 705	36"	Right/Reversible	Panel Ready	RA 421 914	RA 428 914	RA 425 110	_	_
RC 472 705	30"	Right/Reversible	Panel Ready	RA 421 713	RA 428 713	RA 425 110	_	-
RC 462 705	24"	Right/Reversible	Panel Ready	RA 421 615	RA 428 615	RA 425 110	-	-
400 series freeze	r columns			,		•		
RF 491 705	36"	Left/Reversible	Panel Ready	RA 421 914	RA 428 914	RA 425 110	_	_
RF 471 705	30"	Left/Reversible	Panel Ready	RA 421 713	RA 428 713	RA 425 110	_	_
RF 461 705	24"	Left/Reversible	Panel Ready	RA 421 615	RA 428 615	RA 425 110	-	-
RF 411 705	18"	Left/Reversible	Panel Ready	RA 421 115	RA 428 115	RA 425 110	-	_
400 series freeze	r columns	with ice and water d	ispenser	,		•		
RF 463 707	24"	Left	Panel Ready	RA 422 611	RA 428 811	RA 425 110	_	_
400 series wine cl	imate cal	pinet						
RW 466 765	24"	Right	Panel Ready	RA 421 617 right-hinged RA 421 616 left-hinged	RA 428 616	RA 425 110	_	_
RW 414 765	18"	Right	Panel Ready	RA 421 117 right-hinged RA 421 116 left-hinged	RA 428 116	RA 425 110	_	_

Gaggenau Dealer Price List Q3 2025 20-BSH-0914.5 06/03/2025

¹ Requires a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RVA 460 910 (installation accessory).

² Requires a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RVA 460 910 (installation accessory).

Cooling accessori		
		RY 492/RVY 497 36" RB 492/RVB 497 36" RB 472/RVB 477 30" RC 492 705 36" RC 412 705 36" RC 427 105 30" RF 491 705 30" RF 451 705 30" RF 461 705 30" RF 461 705 30" RF 461 705 18" RF 411 705 18" RW 466 765 24" RW 466 765 24" RW 466 705 22"
	 Removable shelf with oak wood frame. Suitable for decanters and open bottles. Includes screw hole cover set RA 430 000. For 24" wide appliances. 	RA 492 660 \$42
	 Bottle support in oak wood for convenient storage of bottles on the division plate. For 18" wide appliances. 	RA 498 140 18" — Ideal for decanters and open bottles. — Oak. — Removable.
	 Bottle support in oak wood for convenient storage of bottles on the division plate. For 24" wide appliances. 	RA 498 640 24" — Ideal for decanters and open bottles. — Oak. — Removable.
	 Dark stainless steel door panels, handleless. For RVY 497, panel thickness 3½". 	RVA 428 922 stainless steel, 35 ½" wide \$2,36
	 Stainless steel door panels, with handles. For RY 497, panel thickness ¾". 	RA 421 915 stainless steel, 36" wide If ordering the stainless steel door for the RVY 497, please also order the RVA 460 910 (installation accessory). and consult the plannin notes for additional details on additional width requirements.

⁷ RVY 497 790 only

⁸ RY 492 705 only

Cooling accessorie	?\$ 														_		
			/	/				000	.00,00	,				/	/ 。	,	
		4	/ —				$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$		_	_	$\overline{}$	žić.	í	
		1.36"	7 36"	, 30,,	RC 492 705 36"					MD			L				
		67 A	VB 49	/B 477	35 36"	35 30"	35 24"	5 36"	5 30"	7 24"	5 24"	2 18"	65 24	55 18"	61 23"	5 22"	
		492/R	492/R	472/R	492 7	472 70	462 7	491 70	7170	463 70	461 70	111 70	4667	414 7	4047	282 70	
		RY /	RB 7	RB 4	2	2	2	RF 2	RF Z	RF 2	RF 2	RF 2	₹	≥	₽	RB 2	
	 Dark stainless steel door panels, with handle. For RVY 497, panel thickness ¾". 	9															RVA 421 922 \$2,308 stainless steel, 35 ½" wide
	 Dark stainless steel door panels, handleless. For RVB 497, panel thickness ¾". 		100														RVA 428 920 \$1,901 stainless steel, 35 ½" wide
	- Stainless steel door panels with handles For RB 497, panel thickness ¾".		111														RA 421 913 \$1,290 stainless steel, 36" wide If ordering the stainless steel door for the RVY 497, please also order the RVA 460 910
																	(installation accessory), and consult the planning notes for additional details on additional width requirements.
	 Dark stainless steel door panels, with handle. For RVB497, panel thickness ¾". 		12														RVA 421 920 \$1,901 stainless steel, 35 1/2" wide

⁹ RVY 497 790 only 10 RVB 497 790 only

¹¹ RB 492 705 only

¹² RVB 497 790 only

Cooling accessor	ries																	
		/	/	/			,	000	307.60	,			/	/	/ ;;;	0/./		
		"45 767 VV9/662 V9	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	RF 461 705 24"	RF 711 705 18"	11/03/19 IN	$\overline{}$	4 14 703 10	404 701 23	RB 282 705 22"	
	 Stainless steel door panel, handleless. For 36" wide appliances, panel thickness ¾". 				•			•										A 428 914 \$1,426 tainless steel, 36" wide
	 Stainless steel door panel with handle. For 36" wide appliances, panel thickness ¾". 				•			•										A 421 914 \$1,426 tainless steel, 36" wide
	 Dark stainless steel door panels, handleless. For RVB 477, panel thickness ¾". 			133	3													VA 428 720 \$1,765 tainless steel, 30" wide
	 Stainless steel door panel with handle. For RB 477, panel thickness ¾". 			144														A 421 715 \$882 tainless steel, 30" wide

¹³ RVB 477 790 only

¹⁴ RB 472 705 only

PRICE

Cooling accessori	les															
			/	/			Š,	807.	80/				/	/	ø	
		4				\neg	\neg	\neg	$\neg \neg$	т		1	/ _	ž ^g	1	
		RY 492/RVY 497 36"	17 36"	.7 30"			=		9	MS.		"				
		RVY 4	RVB 4	3VB 47	705 36	705 30	705 24	U5 56"	U5 5U"	77 70	RF 461 705 24"	77.57	74.5 40	761 27	705 22	
		1 492/	3 492/	3 472/1	2 492	2 472	2 462	7164 -	- 4/1/	400	4617	/	V 400	4 4 4	RB 282 705 22'	
		N.			Ž	~	Ž	2 2	2 2	2 2	2 2	2 6	2 0	2 6	2 2	
	 Dark stainless steel door panels, with handle. For RVB 477, panel thickness ¾". 		1	15												RVA 421 720 \$1,765 stainless steel, 30" wide
	 Stainless steel door panel, handleless. For 30" wide appliances, panel thickness ¾". 					•			•							RA 428 713 \$896 stainless steel, 30" wide
	 Stainless steel door panel with handle. For 30" wide appliances, panel thickness ¾". 					•										RA 421713 \$882 stainless steel, 30" wide
	 Stainless steel door panel, handleless. For 24" wide appliances, panel thickness %". 						•				•					RA 428 615 \$815 stainless steel, 24" wide


- Stainless steel door panel frame,

- For 24" wide appliances, panel

handleless.

thickness ¾".

Cooling accessories 400 SOTIES | RY 492/RVY 497 36"
RB 492/RVB 497 36"
RB 472/RVB 477 30"
RC 492 705 36"
RC 472 705 36"
RC 462 705 24"
RF 491 705 36"
RF 491 705 36"
RF 491 705 36"
RF 461 705 24"
RF 461 705 24"
RF 461 705 24"
RF 461 705 22"
RW 464 765 18"
RW 464 765 18"
RW 464 765 18"
RW 464 765 18"
RW 404 761 23"
RB 282 705 22" - Stainless steel door panel with RA 421 615 \$802 handle. stainless steel, 24" wide - For 24" wide appliances, panel thickness ¾". - Stainless steel door panel, RA 428 811 \$815 handleless. stainless steel, 24" wide - For RF 463, panel thickness $^{3}\!\!\!\!/''$. - Stainless steel door panel with RA 422 611 \$802 handle. stainless steel, 24" wide - For RF 463, panel thickness ¾".



\$815

RA 428 616

stainless steel, 24" wide

Cooling accesso	ories			/										_	/		/.5/
		_	_				,	00	§.			_	_	/ ½	000	[5]	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	 Stainless steel door panel frame with handle. For 24" wide appliances, panel thickness ¾". 												•				RA 421 617 \$815 stainless steel, right-hinged, 24" wide RA 421 616 699 stainless steel, left-hinged, 24" wide
	 Stainless steel door panel, handleless. For 18" wide appliances, panel thickness ¾". 											•					RA 428 115 \$760 stainless steel, 18" wide
	 Stainless steel door panel with handle. For 18" wide appliances, panel thickness ¾". 											•					RA 421 115 \$747 stainless steel, 18" wide
	 Stainless steel door panel frame, handleless. For 18" wide appliances, panel thickness ¾". 													•			RA 428 116 \$760 stainless steel, 18" wide

			_		′			_	307/6	'n				_	/	٥ ,	/3/ 3
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	"OS 777 070 777 20"	RB 4/2/RVB 4/7 5U" RC 492 705 34"	RC 472 705 30"	Т	Т	Т	т	DE 7.61 705 27"	DE 441 705 18"	PW 444 745 24."	Т	RW 404 761 23"	\leftarrow	
	 Stainless steel door panel frame with handle. For 18" wide appliances, panel thickness ¾". 													•			RA 421 117 \$745 stainless steel, right-hinged, 18" wide RA 421 116 \$745 stainless steel, left-hinged, 18" wide
	 Stainless steel handle for refrigerator door. With 3 mounts, length 44 ½" (1131 mm), drilling distance between each mount 21 13/16" (554 mm). 	•	•	•	•	•	•	•	•	•	•		•	•			RA 425 110 \$20 stainless steel
	 Stainless steel handle for bottom freezer door. For RB/RY 492, with 2 mounts, length 31 ⁷/s⁴ (810 mm), drilling distance between the mounts 31" (787 mm). 	•	•														RA 425 910 \$20 stainless steel
	Stainless steel handle for bottom freezer door. For RB 472 with 2 mounts, length 25 ⁷ /s" (658 mm), drilling distance between the mounts 25 ¹ /w" (637 mm).			•	•												RA 425 710 \$20 stainless steel
與與	 Installation kit for side-by-side installation for connecting any two columns. Included in delivery for RF and RW. 	•	•		•	•	•	•	•	•	•	•	•	•			RA 460 000 \$13
	 Additional side heating element. 110 V. Required if appliances are installed with a distance greater than 5/6" and less than 6 5/16" next to each other and for all built-in situations in a very humid environment. Not required if appliances are installed more than 6 5/16" apart from each other. 	•	•			•	•	•	•	•	•			•			RA 460 012 \$819

Cooling accessories																
		/	/	/			,	,0°	.0//0				/	/ ×		
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"				و	RF 461 705 24"	RF 411 705 18"			RB 282 705 22"	
	 Side-by-side Connection Replacement Kit 36" cutout. Accessory for replacement side-by-side installation in unmodified niche. Required if a RVY 497 (89.4 cm wide) is installed side-by-side into a niche which was formerly housing a combination including a RY 492, RB 492 or RC 492 (90.8 cm wide). 	•														RVA 460 900 \$543
73	 Side-by-side 1.1 with Side-by-side 2.0 combination kit. Accessory for side-by-side installation, backward compatible. Required if a RVY 497 is installed side-by-side with a RY, RB, RC, RF or RW of the Vario cooling 400 series. 	•														RVA 460 020 \$637
Tim .	- Single Unit Replacement Kit 36" cutout. - Required if a RVY 497 (89.4 cm wide) is replacing a RY 492, RB 492 or RC 492 (90.8 cm wide).	•	•													RVA 460 910 \$407
	Connecting element for custom cabinet fronts when panels are split vertically to create one door front.				•	•	•	•	•	•	•	•	•	•		RA 460 020 \$204
	Connecting element for custom cabinet fronts for bottom freezer when panels are split vertically to create one door front.	•	•	•												RA 460 030 \$204
11333	 Used to conceal the gap between the appliance and adjacent cabinet. Long. White powder coated metal. 				•	•	•	•	•	•	•	•	•	•		RA 423 140 \$148 stainless steel
	 Side trims long - narrow for standard installation. Side trims, 3 mm. 2 pieces. 	•	•	•												RVA 423 141 \$204
	- Used to conceal the gap between the appliance and adjacent cabinet 2 pieces, for RY and RB White powder coated metal.	•	•	•												RA 423 340 \$136 stainless steel

Cooling accessorie															
			/			, 0,	, C. S. O. S	,			/	/ *	0,		
		RY 492/RVY 497 36"	RB 472/RVB 477 30"	RC 492 705 36"				Д	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"		Í		
1:50	 Side-by-side Connection Kit for RB and RC (included as standard with RF, RW). For RVY 497. 	•												RVA 460 000	\$272
	Ventilation grill stainless steel. For 36" wide RC appliances without water filter.			•		•	•							RA 464 911 stainless steel, 36" wide	\$449
	Ventilation grill stainless steel. For 36" RF 491705.						•							RA 464 914 stainless steel, 36" wide	\$449
	 Ventilation grill stainless steel. For 30" wide RC appliances without water filter. 				•									RA 464 711 stainless steel, 30" wide	\$420
o o	Ventilation grill stainless steel. For 30" RF 471 705.						•							RA 464 714 stainless steel, 30" wide	\$420
	 Ventilation grill stainless steel. For 24" RC and RW appliances without water filter. 				,	•					•			RA 464 611 stainless steel, 24" wide	\$394
	Ventilation grill stainless steel.For 24" RF 461705.								•					RA 464 616 stainless steel, 24" wide	\$394
	 Ventilation grill stainless steel. For 24" RF 463 706. IWD, right-hinged. 													RA 464 617 stainless steel, 24" wide	\$394
	 Ventilation grill stainless steel. For 24" RF 463 707. IWD, left-hinged. 							•						RA 464 618 stainless steel, 24" wide	\$394
	 Ventilation grill stainless steel. For 18" RW appliances without water filter. 											•		RA 464 111 stainless steel, 18" wide	\$326
	Ventilation grill stainless steel.For 18" RF 411 705.									•				RA 464 113 stainless steel, 18" wide	\$326

			*00,897'es		/ oring	
		RY 492/RVY 497 36" RB 492/RVB 497 36" RB 472/RVB 477 30" RC 492 705 36" RC 472 705 30" RC 472 705 24"	Ş	1 466 765 24"		KB 282 705 22"
	 Accessory for side-by-side installation of two under-counter wine climate cabinets. 				•	RA 097 600 \$352 stainless steel
33 44	- Door lock for RW 414/466 wine storage unit (Includes a special drill kit).			•		RA 420 010 \$352 stainless steel - For use with select wine storage cabinets Installation instructions sold separately, order Part No. 00720358. - To purchase the key only, order Part No. 00621432. To purchase the left cut-out cover only, order Part No. 00619231. To purchase the right cut-out cover only, order Part No. 00619232.
	Heavy duty hinge support for a maximum door weight of 59 lb (27 kg).					RA 260 000 \$110 stainless steel
	- Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 18" wide appliances.			•		RA491161 \$352 stainless steel, 18" wide — Made of oak and aluminum. — Shelf extends for ease of use.
	 Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite. For 24" wide appliances. 			•		RA491661 \$407 stainless steel, 24" wide — Made of oak and aluminum. — Shelf extends for ease of use.



400 series dishwashers

Common features

- Euro Tub, appliance height 32 3/16".
- Tall Tub, appliance height 34 1/8".
- Optimal protection for sensitive glassware by low temperature drying with zeolite, optimized basket design and intelligent water
- 8 programs with aqua sensor and 4 options, such as Power for cleaning and drying dishes in one hour and Intensive for particularly thorough cleaning in the lower basket.
- Flexible basket system with smooth running rails on all levels and

cushioned closing of the upper and lower basket.

- Perfectly illuminated interior.
- Push-to-open function for perfect integration into handleless custom cabinet fronts.
- 3rd rack for cutlery.
- Very quiet: 42 dB.
- ENERGY STAR® certified.
- Home Connect[®].



400 series dishwasher DF 480/481

- Fully integrated.
- Remaining time projection onto the kitchen floor.

Included accessories

- baking tray spray head.
- Gastronorm container inserts.
- 1 holder for long-stemmed glasses

Without flexible hinge

fully integrated, Tall Tub

DF 480 701 \$5.835

fully integrated, Euro Tub, ADA compliant DF 481 701 \$5,835







400 series Flexible hinge dishwasher DF 480/481

- Fully integrated with flexible hinge.
- Lateral Info-Light.

Included accessories

- baking tray spray head.
- Gastronorm container inserts.
- 1 holder for long-stemmed glasses.

With flexible hinge

DF 480 701F \$5,835 fully integrated, Euro Tub, ADA compliant

DF 481 701F \$5,835 fully integrated, Tall Tub





200 series dishwashers



Dishwasher 200 series

DF 210

- Fully integrated.
- Euro Tub, appliance height
- Tall Tub, appliance height 34 1/8".
- 6 programs with aqua sensor and 3 options, such as Power to reduce the cycle time and Intensive for particularly thorough cleaning in the lower basket.
- Flexible basket system.
- Bright interior lighting.
- 3rd rack for cutlery and utensils.
- Very quiet: 42 dB.
- ENERGY STAR® certified.
- Home Connect[®].

Included accessories

1 tray spray head.

DF 210 701

\$3,314 fully integrated, Euro Tub, ADA compliant

fully integrated, Tall Tub





\$3,314

Dishwasher accessories

			400 s	eries		200 s	series	
		DF 480 701	DF 481 701	DF 480 701F	DF 481 701F	DF 210 701	DF 211 701	
	Stainless steel trim kit for all DF 210/ DF 480 dishwashers. Set of 2, for left and right.	•		•		•		DA 020 011 \$162 fully integrated, for Euro Tub
	Stainless steel trim kit for all DF 211/ DF 481 dishwashers. Set of 2, for left and right.		•		•		•	DA 020 111 \$162 fully integrated, for Tall Tub
	 3rd basket. For DF 211 dishwasher. 3rd loading level above the upper basket. For small bowls, cups and cooking utensils. Movable knife shelf. 						•	DA 045 060 \$245 — Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. — To be placed above upper rack. — Removable knife shelf.
	 3rd basket. With smooth running rails. For DF 481 / DF 481 F dishwasher. 3rd loading level above the upper basket. For small bowls, cups and cooking utensils. Movable knife shelf. 		•		•			DA 045 061 \$245 — Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. — To be placed above upper rack. — Removable knife shelf.
	 Silverware cartridge for all dishwashers. Made of aluminum to protect silverware from corrosion. Easy use of cartridge in the cutlery basket. W × H × D in inches 2 ½6 × 8 ½6 × 1 ½6 %. 	•	•	•	•	•	•	DA 042 030 \$81 - Aluminum cassette protects silver cutlery from corrosion. - Simply put your silverware into the cassette. Cassette fits easily in the cutlery basket. - 8" × 2.25" × 1.6".
Se	 Holder for long-stemmed glasses. Offers safe positioning for up to four long-stemmed glasses during the dishwashing process and ensures an optimal cleaning result. For positioning in the lower basket. 	•	•	•	•	•	•	DA 043 000 \$55 Helps hold delicate glasses in place for a thorough cleaning. Holds 4 long-stemmed glasses. Used on lower dishwasher rack.

Dishwasher accessories

		400 :	series		200 s	series	
	DF 480 701	DF 481 701	DF 480 701F	DF 481 701F	DF 210 701	DF 211 701	
 Stainless steel-backed full g door for tall tub dishwasher Height adjustable by 2" (49 height 28 ³/₆" - 30 ½" (72 - 76.5) W × D in cm: 23 ½" × ³½" (59 × 1.9 cm). Handle: W × D × Ø in: 17 ¹/₁₆" × 1 ⁵/₁₆" × ⁹/₁₆" (45 × 4.9 × 1.4 cm). 	s. mm),	•				•	DA 231 110 \$924
- Aqua stop extension (78" lor For all models Extends the water supply ar waste hose up to 10' Necessary if distance from v connection to dishwasher is more than 47 ½". Extension in the stopping of t	nd vater	•	•	•	•	•	GZ 010 011 \$136



HOMEA

www.homea.mx

Email: ventas@homea.mx Whatsapp: (446)144.6318

Tel: **(442)216.3552**

Lada sin Costo: 01(800)701.2121