

BRIZO®

KITCHEN

LISTA DE PRECIOS 2025

HOMEA
PREMIUM

H O M E A

www.homea.mx


Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121

Kitchen Collections



AVAILABLE FINISHES

- MATTE WHITE (MW)
- POLISHED CHROME (PC)
- BRILLIANCE® POLISHED NICKEL (PN)
- BRILLIANCE® LUXE NICKEL® (NK)
- BRILLIANCE® BRUSHED NICKEL (BN)
- BRILLIANCE® STAINLESS (SS)
- BRILLIANCE® POLISHED GOLD (PG)
- BRILLIANCE® LUXE GOLD® (GL)
- VENETIAN BRONZE® (RB)
- BRILLIANCE® LUXE STEEL® (SL)
- BRILLIANCE® BLACK ONYX (BNX)
- MATTE BLACK (BL)
- MATTE WHITE / BRILLIANCE® POLISHED NICKEL (MWPN)
- POLISHED CHROME / CLEAR (PCCL)
- BRILLIANCE® LUXE GOLD® / CLEAR (GLCL)
- POLISHED CHROME / WOOD (PCTK)
- BRILLIANCE® POLISHED NICKEL / WOOD (PNTK)
- BRILLIANCE® LUXE NICKEL® / WOOD (NKTK)
- BRILLIANCE® LUXE GOLD® / WOOD (GLTK)
- BRILLIANCE® LUXE GOLD® / BRILLIANCE® POLISHED GOLD (GLPG)
- BRILLIANCE® POLISHED NICKEL / COCOA BRONZE™ (PNCO)
- BRILLIANCE® LUXE NICKEL® / MATTE BLACK (NKBL)
- MATTE BLACK / BRILLIANCE® LUXE GOLD® (BLGL)
- MATTE BLACK / BRILLIANCE® LUXE STEEL® (BLSL)
- BRILLIANCE® BLACK ONYX / MATTE BLACK (BLBNX) OR (BNXBL)

HANDLE ACCENTS

- GLASS (CR)
- WHITE MARBLE (MB)
- BRILLIANCE® POLISHED NICKEL (PN)
- MOTHER OF PEARL (PL)
- CONCRETE (CT)
- SOLAR GREY GLASS
- WOOD (WD)
- MALACHITE (MC)
- BLACK CRYSTAL (BC)
- BRILLIANCE® POLISHED NICKEL / WOOD (PNWD)

New Frank Lloyd Wright® Pull-Down Kitchen and Pull-Down Prep Faucets with Square Spouts and Offset Lever Handles in Brilliance® Luxe Gold®

LATEST RELEASES

Ever surprising. Ever inspiring.

Breathtaking new statements. Complements to existing collections. And additional finish offerings across the board. Once again, we've expanded our portfolio with designs sure to inspire your newest vision.



For *the* kitchen

Frank Lloyd Wright® by Brizo® honors the architect's relentless spirit with a host of stylized silhouettes and uncommon accents. The Odin® Kitchen Collection welcomes new additions ranging from **new faucets and handles** to **outdoor offerings**. And the Kintsu® Kitchen Collection grows to include **Polished Nickel** among its finishes.



A LIFE *of*
BEAUTY, ON YOUR
OWN TERMS.



We believe fashion isn't a set of rules to be followed. It's the statement you make as you move through the world, the narrative you shape with every detail of your life. From the clothing you wear to the places you travel, the food you eat—and *yes*, the way you design your home—every detail should live in harmony.

Since our founding over 20 years ago, this philosophy has been our guiding light. We call it *living fashion*: the idea that every choice is an opportunity for self-expression, and every nuance helps tell your story. Because the one thing that can never be copied is staying true to yourself.

REIMAGINING
WHAT CAN BE
and CREATING
WHAT'S NEXT.

Our pioneering spirit doesn't stop at fashion-forward design. We've innovated every facet of the kitchen and bath experience—introducing thoughtfully engineered technologies that make everyday more efficient, more intuitive and ultimately, *more indulgent*.



Innovation *for the* Kitchen

DIAMOND SEAL® TECHNOLOGY

DIAMOND Seal® Technology uses a diamond-coated valve built to last up to 2 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles).

VOICEIQ® TECHNOLOGY

Voice activation makes your life simpler and easier. Command your faucet to turn on and off, warm up the water, dispense a precise amount or use the innovative handwashing mode.

SMARTTOUCH® TECHNOLOGY

Allowing you to activate water flow with a simple tap to the faucet body, spout or handle, SmartTouch® Technology brings a new level of convenience to the kitchen.

MAGNEDOCK® TECHNOLOGY

The first of its kind available, MagneDock® Technology features a patented, state-of-the-art magnetic docking system to securely hold the spray wand in place when not in use.

ARTICULATING FAUCET

Available with either a finished or exposed hose, the Articulating Faucet offers a larger range of movement than a traditional pull-down faucet.








KITCHEN



ARTESSO® KITCHEN COLLECTION

An industrial evolution.



The artisan tradition has never been more alluring. Tracing its visual inspiration to factories of the early 20th century, the Artesso® Kitchen Collection by Brizo® is a warmer, more refined take on the industrial aesthetic. An array of innovations, including a unique articulating architecture, MagneDock® Technology, and optional SmartTouch® Technology make the collection's functionality every bit the equal of its form.



Available Finishes



POLISHED
CHROME
(PC)



BRILLIANCE®
POLISHED
NICKEL (PN)



BRILLIANCE®
STAINLESS
(SS)



MATTE
BLACK
(BL)







VENETIAN
BRONZE®
(RB)




BRILLIANCE®
LUXE GOLD®
(GL)


KITCHEN FAUCETS

Item	Item No.	Price	Description	
	63025LF-PC	1,151.88	• MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 16 1/8", spout outlet to deck = 8 19/32", spout reach = 8 3/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	63025LF-PN	1,382.72		
	63025LF-SS	1,439.56		
	63025LF-BL	1,439.56		
	63025LF-GL	1,670.40		
	63025LF-RB	1,785.24		
Pull-Down Faucet				
	64025LF-PC	1,441.88	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model	
	64025LF-PN	1,672.72		
	64025LF-SS	1,729.56		
	64025LF-BL	1,729.56		
	64025LF-GL	1,960.40		
	64025LF-RB	2,075.24		
SmartTouch® Pull-Down Faucet				
	63225LF-PC	1,325.88	• Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability • MagneDock® Technology – magnetic docking system • DIAMOND Seal® Technology • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	63225LF-PN	1,556.72		
	63225LF-SS	1,613.56		
	63225LF-BL	1,613.56		
	63225LF-GL	1,844.40		
	63225LF-RB	1,959.24		
Articulating Faucet				
	64225LF-PC	1,615.88	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model	
	64225LF-PN	1,846.72		
	64225LF-SS	1,903.56		
	64225LF-BL	1,903.56		
	64225LF-GL	2,134.40		
	64225LF-RB	2,249.24		
SmartTouch® Articulating Faucet				


KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
	63125LF-PC	1,325.88	- Dual-jointed articulating arm with semi-flexible metal hose allows for flexible placement and maneuverability - MagneDock® Technology – magnetic docking system - DIAMOND Seal® Technology - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	63125LF-PN	1,556.72		
	63125LF-SS	1,613.56		
	63125LF-BL	1,613.56		
	63125LF-GL	1,844.40		
	63125LF-RB	1,959.24		

Articulating Faucet
with Finished Hose


	64125LF-PC	1,615.88	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64125LF-PN	1,846.72		
	64125LF-SS	1,903.56		
	64125LF-BL	1,903.56		
	64125LF-GL	2,134.40		
	64125LF-RB	2,249.24		

SmartTouch® Articulating
Faucet with Finished Hose

	62525LF-PC	1,510.32	- Includes matching metal side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 13 21/34", spout outlet to deck = 10 5/32", spout reach = 8 19/32", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	62525LF-PN	1,811.92		
	62525LF-SS	1,888.48		
	62525LF-BL	1,888.48		
	62525LF-GL	2,190.08		
	62525LF-RB	2,340.88		


Bridge Faucet with Side Sprayer

PREP FAUCETS

Item	Item No.	Price	Description	
	63925LF-PC	1,151.88	- MagneDock® Technology – magnetic docking system - DIAMOND Seal® Technology - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height = 14", spout outlet to deck = 7 3/8", spout reach = 7 9/16", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	63925LF-PN	1,382.72		
	63925LF-SS	1,439.56		
	63925LF-BL	1,439.56		
	63925LF-GL	1,670.40		
	63925LF-RB	1,728.40		

Pull Down Prep Faucet


PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
	64925LF-PC	1,441.88	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model
	64925LF-PN	1,672.72	
	64925LF-SS	1,729.56	
	64925LF-BL	1,729.56	
	64925LF-GL	1,960.40	
	64925LF-RB	2,018.40	

SmartTouch® Pull Down Prep Faucet




BAR FAUCET

Item	Item No.	Price	Description
	61025LF-PC	713.40	1-hole installation - Ceramic cartridge - Overall height = 13 9/64", spout outlet to deck = 9 1/16", spout reach = 6 1/32", spout swivels 360° - Accommodates up to 2 1/2" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61025LF-PN	856.08	
	61025LF-SS	892.04	
	61025LF-BL	892.04	
	61025LF-GL	1,034.72	
	61025LF-RB	1,105.48	

Bar Faucet




INSTANT HOT FAUCET

Item	Item No.	Price	Description
	61325LF-H-PC	701.80	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61325LF-H-PN	842.16	
	61325LF-H-SS	876.96	
	61325LF-H-BL	876.96	
	61325LF-H-GL	1,017.32	
	61325LF-H-RB	1,088.08	

Instant Hot Faucet




BEVERAGE FAUCET *(for details on the Pristive™ Tankless Reverse Osmosis System, see pages 84–89)*

Item	Item No.	Price	Description
	61325LF-C-PC	632.20	- DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain
	61325LF-C-PN	758.64	
	61325LF-C-SS	789.96	
	61325LF-C-BL	789.96	
	61325LF-C-GL	916.40	
	61325LF-C-RB	980.20	

Beverage Faucet





POT FILLER

Item	Item No.	Price	Description	
 Wall Mount Pot Filler Faucet	62825LF-PC	1,361.84	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62825LF-PN	1,634.44		
	62825LF-SS	1,702.88		
	62825LF-BL	1,702.88		
	62825LF-GL	1,974.32		
	62825LF-RB	2,111.20		

ACCESSORIES *(for kitchen drains and additional accessories, see pages 94–97)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP75675PC	172.84	- Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck
	RP75675PN	207.64	
	RP75675SS	215.76	
	RP75675BL	215.76	
	RP75675GL	250.56	
	RP75675RB	267.96	

 Optional Escutcheon	RP71451PN	189.08	- Includes installation hardware - Accommodates up to 3" deck thickness 8" on center
	RP71451RB	213.44	
	RP71451GL	233.16	

 VoiceIQ™ Module	EP100854	284.20	- VoiceIQ® Technology for hands-free voice activation - For use with SmartTouch® faucets manufactured after January 2018 - Includes VoiceIQ™ module, cable and 9 volt power supply - Pairs with Amazon® Alexa® and Google® Assistant-enabled devices - Metered and custom dispensing options - Warm-up feature pre-heats the water to 95° - Handwashing mode using CDC recommended guidelines






KINTSU® KITCHEN COLLECTION

A matter of balance.

Essential, yet evolved. Organic, yet cultivated. Instinctive, yet refined. Contradictions create harmony in the Kintsu® Kitchen Collection by Brizo. Its fluid lines speak to minimalist sensibilities, while crafted touches reflect an artisanal soul. Uniting Japanese and Scandinavian influences, the collection truly embodies the beauty of balance.



Available Finishes



POLISHED CHROME
(PC-L)*



POLISHED NICKEL
(PN-L)*



STAINLESS
(SS-L)*



MATTE BLACK
(BL)




BLACK ONYX
(BNX-L)*




LUXE GOLD®
(GL-L)*



*FEATURES LUMICOAT® TECHNOLOGY

KITCHEN FAUCETS

Item	Item No.	Price	Description
 Widespread Pull-Down Faucet with Arc Spout - Less Handles	62506LF-PCLHP-L	1,083.44	- MagneDock® Technology - magnetic wand docking system - Ceramic cartridge - Touch-Clean® nozzles - swipe away mineral deposits - Two-function wand: spray and stream 3-hole installation - Overall height = 16 1/8", spout outlet to deck = 9 1/8", spout reach = 9 1/4", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - L = Lumicoat® Technology - Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs - MUST ORDER HANDLES SEPARATELY
	62506LF-SSLHP-L	1,354.88	
	62506LF-BLLHP	1,408.24	
	62506LF-BNXLHP-L	1,462.76	
	62506LF-GLLHP-L	1,625.16	


 Widespread Pull-Down Faucet with Square Spout - Less Handles	62507LF-PCLHP-L	1,083.44	- MagneDock® Technology - magnetic wand docking system - Ceramic cartridge - Touch-Clean® nozzles - swipe away mineral deposits - Two-function wand: spray and stream 3-hole installation - Overall height = 15 15/16", spout outlet to deck = 9 7/8", spout reach = 9 5/16", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - L = Lumicoat® Technology - Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs - MUST ORDER HANDLES SEPARATELY
	62507LF-SSLHP-L	1,354.88	
	62507LF-BLLHP	1,408.24	
	62507LF-BNXLHP-L	1,462.76	
	62507LF-GLLHP-L	1,625.16	

HANDLE KITS: *Widespread Pull-Down Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
 Lever	HK006-PC-L	192.56	 Knob	HK007-PC-L	223.88	- Handles are ADA compliant - Model number = one pair of handles - L = Lumicoat® Technology
	HK006-SS-L	241.28		HK007-SS-L	279.56	
	HK006-BL	250.56		HK007-BL	291.16	
	HK006-BNX-L	259.84		HK007-BNX-L	302.76	
	HK006-GL-L	288.84		HK007-GL-L	336.40	





KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
 Pull-Down Faucet with Arc Spout - Less Handle	63006LF-PCLHP-L	701.80	- DIAMOND Seal® Technology - MagneDock® Technology - magnetic wand docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles - swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height = 16 3/16", spout outlet to deck = 9", spout reach = 9 5/16", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - L = Lumicoat® Technology - Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs - MUST ORDER HANDLE SEPARATELY
	63006LF-SSLHP-L	876.96	
	63006LF-BLLHP	947.72	
	63006LF-BNXLHP-L	1,017.32	
	63006LF-GLLHP-L	1,053.28	


KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
	64006LF-PCLHP-L	991.80	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64006LF-SSLHP-L	1,166.96	
	64006LF-BLLHP	1,237.72	
	64006LF-BNXLHP-L	1,307.32	
	64006LF-GLLHP-L	1,343.28	
SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle			


	63007LF-PCLHP-L	701.80	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • l-hole installation • Overall height = 16 1/8", spout outlet to deck = 10", spout reach = 9 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLE SEPARATELY
	63007LF-SSLHP-L	876.96	
	63007LF-BLLHP	947.72	
	63007LF-BNXLHP-L	1,017.32	
	63007LF-GLLHP-L	1,053.28	
Pull Down Faucet with Square Spout - Less Handle			

	64007LF-PCLHP-L	991.80	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64007LF-SSLHP-L	1,166.96	
	64007LF-BLLHP	1,237.72	
	64007LF-BNXLHP-L	1,307.32	
	64007LF-GLLHP-L	1,343.28	
SmartTouch® Pull Down Faucet with Square Spout - Less Handle			


PREP FAUCETS

Item	Item No.	Price	Description
	63906LF-PCLHP-L	701.80	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 1/16", spout outlet to deck = 7 13/16", spout reach = 7 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs • MUST ORDER HANDLE SEPARATELY
	63906LF-SSLHP-L	876.90	
	63906LF-BLLHP	947.72	
	63906LF-BNXLHP-L	1,017.32	
	63906LF-GLLHP-L	1,053.28	
Pull-Down Prep Faucet with Arc Spout - Less Handle			


PREP FAUCETS *(continued)*

Item	Item No.	Price	Description
	64906LF-PCLHP-L	991.80	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional A/C adapter EPI02157 Optional voice activation technology (EPI00854) available for use with connected home devices - For additional product details reference the non SmartTouch® Technology Model
	64906LF-SSLHP-L	1,166.96	
	64906LF-BLLHP	1,237.72	
	64906LF-BNXLHP-L	1,307.32	
	64906LF-GLLHP-L	1,343.28	

SmartTouch® Pull-Down
Prep Faucet with Arc Spout -
Less Handle



	63907LF-PCLHP-L	701.80	- DIAMOND Seal® Technology - MagneDock® Technology - magnetic wand docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height = 14 1/16", spout outlet to deck = 7 13/16", spout reach = 7 1/4", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - L = Lumicoat® Technology - Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa - MUST ORDER HANDLE SEPARATELY
	63907LF-SSLHP-L	876.96	
	63907LF-BLLHP	947.72	
	63907LF-BNXLHP-L	1,017.32	
	63907LF-GLLHP-L	1,053.28	

Pull-Down Prep Faucet with
Square Spout - Less Handle

	64907LF-PCLHP-L	991.80	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional A/C adapter EPI02157 - Optional voice activation technology (EPI00854) available for use with connected home devices - For additional product details reference the non SmartTouch® Technology Model
	64907LF-SSLHP-L	1,166.96	
	64907LF-BLLHP	1,237.72	
	64907LF-BNXLHP-L	1,307.32	
	64907LF-GLLHP-L	1,343.28	

SmartTouch® Pull-Down
Prep Faucet with Square
Spout - Less Handle

HANDLE KITS: *Pull-Down and Prep Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
	HLK006-PC-L	160.08		HLK007-PC-L	192.56	- Handles are ADA compliant - L = Lumicoat® Technology
	HLK006-SS-L	200.68		HLK007-SS-L	241.28	
	HLK006-BL	207.64		HLK007-BL	250.56	
	HLK006-BNX-L	215.76		HLK007-BNX-L	259.84	
	HLK006-GL-L	240.68		HLK007-GL-L	288.84	


Lever

Knob



BAR FAUCETS


Item	Item No.	Price	Description
	61006LF-PCLHP-L	574.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	61006LF-SSLHP-L	718.04	
	61006LF-BLLHP	774.88	
	61006LF-BNXLHP-L	832.88	
	61006LF-GLLHP-L	861.88	
Bar Faucet with Arc Spout - Less Handle			

	61007LF-PCLHP-L	574.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 3/8", spout to deck = 8 9/16", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • L = Lumicoat® Technology • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
	61007LF-SSLHP-L	718.04	
	61007LF-BLLHP	774.88	
	61007LF-BNXLHP-L	832.88	
	61007LF-GLLHP-L	861.88	
Bar Faucet with Square Spout - Less Handle			


HANDLE KITS: Bar Faucets

Item	Item No.	Price	Item	Item No.	Price	Description
	HLB006-PC-L	127.60		HLB007-PC-L	192.56	- Handles are ADA compliant - L = Lumicoat® Technology
	HLB006-SS-L	160.08		HLB007-SS-L	241.28	
	HLB006-BL	165.88		HLB007-BL	250.56	
	HLB006-BNX-L	172.84		HLB007-BNX-L	259.84	
	HLB006-GL-L	191.40		HLB007-GL-L	288.84	
Lever			Knob			


INSTANT HOT FAUCETS


Item	Item No.	Price	Description
	61306LF-H-PC-L	636.84	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 5/8", spout to deck = 6 3/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - L = Lumicoat® Technology - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa
	61306LF-H-SS-L	795.76	
	61306LF-H-BL	859.56	
	61306LF-H-BNX-L	923.36	
	61306LF-H-GL-L	955.84	
Instant Hot Faucet with Arc Spout			

INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description	
 Instant Hot Faucet with Square Spout	61307LF-H-PC-L	636.84	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 7/16", spout to deck = 6 5/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - L = Lumicoat® Technology - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61307LF-H-SS-L	795.76		
	61307LF-H-BL	859.56		
	61307LF-H-BNX-L	923.36		
	61307LF-H-GL-L	955.84		

BEVERAGE FAUCETS *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84-89)*


Item	Item No.	Price	Description	
 Beverage Faucet with Arc Spout	61306LF-C-PC-L	636.84	- DIAMOND Seal® Technology - Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - L = Lumicoat® Technology - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61306LF-C-SS-L	795.76		
	61306LF-C-BL	859.56		
	61306LF-C-BNX-L	923.36		
	61306LF-C-GL-L	955.84		

 Beverage Faucet with Square Spout	61307LF-C-PC-L	636.84	- DIAMOND Seal® Technology - Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - L = Lumicoat® Technology - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61307LF-C-SS-L	795.76		
	61307LF-C-BL	859.56		
	61307LF-C-BNX-L	923.36		
	61307LF-C-GL-L	955.84		

POT FILLERS

Item	Item No.	Price	Description	
 Wall Mount Pot Filler with Lever Handle	62806LF-PC-L	1,083.44	- Two handle wall mount 1-hole installation - Cold water only - L = Lumicoat® Technology - Spout reach = 20 1/2"	
	62806LF-SS-L	1,354.88		
	62806LF-BL	1,462.88		
	62806LF-BNX-L	1,570.64		
	62806LF-GL-L	1,625.16		


POT FILLERS *(continued)*

Item	Item No.	Price	Description
	62807LF-PC-L	1,083.44	- Two handle wall mount 1-hole installation - Cold water only - L = Lumicoat® Technology - Spout reach = 20 1/2"
	62807LF-SS-L	1,354.88	
	62807LF-BL	1,462.76	
	62807LF-BNX-L	1,570.64	
	62807LF-GL-L	1,625.16	




Wall Mount Pot Filler
with Knob Handle


ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
	695306-PC-L	223.88	- Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck - L = Lumicoat® Technology
	695306-SS-L	279.56	
	695306-BL	302.76	
	695306-BNX-L	324.80	
	695306-GL-L	336.40	

Soap/Lotion Dispenser


	690106-PC-L	255.20	- Includes installation hardware - Accommodates up to 3" deck thickness 8" on center - L = Lumicoat® Technology
	690106-SS-L	319.00	
	690106-BL	344.52	
	690106-BNX-L	370.04	
	690106-GL-L	382.80	

Optional Escutcheon

	EP100854	284.20	- VoiceIQ® Technology for hands-free voice activation - For use with SmartTouch® faucets manufactured after January 2018 - Includes VoiceIQ® module, cable and 9 volt power supply - Pairs with Amazon® Alexa® and Google® Assistant-enabled devices - Metered and custom dispensing options - Warm-up feature pre-heats the water to 95° - Handwashing mode using CDC recommended guidelines

VoiceIQ® Module


HARDWARE

Item	Item No.	Price	Description
	699206-PC	37.12	• Mounting hardware included • All metal construction
	699206-BL	46.40	
	699206-BNX	49.88	
	699206-NK	52.20	
	699206-GL	53.36	


Drawer Knob

	699207-PC	37.12	• Mounting hardware included • All metal construction
	699207-BL	46.40	
	699207-NK	52.20	
	699207-GL	53.36	

Bin Knob

	699106-PC	46.40	• Mounting hardware included • All metal construction • 4" center to center distance
	699106-BL	58.00	
	699106-BNX	62.64	
	699106-NK	64.96	
	699106-GL	67.28	

Drawer Pull

	699107-PC	46.40	• Mounting hardware included • All metal construction • 4" center to center distance
	699107-BL	58.00	
	699107-BNX	62.64	
	699107-NK	64.96	
	699107-GL	67.28	

Bin Pull



LITZE® KITCHEN COLLECTION

Art meets craft.



The Litze® Kitchen Collection by Brizo® melds a clean, contemporary sensibility with a crafted style to strike the perfect balance. With three distinct spout options, a unique articulating architecture and two handle designs, the collection is a true study in form. And carefully chosen touches—including deliberately placed knurling details, MagneDock® Technology and optional SmartTouch® Technology—provide functional benefits while celebrating the beauty of craftsmanship.

Available Finishes



POLISHED
CHROME
(PC)



BRILLIANCE®
POLISHED
NICKEL (PN)



BRILLIANCE®
STAINLESS
(SS)




MATTE BLACK/
BRILLIANCE®
LUXE GOLD®
(BLGL)





BRILLIANCE®
LUXE GOLD®
(GL)

KITCHEN FAUCETS






Item	Item No.	Price	Description	
	63343LF-PC	1,083.44	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 23 3/16", spout outlet to deck = 9 3/4", spout reach = 9 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs	
	63343LF-PN	1,300.36		
	63343LF-SS	1,354.88		
	63343LF-BLGL	1,462.76		
	63343LF-GL	1,570.64		
Semi Professional Kitchen Faucet with Knurled Handle				

	64343LF-PC	1,373.44	• SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model	
	64343LF-PN	1,590.36		
	64343LF-SS	1,644.88		
	64343LF-BLGL	1,752.76		
	64343LF-GL	1,860.64		
SmartTouch® Semi-Professional Kitchen Faucet with Knurled Handle				






	63344LF-PC	1,083.44	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 23 3/16", spout outlet to deck = 9 3/4", spout reach = 9 1/4", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs	
	63344LF-PN	1,300.36		
	63344LF-SS	1,354.88		
	63344LF-BLGL	1,462.76		
	63344LF-GL	1,570.64		
Semi-Professional Kitchen Faucet with Industrial Handle				

	64344LF-PC	1,373.44	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model	
	64344LF-PN	1,590.36		
	64344LF-SS	1,644.88		
	64344LF-BLGL	1,752.76		
	64344LF-GL	1,860.64		
SmartTouch® Semi-Professional Kitchen Faucet with Industrial Handle				






KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
 Pull Down Faucet with Arc Spout and Knurled Handle	63043LF-PC	1,066.04	• MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 16", spout outlet to deck = 8 3/8", spout reach = 8 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63043LF-PN	1,279.48		
	63043LF-SS	1,332.84		
	63043LF-BLGL	1,439.56		
	63043LF-GL	1,546.28		
 SmartTouch® Pull-Down Faucet with Arc Spout and Knurled Handle	64043LF-PC	1,356.04	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model	
	64043LF-PN	1,569.48		
	64043LF-SS	1,622.84		
	64043LF-BLGL	1,729.56		
	64043LF-GL	1,836.28		
 Pull-Down Faucet with Arc Spout and Industrial Handle	63044LF-PC	1,066.04	• MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 16", spout outlet to deck = 8 3/8", spout reach = 8 11/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63044LF-PN	1,279.48		
	63044LF-SS	1,332.84		
	63044LF-BLGL	1,439.56		
	63044LF-GL	1,546.28		
 SmartTouch® Pull-Down Faucet with Arc Spout and Industrial Handle	64044LF-PC	1,356.04	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model	
	64044LF-PN	1,569.48		
	64044LF-SS	1,622.84		
	64044LF-BLGL	1,729.56		
	64044LF-GL	1,836.28		
 Pull-Down Faucet with Square Spout and Knurled Handle	63053LF-PC	1,066.04	• MagneDock® Technology – magnetic docking system • Two-function pull-down wand: spray and stream • 1-hole installation • Euro-motion ceramic valve with InnoFlex™ waterways • Overall height = 14", spout outlet to deck = 8 1/2", spout reach = 9", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63053LF-PN	1,279.48		
	63053LF-SS	1,332.84		
	63053LF-BLGL	1,439.56		
	63053LF-GL	1,546.28		






KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
	64053LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64053LF-PN	1,569.48		
	64053LF-SS	1,622.84		
	64053LF-BLGL	1,729.56		
	64053LF-GL	1,836.28		
SmartTouch® Pull-Down Faucet with Square Spout and Knurled Handle				
	63054LF-PC	1,066.04	- MagneDock® Technology – magnetic docking system - Two-function pull-down wand: spray and stream 1-hole installation - Euro-motion ceramic valve with InnoFlex™ waterways - Overall height = 14", spout outlet to deck = 8 1/2", spout reach = 9", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63054LF-PN	1,279.48		
	63054LF-SS	1,332.84		
	63054LF-BLGL	1,439.56		
	63054LF-GL	1,546.28		
Pull-Down Faucet with Square Spout and Industrial Handle				
	64054LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64054LF-PN	1,569.48		
	64054LF-SS	1,622.84		
	64054LF-BLGL	1,729.56		
	64054LF-GL	1,836.28		
SmartTouch® Pull-Down Faucet with Square Spout and Industrial Handle				
	63063LF-PC	1,066.04	- MagneDock® Technology – magnetic docking system - Two-function pull-down wand: spray and stream 1-hole installation - Euro-motion ceramic valve with InnoFlex™ waterways - Overall height = 14 1/8", spout outlet to deck = 8 3/4", spout reach = 8 7/8", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63063LF-PN	1,279.48		
	63063LF-SS	1,332.84		
	63063LF-BLGL	1,439.56		
	63063LF-GL	1,546.28		
Pull-Down Faucet with Angled Spout and Knurled Handle				
	64063LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64063LF-PN	1,569.48		
	64063LF-SS	1,622.84		
	64063LF-BLGL	1,729.56		
	64063LF-GL	1,836.28		
SmartTouch® Pull-Down Faucet with Angled Spout and Knurled Handle				






KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
	63064LF-PC	1,066.04	- MagneDock® Technology – magnetic docking system - Two-function pull-down wand: spray and stream 1-hole installation - Euro-motion ceramic valve with InnoFlex™ waterways - Overall height = 14 1/8", spout outlet to deck = 8 3/4", spout reach = 8 7/8", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63064LF-PN	1,279.48		
	63064LF-SS	1,332.84		
	63064LF-BLGL	1,439.56		
	63064LF-GL	1,546.28		
Pull-Down Faucet with Angled Spout and Industrial Handle				
	64064LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64064LF-PN	1,569.48		
	64064LF-SS	1,622.84		
	64064LF-BLGL	1,729.56		
	64064LF-GL	1,836.28		
SmartTouch® Pull-Down Faucet with Angled Spout and Industrial Handle				
	63243LF-PC	1,240.04	- Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability - MagneDock® Technology – magnetic docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.8 L/min @ 414 kPa	
	63243LF-PN	1,488.28		
	63243LF-SS	1,549.76		
	63243LF-BLGL	1,673.88		
	63243LF-GL	1,798.00		
Articulating Faucet with Knurled Handle				
	64243LF-PC	1,530.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64243LF-PN	1,778.28		
	64243LF-SS	1,839.76		
	64243LF-BLGL	1,963.88		
	64243LF-GL	2,088.00		
SmartTouch® Articulating Faucet with Knurled Handle				
	63143LF-PC	1,240.04	- Dual-jointed articulating arm with semi-flexible metal hose allows for flexible placement and maneuverability - MagneDock® Technology – magnetic docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63143LF-PN	1,488.28		
	63143LF-SS	1,549.76		
	63143LF-BLGL	1,673.88		
	63143LF-GL	1,798.00		
Articulating Faucet with Finished Hose and Knurled Handle				


KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
 SmartTouch® Articulating Faucet with Finished Hose and Knurled Handle	64143LF-PC	1,530.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64143LF-PN	1,778.28		
	64143LF-SS	1,839.76		
	64143LF-BLGL	1,963.88		
	64143LF-GL	2,088.00		
 Articulating Faucet with Industrial Handle	63244LF-PC	1,240.04	- Articulating arm with 3 joints and semi-flexible hose allows for flexible placement and maneuverability - MagneDock® Technology – magnetic docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	63244LF-PN	1,488.28		
	63244LF-SS	1,549.76		
	63244LF-BLGL	1,673.88		
	63244LF-GL	1,798.00		
 SmartTouch® Articulating Faucet with Industrial Handle	64244LF-PC	1,530.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices. - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64244LF-PN	1,778.28		
	64244LF-SS	1,839.79		
	64244LF-BLGL	1,963.88		
	64244LF-GL	2,088.00		
 Articulating Faucet with Finished Hose and Industrial Handle	63144LF-PC	1,240.04	- Dual-jointed articulating arm with semi-flexible metal hose allows for flexible placement and maneuverability - MagneDock® Technology – magnetic docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height varies with arm position. Maximum height = 21 1/2", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	63144LF-PN	1,488.28		
	63144LF-SS	1,579.76		
	63144LF-BLGL	1,673.88		
	63144LF-GL	1,798.00		
 SmartTouch® Articulating Faucet with Finished Hose and Industrial Handle	64144LF-PC	1,530.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional voice activation technology (EPI00854) available for use with connected home devices - Optional A/C adapter EPI02157 - For additional product details reference the non-SmartTouch® Technology model	
	64144LF-PN	1,778.28		
	64144LF-SS	1,839.76		
	64144LF-BLGL	1,963.88		
	64144LF-GL	2,088.00		


KITCHEN FAUCETS *(continued)*


Item	Item No.	Price	Description	
	62543LF-PC	1,556.72	- Includes matching side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 15 3/8", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa - Optional decorative center hole cover available RP90934	
	62543LF-PN	1,867.60		
	62543LF-SS	1,946.48		
	62543LF-BLGL	2,101.92		
	62543LF-GL	2,257.36		
Bridge Faucet with Arc Spout and Knurled Handle				
	62544LF-PC	1,556.72	- Includes matching side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 15 3/8", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa - Optional decorative center hole cover available RP90934	
	62544LF-PN	1,867.60		
	62544LF-SS	1,946.48		
	62544LF-BLGL	2,101.92		
	62544LF-GL	2,257.36		
Bridge Faucet with Arc Spout and Industrial Handle				
	62553LF-PC	1,556.72	- Includes matching side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 13 3/8", spout outlet to deck = 10 7/16", spout reach = 8 9/16", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa - Optional decorative center hole cover available RP90934	
	62553LF-PN	1,867.60		
	62553LF-SS	1,946.48		
	62553LF-BLGL	2,101.90		
	62553LF-GL	2,257.36		
Bridge Faucet with Square Spout and Knurled Handle				
	62554LF-PC	1,556.72	- Includes matching side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 13 3/8", spout outlet to deck = 10 7/16", spout reach = 8 9/16", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa - Optional decorative center hole cover available RP90934	
	62554LF-PN	1,867.60		
	62554LF-SS	1,946.48		
	62554LF-BLGL	2,101.90		
	62554LF-GL	2,257.36		
Bridge Faucet with Square Spout and Industrial Handle				
	62563LF-PC	1,556.72	- Includes matching side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 13 1/2", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa - Optional decorative center hole cover available RP90934	
	62563LF-PN	1,867.60		
	62563LF-SS	1,946.48		
	62563LF-BLGL	2,101.90		
	62563LF-GL	2,257.36		
Bridge Faucet with Angled Spout and Knurled Handle				


KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description	
	62564LF-PC	1,556.72	- Includes matching side sprayer 3-hole installation - Solid brass one-piece waterway - Ceramic cartridges - Overall height = 13 1/2", spout outlet to deck = 10 7/8", spout reach = 8 1/4", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa - Optional decorative center hole cover available RP90934	
	62564LF-PN	1,867.60		
	62564LF-SS	1,946.48		
	62564LF-BLGL	2,101.92		
	62564LF-GL	2,257.36		
Bridge Faucet with Angled Spout and Industrial Handle				






PREP FAUCETS

Item	Item No.	Price	Description	
	63943LF-PC	1,066.04	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 15/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa	
	63943LF-PN	1,279.48		
	63943LF-SS	1,332.84		
	63943LF-BLGL	1,439.56		
	63943LF-GL	1,546.28		
Pull-Down Prep Faucet with Arc Spout and Knurled Handle				





	64943LF-PC	1,356.04	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model	
	64943LF-PN	1,569.48		
	64943LF-SS	1,622.84		
	64943LF-BLGL	1,729.56		
	64943LF-GL	1,836.28		
SmartTouch® Pull Down Prep Faucet with Arc Spout and Knurled Handle				

	63944LF-PC	1,066.04	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 15/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa	
	63944LF-PN	1,279.48		
	63944LF-SS	1,332.84		
	63944LF-BLGL	1,439.56		
	63944LF-GL	1,546.28		
Pull-Down Prep Faucet with Arc Spout and Industrial Handle				


PREP FAUCETS *(continued)*

Item	Item No.	Price	Description	
 SmartTouch® Pull-Down Prep Faucet with Arc Spout and Industrial Handle	64944LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional A/C adapter EP102157 - Optional voice activation technology (EP100854) available for use with connected home devices - For additional product details reference the non SmartTouch® Technology Model	
	64944LF-PN	1,569.48		
	64944LF-SS	1,622.84		
	64944LF-BLGL	1,729.56		
	64944LF-GL	1,836.28		
 Pull-Down Prep Faucet with Square Spout and Knurled Handle	63953LF-PC	1,066.04	- DIAMOND Seal® Technology - MagneDock® Technology - magnetic wand docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height = 13 1/2", spout outlet to deck = 7 7/8", spout reach = 7 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa	
	63953LF-PN	1,279.48		
	63953LF-SS	1,332.84		
	63953LF-BLGL	1,439.56		
	63953LF-GL	1,546.28		
 SmartTouch® Pull-Down Prep Faucet with Square Spout and Knurled Handle	64953LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional A/C adapter EP102157 - Optional voice activation technology (EP100854) available for use with connected home devices - For additional product details reference the non SmartTouch® Technology Model	
	64953LF-PN	1,569.48		
	64953LF-SS	1,622.84		
	64953LF-BLGL	1,729.56		
	64953LF-GL	1,836.28		
 Pull-Down Prep Faucet with Square Spout and Industrial Handle	63954LF-PC	1,066.04	- DIAMOND Seal® Technology - MagneDock® Technology - magnetic wand docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles – swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height = 13 1/2", spout outlet to deck = 7 7/8", spout reach = 7 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa	
	63954LF-PN	1,279.48		
	63954LF-SS	1,332.84		
	63954LF-BLGL	1,439.56		
	63954LF-GL	1,546.28		
 SmartTouch® Pull-Down Prep Faucet with Square Spout and Industrial Handle	64954LF-PC	1,356.04	- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light - Optional A/C adapter EP102157 - Optional voice activation technology (EP100854) available for use with connected home devices - For additional product details reference the non SmartTouch® Technology Model	
	64954LF-PN	1,569.48		
	64954LF-SS	1,622.84		
	64954LF-BLGL	1,729.56		
	64954LF-GL	1,836.28		


PREP FAUCETS *(continued)*

Item	Item No.	Price	Description	
 Pull-Down Prep Faucet with Angle Spout and Knurled Handle	63963LF-PC	1,066.04	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 7/8", spout reach = 7", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs	
	63963LF-PN	1,279.48		
	63963LF-SS	1,332.84		
	63963LF-BLGL	1,439.56		
	63963LF-GL	1,546.28		
 SmartTouch® Pull-Down Prep Faucet with Angle Spout and Knurled Handle	64963LF-PC	1,356.04	• SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model	
	64963LF-PN	1,569.48		
	64963LF-SS	1,622.84		
	64963LF-BLGL	1,729.56		
	64963LF-GL	1,836.28		
 Pull-Down Prep Faucet with Angle Spout and Industrial Handle	63964LF-PC	1,066.04	• DIAMOND Seal® Technology • MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles - swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14", spout outlet to deck = 7 7/8", spout reach = 7", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPs	
	63964LF-PN	1,279.48		
	63964LF-SS	1,332.84		
	63964LF-BLGL	1,439.56		
	63964LF-GL	1,546.28		
 SmartTouch® Pull-Down Prep Faucet with Angle Spout and Industrial Handle	64964LF-PC	1356.04	• SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model	
	64964LF-PN	1,569.48		
	64964LF-SS	1,622.84		
	64964LF-BLGL	1,729.56		
	64964LF-GL	1,836.28		


BAR FAUCETS

Item	Item No.	Price	Description	
	61043LF-PC	719.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 5/16", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	61043LF-PN	863.04		
	61043LF-SS	899.00		
	61043LF-BLGL	970.92		
	61043LF-GL	1,042.84		


Bar Faucet with Arc Spout and Knurled Handle

	61044LF-PC	719.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 5/8", spout outlet to deck = 8 5/16", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	61044LF-PN	863.04		
	61044LF-SS	899.00		
	61044LF-BLGL	970.92		
	61044LF-GL	1,042.84		

Bar Faucet with Arc Spout and Industrial Handle


	61053LF-PC	719.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 5/16", spout outlet to deck = 8 3/8", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	61053LF-PN	863.04		
	61053LF-SS	899.00		
	61053LF-BLGL	970.92		
	61053LF-GL	1,042.84		


Bar Faucet with Square Spout and Knurled Handle

	61054LF-PC	719.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 5/16", spout outlet to deck = 8 3/8", spout reach = 5 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	61054LF-PN	863.04		
	61054LF-SS	899.00		
	61054LF-BLGL	970.92		
	61054LF-GL	1,042.84		


Bar Faucet with Square Spout and Industrial Handle


BAR FAUCETS *(continued)*

Item	Item No.	Price	Description	
	61063LF-PC	719.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 1/2", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	61063LF-PN	863.04		
	61063LF-SS	899.00		
	61063LF-BLGL	970.92		
	61063LF-GL	1,042.84		
Bar Faucet with Angled Spout and Knurled Handle				


	61064LF-PC	719.20	• 1-hole installation • Ceramic cartridge • Overall height = 11 1/2", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	
	61064LF-PN	863.04		
	61064LF-SS	899.00		
	61064LF-BLGL	970.92		
	61064LF-GL	1,042.84		
Bar Faucet with Angled Spout and Industrial Handle				

INSTANT HOT FAUCETS


Item	Item No.	Price	Description	
	61343LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61343LF-H-PN	816.64		
	61343LF-H-SS	851.44		
	61343LF-H-BLGL	918.72		
	61343LF-H-GL	987.16		
Instant Hot Faucet with Arc Spout and Knurled Handle				


	61353LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61353LF-H-PN	816.64		
	61353LF-H-SS	851.44		
	61353LF-H-BLGL	918.72		
	61353LF-H-GL	987.16		
Instant Hot Faucet with Square Spout and Knurled Handle				


INSTANT HOT FAUCETS *(continued)*

Item	Item No.	Price	Description	
	61363LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61363LF-H-PN	816.64		
	61363LF-H-SS	851.44		
	61363LF-H-BLGL	918.72		
	61363LF-H-GL	987.16		
Instant Hot Faucet with Angled Spout and Knurled Handle				


BEVERAGE FAUCETS *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84-89)*


Item	Item No.	Price	Description	
	61343LF-C-PC	613.64	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain	
	61343LF-C-PN	736.60		
	61343LF-C-SS	766.76		
	61343LF-C-BLGL	828.24		
	61343LF-C-GL	889.72		
Beverage Faucet with Arc Spout and Knurled Handle				

	61353LF-C-PC	613.64	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain	
	61353LF-C-PN	736.60		
	61353LF-C-SS	766.76		
	61353LF-C-BLGL	828.24		
	61353LF-C-GL	889.72		
Beverage Faucet with Square Spout and Knurled Handle				

	61363LF-C-PC	613.64	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 11/16", spout to deck = 6 5/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain	
	61363LF-C-PN	736.60		
	61363LF-C-SS	766.76		
	61363LF-C-BLGL	828.24		
	61363LF-C-GL	889.72		
Beverage Faucet with Angled Spout and Knurled Handle				

POT FILLERS


Item	Item No.	Price	Description	
	62843LF-PC	1,317.76	• Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62843LF-PN	1,581.08		
	62843LF-SS	1,647.20		
	62843LF-BLGL	1,779.44		
	62843LF-GL	1,910.52		
Wall Mount Pot Filler Faucet with Knurled Handle				

	62844LF-PC	1,317.76	• Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62844LF-PN	1,581.08		
	62844LF-SS	1,647.20		
	62844LF-BLGL	1,779.44		
	62844LF-GL	1,910.52		
Wall Mount Pot Filler Faucet with Industrial Handle				


ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*


	RP90934PC	58.00	• Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934PN	69.60	
	RP90934SS	73.08	
	RP90934BL	73.08	
	RP90934GL	84.68	
	Hole Cover		


ACCESSORIES *(continued) (for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
 VoiceIQ® Module	EP100854	284.20	• VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines


HARDWARE

Item	Item No.	Price	Description
 Drawer Knob	699235-PC 699235-PN 699235-NK 699235-BL 699235-SL 699235-GL	32.48 39.44 45.24 40.60 47.56 47.56	• Mounting hardware included • All metal construction

 Drawer Pull	699135-PC 699135-PN 699135-NK 699135-BL 699135-SL 699135-GL	24.36 29.00 33.64 30.16 34.80 34.80	• Mounting hardware included • All metal construction
--	---	---	--

 Drawer Pull with Knurling	699137-PC 699137-PN 699137-NK 699137-BLGL 699137-BLSL 699137-SL 699137-GL	45.24 54.52 63.80 61.48 61.48 66.12 66.12	• Mounting hardware included • All metal construction • 4 1/4" center to center distance
--	--	--	--





ODIN® KITCHEN COLLECTION

Both one and many.

In the Odin® Kitchen Collection by Brizo®, a singular aesthetic finds manifold expression. The streamlined silhouette takes on new distinction with each of seven finishes, while multiple handles and spout configurations add complexity and variety. Embodying both unity and diversity, the collection represents an exquisite multiplicity.

Available Finishes



POLISHED
CHROME
(PC)



BRILLIANCE®
POLISHED
NICKEL (PN)



BRILLIANCE®
STAINLESS
(SS)



MATTE
BLACK
(BL)



BRILLIANCE®
POLISHED GOLD
(PG)



BRILLIANCE®
LUXE STEEL®
(SL)



BRILLIANCE®
LUXE GOLD®
(GL)



MARINE-GRADE
STAINLESS
(SS-OD)



WOOD (WD)



CONCRETE (CT)




BLACK CRYSTAL
(BC)





MARBLE (MB)


Handle Accents

KITCHEN FAUCETS


Item	Item No.	Price	Description
 Semi-Professional Kitchen Faucet - Less Handle	63375LF-PCLHP	984.84	• DIAMOND Seal® Technology • MagneDock® Technology – magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® Nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 22 13/16", spout outlet to deck = 9 1/16", spout reach = 9 2/16", spout swivels 360° • Accommodates up to 3" deck thickness • Finished, semi-flexible metal hose • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63375LF-PNLHP	1,182.04	
	63375LF-SSLHP	1,230.76	
	63375LF-BLLHP	1,230.76	
	63375LF-PGLHP	1,379.24	
	63375LF-SLLHP	1,427.96	
	63375LF-GLLHP	1,427.96	


 SmartTouch® Semi-Professional Kitchen Faucet - Less Handle	64375LF-PCLHP	1,274.84	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64375LF-PNLHP	1,472.04	
	64375LF-SSLHP	1,520.76	
	64375LF-BLLHP	1,520.76	
	64375LF-PGLHP	1,669.24	
	64375LF-SLLHP	1,717.96	
	64375LF-GLLHP	1,717.96	

 Pull-Down Faucet with Arc Spout - Less Handle	63075LF-PCLHP	776.04	• DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 16 9/16", spout outlet to deck = 9", spout reach = 8 5/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	63075LF-PNLHP	9931.48	
	63075LF-SSLHP	969.76	
	63075LF-BLLHP	969.76	
	63075LF-PGLHP	1,086.92	
	63075LF-SLLHP	1,125.20	
	63075LF-GLLHP	1,125.20	


 SmartTouch® Pull-Down Faucet with Arc Spout - Less Handle	64075LF-PCLHP	1,066.04	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64075LF-PNLHP	1,221.48	
	64075LF-SSLHP	1,259.76	
	64075LF-BLLHP	1,259.76	
	64075LF-PGLHP	1,376.92	
	64075LF-SLLHP	1,415.20	
	64075LF-GLLHP	1,415.20	


KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
	63065LF-PCLHP	776.04	• DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 5/8", spout outlet to deck = 9 1/16", spout reach = 8 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63065LF-PNLHP	931.48	
	63065LF-SSLHP	969.76	
	63065LF-BLLHP	969.76	
	63065LF-PGLHP	1,086.92	
	63065LF-SLLHP	1,125.20	
	63065LF-GLLHP	1,125.20	
Pull Down Faucet with Square Spout – Less Handle			

	64065LF-PCLHP	1,066.04	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model
	64065LF-PNLHP	1,221.48	
	64065LF-SSLHP	1,259.76	
	64065LF-BLLHP	1,259.76	
	64065LF-PGLHP	1,376.92	
	64065LF-SLLHP	1,415.20	
	64065LF-GLLHP	1,415.20	
SmartTouch® Pull-Down Faucet with Square Spout – Less Handle			

PREP FAUCETS


Item	Item No.	Price	Description
	63975LF-PCLHP	776.04	• DIAMOND Seal® Technology • MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 12 7/8", spout outlet to deck = 6 13/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63975LF-PNLHP	931.48	
	63975LF-SSLHP	969.76	
	63975LF-BLLHP	969.76	
	63975LF-PGLHP	1,086.92	
	63975LF-SLLHP	1,125.20	
	63975LF-GLLHP	1,125.20	
Pull-Down Prep Faucet with Arc Spout – Less Handle			



Pull Down Prep Faucet with
Square Spout – Less Handle

63965LF-PCLHP	776.04
63965LF-PNLHP	931.48
63965LF-SSLHP	969.76
63965LF-BLLHP	969.76
63965LF-PGLHP	1,086.92
63965LF-SLLHP	1,125.20
63965LF-GLLHP	1,125.20

- DIAMOND Seal® Technology
- MagneDock® Technology – magnetic docking system
- Euro-motion Diamond™ Valve with InnoFlex™ waterways
- Touch-Clean® nozzles – swipe away mineral deposits
- Two-function wand: spray and stream
- 1-hole installation
- Overall height = 12 1/8", spout outlet to deck = 6 5/8", spout reach = 7 1/16", spout swivels 360°
- Accommodates up to 3" deck thickness
- Comes with standard fittings
- Maximum flow rate 1.8 gpm at 60 psi; 6.8 L/min @ 414 kPa
- MUST ORDER HANDLE SEPARATELY





SmartTouch® Pull Down
Prep Faucet with Square Spout –
Less Handle

64965LF-PCLHP	1,066.04
64965LF-PNLHP	1,221.48
64965LF-SSLHP	1,259.76
64965LF-BLLHP	1,259.76
64965LF-PGLHP	1,376.92
64965LF-SLLHP	1,415.20
64965LF-GLLHP	1,415.20


- SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light
- Optional A/C adapter EPI02157
- Optional voice activation technology (EPI00854) available for use with connected home devices
- For additional product details reference the non-SmartTouch® Technology model

HANDLE KITS: *Semi-Professional, Pull-Down, Articulating & Prep Faucets*


Item	Item No.	Price	Item	Item No.	Price	Description
 Metal Lever	HLK175-PC	114.84	 Wood Lever	HLK177-PCWD	146.16	• Lever Handles are ADA compliant • WD = Guyana Teak Wood • BC = Black Crystal • CT = Concrete • MB = Marble • Handle accents are derived from natural materials and will have unique variations in color and texture
	HLK175-PN	138.04		HLK177-PNWD	175.16	
	HLK175-SS	143.84		HLK177-SSWD	183.28	
	HLK175-BL	143.84		HLK177-BLWD	183.28	
	HLK175-PG	161.24		HLK177-PGWD	204.16	
	HLK175-SL	167.04		HLK177-SLWD	212.28	
	HLK175-GL	167.04		HLK177-GLWD	212.28	



BAR FAUCETS



Item	Item No.	Price	Description
	61075LF-PCLHP	477.92	• 1-hole installation
	61075LF-PNLHP	573.04	• Ceramic cartridge
	61075LF-SSLHP	597.40	• Overall height = 11 5/8", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360°
	61075LF-BLLHP	597.40	• Accommodates up to 2 1/2" deck thickness
	61075LF-PGLHP	669.32	• Comes with standard fittings
	61075LF-SLLHP	692.52	• Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61075LF-GLLHP	692.52	• MUST ORDER HANDLE SEPARATELY

Bar Faucet with Arc Spout -
Less Handle

	61065LF-PCLHP	477.92	• 1-hole installation
	61065LF-PNLHP	573.04	• Ceramic cartridge
	61065LF-SSLHP	597.40	• Overall height = 11 1/4", spout outlet to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360°
	61065LF-BLLHP	597.40	• Accommodates up to 2 1/2" deck thickness
	61065LF-PGLHP	669.32	• Comes with standard fittings
	61065LF-SLLHP	692.52	• Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa
	61065LF-GLLHP	692.52	• MUST ORDER HANDLE SEPARATELY


Bar Faucet with Square Spout -
Less Handle

HANDLE KITS: Bar Faucets

Item	Item No.	Price	Item	Item No.	Price	Description
	HLB175-PC	85.84		HLB177-PCWD	106.72	• Handles are ADA compliant • WD = Guyana Teak Wood • The nature of natural wood gives each wood piece a distinct texture and color
	HLB175-PN	103.24		HLB177-PNWD	127.60	
	HLB175-SS	107.88		HLB177-SSWD	133.40	
	HLB175-BL	107.88		HLB177-BLWD	133.40	
	HLB175-PG	120.64		HLB177-PGWD	154.28	
	HLB175-SL	124.12		HLB177-SLWD	154.28	
	HLB175-GL	124.12		HLB177-GLWD	149.64	




POT FILLER


Item	Item No.	Price	Description
 Linear Wall Mount Pot Filler Faucet	62820LF-PC	1,260.92	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62820LF-PN	1,512.64	
	62820LF-SS	1,576.44	
	62820LF-BL	1,576.44	
	62820LF-PG	1,765.44	
	62820LF-SL	1,828.16	
	62820LF-GL	1,828.16	



ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
	RP79275PG	247.08	- Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck
	RP79275SL	255.20	

Soap/Lotion Dispenser




Optional Escutcheon



RP71451PG	227.36	- Includes installation hardware - Accommodates up to 3" deck thickness 8" on center
RP71451SL	233.16	

ACCESSORIES *(continued) (for kitchen drains and additional accessories, see pages 94-97)*


Item	Item No.	Price	Description
 Hole Cover	RP90934PC	58.00	- Includes installation hardware - Accommodates up to 3" deck thickness 1/3" overall height
	RP90934PN	69.60	
	RP90934SS	73.08	
	RP90934BL	73.08	
	RP90934PG	81.20	
	RP90934SL	84.68	
	RP90934GL	84.68	

 VoiceIQ® Module	EP100854	284.20	- VoiceIQ® Technology for hands-free voice activation - For use with SmartTouch® faucets manufactured after January 2018 - Includes VoiceIQ® module, cable and 9 volt power supply - Pairs with Amazon® Alexa® and Google® Assistant-enabled devices - Metered and custom dispensing options - Warm-up feature pre-heats the water to 95° - Handwashing mode using CDC recommended guidelines
--	----------	--------	---

HARDWARE

Item	Item No.	Price	Description
 Drawer Knob	699275-PC	24.36	- Mounting hardware included - All metal construction
	699275-BL	30.16	
	699275-GL	34.80	
	699275-BN	33.64	
 Drawer Pull	699175-PC	37.12	- Mounting hardware included - All metal construction 3 3/4" center to center distance
	699175-BL	46.40	
	699175-GL	53.36	
	699175-BN	52.20	





JASON WU FOR BRIZO™ KITCHEN COLLECTION

The audacity of simplicity.

Sometimes, the simplest expression makes the loudest statement. Nowhere is that more evident than in the Jason Wu for Brizo™ Kitchen Collection. Its fresh, streamlined aesthetic breaks through the noise with stunning clarity—bringing new vibrance to the familiar.

Available Finishes



MATTE WHITE
(MW)



MATTE WHITE /
BRILLIANCE® POLISHED
NICKEL (MWPN)

Handle Accents



BRILLIANCE® POLISHED
NICKEL / WOOD
(MWD)



BRILLIANCE®
POLISHED NICKEL
(MWPN)



CONCRETE
(CT)







BLACK CRYSTAL
(BC)





MARBLE
(MB)



KITCHEN FAUCETS

Item	Item No.	Price	Description
 Semi-Professional Kitchen Faucet – Less Handle	63375LF-MWLHP	1,230.76	• MagneDock® Technology - magnetic wand docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 22 13/16", spout outlet to deck = 9 1/16", spout reach = 9 2/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Finished, semi-flexible metal hose • Maximum flow rate 1.8 gpm at 60 psi, 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
	63375LF-MWPNLHP	1,230.76	
 SmartTouch® Semi-Professional Kitchen Faucet – Less Handle	64375LF-MWLHP	1,520.76	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non SmartTouch® Technology Model
	64375LF-MWPNLHP	1,520.76	
 Pull-Down Faucet with Arc Spout – Less Handle	63075LF-MWLHP	969.76	• MagneDock® Technology - magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function pull-down wand: spray and stream • 1-hole installation • Overall height = 16 9/16", spout outlet to deck = 9", spout reach = 8 5/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
 SmartTouch® Pull-Down Faucet with Arc Spout – Less Handle	64075LF-MWLHP	1,259.76	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model



KITCHEN FAUCETS *(continued)*

Item	Item No.	Price	Description
 Pull-Down Faucet with Square Spout – Less Handle	63065LF-MWLHP	969.76	• MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function pull-down wand: spray and stream • 1-hole installation • Overall height = 14 5/8", spout outlet to deck = 9 1/16", spout reach = 8 15/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
 SmartTouch® Pull-Down Faucet with Square Spout – Less Handle	64065LF-MWLHP	1,259.76	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model



PREP FAUCETS

Item	Item No.	Price	Description
 Pull-Down Prep Faucet with Arc Spout – Less Handle	63975LF-MWLHP	969.76	• MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 12 7/8", spout outlet to deck = 6 13/16", spout reach = 7 1/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa • MUST ORDER HANDLE SEPARATELY
 SmartTouch® Pull-Down Prep Faucet with Arc Spout – Less Handle	64975LF-MWLHP	1,259.76	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices • For additional product details reference the non-SmartTouch® Technology model

PREP FAUCETS *(continued)*


Item	Item No.	Price	Description
 Pull-Down Prep Faucet with Square Spout - Less Handle	63965LF-MWLHP	969.76	- MagneDock® Technology - magnetic docking system - Euro-motion Diamond™ Valve with InnoFlex™ waterways - Touch-Clean® nozzles - swipe away mineral deposits - Two-function wand: spray and stream 1-hole installation - Overall height = 12 1/8", spout outlet to deck = 6 5/8", spout reach = 7 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa - MUST ORDER HANDLE SEPARATELY
 SmartTouch® Pull-Down Prep Faucet with Square Spout - Less Handle	64965LF-MWLHP	1259.76	- SmartTouch® Technology with TempID® feature - tap on/off functionality with temperature indicating LED light - Optional A/C adapter EPI02157 - Optional voice activation technology (EPI00854) available for use with connected home devices - For additional product details reference the non-SmartTouch® Technology model


HANDLE KITS: *Semi-Professional, Pull-Down, and Prep Faucets*

Item	Item No.	Price	Item	Item No.	Price	Description
 Metal Lever	HLK175-MW HLK175-MWPN	143.84 143.84	 Wood Lever	HLK177-MWWD	183.28	- Lever handles are ADA compliant - BC = Black Crystal - CT = Concrete - MB = Marble - MWWD = Guyana teak wood lever with Brilliance® Polished Nickel tip - Handle accents are derived from natural materials and will have unique variations in color and texture





BAR FAUCETS


Item	Item No.	Price	Description
 Bar Faucet with Arc Spout - Less Handle	61075LF-MWLHP	597.40	1-hole installation - Ceramic cartridge - Overall height = 11 5/8", spout outlet to deck = 8 3/8", spout reach = 6", spout swivels 360° - Accommodates up to 2 1/2" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa - MUST ORDER HANDLE SEPARATELY

 Bar Faucet with Square Spout - Less Handle	61065LF-MWLHP	597.40	1-hole installation - Ceramic cartridge - Overall height = 11 1/4", spout outlet to deck = 8 7/16", spout reach = 5 7/8", spout swivels 360° - Accommodates up to 2 1/2" deck thickness - Comes with standard fittings - Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa - MUST ORDER HANDLE SEPARATELY
---	---------------	--------	---


HANDLE KITS: Bar Faucets

Item	Item No.	Price	Item	Item No.	Price	Description
 Metal Lever	HLB175-MW HLB175-MWPN	107.88 107.88	 Wood Lever	HLB177-MWWD	133.40	- Handles are ADA compliant - MWWD = Guyana teak wood lever with Brilliance® Polished Nickel tip - The nature of natural wood gives each wood piece a distinct texture and color


INSTANT HOT FAUCETS


Item	Item No.	Price	Description
 Instant Hot Faucet with Arc Spout	61320LF-H-MW	614.80	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa

INSTANT HOT FAUCETS *(continued)*


Item	Item No.	Price	Description	
 Instant Hot Faucet with Square Spout	61365LF-H-MW	614.80	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	

BEVERAGE FAUCETS *(for details on the Pristive™ Tankless Reverse Osmosis System, see pages 84-89)*


Item	Item No.	Price	Description	
 Beverage Faucet with Arc Spout	61320LF-C-MW	540.56	- DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	


 Beverage Faucet with Square Spout	61365LF-C-MW	540.56	- DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
--	--------------	--------	---	---

POT FILLER

Item	Item No.	Price	Description	
 Linear Wall Mount Pot Filler Faucet	62820LF-MW	1576.44	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4"	

ACCESSORIES *(for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
	RP79275MW	220.40	• Includes installation hardware • Accomodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
Soap/Lotion Dispenser			

	EP100854	284.20	• VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines
VoiceIQ® Module			





ROOK® KITCHEN COLLECTION

A move ahead.

The Rook® Kitchen Collection by Brizo® exudes stately elegance at every turn. Its classic craftsman style is reminiscent of an early 20th century aesthetic, while contemporary, feminine touches elevate and modernize the look. Graceful curves complement precise angles, resulting in an exquisitely calculated balance.



Available Finishes



POLISHED CHROME
(PC)



BRILLIANCE®
POLISHED NICKEL
(PN)



BRILLIANCE®
STAINLESS (SS)



MATTE BLACK
(BL)



BRILLIANCE®
POLISHED GOLD
(PG)





BRILLIANCE®
LUXE GOLD®
(GL)





BRILLIANCE®
LUXE STEEL®
(SL)

KITCHEN FAUCETS


Item	Item No.	Price	Description	
	63074LF-PC	1,149.56	• MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 15 7/8", spout outlet to deck = 8 5/8", spout reach = 8 7/8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa	
	63074LF-PN	1,379.24		
	63074LF-SS	1,437.24		
	63074LF-BL	1,437.24		
	63074LF-PG	1,608.92		
	63074LF-GL	1,666.92		
	63074LF-SL	1,666.92		
Pull Down Faucet				


	64074LF-PC	1,439.56	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional A/C adapter EPI02157 • Optional voice activation technology (EPI00854) available for use with connected home devices. • For additional product details reference the non-SmartTouch® Technology model	
	64074LF-PN	1,727.24		
	64074LF-SS	1,799.16		
	64074LF-BL	1,799.16		
	64074LF-PG	2,014.92		
	64074LF-GL	2,086.84		
	64074LF-SL	2,086.84		
SmartTouch® Pull Down Faucet				

	62274LF-PC	1,740.00	• MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 2-hole installation • Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability • Overall height varies with arm position. Maximum height = 19 3/8", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • Optional decorative center hole cover available RP90934	
	62274LF-PN	2,088.00		
	62274LF-SS	2,175.00		
	62274LF-BL	2,175.00		
	62274LF-PG	2,436.00		
	62274LF-GL	2,523.00		
	62274LF-SL	2,523.00		
Articulating Bridge Faucet				


	62174LF-PC	1,740.00	• MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 2-hole installation • Dual-jointed articulating arm with semi-flexible hose allows for flexible placement and maneuverability • Overall height varies with arm position. Maximum height = 19 3/8", maximum arm reach = 10 1/2", hose length = 23"; arm swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • Optional decorative center hole cover available RP90934	
	62174LF-PN	2,088.00		
	62174LF-SS	2,175.00		
	62174LF-BL	2,175.00		
	62174LF-PG	2,436.00		
	62174LF-GL	2,523.00		
	62174LF-SL	2,523.00		
Articulating Bridge Faucet with Finished Hose				

PREP FAUCETS

Item	Item No.	Price	Description	
	63974LF-PC	1,149.56	• MagneDock® Technology – magnetic docking system • Euro-motion Diamond™ Valve with InnoFlex™ waterways • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • 1-hole installation • Overall height = 14 5/16", spout outlet to deck = 7 3/8", spout reach = 8", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa	
	63974LF-PN	1,379.24		
	63974LF-SS	1,437.24		
	63974LF-BL	1,437.24		
	63974LF-PG	1,608.92		
	63974LF-GL	1,666.92		
	63974LF-SL	1,666.92		
Pull Down Prep Faucet				


	64974LF-PC	1,439.56	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EPI00854) available for use with connected home devices. • Optional A/C adapter EPI02157 • For additional product details reference the non-SmartTouch® Technology model	
	64974LF-PN	1,727.24		
	64974LF-SS	1,799.16		
	64974LF-BL	1,799.16		
	64974LF-PG	2,014.92		
	64974LF-GL	2,086.84		
	64974LF-SL	2,086.84		
SmartTouch® Pull Down Prep Faucet				

BAR FAUCET


Item	Item No.	Price	Description
	61074LF-PC	718.04	• 1-hole installation • Ceramic cartridge • Overall height = 12 3/8", spout outlet to deck = 8 1/4", spout reach = 6 5/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414kPa
	61074LF-PN	861.88	
	61074LF-SS	897.84	
	61074LF-BL	897.84	
	61074LF-PG	1,005.72	
	61074LF-GL	1,041.68	
	61074LF-SL	1,041.68	
Bar Faucet			



INSTANT HOT FAUCET


Item	Item No.	Price	Description	
	61374LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 3/16", spout to deck = 5 15/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61374LF-H-PN	816.64		
	61374LF-H-SS	851.44		
	61374LF-H-BL	851.44		
	61374LF-H-PG	953.52		
	61374LF-H-GL	987.16		
	61374LF-H-SL	987.16		
Instant Hot Faucet				

BEVERAGE FAUCET *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84–89)*

Item	Item No.	Price	Description
 Beverage Faucet	61374LF-C-PC	609.00	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 Kpa
	61374LF-C-PN	730.80	
	61374LF-C-SS	760.96	
	61374LF-C-BL	760.96	
	61374LF-C-PG	852.60	
	61374LF-C-GL	882.76	
	61374LF-C-SL	882.76	





POT FILLER

Item	Item No.	Price	Description
 Wall Mount Pot Filler Faucet	62874LF-PC	1,485.96	• Two handle wall mount • 1-hole installation • Cold water only • Spout reach = 23 1/4" • Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa
	62874LF-PN	1,782.92	
	62874LF-SS	1,857.16	
	62874LF-BL	1,857.16	
	62874LF-PG	2,079.88	
	62874LF-GL	2,154.12	
	62874LF-SL	2,154.12	




ACCESSORIES *(for kitchen drains and additional accessories, see pages 94–97)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP100487PC	185.60	• Includes installation hardware • Accommodates up to 3" deck thickness • 2 3/4" overall height • 15-ounce bottle • Refillable from above the deck
	RP100487PN	222.72	
	RP100487SS	232.00	
	RP100487BL	232.00	
	RP100487PG	259.84	
	RP100487GL	269.12	
	RP100487SL	269.12	


 Optional Escutcheon	RP100299PC	163.56	• Includes installation hardware • Accommodates up to 3" deck thickness • 8" on center
	RP100299BL	192.56	
	RP100299PN	196.04	
	RP100299SS	207.64	
	RP100299PG	226.20	
	RP100299GL	233.16	
	RP100299SL	233.16	


 Hole Cover	RP90934PG	81.20	• Includes installation hardware • Accommodates up to 3" deck thickness • 1/3" overall height
	RP90934SL	84.68	

ACCESSORIES *(continued) (for kitchen drains and additional accessories, see pages 94-97)*

Item	Item No.	Price	Description
 VoiceIQ® Module	EP100854	284.20	• VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines

HARDWARE

Item	Item No.	Price	Description
 Drawer Knob	699261-PC	45.24	• Mounting hardware included • All metal construction
	699261-PN	54.52	
	699261-NK	63.80	
	699261-NKBL	62.64	
	699261-GL	66.12	
	699261-RB	69.60	

 Drawer Pull	699161-PC	53.36	• Mounting hardware included • All metal construction • 4" center to center distance
	699161-PN	63.80	
	699161-NK	74.24	
	699161-NKBL	73.08	
	699161-GL	77.72	
	699161-RB	82.36	





TULHAM™ KITCHEN COLLECTION

The spirit of reinvention.

Grandeur takes a playful turn in the Tulham™ Kitchen Collection. Elegant contours combine with art deco motifs for an inventive blend of the traditional and the avant-garde. From the tone-on-tone split finishes to the fluting details, the collection truly captures an artistic spirit.

Available Finishes



POLISHED CHROME
(PC)



BRILLIANCE®
POLISHED NICKEL
(PN)



BRILLIANCE®
STAINLESS (SS)



MATTE BLACK /
BRILLIANCE®
BLACK ONYX
(BLBNX)




BRILLIANCE®
LUXE GOLD® /
BRILLIANCE®
POLISHED GOLD
(GLPG)




BRILLIANCE®
LUXE STEEL®
(SL)


KITCHEN FAUCETS

Item	Item No.	Price	Description	
	63058LF-PC	882.76	• MagneDock® Technology – magnetic docking system	
	63058LF-PN	1,059.08	• Touch-Clean® nozzles – swipe away mineral deposits	
	63058LF-SS	1,103.16	• Two-function wand: spray and stream	
	63058LF-BLBNX	1,191.32	• Euro-motion Diamond™ Valve with InnoFlex™ waterways	
	63058LF-GLPG	1,279.48	• 1-hole installation	
	63058LF-SL	1,279.48	• Overall height = 17 9/16", spout outlet to deck = 9 15/16", spout reach = 9", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm at 60 psi; 6.81 L/min @ 414 kPa	

Pull-Down Kitchen Faucet


	64058LF-PC	1,172.76	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light	
	64058LF-PN	1,349.08	• Optional voice activation technology (EPI00854) available for use with connected home devices.	
	64058LF-SS	1,393.16	• Optional A/C adapter EPI02157	
	64058LF-BLBNX	1,481.32	• For additional product details reference the non-SmartTouch® Technology model	
	64058LF-GLPG	1,569.48		
	64058LF-SL	1,569.48		


SmartTouch® Pull-Down Kitchen Faucet

	62558LF-PC	1,288.76	• Includes matching metal side sprayer	
	62558LF-PN	1,546.28	• 3-hole installation	
	62558LF-SS	1,611.24	• Solid brass one-piece waterway	
	62558LF-BLBNX	1,740.00	• Ceramic cartridges	
	62558LF-GLPG	1,868.76	• Overall height = 15 13/16", spout outlet to deck = 10 7/16", spout reach = 8 1/4", spout swivels 360°	
	62558LF-SL	1,868.76	• Accommodates up to 3" deck thickness • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa • Comes with standard fittings • Optional decorative center hole cover available RP90934	


Bridge Kitchen Faucet with Side Spray

PREP FAUCETS


Item	Item No.	Price	Description	
	63958LF-PC	882.76	• MagneDock® Technology – magnetic docking system • Touch-Clean® nozzles – swipe away mineral deposits • Two-function wand: spray and stream • Euro-motion Diamond™ Valve with InnoFlex™ waterways • 1-hole installation • Overall height = 16", spout outlet to deck = 8 11/16", spout reach = 8 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	63958LF-PN	1,059.08		
	63958LF-SS	1,103.16		
	63958LF-BLBNX	1,191.32		
	63958LF-GLPG	1,279.48		
	63958LF-SL	1,279.48		
Pull Down Prep Kitchen Faucet				

	64958LF-PC	1,172.76	• SmartTouch® Technology with TempID® feature – tap on/off functionality with temperature indicating LED light • Optional voice activation technology (EP100854) available for use with connected home devices. • Optional A/C adapter EP102157 • For additional product details reference the non-SmartTouch® Technology model	
	64958LF-PN	1,349.08		
	64958LF-SS	1,393.16		
	64958LF-BLBNX	1,481.32		
	64958LF-GLPG	1,569.48		
	64958LF-SL	1,569.48		
SmartTouch® Pull-Down Prep Kitchen Faucet				

BAR FAUCET


Item	Item No.	Price	Description	
	61058LF-PC	611.32	• 1-hole installation • Ceramic cartridge • Overall height = 12 3/8", spout outlet to deck = 8 1/16", spout reach = 6 3/8", spout swivels 360° • Accommodates up to 2 1/2" deck thickness • Comes with standard fittings • Maximum flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa	
	61058LF-PN	733.12		
	61058LF-SS	764.44		
	61058LF-BLBNX	824.76		
	61058LF-GLPG	886.24		
	61058LF-SL	886.24		
Bar Faucet				

INSTANT HOT FAUCET

Item	Item No.	Price	Description	
	61358LF-H-PC	583.48	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 7/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61358LF-H-PN	700.64		
	61358LF-H-SS	729.64		
	61358LF-H-BLBNX	787.64		
	61358LF-H-GLPG	845.64		
	61358LF-H-SL	845.64		


Instant Hot Faucet

BEVERAGE FAUCET *(for details on the Pristine™ Tankless Reverse Osmosis System, see pages 84–89)*

Item	Item No.	Price	Description	
	61358LF-C-PC	544.04	- DIAMOND Seal® Technology - Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 9/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61358LF-C-PN	653.08		
	61358LF-C-SS	679.76		
	61358LF-C-BLBNX	734.28		
	61358LF-C-GLPG	788.80		
	61358LF-C-SL	788.80		




Beverage Faucet

POT FILLER

Item	Item No.	Price	Description	
	62858LF-PC	1,154.20	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62858LF-PN	1,385.04		
	62858LF-SS	1,443.04		
	62858LF-BLBNX	1,557.88		
	62858LF-GLPG	1,673.88		
	62858LF-SL	1,673.88		

Wall Mount Pot Filler

ACCESSORIES *(for kitchen drains and additional accessories, see pages 94–97)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP101658PC	213.44	- Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck
	RP101658PN	256.36	
	RP101658SS	266.80	
	RP101658BLBNX	287.68	
	RP101658GLPG	309.72	
	RP101658SL	309.72	
 Optional Escutcheon	RP101659PC	208.80	- Includes installation hardware - Accommodates up to 3" deck thickness 8" on center
	RP101659PN	250.56	
	RP101659SS	261.00	
	RP101659BL	281.88	
	RP101659GL	302.76	
	RP101659SL	302.76	
 Hole Cover	RP90934PC	58.00	- Includes installation hardware - Accommodates up to 3" deck thickness 1/3" overall height
	RP90934PN	69.60	
	RP90934SS	73.08	
	RP90934BL	73.08	
	RP90934GL	84.68	
	RP90934SL	84.68	
 VoiceIQ® Module	EP100854	284.20	- VoiceIQ® Technology for hands-free voice activation - For use with SmartTouch® faucets manufactured after January 2018 - Includes VoiceIQ® module, cable and 9 volt power supply - Pairs with Amazon® Alexa® and Google® Assistant-enabled devices - Metered and custom dispensing options - Warm-up feature pre-heats the water to 95° - Handwashing mode using CDC recommended guidelines






INSTANT HOT FAUCETS

Effortless harmony.




Brizo® Instant Hot faucets easily coordinate with any aesthetic, elevating the culinary experience with style and convenience. The near boiling water from the Instant Hot faucet is ready at a moment's notice—ideal for aromatherapy, steeping tea, brewing French press coffee and more.








Available Finishes




INSTANT HOT FAUCETS


Item	Item No.	Price	Description	
 Artesso® Instant Hot Faucet	61325LF-H-PC	701.80	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61325LF-H-PN	842.16		
	61325LF-H-SS	876.96		
	61325LF-H-BL	876.96		
	61325LF-H-GL	1,017.32		
	61325LF-H-RB	1,088.08		
 Kintsu® Instant Hot Faucet with Arc Spout	61306LF-H-PC-L	636.84	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - L = Lumicoat® Technology - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61306LF-H-SS-L	795.76		
	61306LF-H-BL	859.56		
	61306LF-H-BNX-L	923.36		
	61306LF-H-GL-L	955.84		
 Kintsu® Instant Hot Faucet with Square Spout	61307LF-H-PC-L	636.84	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - L = Lumicoat® Technology - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61307LF-H-SS-L	795.76		
	61307LF-H-BL	859.56		
	61307LF-H-BNX-L	923.36		
	61307LF-H-GL-L	955.84		


INSTANT HOT FAUCETS *(continued)*

Item	Item No.	Price	Description	
 Litze® Instant Hot Faucet with Arc Spout and Knurled Handle	61343LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61343LF-H-PN	816.64		
	61343LF-H-SS	851.44		
	61343LF-H-BLGL	918.72		
	61343LF-H-GL	987.16		
 Litze® Instant Hot Faucet with Square Spout and Knurled Handle	61353LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61353LF-H-PN	816.64		
	61353LF-H-SS	851.44		
	61353LF-H-BLGL	918.72		
	61353LF-H-GL	987.16		
 Litze® Instant Hot Faucet with Angled Spout and Knurled Handle	61363LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61363LF-H-PN	816.64		
	61363LF-H-SS	851.44		
	61363LF-H-BLGL	918.72		
	61363LF-H-GL	987.16		
 Instant Hot Faucet with Arc Spout	61320LF-H-PC	491.84	- Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections - Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 1/16", spout to deck = 5 7/8", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61320LF-H-PN	590.44		
	61320LF-H-MW	614.80		
	61320LF-H-SS	614.80		
	61320LF-H-BL	614.80		
	61320LF-H-PG	689.04		
	61320LF-H-GL	713.40		
	61320LF-H-SL	713.40		
 Instant Hot Faucet with Square Spout	61365LF-H-PC	491.84	- Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections - Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 8 15/16", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61365LF-H-PN	590.44		
	61365LF-H-MW	614.80		
	61365LF-H-SS	614.80		
	61365LF-H-BL	614.80		
	61365LF-H-PG	689.04		
	61365LF-H-GL	713.40		
	61365LF-H-SL	713.40		

INSTANT HOT FAUCETS *(continued)*

Item	Item No.	Price	Description	
	61374LF-H-PC	680.92	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 3/16" , spout to deck = 5 15/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61374LF-H-PN	816.64		
	61374LF-H-SS	851.44		
	61374LF-H-BL	851.44		
	61374LF-H-PG	953.52		
	61374LF-H-GL	987.16		
	61374LF-H-SL	987.16		
Rook® Instant Hot Faucet				

	61358LF-H-PC	583.48	- Engineered to pair with InSinkErator® HWT300-F3000S, HWT300-F2000S or HWT-300 tanks. TANK AND FILTER SOLD SEPARATELY. TANK AND FILTER NOT SOLD BY BRIZO. - Delivers near boiling water on demand - Self closing spring loaded ceramic disc valve cartridge 1-hole installation - Overall height = 9 3/8", spout to deck = 6 3/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Maximum flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa	
	61358LF-H-PN	700.64		
	61358LF-H-SS	729.64		
	61358LF-H-BLBNX	787.64		
	61358LF-H-GLPG	845.64		
	61358LF-H-SL	845.64		
Tulham™ Instant Hot Faucet				




PRISTIVE™ TANKLESS REVERSE OSMOSIS SYSTEM


Purer water beckons.

Harness the power of reverse osmosis for cleaner, fresher, and more sustainable water purification. The Pristive™ Tankless Reverse Osmosis System, including collection matching beverage faucets, reduces more than 90 contaminants from your drinking water, when tested against NSF standards.

Available Finishes






PRISTIVE™ TANKLESS REVERSE OSMOSIS SYSTEM






Item	Item No.	Price	Description
 Pristive™ Tankless Reverse Osmosis System	BWQ1001012	1,657.64	• Multi-stage tankless reverse osmosis water filtration system • 800 GPD (0.56 GPM) production rate • Tankless under-sink installation and compact design • For cold water installations only • Requires AC power outlet • System pairs with any Brizo® beverage faucet with air gap, or refrigerator • System includes 3 filter cartridges: Reverse Osmosis Filter, Carbon Filter and Pre-Filter • Optional remineralizer cartridge available for enhanced taste and pH balance • 2.5:1 filtered-to-waste water ratio • Certified reduction of more than 90 contaminants from drinking water when tested against NSF standards, including: lead, total PFAS, arsenic, bacteria, virus, chlorine, chromium, copper, TDS, mercury, microplastics, pharmaceuticals, and heavy metals. • Tankless RO system provides a constant flow of water and wastes less water compared to tanked systems • The Pristive™ Tankless RO system is rigorously tested against numerous NSF standards • Low maintenance filtration system makes filter changes easy • Integrated filter life tracking and internal leak detection with audible alerts








PRISTIVE™ REMINERALIZER & FILTERS


Item	Item No.	Price	Description
 Pristive™ Remineralizer Cartridge	BWQ300300	143.84	• Optional Remineralizer Cartridge to be used with Brizo RO system BWQ1001012 • In-line installation • For cold water use only • Lifespan - 2 years or 1,320 gallons
 Pristive™ Reverse Osmosis Filter Cartridge	BWQ300102	481.40	• Replacement filter for Brizo RO system BWQ1001012 • Quick quarter turn installation • For cold water use only • Lifespan - 2 years or 1,320 gallons
 Pristive™ Carbon Filter Cartridge	BWQ300202	143.84	• Replacement filter for Brizo RO system BWQ1001012 • Quick quarter turn installation • For cold water use only • Lifespan - 2 years or 1,320 gallons
 Pristive™ Pre-Filter	BWQ300350	160.08	• Replacement filter for Brizo RO system BWQ1001012 • In-line installation • For cold water use only • Lifespan - 6 years or 3,960 gallons


BEVERAGE FAUCETS

Item	Item No.	Price	Description	
	61325LF-C-PC	632.20	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61325LF-C-PN	758.64		
	61325LF-C-SS	789.96		
	61325LF-C-BL	789.96		
	61325LF-C-GL	916.40		
	61325LF-C-RB	980.20		
Arteso® Beverage Faucet				
	61343LF-C-PC	613.64	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61343LF-C-PN	736.60		
	61343LF-C-SS	766.76		
	61343LF-C-BLGL	828.24		
	61343LF-C-GL	889.72		
Litze® Beverage Faucet with Arc Spout and Knurled Handle				
	61353LF-C-PC	613.64	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61353LF-C-PN	736.60		
	61353LF-C-SS	766.76		
	61353LF-C-BLGL	828.24		
	61353LF-C-GL	889.72		
Litze® Beverage Faucet with Square Spout and Knurled Handle				
	61363LF-C-PC	613.64	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 11/16", spout to deck = 6 5/16", spout reach = 5", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61363LF-C-PN	736.60		
	61363LF-C-SS	766.76		
	61363LF-C-BLGL	828.24		
	61363LF-C-GL	889.72		
Litze® Beverage Faucet with Angled Spout and Knurled Handle				
	61307LF-C-PC-L	636.84	• DIAMOND Seal® Technology • Compatible with the Pristine™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap • 1-hole installation • Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° • Accommodates up to 3" deck thickness • Integrated supply tubes • Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain • L = Lumicoat® Technology • Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61307LF-C-SS-L	795.76		
	61307LF-C-BL	859.56		
	61307LF-C-BNX-L	923.36		
	61307LF-C-GL-L	955.84		
Kintsu® Beverage Faucet with Square Spout				

BEVERAGE FAUCETS

Item	Item No.	Price	Description	
 Beverage Faucet with Arc Spout	61320LF-C-PC	432.68	- Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections - DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61320LF-C-PN	519.18		
	61320LF-C-MW	540.56		
	61320LF-C-SS	540.56		
	61320LF-C-BL	540.56		
	61320LF-C-PG	605.52		
	61320LF-C-SL	627.56		
 Beverage Faucet with Square Spout	61365LF-C-PC	432.68	- Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections - DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61365LF-C-PN	519.18		
	61365LF-C-MW	540.56		
	61365LF-C-SS	540.56		
	61365LF-C-BL	540.56		
	61365LF-C-PG	605.52		
	61365LF-C-SL	627.56		
 Rook® Beverage Faucet	61374LF-C-PC	609.00	- DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 1/2", spout to deck = 6 1/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 Kpa	
	61374LF-C-PN	730.80		
	61374LF-C-SS	760.96		
	61374LF-C-BL	760.96		
	61374LF-C-PG	825.60		
	61374LF-C-SL	882.76		
	61374LF-C-SL	882.76		
 Tulham™ Beverage Faucet	61358LF-C-PC	544.04	- DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 9/16", spout to deck = 6 1/8", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61358LF-C-PN	653.08		
	61358LF-C-SS	679.76		
	61358LF-C-BLBNX	734.28		
	61358LF-C-GLPG	788.80		
	61358LF-C-SL	788.80		
	61358LF-C-SL	788.80		
 Kintsu® Beverage Faucet with Arc Spout	61306LF-C-PC-L	636.84	- DIAMOND Seal® Technology - Compatible with the Pristive™ Tankless Reverse Osmosis System, filtered water systems, chillers, or as a cold water tap 1-hole installation - Overall height = 9 7/16", spout to deck = 6 7/16", spout reach = 5 1/16", spout swivels 360° - Accommodates up to 3" deck thickness - Integrated supply tubes - Integrated air gap included with 1/4" tube for RO system and 3/8" tube for drain - L = Lumicoat® Technology - Maximum flow rate 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa	
	61306LF-C-SS-L	795.76		
	61306LF-C-BL	859.56		
	61306LF-C-BNX-L	923.36		
	61306LF-C-GL-L	955.84		
	61306LF-C-GL-L	955.84		






POT FILLERS


The perfect complement.


For those seeking even more versatility and convenience, pot fillers are a superb addition to any culinary space and make it easy to fill large cooking vessels quickly—and without the walk from the sink to the stove. Brizo® Pot Fillers are available in a range of styles and finishes, ensuring a look that complements any décor or Brizo® collection.


Available Finishes




WALL MOUNT POT FILLER FAUCETS


Item	Item No.	Price	Description	
 Artesso® Wall Mount Pot Filler Faucet	62825LF-PC	1,361.84	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62825LF-PN	1,634.44		
	62825LF-SS	1,702.88		
	62825LF-BL	1,702.08		
	62825LF-GL	1,974.32		
	62825LF-RB	2,111.20		

 Linear Wall Mount Pot Filler Faucet	62820LF-PC	1,260.92	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa - Coordinates with the Odin® and Jason Wu for Brizo™ kitchen collections	
	62820LF-PN	1,512.64		
	62820LF-MW	1,576.44		
	62820LF-SS	1,576.44		
	62820LF-BL	1,576.44		
	62820LF-PG	1,765.52		
	62820LF-GL	1,828.16		
	62820LF-SL	1,828.16		
	62820LF-RB	1,891.96		


 Kintsu® Wall Mount Pot Filler with Lever Handle	62806LF-PC-L	1,083.44	- Two handle wall mount 1-hole installation - Cold water only - L = Lumicoat® Technology - Spout reach = 20 1/2" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62806LF-SS-L	1,354.88		
	62806LF-BL	1,462.76		
	62806LF-BNX-L	1,570.64		
	62806LF-GL-L	1,625.16		

 Kintsu® Wall Mount Pot Filler with Knob Handle	62807LF-PC-L	1,083.44	- Two handle wall mount 1-hole installation - Cold water only - L = Lumicoat® Technology - Spout reach = 20 1/2" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62807LF-SS-L	1,354.88		
	62807LF-BL	1,462.76		
	62807LF-BNX-L	1,570.64		
	62807LF-GL-L	1,625.16		


WALL MOUNT POT FILLER FAUCETS *(continued)*

Item	Item No.	Price	Description	
	62843LF-PC	1,317.76	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62843LF-PN	1,581.08		
	62843LF-SS	1,647.20		
	62843LF-BLGL	1,779.44		
	62843LF-GL	1,910.52		


Litze® Wall Mount Pot Filler Faucet with Knurled Handle

	62844LF-PC	1,317.76	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62844LF-PN	1,581.08		
	62844LF-SS	1,647.20		
	62844LF-BLGL	1,779.44		
	62844LF-GL	1,910.52		


Litze® Wall Mount Pot Filler Faucet with Industrial Handle

	62874LF-PC	1,485.96	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62874LF-PN	1,782.92		
	62874LF-SS	1,857.16		
	62874LF-BL	1,857.16		
	62874LF-PG	2,079.88		
	62874LF-GL	2,154.12		
	62874LF-SL	2,154.12		

Rook® Wall Mount Pot Filler Faucet




	62858LF-PC	1,154.88	- Two handle wall mount 1-hole installation - Cold water only - Spout reach = 23 1/4" - Minimum flow rate 4.0 gpm @ 60 psi, 15.2 L/min @ 414 kPa	
	62858LF-PN	1,385.04		
	62858LF-SS	1,443.04		
	62858LF-BLBNX	1,557.88		
	62858LF-GLPG	1,673.88		
	62858LF-SL	1,673.88		

Tulham™ Wall Mount Pot Filler Faucet




KITCHEN ACCESSORIES


SOAP/LOTION DISPENSERS

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP75675PC	172.84	- Coordinates with the Artesso® kitchen collection - Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck
	RP75675PN	207.64	
	RP75675SS	215.76	
	RP75675BL	215.76	
	RP75675GL	250.56	
	RP75675RB	267.96	
 Soap/Lotion Dispenser	695306-PC-L	223.88	- Coordinates with the Kintsu® kitchen collection - Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck - L = Lumicoat® Technology
	695306-SS-L	279.56	
	695306-BL	302.76	
	695306-BNX-L	324.80	
	695306-GL-L	336.40	
 Soap/Lotion Dispenser	RP79275PC	176.32	- Coordinates with the Litze®, Odin® and Jason Wu for Brizo™ kitchen collections - Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck
	RP79275PN	211.12	
	RP79275BL	220.40	
	RP79275MW	190.00	
	RP79275SS	220.40	
	RP79275PG	247.08	
	RP79275SL	255.20	
	RP79275GL	255.20	
 Soap/Lotion Dispenser	RP100487PC	185.60	- Coordinates with the Rook® kitchen collection - Includes installation hardware - Accommodates up to 3" deck thickness 2 3/4" overall height 15-ounce bottle - Refillable from above the deck
	RP100487PN	222.72	
	RP100487SS	232.00	
	RP100487BL	232.00	
	RP100487PG	259.84	
	RP100487GL	269.12	
	RP100487SL	269.12	


SOAP/LOTION DISPENSERS *(continued)*

Item	Item No.	Price	Description
 Soap/Lotion Dispenser	RP101658PC	213.44	• Coordinates with the Tulham™ kitchen collection
	RP101658PN	256.36	• Includes installation hardware
	RP101658SS	266.80	• Accommodates up to 3" deck thickness
	RP101658BLBNX	287.68	• 2 3/4" overall height
	RP101658GLPG	309.72	• 15-ounce bottle
	RP101658SL	309.72	• Refillable from above the deck

HOLE COVERS

Item	Item No.	Price	Description
 Hole Cover	RP90934PC	58.00	• Includes installation hardware
	RP90934PN	69.60	• Accommodates up to 3" deck thickness
	RP90934BL	73.08	• 1/3" overall height
	RP90934SS	73.08	
	RP90934PG	81.20	
	RP90934GL	84.68	
	RP90934SL	84.58	

AIR SWITCHES

Item	Item No.	Price	Description
 Air Switch	69080-PC	259.84	• Dual outlet controller for waste disposal and one additional accessory
	69080-PN	312.04	• Brass button and trim with polyethylene body
	69080-SS	324.80	• Simple plug-in installation of control box
	69080-BL	324.80	• Installed in 1-1/4" openings
	69080-MW	324.80	• 6' flexible hose included
	69080-PG	364.24	
	69080-GL	377.00	
	69080-SL	377.00	
	69080-RB	405.52	


AIR GAPS

Item	Item No.	Price	Description
 Air Gap	69060-PC	58.00	• Polyethylene body • 5/8" dishwasher inlet, 7/8" outlet • 1 7/8" diameter, 2 1/8" long brass cap
	69060-PN	69.60	
	69060-SS	73.08	
	69060-BL	73.08	
	69060-BNX	78.88	
	69060-PG	81.20	
	69060-GL	84.68	
	69060-SL	84.68	
	69060-RB	90.48	


KITCHEN DRAINS

Item	Item No.	Price	Description
 Flange with Strainer	69052-PC	161.24	• Solid brass construction with stainless steel mounting hardware • Top-mount flange installation for 4 1/2" sink openings • 1 1/2" x 1 1/2" NPSM threads
	69052-PN	193.72	
	69052-SS	201.84	
	69052-PG	218.08	
	69052-BNX	218.08	
	69052-GL	234.32	
	69052-SL	234.32	

 Disposal Flange with Stopper	69070-PC	132.24	• Solid brass construction • Top-mount flange installation for 4 1/2" sink openings • Use with sink styles that require waste disposal to be installed up to 3/4" from sink opening
	69070-PN	158.92	
	69070-SS	165.88	
	69070-PG	185.60	
	69070-GL	191.40	
	69070-SL	191.40	

 Disposal Flange with Stopper	69072-PC	161.24	• Solid brass construction • Top-mount flange installation for 3 1/2" sink openings • Use with sink styles that require waste disposal to be installed between 3/4" to 1 1/2" from sink opening
	69072-PN	193.72	
	69072-SS	201.84	
	69072-PG	226.20	
	69072-BNX	218.08	
	69072-GL	234.32	
	69072-SL	234.32	

VOICEIQ® TECHNOLOGY

Item	Item No.	Price	Description
	EP100854	284.20	• VoiceIQ® Technology for hands-free voice activation • For use with SmartTouch® faucets manufactured after January 2018 • Includes VoiceIQ® module, cable and 9 volt power supply • Pairs with Amazon® Alexa® and Google® Assistant-enabled devices • Metered and custom dispensing options • Warm-up feature pre-heats the water to 95° • Handwashing mode using CDC recommended guidelines

VoiceIQ® Module



IHOMEA
PREMIUM

H O M E A

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121