



see what Delta can do™

KITCHEN

LISTA DE PRECIOS 2025



HOMEA
PREMIUM

H O M E A

www.homea.mx

Email: **ventas@homea.mx**

Whatsapp: **(446)144.6318**

Tel: **(442)216.3552**

Lada sin Costo: **01(800)701.2121**

COD-07072025

YOUR KITCHEN COPILOT



Touch₂O® with Touchless™

Technology

Delta® Touch₂O® with Touchless™ faucets make multi-tasking in the kitchen easy: simply place your hand near the faucet, tap the faucet surface, or use standard handle activation to start and stop the flow of water.



VoicelQ® Technology

Delta® VoicelQ® Technology pairs with Amazon® Alexa® and Google® Assistant-enabled devices to turn the faucet on and off, warm the water, dispense a metered amount, or fill custom containers with hands-free voice activation.



Touch₂O® Technology

Tap it on. Tap it off. Delta® Touch₂O® Technology makes kitchen tasks easy: simply tap anywhere on the spout or handle with your wrist or forearm to start and stop the flow of water.

No suffix	—	Chrome Finish	L/min	—	Liters Per Minute (Metric Flow Rate)
A	—	Handle Accent	LPU	—	Less Pop-Up Drain
AC	—	Alternating Current (Electronic Faucets for Hard Wire Installation)	LTS	—	Long Tub Spout
ADA	—	Americans with Disabilities Act	MBS	—	Mini-Bulk
ADAAG	—	Americans with Disabilities Act Accessibility Guidelines	MF	—	PEX Cold Expansion Connections
AR	—	Arctic® Stainless Finish	MPU	—	Metal Pop-Up Drain
AR-PR	—	Lumicoat® Arctic® Stainless Finish	NPSM	—	National Pipe Thread Straight Mechanical
BG	—	Polybag Packaging	NPT	—	National Pipe Thread Tapered
BL	—	Matte Black Finish	OB	—	Oil Rubbed Bronze Finish
BN	—	Brushed Nickel	PB	—	Brilliance® Polished Brass Finish
BX	—	Single Box Model	PD	—	Pull-Down Diverter Tub Spout
BXT	—	Single Box Model, Thin Wall Mounting Kit Included	PFS	—	Prefabricated Shower
C	—	Cross Handle	PFT	—	Prefabricated Tub and Shower
CB	—	Chrome and Brilliance® Polished Brass Split Finish	PK	—	Clamshell Packaging
CE	—	Cold Expansion Fitting	PN	—	Polished Nickel Finish
CER	—	Ceramic Cartridge	PN-PR	—	Lumicoat® Polished Nickel Finish
CH	—	Chrome Finish	PP	—	Project-Pack
CL	—	Clear	PPU	—	Plastic Pop-Up Drain
CS	—	Chrome and Matte Black Split Finish	PR	—	Lumicoat® Chrome Finish
CWT	—	Copper Water Tube	PS	—	Peened Stainless Steel
CZ	—	Champagne Bronze™ Finish	PSI	—	Pounds Per Square Inch (US Unit of Pressure)
CZ-PR	—	Lumicoat® Champagne Bronze™ Finish	PX	—	Pex Crimp Connections
DST	—	DIAMOND™ Seal Technology	RB	—	Venetian Bronze® Finish
FL	—	Floor Mount	RP	—	Repair Part
GB	—	Brushed Gold Finish	SD	—	Soap or Lotion Dispenser
GPM	—	Gallons Per Minute (US Flow Rate)	SH	—	Side Handle
GS	—	Champagne Bronze™ and Porcelain Split Finish	SM	—	Brilliance® Stainless and Matte Black Split Finish
GZ	—	Matte Black and Champagne Bronze™ Split Finish	SN	—	Satin Nickel
H	—	Handle Kit	SOS	—	Slip-on Spout for 1/2" – C.W.T.
HA	—	High Arc	SP	—	SpotShield® Stainless
H2O	—	H ₂ Okinetic® Technology	SS	—	Brilliance® Stainless Finish
H2OT	—	H ₂ Okinetic® Technology	TGM	—	.35 Gallons Per Minute Flow Rate
HDF	—	Heavy Duty Faucet	TL	—	Touch ₂ O® with Touchless™ Technology
HF	—	High Flow	TLV	—	Touch ₂ O® with Touchless™ Technology + VoicelQ® Technology
HGM	—	.5 Gallon per Minute Flow Rate	TP	—	Tract-Pack
IPS	—	Iron Pipe Size	TV	—	Touch ₂ O® Technology + VoicelQ® Technology
IP	—	IPS - Inlets / Outlets	UN	—	Universal Connection on Inlets/Outlets
kPa	—	Kilopascals (Metric Unit of Pressure)	WE	—	Water-Efficient
KS	—	Black Stainless Finish	WC	—	White and Chrome Finish
KS-PR	—	Lumicoat® Black Stainless Finish	WF	—	With Fittings—1/2" IPS Adapters
L	—	Lever Handle	WH	—	White Finish or Trim
LF	—	Lead Legislation Compliant	WL	—	Wall Mount
LHD	—	Less Shower Head	WS	—	With Stops
LHP	—	Less Handle Program	XX	—	Touch ₂ O® Solenoid Assembly for Organic Finishes



ADA Products displaying this nationally recognized symbol are accessible to and usable by physically challenged persons and meet all the requirements of ICC/ANSI A117.1 and ADAAG for an operable part.



= Universal Showering



= Focus Product



= Trade Exclusive



= Touch₂O® Technology



= Touch₂O® with Touchless™ Technology



= VoicelQ® Voice Activation



WaterSense® Labeled Product

Lavatory Faucets: Flow Rate of 1.2 gpm or 1.0 gpm as marked versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm.

Shower Heads and Hand Showers: Flow Rate of 1.5 to 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.



Water-Efficient Product

Kitchen Faucets: Flow Rate of 1.8 gpm or 1.5 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm.

Lavatory Faucets: Flow Rate of 1.2 gpm or lower versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm.

Shower Heads and Hand Showers: Flow Rate of 1.5 to 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.



Trade Exclusive Collections

Delta Faucet Company is committed to Trade advocacy and driving demand for our Trade customers. The Delta® Brand has invested in five Trade Exclusive (TE) collections, available only to Delta Trade customers' brick-and mortar locations and their authorized online stores.

NEW!


Broderick®
Single Handle Spring Spout Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9690TL-DST	1.8 gpm	1127.10	Chrome
9690TL-AR-DST	1.8 gpm	1341.40	Arctic® Stainless
9690TL-BL-DST	1.8 gpm	1341.40	Matte Black
9690TL-CZ-DST	1.8 gpm	1497.95	Champagne Bronze™

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3 hole order RP100845
- 9 5/8" long, 20 3/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Broderick®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9190TL-DST	1.8 gpm	912.85	Chrome
9190TL-AR-DST	1.8 gpm	1127.10	Arctic® Stainless
9190TL-BL-DST	1.8 gpm	1127.10	Matte Black
9190TL-CZ-DST	1.8 gpm	1198.55	Champagne Bronze™
9190TL-KS-DST	1.8 gpm	1198.55	Black Stainless
9190TL-RB-DST	1.8 gpm	1198.55	Venetian Bronze®

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3 hole order RP100845
- 9 5/8" long, 16 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings


Broderick®
Single Handle Spring Spout Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9690T-DST	1.8 gpm	1257.00	Chrome
9690T-AR-DST	1.8 gpm	1482.30	Arctic® Stainless

TOUCH₂O®
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 20 3/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Broderick®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9190T-DST	1.8 gpm	1037.45	Chrome
9190T-AR-DST	1.8 gpm	1258.40	Arctic® Stainless
9190T-BL-DST	1.8 gpm	1259.45	Matte Black
9190T-CZ-DST	1.8 gpm	1334.95	Champagne Bronze™
9190T-KS-DST	1.8 gpm	1333.40	Black Stainless
9190T-RB-DST	1.8 gpm	1334.20	Venetian Bronze®

TOUCH₂O®
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 16 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!


Broderick®
Two Handle Bridge Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
2390L-DST	1.8 gpm	1094.75	Chrome
2390L-AR-DST	1.8 gpm	1404.50	Arctic® Stainless
2390L-BL-DST	1.8 gpm	1405.60	Matte Black
2390L-CZ-DST	1.8 gpm	1524.45	Champagne Bronze™
2390L-KS-DST	1.8 gpm	1522.70	Black Stainless
2390L-RB-DST	1.8 gpm	1523.65	Venetian Bronze®

- 3-hole 8" installation
- 9 5/8" long, 15 7/8" high
- Hot/cold indicators
- 3" max. deck thickness
- 30" min. InnoFlex supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- DIAMOND™ Valve
- MagnaTite® docking

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

NEW!


Broderick®
Single Handle Spring Spout Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9690-DST	1.8 gpm	960.65	Chrome
9690-AR-DST	1.8 gpm	1181.50	Arctic® Stainless
9690-BL-DST	1.8 gpm	1141.40	Matte Black
9690-CZ-DST	1.8 gpm	1297.95	Champagne Bronze™


- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 20 3/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

New Matte Black and Champagne Bronze™ Finishes Available Now

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

NEW!


Broderick®
Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9190-DST	1.8 gpm	739.65	Chrome
9190-AR-DST	1.8 gpm	960.65	Arctic® Stainless
9190-BL-DST	1.8 gpm	961.40	Matte Black
9190-CZ-DST	1.8 gpm	1036.00	Champagne Bronze™
9190-KS-DST	1.8 gpm	1034.70	Black Stainless
9190-RB-DST	1.8 gpm	1035.40	Venetian Bronze®

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 15 5/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

NEW!


Broderick®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9990TL-DST	1.8 gpm	912.85	Chrome
9990TL-AR-DST	1.8 gpm	1127.10	Arctic® Stainless
9990TL-BL-DST	1.8 gpm	1127.10	Matte Black
9990TL-CZ-DST	1.8 gpm	1198.55	Champagne Bronze™
9990TL-KS-DST	1.8 gpm	1198.55	Black Stainless
9990TL-RB-DST	1.8 gpm	1198.55	Venetian Bronze®

- 1 or 3-hole 8" installation, for 3 hole order RP100845
- 6 5/8" long, 15 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch2O® only settings

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Polished Nickel Finish Available Q4 2025


Broderick®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9990T-DST	1.8 gpm	1034.85	Chrome
9990T-AR-DST	1.8 gpm	1258.15	Arctic® Stainless
9990T-BL-DST	1.8 gpm	1259.20	Matte Black
9990T-CZ-DST	1.8 gpm	1334.45	Champagne Bronze™
9990T-KS-DST	1.8 gpm	1333.25	Black Stainless
9990T-RB-DST	1.8 gpm	1333.70	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 6 5/8" long, 15 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated 6 (AA) or 6(C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!


Broderick®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9990-DST	1.8 gpm	738.60	Chrome
9990-AR-DST	1.8 gpm	959.60	Arctic® Stainless
9990-BL-DST	1.8 gpm	960.30	Matte Black
9990-CZ-DST	1.8 gpm	1034.90	Champagne Bronze™
9990-KS-DST	1.8 gpm	1033.60	Black Stainless
9990-RB-DST	1.8 gpm	1034.35	Venetian Bronze®

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 6 5/8" long, 14 5/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

New Polished Nickel Finish Available Q4 2025

NEW!


Broderick®
Single Handle Bar Faucet


Model	Flow	Price	Finish
1990LFC	1.5 gpm	724.20	Chrome
1990LFC-AR	1.5 gpm	886.50	Arctic® Stainless
1990LFC-BL	1.5 gpm	887.15	Matte Black
1990LFC-CZ	1.5 gpm	976.55	Champagne Bronze™
1990LFC-KS	1.5 gpm	974.25	Black Stainless
1990LFC-RB	1.5 gpm	976.05	Venetian Bronze®

- 1 or 3-hole 4" installation; for 3-hole, order RP100844 escutcheon
- 7 1/16" long, 12 1/4" high
- 2 1/2" max. deck thickness

New Polished Nickel Finish Available Q4 2025

NEW!


Broderick®
Wall Mount Pot Filler


Model	Flow	Price	Finish
1190LFL	4.0 gpm	798.95	Chrome
1190LFL-AR	4.0 gpm	1006.20	Arctic® Stainless
1190LFL-BL	4.0 gpm	1021.30	Matte Black
1190LFL-CZ	4.0 gpm	1110.45	Champagne Bronze™
1190LFL-KS	4.0 gpm	1080.45	Black Stainless
1190LFL-RB	4.0 gpm	1109.80	Venetian Bronze®

- 1-hole installation
- 24" long, 9 1/4" high
- Two handle wall mount
- Cold water only
- Dual shut-off and swing joints
- 24" reach

New Polished Nickel Finish Available Q4 2025

NEW!


Broderick®
Metal Soap / Lotion Dispenser


Model	Price	Finish
RP100632	131.90	Chrome
RP100632AR	161.50	Arctic® Stainless
RP100632BL	161.70	Matte Black
RP100632CZ	191.20	Champagne Bronze™
RP100632KS	206.05	Black Stainless
RP100632RB	191.10	Venetian Bronze®

- 13-ounce bottle
- Refillable from above the deck
- 3" max. deck thickness

New Polished Nickel Finish Available Q4 2025



Trade Exclusive Collections

Delta Faucet Company is committed to Trade advocacy and driving demand for our Trade customers. The Delta® Brand has invested in five Trade Exclusive (TE) collections, available only to Delta Trade customers' brick-and mortar locations and their authorized online stores.



Coranto®
Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9179TL-DST	1.8 gpm	695.25	Chrome
9179TL-AR-DST	1.8 gpm	740.30	Arctic® Stainless
9179TL-BL-DST	1.8 gpm	740.30	Matte Black
9179TL-CZ-DST	1.8 gpm	917.80	Champagne Bronze™
9179TL-RB-DST	1.8 gpm	917.30	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16 1/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- Battery operated - (AA) or 6 (C)
- TempSense® light indicates water temp.
- ShieldSpray® Technology powers off the mess without making a mess
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings



Coranto®
Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9179T-DST	1.8 gpm	739.00	Chrome
9179T-AR-DST	1.8 gpm	783.20	Arctic® Stainless
9179T-BL-DST	1.8 gpm	783.20	Matte Black
9179T-CZ-DST	1.8 gpm	871.95	Champagne Bronze™
9179T-RB-DST	1.8 gpm	871.50	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16 1/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery operated 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- ShieldSpray® Technology powers off the mess without making a mess
- MagnaTite® docking



Coranto®
Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9179-DST	1.8 gpm	487.25	Chrome
9179-AR-DST	1.8 gpm	532.25	Arctic® Stainless
9179-BL-DST	1.8 gpm	532.25	Matte Black
9179-CZ-DST	1.8 gpm	709.65	Champagne Bronze™
9179-RB-DST	1.8 gpm	709.25	Venetian Bronze®

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 15 13/16" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- ShieldSpray® Technology powers off the mess without making a mess
- MagnaTite® docking



Coranto®
Single Handle Pull-Down Bar/Prep Faucet




Model	Flow	Price	Finish
9979TL-DST	1.8 gpm	694.05	Chrome
9979TL-AR-DST	1.8 gpm	739.05	Arctic® Stainless
9979TL-BL-DST	1.8 gpm	739.05	Matte Black
9979TL-CZ-DST	1.8 gpm	916.50	Champagne Bronze™
9979TL-RB-DST	1.8 gpm	916.00	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3 hole order RP47274 escutcheon
- 6 7/8" long, 14 7/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- Battery operated 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings



Coranto®
Single Handle Pull-Down Bar/Prep Faucet



Model	Flow	Price	Finish
9979T-DST	1.8 gpm	737.90	Chrome
9979T-AR-DST	1.8 gpm	782.05	Arctic® Stainless
9979T-BL-DST	1.8 gpm	782.05	Matte Black
9979T-CZ-DST	1.8 gpm	870.80	Champagne Bronze™
9979T-RB-DST	1.8 gpm	870.35	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3-hole, order RP47274 escutcheon
- 6 7/8" long, 14 7/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery operated 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking



Coranto®
Single Handle Pull-Down Bar/Prep Faucet



Model	Flow	Price	Finish
9979-DST	1.8 gpm	486.00	Chrome
9979-AR-DST	1.8 gpm	531.05	Arctic® Stainless
9979-BL-DST	1.8 gpm	531.05	Matte Black
9979-CZ-DST	1.8 gpm	708.30	Champagne Bronze™
9979-RB-DST	1.8 gpm	707.95	Venetian Bronze®

- 1 or 3-hole 8" installation, for 3-hole, order RP47274 escutcheon
- 6 7/8" long, 14 7/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Pull-down Price Continuum

Broderick®



Cassidy®



Stryke®



Trinsic®



Emmeline®



Theodora®



Monrovia®



Renaldi™



Antoni®



Leland®



Coranto®



Essa®



Lenta®



Westville®



Pull-out Price Continuum

Cassidy®



Signature™



Trinsic®



Linden®



Linden®



Collins®



Foundations®



Almari™



Daneri™



NEW!


Trinsic®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9159TLV-DST	1.8 gpm	1272.95	Chrome
9159TLV-AR-DST	1.8 gpm	1228.65	Arctic® Stainless
9159TLV-BL-DST	1.8 gpm	1230.35	Matte Black
9159TLV-CZ-DST	1.8 gpm	1520.25	Champagne Bronze™
9159TLV-KS-DST	1.8 gpm	1524.55	Black Stainless

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY


VoiceIQ® Hands-Free Voice Activation

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP64070 escutcheon
- 9 1/2" long, 15 11/16" high
- Finished red/blue indicator
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon® Alexa® and Google® Assistant-enabled devices
- Metered and Custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature

NEW!


Stryke®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9176TLV-PR-DST	1.8 gpm	1097.00	Lumicoat® Chrome
9176TLV-AR-PR-DST	1.8 gpm	1268.40	Lumicoat® Arctic® Stainless
9176TLV-BL-DST	1.8 gpm	1268.40	Matte Black
9176TLV-CZ-PR-DST	1.8 gpm	1354.10	Lumicoat® Champagne Bronze™

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY


VoiceIQ® Hands-Free Voice Activation

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP100190
- 9" long, 17 1/4" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon Alexa® and google Assistant-enabled devices
- Metered and custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature
- PR - Lumicoat Finishes, guaranteed to resist mineral buildup and hard water stains


Leland®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9178TLV-DST	1.8 gpm	1005.55	Chrome
9178TLV-AR-DST	1.8 gpm	1050.75	Arctic® Stainless
9178TLV-BL-DST	1.8 gpm	1109.70	Matte Black
9178TLV-CZ-DST	1.8 gpm	1213.85	Champagne Bronze™
9178TLV-RB-DST	1.8 gpm	1213.85	Venetian Bronze®
9178TLV-SP-DST	1.8 gpm	1050.75	SpotShield® Stainless

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY


VoiceIQ® Hands-Free Voice Activation

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 13/64" long, 14 7/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- TempSense® light indicates water temp
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking
- Battery back-up - 6 (AA) or 6 (C)
- Toggle between Touchless and Touch₂O® only settings
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon® Alexa® and Google® Assistant-enabled devices
- Metered and Custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature

NEW!



Essa® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9113TLV-DST	1.8 gpm	912.80	Chrome
9113TLV-AR-DST	1.8 gpm	955.70	Arctic® Stainless
9113TLV-BL-DST	1.8 gpm	1012.85	Matte Black
9113TLV-CZ-DST	1.8 gpm	1055.70	Champagne Bronze™
9113TLV-RB-DST	1.8 gpm	1055.70	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY



VoiceIQ® Hands-Free Voice Activation

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16" high
- Red/Blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon Alexa® and google Assistant-enabled devices
- Metered and custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature



Stryke® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9176TV-PR-DST	1.8 gpm	1311.45	Lumicoat® Chrome
9176TV-AR-PR-DST	1.8 gpm	1489.60	Lumicoat® Arctic® Stainless
9176TV-BL-DST	1.8 gpm	1490.25	Matte Black
9176TV-CZ-PR-DST	1.8 gpm	1533.80	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY



VoiceIQ® Hands-Free Voice Activation

- 1 or 3-hole 8" installation; for 3-hole, order RP100190 Escutcheon
- 9" long, 17 1/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon Alexa® and Google Assistant-enabled devices
- Metered and custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Trinsic® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9159TV-DST	1.8 gpm	1272.95	Chrome
9159TV-AR-DST	1.8 gpm	1228.65	Arctic® Stainless
9159TV-BL-DST	1.8 gpm	1230.35	Matte Black
9159TV-CZ-DST	1.8 gpm	1520.25	Champagne Bronze™
9159TV-KS-DST	1.8 gpm	1524.55	Black Stainless

TOUCH₂O®
TECHNOLOGY



VoiceIQ® Hands-Free Voice Activation

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/2" long, 15 11/16" high
- Red/blue indicators
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon® Alexa® and Google® Assistant-enabled devices
- Metered and custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature


Leland®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9178TV-DST	1.8 gpm	1047.80	Chrome
9178TV-AR-DST	1.8 gpm	1092.35	Arctic® Stainless
9178TV-BL-DST	1.8 gpm	1152.70	Matte Black
9178TV-CZ-DST	1.8 gpm	1252.05	Champagne Bronze™
9178TV-RB-DST	1.8 gpm	1252.05	Venetian Bronze®
9178TV-SP-DST	1.8 gpm	1092.35	SpotShield® Stainless

TOUCH₂O®
TECHNOLOGY



VoiceIQ® Hands-Free Voice Activation

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 13/64" long, 14 7/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains with antimicrobial protection of the finish
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon® Alexa®- and Google® Assistant-enabled devices
- Metered and custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature


Essa®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9113TV-DST	1.8 gpm	945.00	Chrome
9113TV-AR-DST	1.8 gpm	989.40	Arctic® Stainless
9113TV-BL-DST	1.8 gpm	1048.90	Matte Black
9113TV-CZ-DST	1.8 gpm	1091.75	Champagne Bronze™
9113TV-RB-DST	1.8 gpm	1091.75	Venetian Bronze®


TOUCH₂O®
TECHNOLOGY



VoiceIQ® Hands-Free Voice Activation

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery back-up - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- MagnaTite® docking
- Includes 9 volt power supply
- Requires outlet not operated on a switch
- VoiceIQ® Technology for hands-free voice activation
- Pairs with Amazon® Alexa®- and Google® Assistant-enabled devices
- Metered and custom dispensing options
- Includes feature to warm the water
- Includes "handwash mode" feature

NEW!


Broderick®
Single Handle Spring Spout Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9690TL-DST	1.8 gpm	1127.10	Chrome
9690TL-AR-DST	1.8 gpm	1341.40	Arctic® Stainless
9690TL-BL-DST	1.8 gpm	1341.40	Matte Black
9690TL-CZ-DST	1.8 gpm	1497.95	Champagne Bronze™

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3 hole order RP100845
- 9 5/8" long, 19 15/16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!



Trinsic® Single Handle Spring Spout Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9659TL-DST	1.8 gpm	1010.45	Chrome
9659TL-AR-DST	1.8 gpm	1157.05	Arctic® Stainless
9659TL-BL-DST	1.8 gpm	1112.85	Matte Black
9659TL-CZ-DST	1.8 gpm	1358.00	Champagne Bronze™
9659TL-KS-DST	1.8 gpm	1312.05	Black Stainless

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Matte Black and Champagne Bronze™ Finishes Available

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP64070 escutcheon
- 9 1/2" long, 20 3/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- 1 or 3-hole installation, for 3 hole order RP100845
- TempSense® light indicates water temp
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!



Trinsic® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9159TL-DST	1.8 gpm	962.95	Chrome
9159TL-AR-DST	1.8 gpm	1064.10	Arctic® Stainless
9159TL-BL-DST	1.8 gpm	1066.30	Matte Black
9159TL-CZ-DST	1.8 gpm	1213.85	Champagne Bronze™
9159TL-KS-DST	1.8 gpm	1216.25	Black Stainless

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP64070 escutcheon
- 9 1/2" long, 15 11/16" high
- Finished red/blue indicator
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!



Broderick® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9190TL-DST	1.8 gpm	912.85	Chrome
9190TL-AR-DST	1.8 gpm	1127.10	Arctic® Stainless
9190TL-BL-DST	1.8 gpm	1127.10	Matte Black
9190TL-CZ-DST	1.8 gpm	1198.55	Champagne Bronze™
9190TL-KS-DST	1.8 gpm	1198.55	Black Stainless
9190TL-RB-DST	1.8 gpm	1198.55	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3 hole order RP100845
- 9 5/8" long, 16 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Cassidy®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9197TL-PR-DST	1.8 gpm	912.85	Lumicoat® Chrome
9197TL-AR-PR-DST	1.8 gpm	1055.70	Lumicoat® Arctic® Stainless
9197TL-CZ-PR-DST	1.8 gpm	1227.10	Lumicoat® Champagne Bronze™
9197TL-PN-PR-DST	1.8 gpm	1055.70	Lumicoat® Polished Nickel
9197TL-RB-DST	1.8 gpm	1227.10	Venetian Bronze®

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3 hole order RP71545
- 9 3/8" long, 16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Stryke®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9176TL-PR-DST	1.8 gpm	870.00	Lumicoat® Chrome
9176TL-AR-PR-DST	1.8 gpm	1041.40	Lumicoat® Arctic® Stainless
9176TL-BL-DST	1.8 gpm	1041.40	Matte Black
9176TL-CZ-PR-DST	1.8 gpm	1127.10	Lumicoat® Champagne Bronze™

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP100190
- 9" long, 17 1/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Emmeline®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9182TL-PR-DST	1.8 gpm	755.70	Lumicoat® Chrome
9182TL-AR-PR-DST	1.8 gpm	941.40	Lumicoat® Arctic® Stainless
9182TL-BL-DST	1.8 gpm	941.40	Matte Black
9182TL-CZ-PR-DST	1.8 gpm	1012.85	Lumicoat® Champagne Bronze™

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Lumicoat® Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 17 1/16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings


Renaldi™
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9184TL-PR-DST	1.8 gpm	754.05	Lumicoat® Chrome
9184TL-AR-PR-DST	1.8 gpm	857.90	Lumicoat® Arctic® Stainless
9184TL-BL-DST	1.8 gpm	857.90	Matte Black
9184TL-CZ-PR-DST	1.8 gpm	961.70	Lumicoat® Champagne Bronze™
9184TL-PN-PR-DST	1.8 gpm	857.90	Lumicoat® Polished Nickel
9184TL-RB-DST	1.8 gpm	961.70	Venetian Bronze®

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

Features ProClean™ Spray

- 1 or 3-hole installation, for 3 hole order RP100845
- 9 5/8" long, 19 3/4" high
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- Features ProClean™ Kitchen Spray Wand to provide a powerful, wide fan spray for quick and complete cleaning
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!



Monrovia® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9191TL-PR-DST	1.8 gpm	741.40	Lumicoat® Chrome
9191TL-AR-PR-DST	1.8 gpm	884.25	Lumicoat® Arctic® Stainless
9191TL-BL-DST	1.8 gpm	884.25	Matte Black
9191TL-CZ-PR-DST	1.8 gpm	984.25	Lumicoat® Champagne Bronze™

TOUCH₂O
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3 hole order RP47274
- 9" long, 16 5/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025



Leland® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9178TL-DST	1.8 gpm	695.30	Chrome
9178TL-AR-DST	1.8 gpm	740.35	Arctic® Stainless
9178TL-BL-DST	1.8 gpm	799.20	Matte Black
9178TL-CZ-DST	1.8 gpm	903.55	Champagne Bronze™
9178TL-RB-DST	1.8 gpm	903.05	Venetian Bronze®
9178TL-SP-DST	1.8 gpm	740.35	SpotShield® Stainless

TOUCH₂O
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 13/64" long, 14 7/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

Features ShieldSpray® Technology



Coranto® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9179TL-DST	1.8 gpm	695.25	Chrome
9179TL-AR-DST	1.8 gpm	740.30	Arctic® Stainless
9179TL-BL-DST	1.8 gpm	740.30	Matte Black
9179TL-CZ-DST	1.8 gpm	917.80	Champagne Bronze™
9179TL-RB-DST	1.8 gpm	917.30	Venetian Bronze®

TOUCH₂O
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16 1/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

Features ShieldSpray® Technology

NEW!



Essa® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9113TL-DST	1.8 gpm	612.85	Chrome
9113TL-AR-DST	1.8 gpm	655.70	Arctic® Stainless
9113TL-BL-DST	1.8 gpm	712.85	Matte Black
9113TL-CZ-DST	1.8 gpm	755.70	Champagne Bronze™
9113TL-RB-DST	1.8 gpm	755.70	Venetian Bronze®

TOUCH₂O
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16" high
- Red/Blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Lenta®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
19802TLZ-DST	1.8 gpm	570.00	Chrome
19802TLZ-BL-DST	1.8 gpm	627.10	Matte Black
19802TLZ-CZ-DST	1.8 gpm	770.00	Champagne Bronze™
19802TLZ-GB-DST	1.8 gpm	770.00	Brushed Gold
19802TLZ-SP-DST	1.8 gpm	612.85	SpotShield® Stainless

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 1/8" long, 15 3/4" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euromotion DIAMOND™ Valve
- SP - SpotShield® finish resists spots, prints and stains, also includes antimicrobial protection of the finish
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings


Broderick®
Single Handle Spring Spout Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9690T-DST	1.8 gpm	1257.00	Chrome
9690T-AR-DST	1.8 gpm	1482.30	Arctic® Stainless

TOUCH₂O®
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 20 3/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Cassidy®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9197T-PR-DST	1.8 gpm	1109.55	Lumicoat® Chrome
9197T-AR-PR-DST	1.8 gpm	1257.60	Lumicoat® Arctic® Stainless
9197T-CZ-PR-DST	1.8 gpm	1434.95	Lumicoat® Champagne Bronze™
9197T-PN-PR-DST	1.8 gpm	1257.60	Lumicoat® Polished Nickel
9197T-RB-DST	1.8 gpm	1434.25	Venetian Bronze®

TOUCH₂O®
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3-hole, order RP71545 escutcheon
- 9 3/8" long, 16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- ShieldSpray® Technology powers off the mess without making a mess
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking


Broderick®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9190T-DST	1.8 gpm	1037.45	Chrome
9190T-AR-DST	1.8 gpm	1258.40	Arctic® Stainless
9190T-BL-DST	1.8 gpm	1259.45	Matte Black
9190T-CZ-DST	1.8 gpm	1334.95	Champagne Bronze™
9190T-KS-DST	1.8 gpm	1333.40	Black Stainless
9190T-RB-DST	1.8 gpm	1334.20	Venetian Bronze®

TOUCH₂O®
 TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 16 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Trinsic®
Single Handle Spring Spout Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9659T-DST	1.8 gpm	1010.45	Chrome
9659T-AR-DST	1.8 gpm	1157.05	Arctic® Stainless
9659T-KS-DST	1.8 gpm	1312.05	Black Stainless

TOUCH₂O®
 TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/2" long, 20 3/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Stryke® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9176T-PR-DST	1.8 gpm	1005.60	Lumicoat® Chrome
9176T-AR-PR-DST	1.8 gpm	1183.40	Lumicoat® Arctic® Stainless
9176T-BL-DST	1.8 gpm	1183.95	Matte Black
9176T-CZ-PR-DST	1.8 gpm	1228.10	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP100190 escutcheon
- 9" long, 17 1/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Trinsic® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9159T-DST	1.8 gpm	962.95	Chrome
9159T-AR-DST	1.8 gpm	1064.10	Arctic® Stainless
9159T-BL-DST	1.8 gpm	1066.30	Matte Black
9159T-CZ-DST	1.8 gpm	1213.85	Champagne Bronze™
9159T-KS-DST	1.8 gpm	1216.25	Black Stainless

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/2" long, 15 11/16" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Emmeline® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9182T-PR-DST	1.8 gpm	871.50	Lumicoat® Chrome
9182T-AR-PR-DST	1.8 gpm	916.45	Lumicoat® Arctic® Stainless
9182T-BL-DST	1.8 gpm	916.90	Matte Black
9182T-CZ-PR-DST	1.8 gpm	990.80	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation; for 3-hole, order RP47274 escutcheon
- 9 3/8" long, 17 1/16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- ShieldSpray® Technology powers off the mess without making a mess
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking



Monrovia® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9191T-PR-DST	1.8 gpm	812.85	Lumicoat® Chrome
9191T-AR-PR-DST	1.8 gpm	961.50	Lumicoat® Arctic Stainless
9191T-BL-DST	1.8 gpm	961.95	Matte Black
9191T-CZ-PR-DST	1.8 gpm	1064.10	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP47274
- 9" long, 16 5/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking



Leland® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9178T-DST	1.8 gpm	739.05	Chrome
9178T-AR-DST	1.8 gpm	783.20	Arctic® Stainless
9178T-BL-DST	1.8 gpm	842.75	Matte Black
9178T-CZ-DST	1.8 gpm	943.45	Champagne Bronze™
9178T-RB-DST	1.8 gpm	942.95	Venetian Bronze®
9178T-SP-DST	1.8 gpm	783.20	SpotShield® Stainless

TOUCH₂O®
TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 13/64" long, 14 7/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking


Coranto®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9179T-DST	1.8 gpm	739.00	Chrome
9179T-AR-DST	1.8 gpm	783.20	Arctic® Stainless
9179T-BL-DST	1.8 gpm	783.20	Matte Black
9179T-CZ-DST	1.8 gpm	871.95	Champagne Bronze™
9179T-RB-DST	1.8 gpm	871.50	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16 1/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- ShieldSpray® Technology powers off the mess without making a mess
- MagnaTite® docking

NEW!


Lenta®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
19802TZ-DST	1.8 gpm	664.80	Chrome
19802TZ-BL-DST	1.8 gpm	724.75	Matte Black
19802TZ-CZ-DST	1.8 gpm	872.60	Champagne Bronze™
19802TZ-GB-DST	1.8 gpm	872.55	Brushed Gold
19802TZ-SP-DST	1.8 gpm	680.65	SpotShield® Stainless

TOUCH₂O®
TECHNOLOGY

Features ShieldSpray® Technology

New Brushed Gold Finish Available

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 1/8" long, 15 3/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains, also includes antimicrobial protection of the finish
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Essa®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9113T-DST	1.8 gpm	636.95	Chrome
9113T-AR-DST	1.8 gpm	681.00	Arctic® Stainless
9113T-BL-DST	1.8 gpm	740.55	Matte Black
9113T-CZ-DST	1.8 gpm	783.85	Champagne Bronze™
9113T-RB-DST	1.8 gpm	783.40	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!


Broderick®
Two Handle Bridge Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
2390L-DST	1.8 gpm	1094.75	Chrome
2390L-AR-DST	1.8 gpm	1404.50	Arctic® Stainless
2390L-BL-DST	1.8 gpm	1405.60	Matte Black
2390L-CZ-DST	1.8 gpm	1524.45	Champagne Bronze™
2390L-KS-DST	1.8 gpm	1522.70	Black Stainless
2390L-RB-DST	1.8 gpm	1523.65	Venetian Bronze®

Features ShieldSpray® Technology

New Polished Nickel Finish Available Q4 2025

- 3 hole installation
- 9 5/8" long, 15 7/8" high
- Hot/cold indicators
- 3" max. deck thickness
- 30" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- DIAMOND™ Valve
- MagnaTite® docking



Renaldi™ Two Handle Bridge Pull-Down Kitchen Faucet



- 3 hole installation
- 9 5/8" long, 15 7/8" high
- 3" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ProClean™ Kitchen Spray Wand to provide a powerful, wide fan spray for quick and complete cleaning
- DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking

Model	Flow	Price	Finish
2384L-PR-DST	1.8 gpm	961.05	Lumicoat® Chrome
2384L-AR-PR-DST	1.8 gpm	1139.30	Lumicoat® Arctic® Stainless
2384L-BL-DST	1.8 gpm	1139.30	Matte Black
2384L-CZ-PR-DST	1.8 gpm	1331.80	Lumicoat® Champagne Bronze™
2384L-PN-PR-DST	1.8 gpm	1139.30	Lumicoat® Polished Nickel
2384L-RB-DST	1.8 gpm	1331.80	Venetian Bronze®

Features ProClean™ Spray

NEW!



Broderick® Single Handle Spring Spout Pull-Down Kitchen Faucet



- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 19 15/16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
9690-DST	1.8 gpm	960.65	Chrome
9690-AR-DST	1.8 gpm	1181.50	Arctic® Stainless
9690-BL-DST	1.8 gpm	1141.40	Matte Black
9690-CZ-DST	1.8 gpm	1297.95	Champagne Bronze™

Features ShieldSpray® Technology

New Matte Black and Champagne Bronze™ Finishes Available

New Polished Nickel Finish Available Q4 2025

NEW!



Trinsic® Single Handle Spring Spout Pull-Down Kitchen Faucet



- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/2" long, 19 5/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
9659-DST	1.8 gpm	740.75	Chrome
9659-AR-DST	1.8 gpm	885.75	Arctic® Stainless
9659-BL-DST	1.8 gpm	855.70	Matte Black
9659-CZ-DST	1.8 gpm	997.95	Champagne Bronze™
9659-KS-DST	1.8 gpm	1036.20	Black Stainless

New Matte Black and Champagne Bronze™ Finishes Available

New Polished Nickel Finish Available Q4 2025

NEW!



Broderick® Single Handle Pull-Down Kitchen Faucet



- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 9 5/8" long, 15 5/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
9190-DST	1.8 gpm	739.65	Chrome
9190-AR-DST	1.8 gpm	960.65	Arctic® Stainless
9190-BL-DST	1.8 gpm	961.40	Matte Black
9190-CZ-DST	1.8 gpm	1036.00	Champagne Bronze™
9190-KS-DST	1.8 gpm	1034.70	Black Stainless
9190-RB-DST	1.8 gpm	1035.40	Venetian Bronze®

Features ShieldSpray® Technology

New Polished Nickel Finish Available Q4 2025


Cassidy®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9197-PR-DST	1.8 gpm	739.35	Lumicoat® Chrome
9197-AR-PR-DST	1.8 gpm	887.90	Lumicoat® Arctic® Stainless
9197-CZ-PR-DST	1.8 gpm	1065.55	Lumicoat® Champagne Bronze™
9197-PN-PR-DST	1.8 gpm	887.90	Lumicoat® Polished Nickel
9197-RB-DST	1.8 gpm	1065.00	Venetian Bronze®

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation, for 3-hole, order RP71545 escutcheon
- 9 3/8" long, 15 1/2" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- ShieldSpray® Technology powers off the mess without making a mess
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking

NEW!


Stryke®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9176-PR-DST	1.8 gpm	694.95	Lumicoat® Chrome
9176-AR-PR-DST	1.8 gpm	872.70	Lumicoat® Arctic® Stainless
9176-BL-DST	1.8 gpm	873.10	Matte Black
9176-CZ-PR-DST	1.8 gpm	962.10	Lumicoat® Champagne Bronze™

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP100190 escutcheon
- 9" long, 16 3/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-Motion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking

NEW!


Trinsic®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9159-DST	1.8 gpm	650.10	Chrome
9159-AR-DST	1.8 gpm	798.30	Arctic® Stainless
9159-BL-DST	1.8 gpm	799.35	Matte Black
9159-CZ-DST	1.8 gpm	946.60	Champagne Bronze™
9159-KS-DST	1.8 gpm	949.25	Black Stainless

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/2" long, 15 11/16" high
- Red/blue indicators
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!


Trinsic®
Limited Swivel Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9159-LS-DST	1.8 gpm	650.10	Chrome
9159-ARLS-DST	1.8 gpm	798.30	Arctic® Stainless
9159-BLLS-DST	1.8 gpm	799.35	Matte Black
9159-CZLS-DST	1.8 gpm	946.60	Champagne Bronze™
9159-KSLS-DST	1.8 gpm	948.90	Black Stainless

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/2" long, 15 11/16" high
- Red/blue indicators
- Spout swivels 140°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Essa® Single Handle Spring Spout Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9613-DST	1.8 gpm	589.00	Chrome
9613-AR-DST	1.8 gpm	637.55	Arctic® Stainless
9613-BL-DST	1.8 gpm	651.85	Matte Black
9613-CZ-DST	1.8 gpm	798.40	Champagne Bronze™
9613-RB-DST	1.8 gpm	798.40	Venetian Bronze®

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 5/8" long, 19 3/4" high
- Hot/Cold Indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite™ docking

NEW!



Emmeline® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9182-PR-DST	1.8 gpm	576.25	Lumicoat® Chrome
9182-AR-PR-DST	1.8 gpm	769.10	Lumicoat® Arctic® Stainless
9182-BL-DST	1.8 gpm	770.00	Matte Black
9182-CZ-PR-DST	1.8 gpm	843.05	Lumicoat® Champagne Bronze™

Features ShieldSpray® Technology

New Lumicoat® Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16 5/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- ShieldSpray® Technology powers off the mess without making a mess
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite™ docking



Theodora® Single Handle Spring Spout Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
18804Z-DST	1.8 gpm	561.55	Chrome
18804Z-BL-DST	1.8 gpm	576.60	Matte Black
18804Z-CZ-DST	1.8 gpm	664.65	Champagne Bronze™
18804Z-RB-DST	1.8 gpm	665.35	Venetian Bronze®
18804Z-SP-DST	1.8 gpm	591.55	SpotShield® Stainless

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 5/8" long, 19 3/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains, also includes antimicrobial protection of the finish
- Euromotion DIAMOND™ Valve
- MagnaTite™ docking

NEW!



Monrovia® Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9191-PR-DST	1.8 gpm	561.55	Lumicoat® Chrome
9191-AR-PR-DST	1.8 gpm	708.90	Lumicoat® Arctic® Stainless
9191-BL-DST	1.8 gpm	709.20	Matte Black
9191-CZ-PR-DST	1.8 gpm	813.60	Lumicoat® Champagne Bronze™

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP47274
- 9" long, 16 1/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite™ docking



Renaldi™ Single Handle Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
9184-PR-DST	1.8 gpm	531.95	Lumicoat® Chrome
9184-AR-PR-DST	1.8 gpm	635.80	Lumicoat® Arctic® Stainless
9184-BL-DST	1.8 gpm	635.80	Matte Black
9184-CZ-PR-DST	1.8 gpm	739.60	Lumicoat® Champagne Bronze™
9184-PN-PR-DST	1.8 gpm	635.80	Lumicoat® Polished Nickel
9184-RB-DST	1.8 gpm	739.60	Venetian Bronze®

Features ProClean™ Spray

- 1 or 3-hole 8" installation, for 3-hole order RP100845
- 9 5/8" long, 19 3/4" high
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ProClean™ Kitchen Spray Wand to provide a powerful, wide fan spray for quick and complete cleaning
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite™ docking



Antoni® Single Handle Spring Spout Pull-Down Kitchen Faucet



Model	Flow	Price	Finish
18803-DST	1.8 gpm	517.60	Chrome
18803-BL-DST	1.8 gpm	636.15	Matte Black
18803-CZ-DST	1.8 gpm	725.20	Champagne Bronze™
18803-SP-DST	1.8 gpm	576.70	SpotShield® Stainless

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 5/8" long, 19 3/4" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite™ docking


Leland®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
978-DST	1.8 gpm	516.60	Chrome
978-AR-DST	1.8 gpm	665.55	Arctic® Stainless
978-BL-DST	1.8 gpm	710.50	Matte Black
978-BLWE-DST	1.5 gpm	710.50	Matte Black
978-CZ-DST	1.8 gpm	724.80	Champagne Bronze™
978-RB-DST	1.8 gpm	724.40	Venetian Bronze®

- 2-hole 4" installation
- 9 3/16" long, 14 1/4" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- MagnaTite® docking


Leland®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9178-DST	1.8 gpm	487.25	Chrome
9178-AR-DST	1.8 gpm	532.30	Arctic® Stainless
9178-BL-DST	1.8 gpm	591.15	Matte Black
9178-CZ-DST	1.8 gpm	695.40	Champagne Bronze™
9178-RB-DST	1.8 gpm	695.00	Venetian Bronze®
9178-SP-DST	1.8 gpm	532.30	SpotShield® Stainless

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 13/64" long, 14 7/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking


Coranto®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9179-DST	1.8 gpm	487.25	Chrome
9179-AR-DST	1.8 gpm	532.25	Arctic® Stainless
9179-BL-DST	1.8 gpm	532.25	Matte Black
9179-CZ-DST	1.8 gpm	709.65	Champagne Bronze™
9179-RB-DST	1.8 gpm	709.25	Venetian Bronze®

Features ShieldSpray® Technology

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 16 1/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- ShieldSpray® Technology powers off the mess without making a mess
- MagnaTite® docking


Essa®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9113-DST	1.8 gpm	443.00	Chrome
9113-AR-DST	1.8 gpm	487.85	Arctic® Stainless
9113-BL-DST	1.8 gpm	503.45	Matte Black
9113-CZ-DST	1.8 gpm	650.50	Champagne Bronze™
9113-RB-DST	1.8 gpm	650.15	Venetian Bronze®

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/8" long, 15 3/4" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!


Lenta®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
19802Z-DST	1.8 gpm	384.25	Chrome
19802Z-BL-DST	1.8 gpm	444.25	Matte Black
19802Z-CZ-DST	1.8 gpm	591.65	Champagne Bronze™
19802Z-GB-DST	1.8 gpm	591.60	Brushed Gold
19802Z-SP-DST	1.8 gpm	428.70	SpotShield® Stainless

Features ShieldSpray® Technology

New Brushed Gold Finish Available

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 1/8" long, 15 3/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Westville®
Single Handle Pull-Down Kitchen Faucet


Model	Flow	Price	Finish
9110-DST	1.8 gpm	383.85	Chrome
9110-AR-DST	1.8 gpm	457.85	Arctic® Stainless
9110-BL-DST	1.8 gpm	457.85	Matte Black

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 3/16" long, 15 1/16" high
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Cassidy® Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation; for 3-hole, order RP71545 escutcheon
- 10 1/16" long, 10 1/2" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve

Model	Flow	Price	Finish
4197-DST	1.8 gpm	590.75	Chrome
4197-AR-DST	1.8 gpm	783.75	Arctic® Stainless
4197-CZ-DST	1.8 gpm	857.70	Champagne Bronze™
4197-PN-DST	1.8 gpm	783.75	Polished Nickel
4197-RB-DST	1.8 gpm	857.25	Venetian Bronze®



Signature™ Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation (optional escutcheon included)
- 9" long, 10" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve

Model	Flow	Price	Finish
470-DST	1.8 gpm	576.10	Chrome
470-WE-DST	1.5 gpm	576.10	Chrome
470-AR-DST	1.8 gpm	798.75	Arctic® Stainless
470-BL-DST	1.8 gpm	724.80	Matte Black

NEW!



Trinsic® Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 9 1/4" long, 11 25/64" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve

Model	Flow	Price	Finish
4159-DST	1.8 gpm	517.25	Chrome
4159-AR-DST	1.8 gpm	664.95	Arctic® Stainless
4159-BL-DST	1.8 gpm	664.45	Matte Black
4159-KS-DST	1.8 gpm	827.95	Black Stainless

New Polished Nickel Finish Available Q4 2025



Linden® Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 7/8" long, 12 5/16" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Multi-Flow™ offers 1.5 and 2.2 gpm settings

Model	Flow	Price	Finish
4153-DST	1.5 gpm	472.35	Chrome
4153-AR-DST	1.5 gpm	621.05	Arctic® Stainless
4153-RB-DST	1.5 gpm	665.55	Venetian Bronze®



Linden® Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 57/64" long, 11 3/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Multi-Flow™ offers 1.5 and 2.2 gpm settings

Model	Flow	Price	Finish
4353-DST	1.5 gpm	398.20	Chrome
4353-AR-DST	1.5 gpm	472.60	Arctic® Stainless
4353-RB-DST	1.5 gpm	606.30	Venetian Bronze®



Collins® Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation (optional escutcheon included)
- 9" long, 10 3/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
4140-DST	1.8 gpm	357.80	Chrome
4140-AR-DST	1.8 gpm	487.55	Arctic® Stainless



Foundations® Single Handle Pull-Out Kitchen Faucet



- 1 or 3-hole 8" installation (optional escutcheon included)
- 8 3/4" long, 10" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 1/2" IPS connection

Model	Flow	Price	Finish
B4310LF	1.8 gpm	295.00	Chrome
B4310LF-SS	1.8 gpm	413.00	Brilliance® Stainless



Almari™
Single Handle Pull-Out Kitchen Faucet



Model	Flow	Price	Finish
16943-DST	1.8 gpm	279.75	Chrome
16943-BL-DST	1.8 gpm	324.15	Matte Black
16943-CZ-DST	1.8 gpm	369.15	Champagne Bronze™
16943-SS-DST	1.8 gpm	324.15	Brilliance® Stainless

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 1/2" long, 11 1/2" high
- Hot/Cold Indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- MagnaTite® docking



Daneri™
Single Handle Pull-Out Kitchen Faucet



Model	Flow	Price	Finish
16879-DST	1.8 gpm	279.75	Chrome
16879-BL-DST	1.8 gpm	324.15	Matte Black
16879-CZ-DST	1.8 gpm	369.15	Champagne Bronze™
16879-SS-DST	1.8 gpm	324.15	Brilliance® Stainless

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 1/2" long, 11 1/2" high
- Hot/Cold Indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- MagnaTite® docking



Classic Single Handle Kitchen Faucet



Model	Flow	Price	Finish
100-DST	1.8 gpm	184.10	Chrome
100-SS-DST	1.8 gpm	225.55	Brilliance® Stainless

- 3-hole 8" installation
- 8 11/16" long, 8 3/8" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve



Classic Single Handle Kitchen Faucet



Model	Flow	Price	Finish
101-DST	1.8 gpm	191.30	Chrome

- 1-hole installation
- 8 11/16" long, 8 3/8" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve



Classic Single Handle Kitchen Faucet with Spray



Model	Flow	Price	Finish
400LF-WF	1.8 gpm	238.75	Chrome

- 4-hole 6" or 8" installation
- 8" long, 7 13/16" high
- 1" max. deck thickness; RP30393 adds 1" to max. deck thickness
- 3/8" O.D. inlets or WF = 1/2" IPS
- Matching finish spray



Classic Single Handle Kitchen Faucet with Integral Spray



Model	Flow	Price	Finish
300LF-WF	1.8 gpm	235.90	Chrome

- 3-hole 8" installation
- 8" long, 7 13/16" high
- 1" max. deck thickness; no thick deck kit available
- 3/8" O.D. inlets or WF = 1/2" IPS
- Matching finish spray



Classic Single Handle Kitchen Faucet with Spray



Model	Flow	Price	Finish
420LF	1.8 gpm	235.90	Chrome

- 4-hole 8" installation
- 8" long, 7 1/2" high
- 5/8" max. deck thickness; no thick deck kit available
- 1/2" IPS connection
- Matching finish spray



Trinsic® Single Handle Kitchen Faucet



Model	Flow	Price	Finish
1159LF	1.8 gpm	369.00	Chrome
1159LF-AR	1.8 gpm	515.30	Arctic® Stainless

- 1 or 3-hole 8" installation; for 3-hole, order RP75614 escutcheon
- 8 1/4" long, 12 5/8" high
- Red/blue indicator
- 1 7/8" max. deck thickness



Linden® Single Handle Kitchen Faucet with Spray



Model	Flow	Price	Finish
4453-DST	1.8 gpm	294.85	Chrome
4453-AR-DST	1.8 gpm	398.55	Arctic® Stainless
4453-RB-DST	1.8 gpm	442.45	Venetian Bronze®

- 2 or 4-hole 8" installation (optional escutcheon included)
- 9 13/16" long, 11 3/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Matching finish spray


Linden®
Single Handle Kitchen Faucet


Model	Flow	Price	Finish
1353-DST	1.8 gpm	265.00	Chrome
1353-AR-DST	1.8 gpm	353.95	Arctic® Stainless
1353-RB-DST	1.8 gpm	369.15	Venetian Bronze®

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9 13/16" long, 11 3/8" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve


Classic
Single Handle Kitchen Faucet with Spray


Model	Flow	Price	Finish
400-DST	1.8 gpm	226.95	Chrome
400-SS-DST	1.8 gpm	280.15	Brilliance® Stainless

- 4-hole 8" installation
- 8 11/16" long, 8 3/8" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Matching finish spray
- DIAMOND™ Valve


Classic
Single Handle Kitchen Faucet with Integral Spray


Model	Flow	Price	Finish
300-DST	1.8 gpm	229.90	Chrome

- 3-hole 8" installation
- 8 11/16" long, 8 3/8" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Matching finish spray
- DIAMOND™ Valve


Classic
Single Handle Kitchen Faucet with Spray


Model	Flow	Price	Finish
175-DST	1.8 gpm	235.85	Chrome

- 2-hole installation
- 8 11/16" long, 8 3/8" high
- Red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Matching finish spray
- DIAMOND™ Valve


Classic
Single Handle Kitchen Faucet


Model	Flow	Price	Finish
120LF	1.8 gpm	213.50	Chrome

- 3-hole 8" installation
- 8" long, 7 1/2" high
- 5/8" max. deck thickness; no thick deck kit available
- 1/2" IPS connection


Classic
Single Handle Kitchen Faucet


Model	Flow	Price	Finish
100LF-WF	1.8 gpm	198.50	Chrome

- 3-hole 8" installation
- 8" long, 7 3/16" high
- 1" max. deck thickness RP30393 adds 1" to max.
- Straight, staggered supply tubes


Classic
Single Handle Kitchen Faucet


Model	Flow	Price	Finish
101LF-WF	1.8 gpm	198.50	Chrome

- 1-hole installation
- 8" long, 7 13/16" high
- 1 9/16" max. deck thickness
- Straight, staggered supply tubes
- 3/8" O.D. inlets or WF = 1/2" IPS



Collins®
Single Handle Kitchen Faucet with Spray



Model	Flow	Price	Finish
440-DST	1.8 gpm	265.30	Chrome
440-SS-DST	1.8 gpm	368.95	Brilliance® Stainless
440-WH-DST	1.8 gpm	353.90	White

- 3 or 4-hole 8" installation
- 9 3/16" long, 8 3/4" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Matching finish spray



Collins®
Single Handle Kitchen Faucet with Spray



Model	Flow	Price	Finish
441-DST	1.8 gpm	265.30	Chrome
441-SS-DST	1.8 gpm	368.95	Brilliance® Stainless

- 1 or 2-hole installation
- 9 3/16" long, 8 21/64" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Matching finish spray



Collins®
Single Handle Kitchen Faucet with Integral Spray



Model	Flow	Price	Finish
340-DST	1.8 gpm	265.30	Chrome

- 3-hole 8" installation
- 9 3/16" long, 8 3/4" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- Matching finish spray



Collins®
Single Handle Kitchen Faucet



Model	Flow	Price	Finish
140-DST	1.8 gpm	220.80	Chrome
140-WE-DST	1.5 gpm	220.80	Chrome

- 3-hole 8" installation
- 9 3/16" long, 8 3/4" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve



Collins®
Single Handle Kitchen Faucet



Model	Flow	Price	Finish
141-DST	1.8 gpm	220.80	Chrome
141-SS-DST	1.8 gpm	295.00	Brilliance® Stainless

- 1-hole installation
- 9 3/16" long, 8 21/64" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve



Foundations®
Single Handle Kitchen Faucet with Spray



Model	Flow	Price	Finish
B4410LF	1.8 gpm	146.30	Chrome
B4410LF-SS	1.8 gpm	171.30	Brilliance® Stainless

- 4-hole 8" installation
- 9 1/2" long, 8 3/8" high
- Hot/cold indicator
- 1 3/8" max. deck thickness
- 1/2" IPS connection
- Matching finish spray



Foundations®
Single Handle Kitchen Faucet with Integral Spray



Model	Flow	Price	Finish
B3310LF	1.8 gpm	161.50	Chrome
B3310LF-SS	1.8 gpm	191.15	Brilliance® Stainless

- 3-hole 8" installation
- 9 1/2" long, 8 3/8" high
- Hot/cold indicator
- 1 3/8" max. deck thickness
- 1/2" IPS connection
- Matching finish spray



Foundations®
Single Handle Kitchen Faucet



Model	Flow	Price	Finish
B1310LF	1.8 gpm	133.60	Chrome
B1310LF-SS	1.8 gpm	162.50	Brilliance® Stainless

- 3-hole 8" installation
- 9 1/2" long, 8 3/8" high
- Hot/cold indicator
- 1 3/8" max. deck thickness
- 1/2" IPS connection

NEW!



Broderick® Two Handle Bridge Pull-Down Kitchen Faucet



- 3 hole installation
- 9 5/8" long, 15 7/8" high
- Hot/cold indicators
- 3" max. deck thickness
- 30" min. InnoFlex® supply lines
- 3/8" compression fittings
- ShieldSpray® Technology powers off the mess without making a mess
- DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
2390L-DST	1.8 gpm	1094.75	Chrome
2390L-AR-DST	1.8 gpm	1404.50	Arctic® Stainless
2390L-BL-DST	1.8 gpm	1405.60	Matte Black
2390L-CZ-DST	1.8 gpm	1524.45	Champagne Bronze™
2390L-KS-DST	1.8 gpm	1522.70	Black Stainless
2390L-RB-DST	1.8 gpm	1523.65	Venetian Bronze®

New Polished Nickel Finish Available Q4 2025

Features ShieldSpray® Technology



Renaldi™ Two Handle Bridge Pull-Down Kitchen Faucet



- 3 hole installation
- 9 5/16" long, 16" high
- 3" max. deck thickness
- 32" min InnoFlex® supply lines
- 3/8" compression fittings
- Features ProClean™ Kitchen Spray Wand to provide a powerful, wide fan spray for quick and complete cleaning
- DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
2384L-PR-DST	1.8 gpm	961.05	Lumicoat® Chrome
2384L-AR-PR-DST	1.8 gpm	1139.30	Lumicoat® Arctic® Stainless
2384L-BL-DST	1.8 gpm	1139.30	Matte Black
2384L-CZ-PR-DST	1.8 gpm	1331.80	Lumicoat® Champagne Bronze™
2384L-PN-PR-DST	1.8 gpm	1139.30	Lumicoat® Polished Nickel
2384L-RB-DST	1.8 gpm	1331.80	Venetian Bronze®

Features ProClean™ Spray



Cassidy® Two Handle Kitchen Faucet with Spray



- 3 or 4-hole 8" installation
- 8 21/32" long, 13 15/32" high
- 1 3/4" max. deck thickness; no thick deck kit available
- 1/2" IPS connection
- Matching finish spray
- Order RP52216 for 1.5 gpm aerator insert

Model	Flow	Price	Finish
2497LF	1.8 gpm	515.35	Chrome
2497LF-AR	1.8 gpm	635.50	Arctic® Stainless
2497LF-CZ	1.8 gpm	680.40	Champagne Bronze™
2497LF-PN	1.8 gpm	635.50	Polished Nickel
2497LF-RB	1.8 gpm	680.00	Venetian Bronze®



Classic Two Handle Kitchen Faucet with Spray



- 4-hole 8" installation
- 9" long, 5 7/16" high
- 7/8" max. deck thickness; no thick deck kit available
- 1/2" IPS connection
- White spray

Model	Flow	Price	Finish
2400LF	1.8 gpm	201.55	Chrome



Classic Two Handle Kitchen Faucet with Spray



- 4-hole 8" installation
- 9" long, 5 7/16" high
- 7/8" max. deck thickness; no thick deck kit available
- 1/2" IPS connection
- White spray

Model	Flow	Price	Finish
2402LF	1.8 gpm	183.80	Chrome



Classic Two Handle Kitchen Faucet



- 3-hole 8" installation
- 9" long, 5 7/16" high
- 7/8" max. deck thickness; no thick deck kit available
- 1/2" IPS connection

Model	Flow	Price	Finish
2100LF	1.8 gpm	151.25	Chrome



Foundations® Two Handle Kitchen Faucet with Spray



- 4-hole 8" installation
- 9 1/4" long, 6 7/16" high
- Hot/cold indicators
- 1 1/8" max. deck thickness
- 1/2" IPS connection
- White spray

Model	Flow	Price	Finish
B2410LF	1.8 gpm	161.55	Chrome



Classic
Two Handle Kitchen Faucet



Model	Flow	Price	Finish
2102LF	1.8 gpm	139.35	Chrome

- 3-hole 8" installation
- 9" long, 5 7/16" high
- Hot/cold indicators
- 7/8" max. deck thickness; no thick deck kit available
- 1/2" IPS connection



Foundations®
Two Handle Kitchen Faucet



Model	Flow	Price	Finish
B2310LF	1.8 gpm	131.90	Chrome

- 3-hole 8" installation
- 9 1/4" long, 6 7/16" high
- 1 1/8" max. deck thickness
- 1/2" IPS connection
- Order RP19754 for 1.5 gpm aerator

NEW!


Trinsic®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9959TL-DST	1.8 gpm	1006.40	Chrome
9959TL-AR-DST	1.8 gpm	1006.05	Arctic® Stainless
9959TL-BL-DST	1.8 gpm	1035.65	Matte Black
9959TL-CZ-DST	1.8 gpm	1183.90	Champagne Bronze™
9959TL-KS-DST	1.8 gpm	1243.30	Black Stainless

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP64070 escutcheon
- 6 1/2" long, 13" high
- Finished red/blue indicator
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Broderick®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9990TL-DST	1.8 gpm	912.85	Chrome
9990TL-AR-DST	1.8 gpm	1127.10	Arctic® Stainless
9990TL-BL-DST	1.8 gpm	1127.10	Matte Black
9990TL-CZ-DST	1.8 gpm	1198.55	Champagne Bronze™
9990TL-KS-DST	1.8 gpm	1198.55	Black Stainless
9990TL-RB-DST	1.8 gpm	1198.55	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP100845
- 6 5/8" long, 15 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Cassidy®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9997TL-PR-DST	1.8 gpm	912.85	Lumicoat® Chrome
9997TL-AR-PR-DST	1.8 gpm	1055.70	Lumicoat® Arctic® Stainless
9997TL-CZ-PR-DST	1.8 gpm	1184.25	Lumicoat® Champagne Bronze™
9997TL-PN-PR-DST	1.8 gpm	1055.70	Lumicoat® Polished Nickel
9997TL-RB-DST	1.8 gpm	1170.00	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3 hole order RP71545
- 6 3/8" long, 14 9/16" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Stryke®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9976TL-PR-DST	1.8 gpm	869.95	Lumicoat® Chrome
9976TL-AR-PR-DST	1.8 gpm	1041.40	Lumicoat® Arctic® Stainless
9976TL-BL-DST	1.8 gpm	1041.40	Matte Black
9976TL-CZ-PR-DST	1.8 gpm	1127.10	Lumicoat® Champagne Bronze™

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP100190
- 6 9/16" long, 16 1/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!


Emmeline®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9982TL-PR-DST	1.8 gpm	755.70	Lumicoat® Chrome
9982TL-AR-PR-DST	1.8 gpm	941.40	Lumicoat® Arctic® Stainless
9982TL-BL-DST	1.8 gpm	941.40	Matte Black
9982TL-CZ-PR-DST	1.8 gpm	1012.80	Lumicoat® Champagne Bronze

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Lumicoat® Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation (optional escutcheon included)
- 6 3/4" long, 14 3/4" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings


Renaldi™
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9984TL-PR-DST	1.8 gpm	753.20	Lumicoat® Chrome
9984TL-AR-PR-DST	1.8 gpm	856.85	Lumicoat® Arctic® Stainless
9984TL-BL-DST	1.8 gpm	856.85	Matte Black
9984TL-CZ-PR-DST	1.8 gpm	960.55	Lumicoat® Champagne Bronze™
9984TL-PN-PR-DST	1.8 gpm	856.85	Lumicoat® Polished Nickel
9984TL-RB-DST	1.8 gpm	960.55	Venetian Bronze®

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

- 1 or 3-hole 8" installation, for 3-hole order RP100845
- 6 5/8" long, 15" high
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle Between Touchless and Touch₂O® only settings

NEW!


Monrovia®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9991TL-PR-DST	1.8 gpm	741.40	Lumicoat® Chrome
9991TL-AR-PR-DST	1.8 gpm	884.25	Lumicoat® Arctic® Stainless
9991TL-BL-DST	1.8 gpm	884.25	Matte Black
9991TL-CZ-PR-DST	1.8 gpm	984.25	Lumicoat® Champagne Bronze™

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation, for 3 hole order RP47274
- 6 5/8" long, 16 5/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings


Leland®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9678TL-DST	1.8 gpm	694.05	Chrome
9678TL-AR-DST	1.8 gpm	739.10	Arctic® Stainless
9678TL-BL-DST	1.8 gpm	797.85	Matte Black
9678TL-CZ-DST	1.8 gpm	902.20	Champagne Bronze™
9678TL-RB-DST	1.8 gpm	901.75	Venetian Bronze®
9678TL-SP-DST	1.8 gpm	739.10	SpotShield® Stainless

TOUCH₂O®
 WITH **TOUCHLESS™**
 TECHNOLOGY

- 1 or 3-hole 8" installation, for 3 hole order RP47274 escutcheon
- 6 3/4" long, 14 1/2" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings



Coranto® Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9979TL-DST	1.8 gpm	694.05	Chrome
9979TL-AR-DST	1.8 gpm	739.05	Arctic® Stainless
9979TL-BL-DST	1.8 gpm	739.05	Matte Black
9979TL-CZ-DST	1.8 gpm	916.50	Champagne Bronze™
9979TL-RB-DST	1.8 gpm	916.00	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3 hole order RP47274 escutcheon
- 6 7/8" long, 14 7/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings

NEW!



Essa® Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9913TL-DST	1.8 gpm	612.85	Chrome
9913TL-AR-DST	1.8 gpm	655.70	Arctic® Stainless
9913TL-BL-DST	1.8 gpm	712.85	Matte Black
9913TL-CZ-DST	1.8 gpm	755.70	Champagne Bronze™
9913TL-RB-DST	1.8 gpm	755.70	Venetian Bronze®

TOUCH₂O®
WITH **TOUCHLESS™**
TECHNOLOGY

- 1 or 3-hole 8" installation (optional escutcheon included)
- 6 5/8" long, 15" high
- Red/Blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- MagnaTite® docking
- Toggle between Touchless and Touch₂O® only settings



Cassidy® Single Handle Pull-Down Bar / Prep Faucet




Model	Flow	Price	Finish
9997T-PR-DST	1.8 gpm	1065.30	Lumicoat® Chrome
9997T-AR-PR-DST	1.8 gpm	1199.10	Lumicoat® Arctic® Stainless
9997T-CZ-PR-DST	1.8 gpm	1362.10	Lumicoat® Champagne Bronze™
9997T-PN-PR-DST	1.8 gpm	1199.10	Lumicoat® Polished Nickel
9997T-RB-DST	1.8 gpm	1347.15	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3-hole, order RP71545 escutcheon
- 6 3/8" long 14 9/16" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- 3/8" compression fittings
- TempSense® light indicates water temp.
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Broderick® Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9990T-DST	1.8 gpm	1034.85	Chrome
9990T-AR-DST	1.8 gpm	1258.15	Arctic® Stainless
9990T-BL-DST	1.8 gpm	1259.20	Matte Black
9990T-CZ-DST	1.8 gpm	1334.45	Champagne Bronze™
9990T-KS-DST	1.8 gpm	1333.25	Black Stainless
9990T-RB-DST	1.8 gpm	1333.70	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 6 5/8" long, 15 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Trinsic® Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9959T-DST	1.8 gpm	1006.40	Chrome
9959T-AR-DST	1.8 gpm	991.80	Arctic® Stainless
9959T-BL-DST	1.8 gpm	1035.65	Matte Black
9959T-CZ-DST	1.8 gpm	1183.90	Champagne Bronze™
9959T-KS-DST	1.8 gpm	1243.30	Black Stainless

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 6 1/2" long 14" high
- Red/blue indicators
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Stryke®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9976T-PR-DST	1.8 gpm	1004.35	Lumicoat® Chrome
9976T-AR-PR-DST	1.8 gpm	1182.15	Lumicoat® Arctic® Stainless
9976T-BL-DST	1.8 gpm	1182.70	Matte Black
9976T-CZ-PR-DST	1.8 gpm	1228.10	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP100190 escutcheon
- 6 9/16" long, 16 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- 3/8" compression fittings
- TempSense® light indicates water temp.
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Emmeline®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9982T-PR-DST	1.8 gpm	870.50	Lumicoat® Chrome
9982T-AR-PR-DST	1.8 gpm	914.90	Lumicoat® Arctic® Stainless
9982T-BL-DST	1.8 gpm	915.90	Matte Black
9982T-CZ-PR-DST	1.8 gpm	989.80	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3-hole, order RP47274 escutcheon
- 6 3/4" long, 14 3/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- 3/8" compression fittings
- TempSense® light indicates water temp.
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking


Monrovia®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9991T-PR-DST	1.8 gpm	811.90	Lumicoat® Chrome
9991T-AR-PR-DST	1.8 gpm	959.80	Lumicoat® Arctic Stainless
9991T-BL-DST	1.8 gpm	960.20	Matte Black
9991T-CZ-PR-DST	1.8 gpm	1062.25	Lumicoat® Champagne Bronze™

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP47274 escutcheon
- 6 5/8" long, 16 5/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- Battery operated - 6 (AA) or 6 (C)
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- TempSense® light indicates water temp.
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking


Leland®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9678T-DST	1.8 gpm	737.95	Chrome
9678T-AR-DST	1.8 gpm	782.10	Arctic® Stainless
9678T-BL-DST	1.8 gpm	841.55	Matte Black
9678T-CZ-DST	1.8 gpm	942.25	Champagne Bronze™
9678T-RB-DST	1.8 gpm	941.85	Venetian Bronze®
9678T-SP-DST	1.8 gpm	782.10	SpotShield® Stainless

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP47274 escutcheon
- 6 3/4" long, 14 1/2" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking


Coranto®
Single Handle Pull-Down Bar / Prep Faucet


Model	Flow	Price	Finish
9979T-DST	1.8 gpm	737.90	Chrome
9979T-AR-DST	1.8 gpm	782.05	Arctic® Stainless
9979T-BL-DST	1.8 gpm	782.05	Matte Black
9979T-CZ-DST	1.8 gpm	870.80	Champagne Bronze™
9979T-RB-DST	1.8 gpm	870.35	Venetian Bronze®

TOUCH₂O®
TECHNOLOGY

- 1 or 3-hole 8" installation, for 3-hole, order RP47274 escutcheon
- 6 7/8" long, 14 7/8" high
- Red/blue indicators
- High-arc pull-down swivels 360°
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- Battery operated - 6 (AA) or 6 (C)
- 3/8" compression fittings
- TempSense® light indicates water temp.
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Essa®
Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9913T-DST	1.8 gpm	635.95	Chrome
9913T-AR-DST	1.8 gpm	680.00	Arctic® Stainless
9913T-BL-DST	1.8 gpm	739.50	Matte Black
9913T-CZ-DST	1.8 gpm	782.75	Champagne Bronze™
9913T-RB-DST	1.8 gpm	782.35	Venetian Bronze®

TOUCH2O®
TECHNOLOGY

- 1 or 3-hole 8" installation; for 3-hole, order RP47274 escutcheon
- 6 5/8" long, 15" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Battery operated - 6 (AA) or 6 (C)
- TempSense® light indicates water temp.
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!



Broderick®
Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9990-DST	1.8 gpm	738.60	Chrome
9990-AR-DST	1.8 gpm	959.60	Arctic® Stainless
9990-BL-DST	1.8 gpm	960.30	Matte Black
9990-CZ-DST	1.8 gpm	1034.90	Champagne Bronze™
9990-KS-DST	1.8 gpm	1033.60	Black Stainless
9990-RB-DST	1.8 gpm	1034.35	Venetian Bronze®

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP100845 escutcheon
- 6 5/8" long, 14 5/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking



Cassidy®
Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9997-PR-DST	1.8 gpm	737.85	Lumicoat® Chrome
9997-AR-PR-DST	1.8 gpm	886.40	Lumicoat® Arctic® Stainless
9997-CZ-PR-DST	1.8 gpm	1021.15	Lumicoat® Champagne Bronze™
9997-PN-PR-DST	1.8 gpm	886.40	Lumicoat® Polished Nickel
9997-RB-DST	1.8 gpm	1006.35	Venetian Bronze®

- 1 or 3-hole 8" installation; for 3-hole, order RP71545 escutcheon
- 6 3/8" long, 14 1/2" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- 3/8" compression fittings
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!



Stryke®
Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9976-PR-DST	1.8 gpm	694.40	Lumicoat® Chrome
9976-AR-PR-DST	1.8 gpm	872.20	Lumicoat® Arctic® Stainless
9976-BL-DST	1.8 gpm	872.65	Matte Black
9976-CZ-PR-DST	1.8 gpm	960.90	Lumicoat® Champagne Bronze™

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP100190 escutcheon
- 6 9/16" long, 16 1/8" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-Motion DIAMOND™ Valve
- MagnaTite® docking

NEW!



Trinsic®
Single Handle Pull-Down Bar / Prep Faucet



Model	Flow	Price	Finish
9959-DST	1.8 gpm	591.55	Chrome
9959-AR-DST	1.8 gpm	739.90	Arctic® Stainless
9959-BL-DST	1.8 gpm	783.75	Matte Black
9959-CZ-DST	1.8 gpm	888.05	Champagne Bronze™
9959-KS-DST	1.8 gpm	932.40	Black Stainless

New Polished Nickel Finish Available Q4 2025

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 6 1/2" long, 13" high
- Red/blue indicators
- Spout swivels 360°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

NEW!


**Trinsic® Limited Swivel
Single Handle Pull-Down Bar / Prep Faucet**


Model	Flow	Price	Finish
9959-LS-DST	1.8 gpm	591.55	Chrome
9959-ARLS-DST	1.8 gpm	739.90	Arctic® Stainless
9959-BLLS-DST	1.8 gpm	783.75	Matte Black
9959-CZLS-DST	1.8 gpm	888.05	Champagne Bronze™
9959-KSLS-DST	1.8 gpm	947.30	Black Stainless

- 1 or 3-hole 8" installation; for 3-hole, order RP64070 escutcheon
- 6 1/2" long, 13" high
- Red/blue indicators
- Spout swivels 140°
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

New Polished Nickel Finish Available Q4 2025

NEW!


**Emmeline®
Single Handle Pull-Down Bar / Prep Faucet**


Model	Flow	Price	Finish
9982-PR-DST	1.8 gpm	575.55	Lumicoat® Chrome
9982-AR-PR-DST	1.8 gpm	768.05	Lumicoat® Arctic® Stainless
9982-BL-DST	1.8 gpm	768.95	Matte Black
9982-CZ-PR-DST	1.8 gpm	842.00	Lumicoat® Champagne Bronze™

- 1 or 3-hole 8" installation (optional escutcheon included)
- 6 3/4" long, 14 3/4" high
- Hot/cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines
- 3/8" compression fittings
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

New Lumicoat® Polished Nickel Finish Available Q4 2025

NEW!


**Monrovia®
Single Handle Pull-Down Bar / Prep Faucet**


Model	Flow	Price	Finish
9991-PR-DST	1.8 gpm	560.60	Lumicoat® Chrome
9991-AR-PR-DST	1.8 gpm	707.65	Lumicoat® Arctic Stainless
9991-BL-DST	1.8 gpm	707.95	Matte Black
9991-CZ-PR-DST	1.8 gpm	812.10	Lumicoat® Champagne Bronze™

- 1 or 3-hole 8" installation; for 3-hole, order RP47274
- 6 5/8" long, 16 1/8" high
- Hot/Cold indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking

New Matte Black / Lumicoat® Champagne Bronze™ Finish Available Q4 2025

NEW!


**Renaldi™
Single Handle Pull-Down Bar / Prep Faucet**


Model	Flow	Price	Finish
9984-PR-DST	1.8 gpm	531.10	Chrome
9984-AR-PR-DST	1.8 gpm	634.80	Arctic® Stainless
9984-BL-DST	1.8 gpm	634.80	Matte Black
9984-CZ-PR-DST	1.8 gpm	738.45	Champagne Bronze™
9984-PN-PR-DST	1.8 gpm	634.80	Polished Nickel
9984-RB-DST	1.8 gpm	738.45	Venetian Bronze®

- 1 or 3-hole 8" installation order RP100845
- 6 5/8" long, 15" high
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euromotion DIAMOND™ Valve
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains
- MagnaTite® docking

Features ProClean™ Spray

NEW!


**Leland®
Single Handle Pull-Down Bar / Prep Faucet**


Model	Flow	Price	Finish
9978-DST	1.8 gpm	514.65	Chrome
9978-AR-DST	1.8 gpm	663.10	Arctic® Stainless
9978-BL-DST	1.8 gpm	707.35	Matte Black
9978-CZ-DST	1.8 gpm	722.20	Champagne Bronze™
9978-RB-DST	1.8 gpm	721.85	Venetian Bronze®

- 2-hole 4" installation
- 6 11/16" long, 14" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve
- MagnaTite® docking

NEW!


**Leland®
Single Handle Pull-Down Bar / Prep Faucet**


Model	Flow	Price	Finish
9678-DST	1.8 gpm	486.00	Chrome
9678-AR-DST	1.8 gpm	531.05	Arctic® Stainless
9678-BL-DST	1.8 gpm	589.80	Matte Black
9678-CZ-DST	1.8 gpm	694.05	Champagne Bronze™
9678-RB-DST	1.8 gpm	693.70	Venetian Bronze®
9678-SP-DST	1.8 gpm	531.05	SpotShield® Stainless

- 1 or 3-hole 8" installation; for 3-hole, order RP47274 escutcheon
- 6 3/4" long, 14 1/2" high
- Finished red/blue indicator
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- SP - SpotShield® finish resists spots, prints and stains; also includes antimicrobial protection of the finish
- DIAMOND™ Valve
- MagnaTite® docking



Coranto® Single Handle Pull-Down Bar / Prep Faucet



- 1 or 3-hole 8" installation; for 3-hole, order RP47274 escutcheon
- 6 7/8" long, 14 7/8" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" minimum InnoFlex® supply lines included
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
9979-DST	1.8 gpm	486.00	Chrome
9979-AR-DST	1.8 gpm	531.05	Arctic® Stainless
9979-BL-DST	1.8 gpm	531.05	Matte Black
9979-CZ-DST	1.8 gpm	708.30	Champagne Bronze™
9979-RB-DST	1.8 gpm	707.95	Venetian Bronze®



Essa® Single Handle Pull-Down Bar / Prep Faucet




- 1 or 3-hole 8" installation; for 3-hole, order RP70714 escutcheon
- 6 5/8" long, 14 1/2" high
- Red/blue indicators
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- 3/8" compression fittings
- Euro-motion DIAMOND™ Valve
- MagnaTite® docking

Model	Flow	Price	Finish
9913-DST	1.8 gpm	441.90	Chrome
9913-AR-DST	1.8 gpm	486.75	Arctic® Stainless
9913-BL-DST	1.8 gpm	502.25	Matte Black
9913-CZ-DST	1.8 gpm	649.25	Champagne Bronze™
9913-RB-DST	1.8 gpm	648.95	Venetian Bronze®

NEW!



Broderick® Single Handle Bar Faucet



- 1 or 3-hole 4" installation; for 3-hole, order RP100844 escutcheon
- 7 1/16" long, 12 1/4" high
- Hot/Cold Indicators
- 2 1/2" max. deck thickness
- Ceramic disc cartridge

Model	Flow	Price	Finish
1990LFC	1.5 gpm	724.20	Chrome
1990LFC-AR	1.5 gpm	886.50	Arctic® Stainless
1990LFC-BL	1.5 gpm	887.15	Matte Black
1990LFC-CZ	1.5 gpm	976.55	Champagne Bronze™
1990LFC-KS	1.5 gpm	974.25	Black Stainless
1990LFC-RB	1.5 gpm	976.05	Venetian Bronze®

New Polished Nickel Finish Available Q4 2025



Cassidy® Single Handle Bar Faucet



- 1 or 3-hole 4" installation; for 3-hole, order RP72711 escutcheon
- 5 15/16" long, 8 3/4" high
- Hot/cold indicator
- 2 1/2" max. deck thickness
- 3/8" staggered copper supply lines with 1/2" fittings
- Euro-motion valve

Model	Flow	Price	Finish
1997LF	1.5 gpm	501.65	Chrome
1997LF-AR	1.5 gpm	606.00	Arctic® Stainless
1997LF-CZ	1.5 gpm	709.80	Champagne Bronze™
1997LF-PN	1.5 gpm	606.00	Polished Nickel
1997LF-RB	1.5 gpm	695.15	Venetian Bronze®

NEW!



Contemporary® Single Handle Bar Faucet



- 1 or 3 hole 4" installation; for 3-hole, order RP77702 escutcheon
- 5 15/16" long, 11 1/2" high
- Hot/cold indicator
- 2 1/2" max. deck thickness
- 3/8" staggered copper supply lines with 1/2" fittings
- Euro-motion valve
- Limited swivel spout: 120°

Model	Flow	Price	Finish
1959LF	1.5 gpm	442.90	Chrome
1959LF-AR	1.5 gpm	588.35	Arctic® Stainless
1959LF-BL	1.5 gpm	589.40	Matte Black
1959LF-CZ	1.5 gpm	736.05	Champagne Bronze™
1959LF-KS	1.5 gpm	739.50	Black Stainless

New Polished Nickel Finish Available Q4 2025



Transitional® Single Handle Bar Faucet



- 1 or 3 hole 4" installation; for 3-hole, order RP77702 escutcheon
- 5 3/8" long, 12 5/16" high
- Hot/cold indicator
- 2 1/2" max. deck thickness
- 3/8" staggered copper supply lines with 1/2" fittings
- Euro-motion valve

Model	Flow	Price	Finish
1953LF	1.5 gpm	427.95	Chrome
1953LF-AR	1.5 gpm	517.40	Arctic® Stainless
1953LF-CZ	1.5 gpm	620.75	Champagne Bronze™


Classic
Single Handle Bar Faucet


Model	Flow	Price	Finish
1903-DST	1.5 gpm	280.05	Chrome
1903-SS-DST	1.5 gpm	383.70	Brilliance® Stainless

- 2-hole 4" installation
- 5" long, 10" high
- High arc spout swivels 180°
- Finished hot/cold indicator
- 2 1/2" max. deck thickness
- 3/2" min. InnoFlex® supply lines
- 3/8" compression fittings
- DIAMOND™ Valve


Classic
Two Handle Bar Faucet


Model	Flow	Price	Finish
2171LF	1.5 gpm	205.95	Chrome

- 2 or 3-hole 4" installation
- 4 1/8" long, 11" high
- 1" max. deck thickness; no thick deck kit available
- 1/2" IPS connection


Foundations®
Two Handle Bar Faucet


Model	Flow	Price	Finish
B28910LF	1.8 gpm	146.65	Chrome

- 2 or 3-hole 4" installation
- 5" long, 11" high
- 1" max. deck thickness; no thick deck kit available
- 1/2" IPS connection


Foundations®
Two Handle Bar Faucet


Model	Flow	Price	Finish
B28911LF	1.8 gpm	102.30	Chrome
B28911LF-SS	1.8 gpm	146.55	Brilliance® Stainless

- 2 or 3-hole 4" installation
- 5 1/16" long, 11 7/16" high
- 1" max. deck thickness; no thick deck kit available
- 1/2" IPS connection

NEW!**Contemporary Round Beverage Faucet**

Model	Flow	Price	Finish
1930-DST	1.5 gpm	368.95	Chrome
1930-AR-DST	1.5 gpm	443.35	Arctic® Stainless
1930-BL-DST	1.5 gpm	443.55	Matte Black
1930-CZ-DST	1.5 gpm	531.70	Champagne Bronze™
1930-KS-DST	1.5 gpm	531.45	Black Stainless
1930-RB-DST	1.5 gpm	531.45	Venetian Bronze®

- 1-hole installation
- 5 1/16" long, 9 1/2" high
- Cold water only
- 3/8" compression fittings
- 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Works with RO systems, filtered water systems, chillers, or as a cold water tap
- Works with Delta Reverse Osmosis System DWQ1001012
- DIAMOND™ Valve

New Polished Nickel Finish Available Q4 2025

**Traditional Beverage Faucet**

Model	Flow	Price	Finish
1960-DST	1.5 gpm	368.95	Chrome
1960-AR-DST	1.5 gpm	443.35	Arctic® Stainless
1960-BL-DST	1.5 gpm	443.55	Matte Black
1960-CZ-DST	1.5 gpm	517.45	Champagne Bronze™
1960-KS-DST	1.5 gpm	517.15	Black Stainless
1960-PN-DST	1.5 gpm	443.35	Polished Nickel
1960-RB-DST	1.5 gpm	517.15	Venetian Bronze®

- 1-hole installation
- 5 1/16" long, 9 1/2" high
- Cold water only
- 3/8" compression fittings
- 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Works with RO systems, filtered water systems, chillers, or as a cold water tap
- Works with Delta Reverse Osmosis System DWQ1001012
- DIAMOND™ Valve

**Contemporary Square Beverage Faucet**

Model	Flow	Price	Finish
1940-DST	1.5 gpm	368.45	Chrome
1940-AR-DST	1.5 gpm	443.35	Arctic® Stainless
1940-KS-DST	1.5 gpm	517.15	Black Stainless
1940-PN-DST	1.5 gpm	443.35	Polished Nickel
1940-RB-DST	1.5 gpm	517.15	Venetian Bronze®

- 1-hole installation
- 5 1/16" long, 9 1/2" high
- Cold water only
- 3/8" compression fittings
- 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Works with RO systems, filtered water systems, chillers, or as a cold water tap
- Works with Delta Reverse Osmosis System DWQ1001012
- DIAMOND™ Valve

**Transitional Beverage Faucet**

Model	Flow	Price	Finish
1920-DST	1.5 gpm	354.15	Chrome
1920-AR-DST	1.5 gpm	443.35	Arctic® Stainless
1920-BL-DST	1.5 gpm	443.55	Matte Black
1920-CZ-DST	1.5 gpm	517.45	Champagne Bronze™
1920-KS-DST	1.5 gpm	517.15	Black Stainless
1920-RB-DST	1.5 gpm	517.15	Venetian Bronze®

- 1-hole installation
- 5 1/16" long, 9 1/2" high
- Cold water only
- 3/8" compression fittings
- 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Works with RO systems, filtered water systems, chillers, or as a cold water tap
- Works with Delta Reverse Osmosis System DWQ1001012
- DIAMOND™ Valve

NEW!



Contemporary Round Instant Hot Faucet



Model	Flow	Price	Finish
1930LF-H	1.5 gpm	457.90	Chrome
1930LF-H-AR	1.5 gpm	591.25	Arctic® Stainless
1930LF-H-BL	1.5 gpm	591.50	Matte Black
1930LF-H-CZ	1.5 gpm	665.65	Champagne Bronze™
1930LF-H-KS	1.5 gpm	665.30	Black Stainless
1930LF-H-RB	1.5 gpm	665.30	Venetian Bronze®

- 1-hole installation
- 5" long, 9 7/16" high
- Delivers near boiling water on demand
- Self-closing spring loaded handle
- 3/8" compression fittings 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Tank and filter required to be purchased separately and not available thru Delta Faucet. Recommended tanks include InSinkErator® HWT-300-F2000S, HWT300-F3000S or HWT300 InSinkerator tank models

New Polished Nickel Finish Available Q4 2025



Traditional Instant Hot Faucet



Model	Flow	Price	Finish
1960LF-H	1.5 gpm	546.80	Chrome
1960LF-H-AR	1.5 gpm	635.95	Arctic® Stainless
1960LF-H-BL	1.5 gpm	636.25	Matte Black
1960LF-H-CZ	1.5 gpm	710.15	Champagne Bronze™
1960LF-H-KS	1.5 gpm	709.75	Black Stainless
1960LF-H-PN	1.5 gpm	635.95	Polished Nickel
1960LF-H-RB	1.5 gpm	709.75	Venetian Bronze®

- 1-hole installation
- 5 1/16" long, 9 1/2" high
- Delivers near boiling water on demand
- Self-closing spring loaded handle
- 3/8" compression fittings
- 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Tank and filter required to be purchased separately and not available thru Delta Faucet. Recommended tanks include InSinkErator® HWT-300-F2000S, HWT300-F3000S or HWT300 InSinkerator tank models



Contemporary Square Instant Hot Faucet



Model	Flow	Price	Finish
1940LF-H	1.5 gpm	576.40	Chrome
1940LF-H-AR	1.5 gpm	665.30	Arctic® Stainless
1940LF-H-KS	1.5 gpm	738.85	Black Stainless
1940LF-H-PN	1.5 gpm	665.30	Polished Nickel
1940LF-H-RB	1.5 gpm	738.85	Venetian Bronze®

- 1-hole installation
- 5 1/16" long, 9 1/2" high
- Delivers near boiling water on demand
- Self-closing spring loaded handle
- 3/8" compression fittings
- 3" max. deck thickness
- 32" min. InnoFlex® supply line
- Tank and filter required to be purchased separately and not available thru Delta Faucet. Recommended tanks include InSinkErator® HWT-300-F2000S, HWT300-F3000S or HWT300 InSinkerator tank models

NEW!


Broderick®
Wall Mount Pot Filler


Model	Flow	Price	Finish
1190LFL	4.0 gpm	798.95	Chrome
1190LFL-AR	4.0 gpm	1006.20	Arctic® Stainless
1190LFL-BL	4.0 gpm	1021.30	Matte Black
1190LFL-CZ	4.0 gpm	1110.45	Champagne Bronze™
1190LFL-KS	4.0 gpm	1080.45	Black Stainless
1190LFL-RB	4.0 gpm	1109.80	Venetian Bronze®

- 1-hole installation
- 24" long, 9 1/4" high
- Two handle wall mount
- Cold water only
- Dual shut-off and swing joints
- 24" reach
- 1/2" IPS inlets

New Polished Nickel Finish Available Q4 2025

NEW!


Contemporary Wall Mount Pot Filler


Model	Flow	Price	Finish
1165LF	4.0 gpm	739.40	Chrome
1165LF-AR	4.0 gpm	991.55	Arctic® Stainless
1165LF-BL	4.0 gpm	1006.30	Matte Black
1165LF-CZ	4.0 gpm	1080.35	Champagne Bronze™
1165LF-KS	4.0 gpm	1183.95	Black Stainless
1165LF-SS	4.0 gpm	991.55	Brilliance® Stainless

- 1-hole installation
- 21 9/16" long, 8 1/8" high
- Two handle wall mount
- Cold water only
- Dual shut-off and swing joints
- 24" reach
- 1/2" IPS inlets

New Polished Nickel Finish Available Q4 2025


Traditional Wall Mount Pot Filler


Model	Flow	Price	Finish
1177LF	4.0 gpm	695.05	Chrome
1177LF-AR	4.0 gpm	932.35	Arctic® Stainless
1177LF-CZ	4.0 gpm	1021.15	Champagne Bronze™
1177LF-PN	4.0 gpm	932.35	Polished Nickel
1177LF-RB	4.0 gpm	1006.30	Venetian Bronze®
1177LF-SS	4.0 gpm	932.35	Brilliance® Stainless

- 1-hole installation
- 23 5/8" long, 10 1/6" high
- Two handle wall mount
- Cold water only
- Dual shut-off and swing joints
- 24" reach
- 1/2" IPS inlets



Metal Glass Rinser

FP

- 1-hole installation
- 2 1/2" long, 1 1/8" high
- 2 1/2" max. deck thickness
- 1.2 gpm max flow rate
- 1/2" IPS shank(s)
- Supply line and T-Adapter included
- Matching finished cover included

Model	Price	Finish
GR250	324.50	Chrome
GR250-AR	383.95	Arctic® Stainless
GR250-BL	427.55	Matte Black
GR250-CZ	428.20	Champagne Bronze™
GR250-KS	427.95	Black Stainless
GR250-PN	383.95	Polished Nickel
GR250-RB	427.95	Venetian Bronze®



Air Switch with Dual Outlet

FP

- Plug-in dual outlet controller for waste disposal and one additional accessory
- Brass button and trim with polyethylene body
- Installed in 1-1/4" openings
- 6' flexible hose included
- Order RP101682 for replacement button and tubing

Model	Price	Finish
72050	220.50	Chrome
72050-AR	279.95	Arctic® Stainless
72050-BL	280.15	Matte Black
72050-CZ	324.30	Champagne Bronze™
72050-GB	324.30	Brushed Gold
72050-KS	324.35	Black Stainless
72050-PN	279.95	Polished Nickel
72050-RB	324.35	Venetian Bronze®



Kitchen Sink Flange & Strainer

FP

- Polypropylene drain housing
- Brass strainer and basket
- Top-mount flange installation for 3.5" sink openings
- 4 1/2" diameter brass flange
- 1 1/2" x 1 1/2" NPSM threads
- Meets ASME B1.20.3

Model	Price	Finish
72010	105.05	Chrome
72010-AR	123.20	Arctic® Stainless
72010-CZ	196.90	Champagne Bronze™
72010-GB	196.85	Brushed Gold
72010-KS	193.95	Black Stainless
72010-PN	122.65	Polished Nickel
72010-SS	123.20	Brilliance® Stainless



Air Gap

FP

- Polyethylene body
- 5/8" dishwasher inlet, 7/8" outlet
- 1 5/8" diameter, 2 1/8" long brass cap

Model	Price	Finish
72020	42.80	Chrome
72020-AR	47.40	Arctic® Stainless
72020-BL	60.75	Matte Black
72020-CZ	80.05	Champagne Bronze™
72020-GB	80.00	Brushed Gold
72020-KS	65.15	Black Stainless
72020-PN	47.45	Polished Nickel
72020-RB	56.00	Venetian Bronze®
72020-SS	47.45	Brilliance® Stainless



Kitchen Disposal & Flange Stopper

FP

- 4 1/2" diameter brass flange

Model	Price	Finish
72030	105.05	Chrome
72030-AR	140.75	Arctic® Stainless
72030-CZ	160.25	Champagne Bronze™
72030-GB	160.25	Brushed Gold
72030-KS	158.45	Black Stainless
72030-PN	122.95	Polished Nickel
72030-SS	123.05	Brilliance® Stainless



Collins®
Single Handle Tract-Pack Pull-Out Kitchen Faucet



Model	Flow	Price	Finish
* 4140-TP-DST	1.8 gpm	324.45	Chrome
* 4140-ARTP-DST	1.8 gpm	443.35	Arctic® Stainless

- 1 or 3-hole 8" installation (optional escutcheon included)
- 9" long, 10 3/10" high
- Finished hot/cold indicator
- 3/8" compression fittings
- 32" min. InnoFlex® supply lines
- 2 1/2" max. deck thickness
- Restricted to case pack of 3 - priced each
- DIAMOND™ Valve

*Models noted with an * must be ordered in case quantity, priced each.
See page 4 for icon definitions.

See page 3 for icon definitions.

PRECIOS EN DÓLARES AMERICANOS*NO INCLUYEN IVA.

HOMEA
PREMIUM

H O M E A

www.homea.mx

Email: **ventas@homea.mx**

Whatsapp: **(446)144.6318**

Tel: **(442)216.3552**

Lada sin Costo: **01(800)701.2121**