Thermador* LISTA DE PRECIOS

2025





HOMEA

www.homea.mx
Email: ventas@homea.mx

Whatsapp: (446)144.6318 Tel: (442)216.3552



Freedom[®] Collection REFRIGERATION

Thermador's ingenious Freedom® Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in refrigeration columns, freezer columns, bottom freezers and wine refrigeration are available in multiple widths ranging from 18" to 48".

To order, please follow this 4-step process:

Step 1 Select a Panel-Ready Column

Step 2

Select a Stainless Steel Panel or Use a Custom Panel



Select a Stainless Steel Handle or Use a



Custom Handle

Step 4

Select Optional Accessories



HEATRKIT20

Freedom® Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-15.





FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-15.

To enhance the Freedom® Collection, please see our accessories section on page 1-11.

REFRIGERATOR COLUMNS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number PRICE Description

All 23.5"/24"/30"/36" Refrigerator Columns include the following features:

- Fully Flush
- Freedom® hinge
- All-LED sidewall filte ed theater lighting
- Cold Air System
- ThermaFresh® system
- Carbon air filte
- SuperCool function

- Stainless steel interior
- Full-extension SoftClose® drawers
- TFT Control
- Full-length cantilever racks
- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes

- Star-K certifie
- ENERGY STAR® certifie
- Extremely quiet
- Reversible door swing
- Home Connect

Step 1: Refrigerator Columns







T24IR905SP







30" Fresh Food Column T30IR905SP

36" Fresh Food Column T36IR905SP

\$12,863

\$13,652 \$14,442



This price list supersedes all		

Model		
Number	Description	PRICE

Step 2: Panels

All Thermador Refrigerator Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL24IR800	24" Stainless Steel Panel	\$809
TFL30IR800	30" Stainless Steel Panel	\$896
TFL36IR900	36" Stainless Steel Panel	\$1,619

Flat Stainless Steel Door Panels with No Holes

TFL24IR905	24" Single Door No Hole Flat Panel	\$809
TFL30IR905	30" Single Door No Hole Flat Panel ¹	\$896
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,619

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	\$248



PR36HNDL20 36" Professional Handle



\$248

Step 4: Optional Accessories

FRAMEKIT10 Freedom® Frame Kit		\$162
	(For use with any custom column for installation in	

24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)

Freedom® Heater Kit \$924 HEATRKIT20

> (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity

(>65%), or located next to an outside wall.)





HEATRKIT20

¹ Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

Model Number PRICE Description

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- Fully Flush
- Freedom® hinge
- All-LED sidewall filte ed theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function
- Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- Full-length cantilever racks
- Filtered internal diamond ice maker
- Door open alarm
- Open door assist

- Sabbath/Economy/Vacation modes
- Star-K certifie
- ENERGY STAR® certifie
- Extremely quiet
- Side-by-side kit included
- ⚠ Home Connect

Step 1: Freezer Columns with Internal Ice Maker

• Ice drawer with ice bin

• Reversible door swing









T18IF905SP

\$11,585





T24IF905SP

T30IF905SP

T18IF905SP

24" Freezer Column (Internal Ice Maker)

30" Freezer Column (Internal Ice Maker)

18" Freezer Column (Internal Ice Maker)

36" Freezer Column (Internal Ice Maker) T36IF905SP

\$13,858

\$12,343

\$13,252





Model
Number Description PRICE

Step 2: Panels

All Thermador Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	\$734
TFL18ID800	18" Stainless Steel Panel for External Dispenser	\$734
TFL24IR800	24" Stainless Steel Panel	\$809
TFL24ID800	24" Stainless Steel Panel for External Dispenser	\$809
TFL30IR800	30" Stainless Steel Panel	\$896
TFL36IR900	36" Stainless Steel Panel	\$1,619

Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel ¹	\$734
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	\$734
TFL24IR905	24" Single Door No Hole Flat Panel	\$809
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	\$809
TFL30IR905	30" Single Door No Hole Flat Panel	\$896
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,619

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column.To ensure consistency, always select the same style.

MS36HNDL20 36" Masterpiece® Handle \$248

MS36HNDL20 \$248

PR36HNDL20

PR36HNDL20 36" Professional Handle

Step 4: Optional Accessories

FRAMEKIT10	Freedom® Frame Kit	\$162
	riccaom riame kit	¥102

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all pre-assembled bottom freezers)

HEATRKIT20 Freedom® Heater Kit

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)



FRAMEKIT10

- 1

\$924



¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description PRICE

All 30" Bottom Freezers Include the Following Features:

- Fully Flush—installs framed or fully flus
- Touchscreen control panel
- Vivid LED sidewall and theater style lighting
- Full-Extension SoftClose® drawers
- SoftClose® doors

NEW T30IB100SP

- Temperature and humidity controlled drawers
- Full-width deli drawer
- Internal ice maker with filte ed diamond ice and ice scoop
- SuperCool/SuperFreeze[®]
- Adjustable shelves and door bins
- Two evaporators
- Two compressors
- · Carbon air filte

- Door open alarm
- Sabbath/Economy/Vacation modes
- ENERGY STAR® certifie
- Extremely quiet
- Refrigerator door swing reversible
- Home Connect

30" Bottom Freezers

- ThermaFresh® Pro crisper drawer automatically selects the optimal temperature and humidity to keep food fresh longer
- Internal water dispenser with UltraClarityPro® water filte
- Full color touchscreen control panel
- Three cameras in fridge for inventory management
- 30" Bottom Freezer, Two-Door, Custom-Panel Ready

- Stainless steel interior
- Three-tier freezer drawer
- Non-slip mats in door bins and drawers prevent items from shifting
- Trim kit included

\$15,524



T30IB100SP











BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number **PRICE** Description

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

All 36" Bottom Freezers and French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flus
- All new touchscreen display control panel
- Vivid LED sidewall and theater style lighting
- Cameras in fridge for inventory management
- ThermaFresh® Pro temperature and humidity control preserves freshness
- ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility
- Full-Extension SoftClose® drawers

- SoftClose[®] doors
- Deli drawer for convenient access to small items
- Non-slip mats in door bins and drawers prevent items from shifting
- Internal water dispenser with UltraClarityPro® water filte
- Elevated internal ice maker with diamond ice and ice scoop
- SuperCool and SuperFreeze® functions
- · Adjustable split level shelving
- Gallon size door bins

- Two compressors
- Two evaporators
- · Stainless steel interior
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- Star-K certifie
- ENERGY STAR® certifie
- Home Connect
- · Trim kit included
- Refrigerator door swing reversible (T36BB110SS, T36BB120SS, T36IB100SP)

Bottom Freezers

T36BB110SS \$19,311 36" Bottom Freezer, Reversible Door,

Stainless Steel, Masterpiece® Handles

T36BB120SS 36" Bottom Freezer, Reversible Door,

Stainless Steel, Professional Handles

T36IB100SP 36" Bottom Freezer, Reversible Door,

Custom-Panel Ready











French Door Bottom Freezers

T36BT120NS

T36BT110NS 36" French Door Bottom Freezer, \$20,068 Stainless Steel, Masterpiece® Handles

36" French Door Bottom Freezer, \$20,068 Stainless Steel, Professional Handles

T36IT100NP 36" French Door Bottom Freezer, \$17,644

Custom-Panel Ready







T36BT110NS

Model Number Description PRICE

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

All 42" and 48" French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flus
- All new touchscreen display control
- Vivid LED sidewall and theater style lighting
- Cameras inside refrigerator compartment for inventory management
- ThermaFresh® Pro temperature and humidity control preserves freshness
- ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility
- Full-Extension SoftClose® drawers

- SoftClose[®] Doors
- Deli drawer for convenient access to small items
- Non-slip mats in door bins and drawers prevent items from shifting
- Internal water dispenser with UltraClarityPro® water filte
- Elevated dual ice maker with diamond ice, entertaining ice and ice scoop
- SuperCool and SuperFreeze® functions
- · Adjustable split level shelving
- Gallon size door bins

- Two compressors
- Two evaporators
- Stainless steel interior
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- Star-K certifie
- ENERGY STAR® certifie
- Home Connect
- · Trim kit included

French Door Bottom Freezers

T42BT110NS	42" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	\$22,794
T42BT120NS	42" French Door Bottom Freezer, Stainless Steel, Professional Handles	\$22,794
T42IT100NP	42" French Door Bottom Freezer, Custom-Panel Ready	\$20,522
T48BT110NS	48" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	\$25,521
T48BT120NS	48" French Door Bottom Freezer, Stainless Steel, Professional Handles	\$25,521
T48IT100NP	48" French Door Bottom Freezer, Custom-Panel Ready	\$23,249



T42BT120NS



T48BT120NS



FREESTANDING REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number **PRICE** Description

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

All Freestanding 36" French Door Refrigerators Include the Following Features:

- Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Illuminated Back Wall
- ThermaFresh® System for Temperature and Humidity Control
- Internal Water Dispenser
- Home Connect

- Dual Evaporator
- Dual Compressor
- Sabbath/Economy/Vacation modes
- SuperCool function
- SuperFreeze® function
- Filtered ice and water
- Carbon air filte

- Gallon door bins
- Diamond Ice Maker
- Door open alarm
- Star-K certifie
- ENERGY STAR® certified

Bottom Freezers with Stainless Steel Interior

 Stainless Steel ThermaFresh® Mats

T36FT810NS 36" 3-Door Freestanding French Door

Refrigerator with Masterpiece® Handles

36" 3-Door Freestanding French Door T36FT820NS

Refrigerator with Professional Handles

\$8,994

\$8,994









Bottom Freezers with Stainless Steel Interior

• Offers flexible and versatile storage options with a convenient multi-door format.

T36FL810NS 36" 4-Door Freestanding French Door

Refrigerator with Masterpiece® Handles

T36FL821NS 36" 4-Door Freestanding French Door

Refrigerator with Professional Handles

\$8,994

\$8,994













The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Suggested Combinations

These suggestions are just an example of the extensive range of combinations possible with the Freedom® Collection.

18" 24" Freezer Fresh Food Column Column 18" Freezer Column Fresh Food Column T18IF905SP/T24IR905SP T18IF905SP/T30IR905SF 24" Fresh Food 24" Freezer 18" IWD* Fresh Food Column Column Column T18ID905I P/T24IR905SP T24IF905SP/T24IR905SP Fresh Food Single Unit IWD* Column T42BT120NS T24ID905LP/T24IR905SP Single Unit

24" 30" Freezer Column

T24IF905SP/T30IR905S



T24ID905LP/T30IR905SP



60"



130IF905SP/130IR905

30"

30"



T30IB100SP/T30IB100SP

Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.



^{*}IWD = Ice and Water Dispenser

Model Number PRICE Description

All 18"/24" Wine Refrigeration Include the Following Features:

- Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones: 18" column-two; 24" column-three
- Independent humidity control
- TFT control
- Freedom[®] hinge
- Adjustable LED lighting
- Diamond shaped dowels for vibration control
- Glass door with UV protection

- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes
- Star-K certifie
- Bottle capacity: 18" column-58 bottles; 24" column-92 bottles (750 ml)
- O Home Connect

Step 1: Wine Refrigeration





T18IW905SP

T24IW905SP



T18IW905SP 18" Wine Preservation Column

2 - Zone Temperature Control

T24IW905SP 24" Wine Preservation Column 3 - Zone Temperature Control

\$11,585

\$10,828







Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

Model Number Description PRICE

Step 2: Panels

All Thermador Wine Refrigeration are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IW800	18" Stainless Steel Panel	\$734
TFL24IW800	24" Stainless Steel Panel	\$809

Flat Stainless Steel Door Panels with No Holes

TFL18IW905	18" Wine No Hole Flat Panel	\$734
TFL24IW905	24" Wine No Hole Flat Panel ¹	\$809

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column.To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	\$248
------------	-------------------------	-------




PR36HNDL20 36" Professional Handle

Step 4: Optional Accessories

FRAMEKIT10	Freedom® Frame Kit	\$162

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)

HEATRKIT20 Freedom® Heater Kit \$924





HEATRKIT20

FRAMEKIT10

Model Number **PRICE** Description

• Customizable cooling modes:

All Under-Counter Units Include the Following Features:

- Built-in flush design
- LED lighting

• 5 cu. ft.

- Electronic touch controls for precise temperature management
- Venting grille for full integration
- Fully flush at 24" depth
- Professional Handle, Masterpiece[®] Handle or custom panel options

• Star-K certifie

Glass Door Refrigeration Units

- 6	Fridge, Pantry and Bar	
 Customizable shelving 	Thaga, Fana yana bar	
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing	\$5,558
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing	\$5,558
T24UR915LS	24" Refrigerator, Masterpiece® Handle, Left Swing	\$5,909
T24UR915RS	24" Refrigerator, Masterpiece® Handle, Right Swing	\$5,909
T24UR925LS	24" Refrigerator, Professional Handle, Left Swing	\$5,909
T24UR925RS	24" Refrigerator, Professional Handle, Right Swing	\$5,909



IR915I S



Drawer Refrigeration/Freezer Units

•	4.4 cu. ft.	
•	SoftClose®	d

T24UR905DP

T24UC925DS

- drawers
- Drawer open alarm
- Customizable shelving and drawer dividers
- Customizable cooling modes: Fridge, Pantry and Bar

24" Refrigerator, Custom Panel

- Quick Chill
- Removable drawer mat for easy cleaning
- ENERGY STAR® certifie

ENERGY STAR® certifie



T24UR915DS

\$7,664

\$8,014

T24UR915DS 24" Refrigerator, Masterpiece® Handle \$7,488 24" Refrigerator, Professional Handle \$7,488 T24UR925DS T24UC905DP 24" Refrigerator/Freezer, Custom Panel, ice maker \$7,664 T24UC915DS 24" Refrigerator/Freezer, Masterpiece® Handle, ice maker \$8,014

24" Refrigerator/Freezer, Professional Handle, ice maker





T24UC915DS



Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

- 41-bottle capacity • Full-extension wenge wood diamond wine racks
- Tinted UV-resistant tempered glass door
- Independent temperature control of temperature zones.



T24UW915LS

T24UW905LP 24" Wine Pres., Custom Panel, Left Swing \$6,680 T24UW905RP 24" Wine Pres., Custom Panel, Right Swing \$6,680 T24UW915LS 24" Wine Pres., Masterpiece® Handle, Left Swing \$7,017 24" Wine Pres., Masterpiece® Handle, Right Swing T24UW915RS \$7,017 T24UW925LS 24" Wine Pres., Professional Handle, Left Swing \$7,017 T24UW925RS 24" Wine Pres., Professional Handle, Right Swing \$7,017



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
PRICE

	Number	Description		PRIC	CE	
Refrigerat	or Columns			T24IR905SP	T30IR905SP	T36IR905SP
	Installation Acc	essories				
	FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	\$162	•	•	•
11	HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	\$924	•	•	•
	Interior Accessor 24HFGALBIN	ories for Refrigerators 24" Half-Gallon Bin	\$264	•		
	30HFGALBIN	30" Half-Gallon Bin	\$279		•	
	36HFGALBIN	36" Half-Gallon Bin	\$295			•
P	24PRODRAIL	24" Produce Railing	\$162	•		
	30PRODRAIL	30" Produce Railing	\$178		•	
	36PRODRAIL	36" Produce Railing	\$209			•
	LPRODBIN10	Large Produce Bin	\$457	•	•	•
	SPRODBIN10	Small Produce Bin	\$410	•	•	•
-	•					

Model Number

Description

PRICE

Freezer Co	blumns			T18IF905SP		T24IF905SP	T30IF905SP		T36IF905SP	718ID0051 D/DD	I I OID 703EF / INT	T24ID905LP/RP				
	Installation Acc															
	FRAMEKIT10	Freedom® Frame Kit \$ (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)	е	•		•	•		•	•	•	•				
	HEATRKIT20	Freedom® Heater Kit \$ (For use when columns are less than 6" apart but no side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65% or located next to an outside wall.)	-	•		•	•		•	•	•	•				
	Interior Accessor	Ice Bucket \$	133	•		•	•		•	•	•	•				
à	Filter Accessori	es														
	REPLFLTR55	Freedom [®] Replacement Water Filter	\$73	•		•	•		•	•	•	•				
Bottom Fre	eezer Refriger	ation		T30IB100SP	36BB110SS	T36BB120SS	T36IB100SP	F36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
110	Installation Acc	essories		<u> </u>		_		_	-	-	-	_	_	_	_	_
	COMBIKIT10	Connection Kit \$	154	•		•		•		•		•	•	•		•
		(For use with bottom freezers. Use when installing two bottom freezer refrigerators side-by-side.)	0													
	FRAMEKIT30	Frame Kit \$3 (For use with any custom panel bottom freezer refrig- erators installed in a 24-inch (610 mm) deep cutout. With two metal side trims whose placement between the interior cutout wall and the appliance helps over- come the challenge of unfinished cabinet returns. No Included with all pre-assembled bottom freezers)	1	•			•			•			•			•
	Filter Accessori	es														
-	REPLFLTR55		\$73	•	•	•	ullet	•	•	•	•	•	•	•	•	•

Model Number Description PRICE

Bottom Fre	eezer Refriger	ation		T301B100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
11	MS3000IB10	30" Masterpiece® Handle Kit (Bottom Freezer)	\$770	•												
]]	PR3000IB10	30" Professional Handle Kit (Bottom Freezer)	\$770	•												
	MS3600IB10	36" Masterpiece® Handle Kit (Bottom Freezer)	\$846				•									
	PR3600IB10	36" Professional Handle Kit (Bottom Freezer)	\$846				•									
	MS3642IT10	36"/42" Masterpiece® Handle Kit (French Door Bottom Freezer)	\$924							•			•			
	PR3642IT10	36"/42" Professional Handle Kit (French Door Bottom Freezer)	\$924							•			•			
	MS4800IT10	48" Masterpiece® Handle Kit (French Door Bottom Freezer)	\$1,000													•
	PR4800IT10	48" Professional Handle Kit (French Door Bottom Freezer)	\$1,000													•
	TFL30IB100	30" Stainless Steel Panel Set (Bottom Freezer)	\$1,924	•												

Model Number Description PRICE

Bottom Freezer Refrigeration	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
TFL36IB100 36" Stainless Steel Panel Set \$2,018 (Bottom Freezer)				•									
TFL36IT100 36" Stainless Steel Panel Set \$2,110 (French Door Bottom Freezer)							•						
TFL42IT100 42" Stainless Steel Panel Set \$2,204 (French Door Bottom Freezer)										•			
TFL48IT100 48" Stainless Steel Panel Set \$2,295 (French Door Bottom Freezer)													•

Freestandi	ng Refrigeratio	on	T36FT8_0NS	T36FL8_0NS
	Filter Accessorie REPLFLTR55	Freedom® Replacement \$73 Water Filter	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
PRICE

Under-Counter Drawer Accessories							T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
	MS20HNDL20	20" Under-Counter Masterpiece® Handle Kit (Set of 2)	\$462			•			•		
-	MS22HNDL25	25" Under-Counter Masterpiece® Handle	\$256	•	•					•	•
	PR20HNDL20	20" Under-Counter Professional Handle Kit (Set of 2)	\$462			•			•		
	PR22HNDL25	25" Under-Counter Professional Handle	\$256	•	•					•	•

Wine Refri	geration			T18IW905SP	T24IW905SP
	Installation Acce	essories			
	FRAMEKIT10	Freedom® Frame Kit \$1	62		
		(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)		•	•
	HEATRKIT20	Freedom® Heater Kit \$9	24		
-		(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)		•	•



Step 1: Columns and Bottom Freezers			Step 2: Panels		Step 3: Handles						
Freedom [®] Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece [®]	Professional				
REFRIGERATOR	COLUMN	NS									
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle	Order one 36" handle				
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	per column Masterpiece ®	per column Professional				
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905	MS36HNDL20	PR36HNDL20				
FREEZER COLU	MNS										
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905						
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column				
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece® MS36HNDL20	Professional PR36HNDL20				
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905						
FREEZER COLU	MNS WIT	H IWD ¹									
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905						
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column				
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece® MS36HNDL20	Professional PR36HNDL20				
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24ID905						
BOTTOM FREEZ	ZERS/FREI	NCH DOOR BOTTOM	FREEZERS								
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IB905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²				
WINE REFRIGER	RATION										
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle				
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece® MS36HNDL20	Professional PR36HNDL20				

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece[®]: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20 3 Masterpiece[®]: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece®: (3) MS36HNDL20. Professional: (3) PR36HNDL20



Model Number

Description

All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador
 Connected Experience by Home
 Connect[™] that enables ease of usage,
 accessibility to wider variety of beverages
 with the Coffee World and much more
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control
- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- Separate drawer for ground coffee, capacity to hold up to two level scoops
- Built-In water filte
- Sensor alerts when coffee beans and water level is low
- 81 oz. water container
- Includes Insulated 17 oz. removable stainless steel milk container, measuring spoon, water hardness test.
- 120 Volts. (V)

Built-In Coffee Machine

TCM24TS Thermador Built-In Coffee Machine

\$6,747



TCM24TS



 Includes direct plumb for water and drain connection with AquaStop® Plus protection

TCM24PS

Thermador Built-In Coffee Machine Plumbed

\$7,334







Accessories	TCM24TS	TCM24PS
TCMTK30RS 30" Stainless Steel Trim Kit \$663	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.



Built-in OVENS

MASTERPIECE* & PROFESSIONAL COLLECTIONS

SINGLE 30" **DOUBLE 30" COMBO 30"** TRIPLE 30" **DELUXE Professional: Professional:** With Steam and POD301W POD302W Convection Oven: Rotisserie POD301LW* POD302LW* Professional: Max Broil POD301RW* POD302RW* PODS302B* 3 Telescopic Masterpiece®: Racks MEDS302BS (Single Ovens) 4 Telescopic Racks Masterpiece®: Masterpiece®: With (Double MED301WS MED302WS With Speed Oven:: Ovens) Speed Oven: MED301LWS* MED302LWS* Professional: 6 Telescopic MED301RWS* MED302RWS* Professional: Racks PODMC301W* (Combo PODMCW31W* Masterpiece[®]: Steam Ovens) Masterpiece®: MEDMC301WS MEDMCW31WS **Professional: SELECT** Professional: With Microwave: **SPECIALTY** PO301W PO302W Professional: 3 Telescopic 1 Telescopic POM301W Rack Racks (Single Ovens) (Steam Ovens) 2 Telescopic Masterpiece®: Racks ME301WS (Double Ovens) Masterpiece®: Masterpiece®: ME302WS MEM301WS Steam and Convection Oven: Professional: PODS301B Masterpiece[®]: Masterpiece[®]: **STANDARD** ME301YP ME302YP Masterpiece®: MEDS301BS 1 Telescopic Rack (Single Ovens) 1 Telescopic Rack (Double Ovens)

* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Speed Oven::
Professional:
MC30WP
Masterpiece*:

MC30WS

Model **PRICE** Number Description

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- SoftClose® doors

Cooking Modes

- True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Air Fry capable when connected to Wi-Fi (except ME301YP & ME302YP models)
- Two-hour self clean
- Sabbath Mode
- Two halogen lights
- Star-K certifie
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece® Single Oven with Professional Handle

- One Full Access® telescopic rack and two standard racks
- Silver glass
- 4.6 cu. ft. overall oven capacity
- ME301YP1 30" Single Oven, 1 Telescopic Rack

• Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat

\$4,880









30" Masterpiece® Single Oven—Select

- One Full Access® telescopic rack and two standard racks
- TFT Touch control display

ME301WS

MED301WS

- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Meat probe



\$7,961





ME301WS

30" Masterpiece® Single Oven—Deluxe

- Three Full Access® telescopic racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast

30" Single Oven, 3 Telescopic Racks

30" Single Oven, 1 Telescopic Rack

MED301LWS 30" Single Oven, 3 Telescopic Racks,

Left Side Opening Door

30" Single Oven, 3 Telescopic Racks, MED301RWS

Right Side Opening Door

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe



\$8,885 MED301WS

\$9,423

\$9,423



MED301LWS







¹ Is not Air Fry capable.

Model Number Description PRICE

30" Masterpiece® Ovens

30" Masterpiece® Double Oven with Professional Handle

- One Full Access® telescopic rack (U)
- Silver glass

ME302YP¹

ME302WS

- 4.6 cu. ft. overall oven capacity (U/L)
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)

30" Double Oven, 1 Telescopic Rack (U)

 Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

\$7,653







ME302YP

30" Masterpiece® Double Oven—Select

- Two Full Access® telescopic racks (U/L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)

- Fast preheat (U/L)
- Meat probe (U/L)











1 Is not Air Fry capable.

Model
Number Description PRICE

30" Masterpiece® Ovens

30" Masterpiece® Double Oven—Deluxe

- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)
- TFT Touch control display

MED302WS

- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)

30" Double Oven, 4 Telescopic Racks

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U);
 Meat probe (L)



\$13,274



30" Masterpiece® Triple Combination Oven with Speed Oven and Warming Drawer

- Three Full Access[®] telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

- Speed Oven features:
- 12 ½" turntable
- 1000 W microwave power

• 36 Cook Smart™ Programs

- Warming Drawer features:
- 2.5 cu. ft. overall capacity
- Touch control
- SoftClose® drawer
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer



\$16,433



MEDMCW31WS

MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Model Number

Description

PRICE

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect $^{\scriptscriptstyle{\text{TM}}}$
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost, Air Fry capable when connected to Wi-Fi
- Easy Clean program

- Fast preheat for five different cooking modes
- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certifie
- 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece® Steam and Convection Oven

MEDS301BS

30" Steam and Convection Oven with 3 Telescopic Racks

\$9,577









Accessories					Masterpiece [®]					
				30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection				
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	\$431	•						

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
PRICE

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Restaurant-style stainless steel knobs
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast, Air Fry capable when connected to Wi-Fi
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Two halogen lights

- Sabbath Mode
- Star-K certifie
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- Sensor cooking
- Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven—Select

- One Full Access[®] telescopic rack and two standard racks
- Meat probe

PO301W 30" Single Oven, 1 Telescopic Rack

\$8,731

\$10,272

\$10,272



PO301W







30" Professional Single Oven—Deluxe

 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

POD301W

- Commercial-style rotisserie with 12-pound capacity
- Three Full Access[®] telescopic racks

30" Single Oven, 3 Telescopic Racks

POD301LW 30" Single Oven, Left Side Opening Door,

3 Telescopic Racks

POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks

• Multi-point meat probe



POD301W









POD301LW







Model Number

Description

PRICE

\$13,661

30" Professional Series Ovens

30" Professional Double Oven-Select

• One Full Access® telescopic rack and two standard racks • Meat probe

(U/L)

30" Double Oven, 1 Telescopic Rack (U/L) PO302W

PO302W







30" Professional Double Oven—Deluxe

- Three Full Access® telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)
- Additional Cooking modes:
- Rotisserie, Max Broil, Max Convection Broil (U)
- POD302W 30" Double Oven, 4 Telescopic Racks
- POD302LW 30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

POD302RW 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door

- Multi-point meat probe(U)
- Meat probe (L)

\$14,431

\$15,739

\$15,739



POD302W



POD302LW



Model Number

Description

PRICE

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe
- Speed Oven features:
- 36 Cook Smart TM Programs
- 12 ½" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose® drawer
- Touch control
- 2.5 cu. ft. overall capacity
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

PODMCW31W

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

\$17,512



PODMCW31W









Model Number Description PRICE

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect $^{\text{\tiny M}}$
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certifie
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301B

30" Steam and Convection Oven with 3 Telescopic Racks

\$10,118



PODS301B









¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model
Number Description PRICE

All Masterpiece® Series Microwaves Include the Following Features:

• Silver glass on stainless steel

Sensor reheat

• 10 power levels

Built-In Microwaves

Built-In Microwaves

- Touch Control Display
- 14 1/4" ceramic turntable
- 1.6 cu. ft. overall capacity
- 950 W Microwave power

MB30WS 30" Masterpiece® Microwave,

Stainless Steel, 120 V

MB30WP 30" Professional Microwave,

Stainless Steel, 120 V

 Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet

\$3,885



\$4,347

\$571



MB30WI



24" Built-in Microwave with side swing door and trim kit accessory in 30"

- Glass touch controls with white display
- 2.1 cu. Ft. overall capacity
- 16 ½" Glass Turntable
- Microwave Power 1,200 W
- Sensor Cooking

MBCS 24" Masterpiece® Microwave, Side Swing Door

Stainless Steel

MBT30CS 30" Thermador Trim Kit,

Standard Microwave, Stainless Steel



MBCS w/ MBT30CS

MicroDrawer® Microwaves

Built-In MicroDrawer® Microwaves

- New hidden control panel; opens for enhanced visibility
- Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity
- 1.2 cu. Ft. overall capacity
- Microwave Power 950 W
- Opens and Closes through Touch Control
- Can Be Installed Flush

MD24BS 24" MicroDrawer Microwave

MD30BS 30" MicroDrawer Microwave



MD24BS



\$3,731 _{MD30BS}

\$3,731

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model Number

Description

PRICE

Speed Ovens

Built-In Speed Ovens

- Silver glass on stainless steel
- Full color TFT display
- 12¾" ceramic turntable
- 1.6 cu. ft. overall capacity
- 36 Cook Smart™ Programs
- 10 power levels
- 1,000 W Microwave power
- Sensor cooking
- Sensor reheat
- Convection Bake
- Broil
- 208 or 240 V, 4 wire fixe connection



MC30WS

\$4,963

\$5,425



MC30W



MC30WS 30" Masterpiece® Speed Oven, Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven, Stainless Steel, 208-240 V



WARMING DRAWERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description

Warming Drawers

Standard Warming Drawers

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose[®] door (WD30W only)
- 2.2 cu. ft. overall capacity
- Touch Control Display

30" Warming Drawer, Custom Panel Ready

• Four heating modes: Low,

Medium, High, Proof

- 450 W heating element
- Timer

• Plugs into a standard 120 volt, 3-prong outlet

\$3,739

WD30WC 30" Warming Drawer, Push to Open \$3,431



Storage Drawers

WD30W

- Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design
- 2.4 or 0.8 cu. ft. overall capacity

SD30WC

SDS30WC

SD30WC 30" Storage Drawer (2.4 cu. ft.) \$1,890

PRICE

SDS30WC 30" Storage Drawer, Short Height (0.8 cu. ft.) \$1,890

(Install Under Steam Oven)

Accessories					Professional Series										
	Number	Description	PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301B	PODS302B
••	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven \$76 (2 pc.)	•	•	•	•	•	•	•	•	•			•	•
	TWO30YS	Side-by-Side Installation Kit for Single Ovens \$43	•	•	•	•								•	



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
PRICE

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- Blue indicator burner ON light
- Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

\$2,924 SGS305TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star[®] Burner, Stainless Steel, Five Burners, ExtraLow[®] Select

\$3,773

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

\$3,386 SGS365TS

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

\$4,081

Model Number

• 18K BTU max

Description

PRICE

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- QuickClean Base® contains liquid spills
- Sleek glass control panel
- High-quality, robust, metal knobs
- LP conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

Masterpiece® Series

• Blue indicator light for each burner



C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners

\$3,773

• Progressive Illuminated light ring around each knob

LR: BTU

10,000 high/1,750 low

LF: BTU 8,000 high/204 XLO • ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

C: BTU 18,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low




GSXP305TS

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

\$4,389

• Blue indicator light for each burner



C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS


SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

\$4,081

• Progressive Illuminated light ring around each knob

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

Five Burners, ExtraLow® Select

\$5,005

Model **PRICE** Number Description

All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

PowerBoost[®]

Home Connect[™]


• 17 power levels

Masterpiece® Series

Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow[®] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into one heated and one non-heated
- PowerBoost[®]
- 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3" × 3" Maximum cookware size: 13" × 21" Performance: 3,500 W/5,500 W (PowerBoost®)



CIT30YWBB	30" Dark Gray Glass, Frameless Design	\$9,424
CIT36YWB	36" Dark Gray Glass, Stainless Steel Frame	\$10,713
CIT36YWBB	36" Dark Gray Glass, Frameless Design	\$10,713

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

 Model
 Number
 Description
 PRICE

Masterpiece® Series

30" Liberty® Induction

- Two large flexible cooking surfaces allow for tailored cooking zones
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- Control panel lock
- · Automatic switch off
- Maximum wattage: 7,200 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT30FBG



	Left Full Zone
	15"×8½" @
3	3,300 W/3,600 W
	(PowerBoost®)

LR: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®)
LF: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost [®])	RF: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®)
Left FlexPlus Zone 3 %6" x 11 1/4"	Right FlexPlus Zone 3 %6" x 11 1/4"

Right Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost[®])

CIT30FBG

30" Titanium Gray Glass, Frameless \$6,522

All Masterpiece® Heritage Series Glass Ceramic Induction Cooktops Include the Following Features:

- Pan Recognition
- Touch control panel with white light illumination offers 17 power settings
- CookSmart

- Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost[®]
- Anti-Overflow System
- Two-Level Heat Indicator

- Kitchen timer
- Child safety lock
- Power/Amps: 240 V, 60 Hz/30 A
- Home Connect[™]

Masterpiece® Series

 Large and powerful 11" element with 3,600 W

LR: 9" @	RR: 11" @
2,200 W/3,600 W (PowerBoost [®])	2,600 W/3,600 W (PowerBoost [®])
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost [®])	1,400 W/2,200 W (PowerBoost [®])

CIT304BB

30" Black Glass, Frameless Design



CIT304BB

\$5,717

ACCESSORIES This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model PRICE Description **Cooktop Accessories** Freedom" Inductior Heritage Induction Electric Cooktops _iberty® Induction Gas Cooktops Star Burner® Gas Cooktops Pedestal Star TEPPAN1321 13" × 21" Recommended accessory for \$770 Freedom® Induction Cooktop Wireless Cooking Temperature Sensor Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom® induction Cooking Sensor mode TCOOKSENSW Wireless Cooking Sensor \$308 **SKNOBLUW** Blue Knob Kit, Pedestal Star® \$170 **Burner Cooktops** Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic fi ish • Easy to install **SLPKITW** LP Gas Conversion Kit for \$154 Star® Burner Series Cooktops **SNPKITPEDW** LP Gas Conversion Kit for \$154 Pedestal Star® Burner Series Cooktops **SWOKRINGW** Wok Ring \$154

Optimized for operation on Star® Burner and Pedestal Star® Burner Series cook with up to a 16" wok • Cast iron construction is durable

and dishwasher safe

Call for availability.



RANGES PROFESSIONAL COLLECTION

			110	01 11001011	LL COL				
		30"		36"		48"		60"	
DUAL-FUEL WITH STEAM RANGES	Pro Grand®					PRD48WISGU PRD48WDSGU	Induction Griddle	PRD606WESG	Griddle
INDUCTION RANGES	Pro Harmony®	PRI30LBHU	Induction	PRI36LBHU	Induction				
RANGES	Pro Harmony®	PRD305WHU PRD304WHU	5-burner 4-burner	PRD366WHU PRD364WDHU	6-burner Griddle	PRD486WDHU	Griddle		
DUAL-FUEL RANGES	Pro Grand®			PRD366WGU PRD364WIGU PRD364WDGU	6-burner Induction Griddle	PRD486WIGU PRD486WDGU	Induction Griddle	PRD606WEG	Griddle
GAS RANGES	Pro Harmony®	PRG305WH PRG304WH	5-burner 4-burner	PRG366WH PRG364WDH	6-burner Griddle	PRG486WDH	Griddle		
GAS R.	Pro Grand®			PRG366WG	6-burner	PRG486WDG	Griddle		
RANGE- TOPS	Professional	PCG305W	5-burner	PCG366W PCG364WD	6-burner Griddle	PCG486WD	Griddle		

Model
Number Description PRICE

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PAKNOBLUWR, sold separately. See page 5-10)

PCG366W

- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow[®] simmer burners
- Two-year warranty
- Star-K certifie
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star® Burner units). PAALTKITH High Altitude conversion kit is available for all rangetops.

36" Professional Gas Rangetop

• Six Pedestal Star® Burners (Two • 15 Amps with ExtraLow®).

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/XLO	18,000 high*/3,000 low	18,000 high*/3,000 low

PCG366V

#

36" Stainless Steel with Porcelain Surface

\$7,624



^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number

Description

PRICE

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®) Non-stick surface Electric Griddle 20 Amps

RR: BTU

9:9 9 9 9

LR: BTU 15,000 high*/XLO LF: BTU

18,000 high*/XLO

Electric Griddle 1,630 W 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

Ψ1,011

48" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two with ExtraLow®) • Non-stick surface Electric Griddle

• 20 Amps



LR: BTU 15,000 high*/XLO LF: BTU 18,000 high*/XLO CR: BTU 15,000 high*/3,000 low CF: BTU 18,000 high*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle

\$9,318



^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model
Number Description PRICE

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-10
- All burners with electronic ignition/ re-ignition
- Precision simmering capabilities with two ExtraLow® simmer burners
- For LP: Natural to LP Gas Field Conversion Kit must be ordered sepa-

- rately.
- PAALTKITH High Altitude conversion kit is available for all Pro Harmony Ranges.
- Island trim included
- Two-year warranty
- · Star-K certifie

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Main oven features:

- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),

- Third element rear 2.750 W convection
- Convection Broil and two rapid, selfclean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods)

36" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Oven features 4.9 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18.000 high**/XLO	18,000 high**/3,000 low	18.000 high**/3.000 low

PRD366WHU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks



\$17,049





PRO HARMONY SERIES DUAL-FUEL RANGES


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model **PRICE** Number Description

- Four Pedestal Star® Burners (Two with ExtraLow®)
- Oven features 4.9 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[®]

 Non-stick surface Electric Griddle



Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

PRD364WDHU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\$17,512

PRD364WDHU



48" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Main oven features 4.4 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect[™]
- Non-stick surface Electric Griddle



LR: BTU CR: BTU 15,000 high**/3,000 low 15,000 high**/XLO LF: BTU CF: BTU 18,000 high**/XLO 18,000 high**/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high**/3,000 low

RF: BTU 18,000 high**/3,000 low

PRD486WDHU

PRD486WDHU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks









^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number Description **PRICE**

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page
- · Precision simmering capabilities with two ExtraLow® simmer burners

- Gas ranges are field convertible from natural gas to liquid propane-Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certifie

Griddle model:

• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Ovens feature:

- 17,500 BTU high-intensity infrared
- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)

- · Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

• Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods)

36" Gas Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- 36" range features 5.1 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect[™]

LR: BTU CR: BTU RR: BTU 15,000 high**/3,000 low 15,000 high**/3,000 low 15,000 high**/XLO LF: BTU CF: BTU RF: BTU 18,000 high**/XLO 18,000 high**/3,000 low 18,000 high**/3,000 low

PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\$12,042 PRG366WH







- Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)
- 36" range features 5.1 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

 Non-stick surface Electric Griddle



PRG364WDH

LR: BTU 15,000 high**/XLO LF: BTU 18,000 high**/XLO

Electric Griddle 1.630 W (6-pass)

15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

RR: BTU

PRG364WDH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\$13,969





CR: BTU

15,000 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

Model Number

Description

PRICE

48" Gas Range

• Six Pedestal Star® Burners (Two with ExtraLow®) and

LR: BTU

15,000 high**/XLO

LF: BTU

18,000 high**/XLO

 Main oven features 4.6 cu. ft. overall volume* Thermador Connected Experience with Home Connect[™] Non-stick surface Electric Griddle

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRG486WDH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Electric Griddle

1,630 W

(6-pass)

\$19,668

PRG486WDH





^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

PRICE

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number

Description

Accessories Rangetops Pro Harmony Ranges Dual Fuel Gas Induction All Gas 30 36 48 30 36 30 36 48 30 36 48 PRD364WDHU PRD486WDHU PRD366WHU PRD304WHU PRD305WHU PRG305WH PRG304WH PCG364WD PCG486WD PRI30LBHU PRI36LBHU PCG305W PCG366W Griddle sits on top of **PAGRIDDLE** \$308 Grates over two Burners, • high-release surface coating PA12CHPBLK 12" Maple Chopping \$308 • Board PA12LCVRW 12" Professional \$324 Griddle Cover Grill model is not listed in price book. **PWOKRINGHC** \$308 Wok Ring Accessory • Call for availability. **PALPKITHW** LP Conversion Kit \$217 Pro Harmony Dual Fuel • Ranges & Rangetops (4 & 6 Burner) PALPKITHW5 LP Conversion Kit \$217 Pro Harmony Dual Fuel Ranges & Rangetops (5 Burner) **PALPKITGA** LP Conversion Kit \$308 Pro Harmony Gas Ranges, • • 30" & 36" (4 & 6 Burner) PALPKITHA5 LP Conversion Kit \$217 Pro Harmony Gas Ranges (5 Burner) \$308 PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner) **PAALTKITH** High Altitude Kit \$138 Pro Harmony Ranges & • Rangetops

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description PRICE

Accessories				Ra	nge	eto	ps		Р	ro	Har	rmo	ony	Ra	ang	jes			
					G	as		Indu	ction		Dua	al F	ue	Ц		All	Ga	as	╛
				30	3	6	48	30	36	3	0	3		48	<u> </u>	_	36	5 4	18
				PCG305W	PCG364WD	PCG366W	PCG486WD	PR130LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH
P/	AKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	\$371	•	•	•	•												
PA PA	ARKB30HY	Blue Knob Kit 30" Dual Fuel Harmony	\$384							•	•								
PA PA	ARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	\$384												•	•	•		
P/	ARKB3XIHB	Blue Knob Kit 30/"36" Induction Harmony	\$230					•	•										
P/	ARKB36DHY	Blue Knob Kit 36" Gas/Dual Fuel Harmony	\$384										•					•	
P/	ARKB36HY	Blue Knob Kit 36" Dual Fuel GR Harmony	\$384									•							
PA	ARKB48CHY	Blue Knob Kit 48" Dual Fuel Harmony	\$462											•					
P/	ARKB48DHY	Blue Knob Kit 48" Gas Harmony	\$462																•

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
PRICE

		Безсприон																	<u> </u>
Accessorie	s			Ra	nge	eto	ps		Р	_	Ha			_	ang				
					G	as		Indu	ction		Dua	al F	ue			All	Ga	as	
				30	3	6	48	30	36	3	0			48	_	\rightarrow	36	_	48
				×	WD	M	WD	위	呈	MHU	MHU	MHU	WDHU	WDHO	MH	MH	MH	MDH	MDH
				PCG305	PCG364	PCG366	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305	PRD304WHU	PRD366	PRD364	PRD486	PRG305	PRG304WH	PRG366	PRG364WDH	PRG486
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	\$647							•	•				•	•			
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	\$739									•	•				•	•	
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	\$786											•					•
	PA30WLBC	10" Low Backguard for 30"Rangetop	\$324	•															
	PA36WLBC	10" Low Backguard for 36" Rangetop	\$415		•	•													
	PA48WLBC	10" Low Backguard for 48" Rangetop	\$493				•												

PRO GRAND[®] SERIES DUAL-FUEL WITH STEAM RANGES

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model
Number Description PRICE

All Pro Grand[®] Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Steam and convection oven
- Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with Four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty® surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff
- Electric Griddle
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- LP conversion kit ordered separately for converting burners for LP gas

- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certifie
- CSA certifie

Oven features:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access® telescopic racks with integrated easygrip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean

 Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook® programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function

Warming drawer features:

- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

^{*} According to AHAM Standards

Model

PRICE Number Description

48" Dual-Fuel with Steam Range

The Ultimate Culinary Center™

• Six Pedestal Star® Burners

• Griddle

48" Stainless Steel with

All Telescopic Oven Racks (main oven)

Porcelain Surface and

(Four with ExtraLow®)

PRD48WDSGU

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO


\$30,143











^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{** 12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND[®] SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certifie

All Ovens

- SoftClose® hydraulic hinges for ultrasmooth closing
- Three Full Access® telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty® Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

^{*} According to AHAM Standards

Model Number

PRICE Description

36" Dual-Fuel Ranges

• Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low	18,000 high*/XLO

PRD366WGU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks \$18,590

PRD366WGU



• Four Pedestal Star® Burners (Four with ExtraLow®) and

• Non-stick surface Electric Griddle

LR: BTU 15,000 high*/XLO LF: BTU 22,000 XHI*/XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

PRD364WDGU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks PRD364WDGU

\$19,976











* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND[®] SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

PRICE

48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle

 Non-stick surface Electric Griddle

LR: BTU CR: BTU
15,000 high*/XLO 15,000 high*/3,000 low

LF: BTU CF: BTU
22,000 XHI*/XLO 18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

\$25,751

PRD486WDGU

PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

 Six Pedestal Star® Burners (Four with ExtraLow®) with 24" Dual Zone Griddle Non-stick surface Electric Griddle

LR: BTU CR: BTU
12,500 high**/XLO 12,500 high**/3,000 low

LF: BTU CF: BTU
22,000 XHI**/XLO 18,000 high**/3,000 low

24" Electric Griddle 1,630 W (Left & Right) (3,260 W total) RR: BTU
15,000 high**/XLO

RF: BTU
18,000 high**/XLO

PRD606WEG

\$33,224





PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model
Number Description PRICE

All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®]
 Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Gas ranges are field convertible from natural gas to liquid propane kits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certifie

PRG486WDG

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle

Oven features:

- SoftClose® hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access® telescopic racks with integrated easygrip handles

Large oven:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 6 conventional cooking modes

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

48" Gas Range

 Six Pedestal Star® Burners (Four with ExtraLow®)

 Non-stick surface Electric Griddle

48" Stainless Steel with Porcelain

Surface and All Telescopic Oven Racks

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU
15,000 high*/XLO

RF: BTU
18,000 high*/XLO

\$20,592



PRG486WDG





**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{*}According to AHAM Standards

PRO GRAND[®] SERIES GAS RANGES/PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

PRICE

Accessorie	Accessories			Dual-Fuel with Steam				Dual					Gas
				18"	60"		36"		48	3"	60"	36"	48"
			PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG486WDG
	PAGRIDDLE	Griddle \$3 sits on top of Grates over two Burners, high-release surface coating	08	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple \$3 Chopping Board	08	•	•	•	•	•	•	•	•	•	•
	PA12LCVRW	12" Professional \$3 Griddle Cover	24	•				•		•			•
1	PA24CVRR	24" Cover \$4 for Griddle	62		•						•		

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number

Description

PRICE

Accessorie	Accessories			ual-Fu th Ste				Dual	Fuel			All	Gas	
				48	3"	60"		36"		48	8"	60"	36"	48"
				PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG486WDG
	PWOKRINGHC	Wok Ring Accessory	\$308	•	•	•	•	•	•	•	•	•	•	•
*/	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel Ranges	\$308	•	•	•	•	•	•	•	•	•		
*/	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranges	\$308										•	•
1 =	PAALTKITGW	High Altitude Kit, NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	\$138	•	•	•	•	•	•	•	•	•	•	•
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	\$384				•							
	PARKB36GY	Blue Knob Kit 36" Gas Grand	\$384										•	
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	\$431					•	•					
	PARKB48CGY	Blue Knob Kit 48" Combi Grand	\$593	•						•	•			
	PARKB48SGY	Blue Knob Kit 48" Combi Steam Grand	\$585		•									•
	PARKB60CGY	Blue Knob Kit 60" Combi Grand	\$538									•		

PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description PRICE

Accessorie	Accessories		Dual-Fuel with Steam				Dual	Fuel			All	Gas		
				48	3"	60"		36"	,	48	3"	60"	36"	48"
				PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG486WDG
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Grand	\$538			•								
	PA36WTKG	Toe Kick for 36" Pro Grand® Range	\$170				•	•	•				•	
	PA48WTKG	Toe Kick for 48" Pro Grand® Range	\$170	•	•					•	•			•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] Range	\$217			•						•		
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fuel Pro Gra Ranges	\$739 and [®]				•	•	•				•	
	PA48WLBG	7" Low Backguard for 48" Pro Grand® Gas Rang	\$786 es	•	•					•	•			•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand® Range	\$862			•						•		



VENTILATION

MASTERPIECE® & PROFESSIONAL COLLECTIONS

		30"	36"	42"	48"	54"/60"
	Low-Profile	HMWB30WS	HMWB36WS		HMWB481WS	
T	Masterpiece [®]	HMDW30WS	HMWB361WS HMDW36WS			
WALL	Pro Grand®		PH36GWS		PH48GWS	PH60GWS
	Pro Harmony®		PH36HWS		PH48HWS	
ALL	Masterpiece [®]	HMCB30WS	HMCB36WS			
CHIMNEY WALL	Masterpiece [®]	HDDB30WS	HDDB36WS			
CHIM	Professional		HPCN36WS		HPCN48WS	
ISLAND	Masterpiece [®]		HMIB36WS	HMIB42WS		
USTOM NSERT	Masterpiece [®]	VCI3B30ZS VCI6B30ZS	VCl3B36ZS VCl6B36ZS			
CUS' INS	Professional		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
DOWNDRAFT	Masterpiece [®]	UCVM30XS	UCVM36XS UCVP36XS			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **PRICE** Number Description

All Wall Hoods include the following features:

- Beautiful illumination with multi-level. LED lights
- · Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- · Check filter reminder light illuminates after 40 hours of operation

Accessory options available

• Built-in remote control panel, sold separate (see page 6-7)

All Masterpiece® Wall Hoods include these Additional features:

- Equipped with the Thermador Connected Experience by Home Connect™
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- Brushed stainless steel

- Dishwasher-safe stainless steel covered mesh filter
- Noise Control Technology™
- Cooktop Hood-Sync Enabled
- Vertical ducting direction
- Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-3)

Masterpiece® Series

Drawer Under Cabinet Wall Hood

- A masterful blend of luxury and performance with a slideout canopy design
- When the slide-out canopy is pushed back, it sits flush
- against surrounding cabinetry, and when pulled forward increases capture area
- Fan can be activated in the closed or open position
- 600 CFM integral blower included
- Transition to 8" round and backdraft damper included



HMDW36WS

HMDW30WS 30" Masterpiece®, Under Cabinet

Drawer Wall Hood, 600 CFM

36" Masterpiece®, Under Cabinet HMDW36WS

Drawer Wall Hood, 600 CFM

\$3,627

\$3.781

Low-Profile Wall Hood

- Chiseled design that is 24" depth, 11" tall
- Approved for use with Professional Series Ranges and Rangetops
- 16" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-3)
- Transition to 10" round and backdraft damper included



HMWB30WS

HMWB30WS 30" Low-Profile Wall Hood, 600 CFM \$3,473 HMWB36WS 36" Low-Profile Wall Hood, 600 CFM \$3,627

HMWB361WS 36" Low-Profile Wall Hood, 1000 CFM \$3,781

48" Low-Profile Wall Hood, 1000 CFM \$3,935 HMWB481WS

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number Description

PRICE

Accessorie	s—Masterpiec	e [®] Series		Dra	wer	Lo	w F	rof	il
				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	Recirculation Ac	cessories							
	filte ed air bac	k into kitchen RECHMWB3	Note: RECHMWB30 and 36 are brushed stainless steel,						
	depending on	usage Approved for	height to the appliance. or use with HMWB30WS and S Low-Profile Series Wall Hoods						
	Charcoal filter available (see l	replacement accessory with 600 CF	M blowers only						
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	\$1,078						
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	\$1,154				•		
	RECHMDW30	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	\$201	•					
	RECHMDW36	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	\$201		•				
FEEE	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	\$154	•					
FEER	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	\$154		•				
-	Optional Stainle	ss Steel Duct Cover							
	l -		d with Low-Profile HMWBxxWS Hoods						
	DCT3016W	16" Tall Duct Cover for Low-Profile Wall Ho 30" Wide	ood, \$1,000						
4	DCT3616W	16" Tall Duct Cover for Low-Profile Wall Ho 36" Wide	ood, \$1,016				•	•	
4	DCT4816W	16" Tall Duct Cover for Low-Profile Wall Ho 48" Wide	ood, \$1,047						•
U	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	\$1,154			•			

Model Number Description

Accessorie	s—Masterpie	ce [®] Series		Dra	wer	Lo	w F	Prof	il
				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
U	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	\$1,170				•	•	
V	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	\$1,201						•

PRICE



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **PRICE** Number Description

All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-7)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2DA, VTN1DZ, VTN2FZ Inline: VTI1FZ¹, VTI2FZ

Remote: VTR1FZ, VTR2FZ

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page
- Remote blower roof plates (see page 6-8)
- 25-ft. remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filter

Harmony® Professional Ranges

36" Pro Harmony® Wall Hood, Optional Blower \$4,089

48" Pro Harmony® Wall Hood, Optional Blower PH48HWS \$4,551



PH36HWS

Pro Grand® Wall Hood

PH36HWS

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand® **Professional Ranges**
- Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	\$4,397
	oo iio olalla iiali iiooa, opilolla ziollo.	4.70,7

PH48GWS 48" Pro Grand® Wall Hood, Optional Blower \$5,089

PH60GWS 60" Pro Grand® Wall Hood, Optional Blower \$6,708

¹ The 600 CFM blower options are not available with the 60" hood

Model Number PRICE Description

Blowers		Master	piece®	Pro	fessio	onal
		4		Wall	Chimney Wall	Custom Insert
		UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	VCINxxGWS
	Integral Blowers • Integrated into ventilation hood at the time of installation VTN1DZ 400 CFM Integral Blower \$1,409					
	VINIDZ 400 CFW Integral blower \$1,409			•		
	VTN2DA 700 CFM Integral Blower \$1,409			•	•	•
0	VTN2FZ 1,000 CFM Blower \$1,746			•	•	•
	Inline Blowers • Blower can be mounted along the duct line between the kitchen and the exterior wall • 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-8) • For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods					
0.	VTI1FZ 600 CFM Inline Blower, \$1,409 6" duct size	•	•	•1	•	•2
	VTI2FZ 1,000 CFM Inline Blower, \$1,746 10" duct size	•	•	•	•	•
	Remote Blowers • For external roof or wall mount• 25 ft. cable (EXTNCB25W) • For use with Thermador available for inline blower (RFPLTxxP) required for roof mount applications—sold separately (see page 6-8) Roof mounting plate available for inline blower applications—sold separately (see page 6-8) **CINxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods**					
	VTR1FZ 600 CFM Remote Blower, \$1,578 6" duct size Discontinues December	•	•	•2	•	•2
	VTR2FZ 1,000 CFM Remote Blower, \$1,746	•	•	•	•	•

¹ For PH30HWS only
2 The 600 CFM blower options are not available with the 60" hood

Model Number Description

PRICE

Accessories—Professional			ro	Pr	o Gra	nd
		PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
Optional Stainless Steel Duct C • Available in 6" and 20"–54" tell heights DC366W 6" Tall Duct C Pro Wall Hood	• Can be used with PHxxxWS Pro Grand® and Pro Harmony® Series Wall Hoods Cover for \$755	•		•		
DC486W 6" Tall Duct C Pro Wall Hoo			•		•	
DC3689W 8' - 9' Ceiling Duct Cover, 3		•		•		
DC4889W 8' - 9' Ceiling Duct Cover, 4			•		•	
DC361012W 10' - 12' Ceili Duct Cover, 3	ngs Telescoping \$1,016 86" wide	•				
DC481012W 10' - 12' Ceili Duct Cover, 4	ngs Telescoping \$1,110 .8" wide		•		•	
Built-In Remote Control Ability to vertically install on case or wall to control hood in a consolocation Built-in sleek, smooth remote to trol panel	HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxxWS, HMWBxx1WS,	•	•	•	•	•
REMCPW Built-In Remo	te Control Accessory \$493					

Model Number

Description

PRICE

Blower and	Duct Accesso	ries		Pı Harn		Pro	nd	
				PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
	Remote & Inline Blower Extension Cable • 25-ft. extension cable for use between hood and inline or remote blower • Supports PHxxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods. • Cannot join two cables together for longer length. • For use with blowers VTI1FZ, VTI2FZ, VTR1FZ, VTR1FZ, VTR2FZ.		•	•	•	•	•	
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	\$185					
1) }	EXTNSET4	3-pc extension set for Inline and remote blowers	\$245	•	•	•	•	•
1 1	Roof Plates NOTE: Roof plate	e required for roof-mount application of remote blowers.						
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	\$201	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ	\$245	•	•	•	•	•



CHIMNEY WALL HOODS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **PRICE** Number Description All Chimney Wall Hoods include the following features: Beautiful illumination with multi-level, • Automatic mode detects • Check filter reminder light illuminates LED lights after 40 hours of operation temperatures to adjust fan speed automatically • Dishwasher-safe filter • Vertical ducting direction • 10-min. delay shut off whisk away · Recessed sleek, smooth touch control • Built-in remote control panel accessory lingering odors panel that provides precise performance available, sold separate (see page 6-7) selection with 4-speed levels All Masterpiece® Chimney Wall Hoods include these Additional features: • Equipped with the Thermador Connected • 600 CFM integral blower • Convertible to recirculation, accessory Experience by Home Connect[™] sold separate (see page 6-12 • Adjustable telescopic chimney heights to • A perfect complement to the sleek fit up to 9-ft. tall ceilings • Hybrid mesh filters with stainless steel Thermador Masterpiece® Series cooktops frame • Transition to 8" round and backdraft Brushed stainless steel damper included • Vertical ducting direction Serves as the focal point of the room • Duct cover extension kit accessory for and can add a modern feel 9-ft. to 12-ft. tall ceilings available, sold separate (see page 6-12) • Cooktop Hood-Sync Enabled Masterpiece® Series **Pyramid Chimney Wall Hood** • Streamlined, contemporary, Noise Control Technology™ low-profile design with 5" pyramid canopy height \$4,243 _{HMCB30WS} HMCB30WS 30" Masterpiece® Pyramid Chimney Wall Hood, 600 CFM HMCB36WS 36" Masterpiece® Pyramid Chimney Wall Hood, 600 CFM **Drawer Chimney Wall Hood** • A masterful blend of luxury and • Can be activated whether in

performance with unique slideout canopy design that can be pushed back for increased head room or pulled forward for increased capture area

HDDB30WS*

HDDB36WS*

- the open or closed position
- Noise Control Deluxe™



HDDB30WS

30" Masterpiece® Drawer Chimney Wall Hood,

600 CFM

36" Masterpiece® Drawer Chimney Wall Hood,

600 CFM

\$4,859

\$5,321

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

Model Number Description PRICE

All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18" 35" tall telescopic, and 42" – 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2DA, VTN2FZ, Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

Accessory options available

- Remote blower roof plates (see page 6-12)
- 25-ft. remote & inline blower extension cable (see page 6-11)

Professional Series

Pro Grand[®] Chimney Wall Hood

HPCN36WS 36" Professional® Chimney Wall Hood,

Optional Blower

HPCN48WS 48" Professional® Chimney Wall Hood,

Optional Blower



\$6,092 HPCN36WS



 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Accessories		Maste		piece	,®	Pr Gra			
				Pyra W	amid /all	Dra	wer	W	all
				HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable							
		cable for use between or remote blower • Cannot join two cables togeth ger length.	er for lon-						
	 Supports PHxxx UCVMxxXS, UC series hoods. 	WS, HPCNxxWS, • For use with blowers VTI1FZ, VTR1FZ, VTR2FZ.	VTI2FZ,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	\$185						
	EXTNSET4	3-pc extension set for Inline and remote blowers	\$245					•	•
	Duct Cover								
		all, 18"–35" tall telescopic, • Can be used with HPCNxxWS I telescopic heights • Can be used with HPCNxxWS						•	
	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	\$770						
1	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	\$786						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	\$1,000					•	
U	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	\$1,016						•
U	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	\$1,110					•	
U	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	\$1,141						•

Accessories		laster	piece	e [®]	Pr Gra	
		amid /all	Dra	wer	Wa	all
	HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
Chimney Wall Hood Extension Kits Stainless steel telescopic chimney extension for 9-ft. to 12-ft. tall ceilings						
CHXTHDDW 9'-12' Ceilings Chimney Extension Kit for \$893 HDDBxxWS Masterpiece® Chimney Drawer Hood			•	•		
CHXTHMCB 9'-12' Ceilings Chimney Extension Kit for \$893 HMCBxxWS Masterpiece® Pyramid Chimney Hood	•	•				
Chimney Wall Hood Recirculation Accessories • When ducting is not feasible, kit brings filte ed air back into kitchen • Replace charcoal fister every 3–6 months depending on usage • Charcoal filter replacement accessory available (see below)			•	•		
RECHDDB Recirculation Kit for Masterpiece® \$245 HDDBxxWS Drawer Chimney Wall Hood						
RECHMCB Recirculation Kit for Masterpiece® \$245 HMCBxxWS Chimney Wall Hood	•	•				
CHFHMCD Replacement Charcoal Filters \$170 For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	•	•	•	•		
Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers. RFPLT600P Roof mounting plate for semantic plate for remote blower VTR1FZ \$201					•	•
RFPLT1000P Roof mounting plate for remote blower VTR2FZ \$245					•	•

Model
Number Description PRICE

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece[®]
 Series cooktops
- Brushed stainless steel

- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings
- Transition to 8" round and backdraft damper included

 Convertible to recirculation, accessory sold separate (see page 6-14)

Accessory options available

 Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings (see page 6-14)



HMIB36WS



HMIB36WS 36" Masterpiece® Box Island Hood,

600 CFM

HMIB42WS 42" Masterpiece® Box Island Hood,

600 CFM

\$5,817

\$5,971



Model Number Description

PRICE

Accessorie	S			Master	rpiece®
				Low F	Profil
	Model Number	Description		HMIB36WS	HMIB42WS
	Low-Profile Islan	nd Hood Extension Kit			
	Stainless steel chimney exter 12-ft tall ceilin	nsion for 9-ft to Masterpiece® Island Hood		•	•
200	CHXTHMIB	9'-12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood	\$1,078		
	Low-Profile Islan	nd Hood Recirculation Accessories			
	When ducting kit brings filter	is not feasible, • Compatible with HMIBxxWS rs air back into • Masterpiece® Island Hood			
	kitchenReplace charce3–6 months de				
-	usage				
· m	RECHMIB	Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	\$245	•	•
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	\$170	•	•





Model Number Description PRICE

All Masterpiece® Custom Inserts include the following features:

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Touch control

- Two 6 W LED lights
- Vertical ducting
- Integral blower
- 15 Amps

- 120 V
- Dishwasher-safe aluminum filte
- Perimetric filte
- Plug type: hardwire

Masterpiece® Series

600 CFM Custom Insert

• 600 CFM blower

 Vertical ducting with 8" round duct

VCI6B30ZS 30" Custom Insert Hood, 600 CFM

VCI6B36ZS 36" Custom Insert Hood, 600 CFM



\$2,810 VCI6B30ZS

\$2,857



VCI6B36ZS





Model
Number Description PRICE

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filter
- Beautiful illumination with multi-level, LED lights

- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation

Vertical ducting

 Blower options sold separate and required to complete install.

Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2DA, VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

parate te

Professional Series

VCIN48GWS









 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Accessorie	:cessories			Ма	stei	pie		<u> </u>		ro		
				VCI3B30ZS	VCI3B36ZS	VCI6B30ZS	VCI6B36ZS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
	Built-In Remote (Ability to vertice on cabinetry or control hood in nient location Built-in sleek, sm remote touch control to the control to t	ally install wall to wall to a conversion ooth - Compatible with HDDBxxWS, HMCBxxWS, HMCBxxWS, HMBxxWS, HMBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMXXXWS, HXXXXWS, HXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX										
h	REMCPW	Built-In Remote Control Accessory \$	493					•	•	•	•	•
	 25-ft. extension hood and inline Supports PHxxx UCVMxxXS, UC 	/P36xS and VTR1FZ, VTR2FZ.										
	VCINxxGWS ser EXTNCB25W		185					•	•	•	•	•
1)	EXTNSET4	3-pc extension set for Inline and \$ remote blowers	245					•	•	•	•	•
	Roof Plates NOTE: Roof plate RFPLT600P	required for roof-mount application of remote blowers. Roof mounting plate for \$ remote blower VTR1FZ	201					•	•	•	•	•
	RFPLT1000P	Roof mounting plate for \$ remote blower VTR2FZ	245					•	•	•	•	•
4-1-1	Charcoal Filters											
_	CHFVCI30ZS	Charcoal Filter Kit for 30" Custom Inserts \$ VCI3B30ZS and VCI6B30ZS	170	•		•						
_	CHFVCI36ZS	Charcoal Filter Kit for 36" Custom Inserts \$ VCI6B36ZS and VCI6B36ZS	170		•		•					
	<u> </u>											

Model
Number Description PRICE

All Downdrafts include the following features:

- Designed for installation with all Thermador cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- · Dishwasher safe mesh filter
- Three speeds
- Convenient 10-minute time-delay shutoff feature

- Filter maintenance reminder light
- Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-19)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-20).

Integral: VTD600P Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen:

[see page 6-20]

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

Accessory options available

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-19)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22)

Masterpiece® Series

Downdraft Ventilation System

UCVM30XS

30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

\$3,181 UCVM30XS

UCVM36XS

36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

\$3,489

UCVM36XS

UCVP36XS

36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights



 ${\bf NOTE: Transition\ required\ and\ sold\ separately\ for\ all\ remote\ and\ inline\ blower\ installations.}$

Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
	 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only Works in wall or island applications When ducting is not feasible, kit brings filte edair back into kitchen after passing through a charcoal filte Mounts to cabinet base, recesses into toe kick/socket To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 			
	UCVRECIRC Recirculation kit for downdraft \$924 UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filter every 3-6 months depending on usage with HDDFILTUC	•	•	•
	HDDFILTUC Charcoal filter replacement See Bosch Price List* For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Seal Kit For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only UCV30ST 30" gas cooktop seal kit For UCVM30XS downdraft \$201	•		
	UCV36ST 36" gas cooktop seal kit \$201		•	•

^{*} Pricing for the Thermador accessory listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
00	Integrated Blower VTD600P 600 CFM, 8" duct size flexible \$1,578 integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	•	•	•
	Inline Blowers • Blower can be mounted along the duct line between the kitchen and the exterior wall • 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22) • For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods			
	VTI1FZ 600 CFM Inline Blower, \$1,409 6" duct size	•	•	•
	VTI2FZ 1,000 CFM Inline Blower, \$1,746 10" duct size	•	•	•
	Remote Blowers For external roof or wall mount Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22) Remote Blowers 25 ft. cable (EXTNCB25W) available for inline blower available for inline blower available for inline blower applications—sold separately (see page 6-22) For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods			
	VTR1FZ 600 CFM Remote Blower, 6" duct size \$1,578 Discontinues December	•	•	•
	VTR2FZ 1,000 CFM Remote Blower, 10" duct size \$1,746	•	•	•
	Downdraft Transitions Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) For use with inline and remote blowers CVTSIDE6 6" side/rear transition \$308			
	Rectangular 1 % "×19" transition to 6" round for side, down and rear exhaust applications	•	•	•
0	CVTSIDE8 8" side/rear transition \$308 Rectangular 1 %"×19" transition to 8" round for side, down and rear exhaust applications	•	•	•

Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
-6	CVTSIDE10 10" side/rear transition \$308 Rectangular 1 % "×19" transition to 10" round for side, down and rear exhaust applications	•	•	•
0	CVTFRONT6 6" round front plate \$154 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT8 8" round front plate \$154 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT10 10" round front plate \$154 Front rough-in plate for front downward exhaust applications	•	•	•
	CVDUCT2 2' rectangular duct \$308 Rectangular duct that is 2' long × 1 %" deep × 19" wide (CVDUCT2) required to connect CVTRECT2 to downdraft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to connect CVTRECT2 to round ductwork	•	•	•
	CVTRECT2 Transition for rectangular duct \$154 Required to attach CVDUCT2 2' rectangular duct to downdraft housing	•	•	•





Blower Acc	ower Accessories			Inline	Remote	Blowers		Downdraft	
		VTD600P	VTI1FZ	VTI2FZ	VTR1FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
	Remote & Inline Blower Extension Cable		Т					\top	\dashv
	• 25-ft. extension cable for use between hood and inline or remote blower • Cannot join two cables together for longer length.								
	 Supports PHxxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods. For use with blowers VTI1FZ, VTI2FZ, VTR1FZ, VTR2FZ. 								
10	EXTNCB25W 25-ft Remote & Inline Blower \$185 Extension Cable		•	•	•	•	•	•	•
1)	EXTNSET4 3-pc extension set for Inline and remote blowers \$245			•	•	•			
	Electrical Panel Extension Cable								
	 For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way Extends electrical panel cable an additional 5' Ability to connect two cables together to make a 10' cable Not to be used to connect the downdraft with inline and remote blowers 								
Son	EXTNCE5 5' Electrical Panel Extension Cable \$308 for Downdraft. For UCVM30XS, UCVM36XS, UCVP36XS downdrafts						•	•	•
	Roof Plates		Г					1	\dashv
	NOTE: Roof plate required for roof-mount application of remote blowers.								
	RFPLT600P Roof mounting plate for remote blower VTR1FZ \$201								
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ \$245					•	•		



Model **PRICE** Number Description

All Dishwashers include the following features:

- · Superior washing and drying performance quaranteed
- Concealed controls
- Touch Controls
- Black-shimmer racks with 3-Step adjustment
- A highly flexible racking system
- 16 place settings
- 18/10 Stainless steel TallTub
- Powerfully Quiet[®] operation

- Sens-a-Wash[®]
- Advanced Triple Filtration System
- Leak Sensor and Auto Shut off
- ⚠ Home Connect Wi-Fi enabled/Home Connect™ app compatibility

Wash Cycles:

- Normal
- Auto
- · Pots and Pans
- Quick

Options:

- 24-hour Delay Start
- Remote Start (Connected)
- Sanitize (NSF certified to remove up to 99.9% of bacteria)

Emerald Series

- 48 dBA
- Chef's Tool Drawer™ (third rack)

DWHD640EFM

DWHD640EFP

DWHD640EPR

• Blue PowerBeam® "on" indicator

• ENERGY STAR® certifie

24" Masterpiece® Stainless Steel Emerald®

24" Professional Stainless Steel Emerald®

24" Custom Panel Emerald®

(Requires Custom Panel)

Additional App-Only Cycles:

• Rinse, Machine Care Additional Options:

Extra Dry

Additional App-Only Options:

• Save Time

\$2,207

DWHD640EFP

DWHD640EFM

\$2,207

\$2,207

DWHD640EPR



Sapphire® Series

- 44 dBA
- Adjustable Chef's Tool Drawer™ (third rack)
- Flexible folding tines
- NEW ZoneControl™ Spray Arm
- Blue PowerBeam® "on" indicator
- Sapphire Glow® Interior Light
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- ENERGY STAR® certifie

Additional App-Only Cycles:

• Rinse, Machine Care, Glass

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution

Additional App-Only Options:

Save Time



DWHD660EFM



DWHD660EFP



DWHD660EPR \$3,131





DWHD660EFM 24" Masterpiece® Stainless Steel Sapphire® DWHD660FFP 24" Professional Stainless Steel Sapphire®

DWHD660EPR 24" Custom Panel Sapphire® with

Push To Open feature (Requires Custom Pan

BUILT-IN DISHWASHERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number PRICE Description

Star Sapphire® Series

- 42 dBA
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- Adjustable Chef's Tool Drawer™ (third rack)
- 18 wine glass capacity
- Flexible folding tines
- NEW ZoneControl™ Spray Arm
- Time remaining PowerBeam® indicator
- StarGlow interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect™ app
- Crystal Protect® water softener system
- ENERGY STAR® certifie

Additional App-Only Cycles:

• Rinse, Machine Care, Glass

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution

Additional App-Only Options:

Save Time



DWHD661EFM



DWHD661EFP



DWHD661EPR

DWHD661EFM 24" Masterpiece® Stainless Steel Star Sapphire®

DWHD661EFP 24" Professional Stainless Steel Star Sapphire®

DWHD661EPR 24" Custom Panel Star Sapphire® with

Push To Open feature (Requires Custom Panel)

engy 3	

\$3,901 \$3,901

\$3,901



Accessorie	Model Number	Description		Emerald Series	Sapphire® Series	Star Sapphire® Series
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
3Q	SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
o Pro	SMZ5000 Holder, Three Pla	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle astic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
0.	SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

^{*} Pricing for the Thermador dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.



HOMEA

www.homea.mx

Email: ventas@homea.mx

Whatsapp: (446)144.6318

Tel: (442)216.3552

Lada sin Costo: 01(800)701.2121